## Revealing Hidden Performance Issues with Extended Events

**APASS** 

ON TOUR | DALLAS

#### Jeff Iannucci

he/him

Senior Consultant

Straight Path IT Solutions




## Jeff Iannucci

he/him

Senior Consultant Straight Path IT Solutions

Author of *Learn SQL* in a Month of Lunches










www.linkedin.com/in/jeff-iannucci













#### **Select Events To Capture**

Introduction

Set Session Properties

Choose Template

#### Select Events To Capture

Capture Global Fields

Set Session Event Filters

Specify Session Data Storage

Summary

Create Event Session

Select the events you want to capture from the event library. Event library: Search Events in Event names only Name Package V Category Channel query\_plan\_profile execution Analytic sglserver query\_post\_compilation\_showplan execution Analytic sqlserver query\_post\_execution\_plan\_profile execution Analytic sglserver Analytic query\_post\_execution\_showplan execution sqlserver Analytic query\_post\_execution\_stats execution sglserver query\_pre\_execution\_showplan execution Analytic sqlserver qds query\_store\_async\_queue\_diagnostics query\_store Operational query\_store\_auto\_enable\_failure query\_store Operational qds query\_store\_auto\_enable\_on\_create query\_store Operational qds query\_store\_background\_cleanup\_task\_failed query\_store Operational ads query\_store\_background\_task\_abort\_stats query\_store Operational query\_store\_background\_task\_creation\_failed query\_store Operational qds query\_store\_background\_task\_initialization\_failed query\_store qds Operational query\_store\_background\_task\_persist\_failed query\_store Operational qds > query\_store\_background\_task\_persist\_finished query\_store Operational qds query\_parameterization\_data Event Fields Description Fired on compile for every query relevant for determining if forced cached\_plan\_size Cached plan size (KB). parameterization would be useful for this database. compile\_code Compile code desciribin.. compile\_cpu\_time Query compile cpu time. compile\_duration Query compile elapsed . compile\_memory Memory (KB) used durin... ID of the database database\_id has\_external\_extraction Indicates whether this s... has\_literals Indicates whether quer.. is\_cached Indicates whether this s. is\_parameterizable Indicates whether quer... Indicates whether this s. is\_query\_variant is\_recompiled Indicates whether this s.. mgf\_persistence\_used\_... Indicates status of appl.. parameterized\_values\_... Number of parameters i...

Query hash, which repr..


query\_hash





#### What is an Extended Event?

"A SQL Server Extended Event is a lightweight performance monitoring system that allows users to collect and analyze detailed information about database engine events."





#### Goals

- Which new Events find performance issues
- Which new Events aren't as helpful
- What painless ways we can view Event info





#### **Parts of an Extended Event**

**EVENT** 

What are we watching for?

**ACTION** 

What information do you want?

**TARGET** 

Where do you want the info?





#### Permissions to create an Extended Event

SQL Server **2008** and **2008 R2**:


**CONTROL SERVER** 

SQL Server **2012** to **2019**:

**ALTER ANY EVENT SESSION** 

SQL Server **2022** and higher:

**CREATE/DROP ANY EVENT SESSION** 






#### Permissions to view an Extended Event

SQL Server **2008** to **2019**:

**VIEW SERVER STATE** 

SQL Server **2022** and higher:

**VIEW SERVER PERFORMANCE STATE** 





#### What's new with Extended Events?


```
Query antipatterns query_antipattern
```

Aborted queries query\_abort

Spills to tempdb spills\_to\_tempdb

Measuring extended event overhead

(sys.dm\_xe\_session\_events)







#### **DEMO TIME!**



#### The basics


```
Long-running queries
    sql_statement_completed
Blocking
    blocked_process_report
    (sp_HumanEventsBlockViewer)
Deadlocks
    lock_deadlock
    (system_health XE)
    (sp_BlitzLock)
```





### Failed and aborted queries

```
Failed queries
    error_reported
Aborted queries
    query_abort
Aborted queries – old school
    sql_batch_completed
    rpc_completed
    sp_statement_completed
```





### Antipatterns (well, some...)

Type Convert Preventing Seek
query\_antipattern (...mostly...)

Large Number of OR in Predicate

query\_antipattern (...sort of...)

Large IN clause

Non-optimal use of OR





### **Monitoring tempdb**

#### Growth

```
database_file_size_change
database_log_file_used_size_change
```

#### Spills

```
spills_to_tempdb (...maybe...)
sql_statement_completed
```






#### Measuring extended events

**Impact** 

Trace flag 9708
sys.dm\_xe\_session\_events





#### **BONUS!**

sp\_HumanEvents


**Blocking** 

**Query performance** 

**Compiles** 

Recompiles

**Wait statistics** 





PASS

#### **ANOTHER BONUS!!**

XE Smart Target

**Uses XE streaming API to connect Allows for responses:** 

- Write to CSV file
- Email
- Execute T-SQL
- Replay
- Write to a table





#### **MOAR BONUS!!!**

dbatools.io

**Get-DbaXESession** 

Read-Dba-XEFile

**Get-DbaXESmartTarget** 

...and 25 more cmdlets!









#### **WARNING!**

Please do not start all the meerkats extended events at the same time.



# Your feedback is important to us



#### **Evaluate this session at:**

passdatacommunitysummit.com/evalutations-dal



## Thank you

#### **Jeff Iannucci**



github.com\desertdba

www.linkedin.com/in/jeff-iannucci

