Roll No. 202 cd 005

Assignment No.-6

GOODLUCK | Page No. 28 | Date 23 | 12 | 20 |

0.10	Find minimum coesia noment and a City collection											
Que.	Find minimum assignment cost of the tollowing assignment problem using Hungarian method.											
	assig	nmen	- bs	blein	2 (18	sing	Hur) gar	oan met	rod.		
Table Little			1.00		rator			1	***			
The factor of		100	15	2	39	4	S	1	Row Mir	1.		
THE PARTY OF	Ans:- a	- 1	0	1	. 10		. 8					
		1 4	9	117	140	The N	1) 1	(7			
and the second		1							dal .	·		
	TOP	2	6	15	13	13	1	0	6			
			*	1			, I					
	12	3	12	13	6	8	3	3	6			
			1			19						
		14	11	95	10	12	2) (2	g	9			
	*			,		1	-	m (2)	Y .	- 4		
THE SOLI	Selph	11115	c-7 8	12:1	114	1	0,5 1	4	6-177	4		
Alle !			1	1779	0	L.	_		T.	<u> </u>		
	Step [1] Subtracting minum value of each row											
	,	5	mon	rom	spon	ding	ele	ments	in that	2000.		
	from corresponding elements in that so operator + 1 2 93 4 15											
		10p1	No.	15	and the second							
		1	2	1	P St	7	2°		1.17			
				1100					HITE			
			0	9	11-	7	#7	4				
			3 .						£2	-1,		
		3	6	1	1 1	0	12	9 2		***************************************		
	e .		1	1								
4		4	2	1 0		1	3	0	1	_		
							,			-		
	ń	5	1 .0	BITT	Va	74	3	7		_		
	τ.	1 6 11111 11		16	1 1 2 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2		TO DIT			-		
L."	Colux	Column min O				0 0			/			
		-\- g'	1 1	1 . 1	· , · , · ,	1	4					

F	1											
	step[27 %-	Coli	ω	Res) n:-						
1.525.4		u la	44		pera	tor	L di :	\$ 16.31				
11.0	1 1 121	o pilu	11 101	2_	3	4	+ 5m	Mille				
		+	19	1	711	Section 1						
1111	11-2	lĉ.	2	4	7	2.1	0	k .	The state of the s			
		1	1		76 (1 91	" -cal.	1)			
	1	2	0	9	7	5	4					
	Tob			6	Ar	i q			- 13			
	0	3	6	71	0	00	2	E C'IT	1.			
		7	Carlo	F.	100				10			
	6	4	2	0		1 75 1	0					
		1	1	13 54 54		7 4		The second	j -			
1	P	5	O	5	70	M	1-7		1			
		4			1				F			
	Step	[3]	Roco	sca	nning	8 c	olumn	S cann	ing:-			
		, u	4	4	Opera	tor			U			
0.0	1 21 3	Ar. a	W. C. F	a 2 nic	3,	4	ا 5: بل	Il asta				
· Ar	I al 2	tasm	is I	al rec	2011	3, 01	6	la.				
		EL	2	49	-7	2	0	2	<u>j</u>			
	1				1	4	4 -	Maria -				
		0 2		9	7	5	4	Markey 1.				
	Job		h									
		3.	6	7	0	0	2					
	Li					1						
		\$ 4	- 2	[0]	A		9					
		7		-	700	<u>.</u>						
-	h	5	δΦ	5	70			Sec.				
	Her		10. of		squar	re-ma	nced	=4				
	No. of rows (or columns) = 5											

N(square marked)=4 + N(rows)=5

.'.

hawar w	·						Dato 23 12 20)						
						1							
		Hence	- D(stimalit	k/ i		not.	200	che	d.			
		<u>.</u>		(J '	<u> </u>	1,01	· Cuc					
6tep[4]	from	una	dele	ted ce	ells.	le	ast	no.	und	elete	d		
M I	141 From undeleted cells, least no undeleted cell- is, 1,												
Adding 1, to Intersection cells f													
	Adding +, to Intersection cells f subtracting 1 from undeleted cells we get.												
	Operator												
			1	2	3		4	5	-	7			
	_	-, ', ',	1	1-30-1-2	- Б					11			
		<u> </u>	7	4	6		1	10	i j	4			
4		,	_	1	4				_	14			
<u> </u>	721	2	10	9	6		4	4		11/2			
	JOP	7				-		2		/04	Sp.		
100		3		8	0		haye.	9		í.			
the .	att 1 2 a	Lp -	5		~					1	7		
Maria.	10.0	4			,	te e):				
		5		5	6		6	7	,	1			
			Ť	12	1			- to	F.	,1			
			-						,	F			
	Here	. NC	squ	are-ma	sked	10	's) =	5=	No	·ofs	ows		
Here, NC square-marked 0's) = 5 = No. of ro													
	Optimal solution is reached.												
			¥							8			
		Job	- }	opera	cost 7				4.				
The state of the s		1		5				7.0					
		1		Y Y	6				1				
4		3			3								
		Lp		2	9								
		5		4		10					· ·		

38 > Minimum total Assicost