

Current Urgent Issues for CuisineCompass – Please Confirm

1. Password Rules Consistency (Register/Login)

🔗 [GROUPJ-130: Inconsistent Password Validation Between Registration and Login APIs](#) **DONE**

Currently, the password requirements for registration and login are not consistent. We need to unify the rules to avoid user confusion and make sure weak passwords cannot bypass at registration but fail at login.

2. Search Bar: Required? Parallel with Tags?

Please confirm if we need both a search bar and tag filters on the main restaurant page.

- If yes, should they work independently, or can they be combined (e.g., search by name + filter by cuisine)?
- Also, what exactly can users search for (name, address, cuisine, tags, etc.)?
- Which API should the search function use?

3. Tag Categories: Which Tags to Show?

🔗 [GROUPJ-128: Restaurant data mismatch: /restaurants/browse API returns restaurants not found in database](#) **DONE**

We're planning to use three main tag categories:

- Common Cuisines
- Dining Scenarios
- Special Diets/Needs

Please confirm which specific tags/options will be available under each category, so both front and backend are aligned.

4. Māori, Chinese, Sri Lankan Restaurant Coverage

🔗 [GROUPJ-129: No API or endpoint to fetch culture stories/cultural content](#) **DONE**


We need to be clear on which restaurants will be returned by the backend when users select Māori, Chinese, or Sri Lankan tags.

- I will prepare and inject summary and reviews data into the database for these restaurants—please confirm the list.

5. Culture Section: Real API or Static Content?

Currently, the Culture section only displays Māori culture info with mock data.

- Will there be an API for culture stories (e.g., for different food cultures/countries)?
- If yes, I need to know the required data format so we can prepare and import real data into the database.



6. Confirm exactly which restaurants will be displayed for Māori, Chinese, and Sri Lankan cuisine tags , restaurant_id Missing from /restaurants/browse API Respo

GROUPJ-128: Restaurant data mismatch: /restaurants/browse API returns restaurants not found in database DONE

so I can prepare and inject the correct summary, reviews, and food data for these restaurants into the database.

Currently, the /restaurants/browse API (and related endpoints) only return the Yelp id (for example, "id": "fs7DKRZhbnEuL7lsCj9Vg"), but do not include the local restaurant_id from our database.

However, other features like foods, reviews, and summaries are all linked to the local restaurant_id (the primary key in our restaurants table). If the API only returns the Yelp id , the frontend cannot reliably fetch or associate foods, reviews, or summaries, because those are all referenced by our own restaurant_id .

Could we update the API to also return the local restaurant_id field along with each restaurant?

This way, the frontend can properly request all related data, and our features can work as intended.

Let me know if you need more details or if you'd prefer to solve it another way (e.g., by providing a mapping API from Yelp ID to restaurant_id), but including the restaurant_id in the main API would be much more efficient for the frontend.

P1	UC01	Browse Restaurant(s)	Visitor, Registered User	Browse/display restaurant list	User opens homepage	Core entry, must-have	FALSE	/restaurants/browse	restaurants
P2	UC10	View Content	Visitor, Registered User	View restaurant data, stories, reviews	User browses or logs in	Main view use case	FALSE	/reviews/by_restaurant/{restaurant_id} - This shows the review data /restaurants/generate-summaries - This shows a small summary. I used the LLM for this	reviews restaurants
P3	UC11	View Restaurant Details	Visitor, Registered User	View full restaurant details	User clicks restaurant	Restaurant detail page	FALSE	/restaurants/{restaurant_id}	restaurants
P4	UC12	View Ratings & Reviews	Visitor, Registered User	View reviews/ratings for	Scrolls to reviews	Key for social proof	FALSE	/reviews/by_restaurant/{restaurant_id}	reviews

7. View Restaurant Data by ID : This now returns data in the format requested

GET
/restaurants/browse/{restaurant_id}
Get Restaurant By Id

Parameters
Cancel

Name	Description
restaurant_id * required integer (path)	2

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
'http://127.0.0.1:8000/restaurants/browse/2' \
-H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/restaurants/browse/2
```

Server response

Code	Details
200	Response body <pre>{ "restaurant_id": 2, "alias": "paradise-indian-food-auckland", "name": "paradise indian food", "image_url": "https://s3-media0-f1.yelpcdn.com/bphoto/cctt6u6q0vrih6_g/o.jpg", "is_closed": false, "url": "https://www.yelp.com/biz/paradise-indian-food-auckland?adjust_creative=hldf1s4lrk1qeqid--j7h4uta_campaign-yelp_api_v3&utm_medium-api_v3_business_search&utm_source=hldf1s4lrk1qeqid--j7h4", "review_count": 43, "categories": [{ "alias": "indpak", "title": "Indian" }, { "alias": "desserts", "title": "Desserts" }, { "alias": "fastfood", "title": "Fast Food" }], "rating": 4, "coordinates": { "latitude": 36.8929084, "longitude": 174.7364955 } }</pre> Download


Response headers

8. browse Restaurant by cuisine type : It now returns data in the requested format


GET
/restaurants/browse
Get Restaurants

Parameters

Name	Description
location * required string (query)	Auckland
cuisine string (string null) (query)	Indian
scene string (string null) (query)	scene
special_diet string (string null) (query)	special_diet
name string (string null) (query)	name
match_any boolean (boolean null) (query)	true



9. Food Culture Data: Data is now returned in the requested format. in a one line summary and a slightly detailed version



10. Review Data: Review data is displayed in the format requested. *Please Note as we currently do not capture the user's location I have passed Auckland, NZ as the default value. we can later change this.*

