

```
//ACCOUNTS TABLE
//ADMIN PASSWORD IS ADMIN2
```

```
CREATE TABLE ACCOUNTS (USERNAME VARCHAR(50), PASSWORD VARCHAR(50),
"ROLE" VARCHAR(20), FIRST_NAME VARCHAR(50), LAST_NAME VARCHAR(50));
```

```
INSERT INTO APP.ACCOUNTS (USERNAME, PASSWORD, "ROLE", FIRST_NAME,
LAST_NAME)
```

```
VALUES ('admin2@gmail.com', '6QrbnOknaJxjHlo7zGKSRg==', 'user', 'admin2',
'admin2');
```

```
INSERT INTO APP.ACCOUNTS (USERNAME, PASSWORD, "ROLE", FIRST_NAME,
LAST_NAME)
```

```
VALUES ('admin', '6QrbnOknaJxjHlo7zGKSRg==', 'admin', 'admin2', 'pw');
```

```
INSERT INTO APP.ACCOUNTS (USERNAME, PASSWORD, "ROLE", FIRST_NAME,
LAST_NAME)
```

```
VALUES ('user1@email.com', 'YZbV0xykYXO7Ywn1D8wjZw==', 'user', 'user1', 'user1');
```

```
INSERT INTO APP.ACCOUNTS (USERNAME, PASSWORD, "ROLE", FIRST_NAME,
LAST_NAME)
```

```
VALUES ('user2@email.com', 'QArzwzSzs0TmdpZ64+C0TA==', 'user', 'user2', 'user2');
```

```
INSERT INTO APP.ACCOUNTS (USERNAME, PASSWORD, "ROLE", FIRST_NAME,
LAST_NAME)
```

```
VALUES ('chan@email.com', 'uWeyv2ytwrw2gGMHRNlrag==', 'user', 'chan', 'pogi');
```

```
INSERT INTO APP.ACCOUNTS (USERNAME, PASSWORD, "ROLE", FIRST_NAME,
LAST_NAME)
```

```
VALUES ('first@email.com', 'afn+uFv22yzB9cb0hzz4kg==', 'user', 'first', 'last');
```

```
INSERT INTO APP.ACCOUNTS (USERNAME, PASSWORD, "ROLE", FIRST_NAME,
LAST_NAME)
```

```
VALUES ('admin3', '6QrbnOknaJxjHlo7zGKSRg==', 'admin', 'admin2', 'hi');
```

```
INSERT INTO APP.ACCOUNTS (USERNAME, PASSWORD, "ROLE", FIRST_NAME,
LAST_NAME)
```

```
VALUES ('admin4', '6QrbnOknaJxjHlo7zGKSRg==', 'admin', 'admin2', 'last');
```

```
INSERT INTO APP.ACCOUNTS (USERNAME, PASSWORD, "ROLE", FIRST_NAME,
LAST_NAME)
```

```
VALUES ('admin5', '6QrbnOknaJxjHlo7zGKSRg==', 'admin', 'admin2', 'last');
```

```
INSERT INTO APP.ACCOUNTS (USERNAME, PASSWORD, "ROLE", FIRST_NAME,
LAST_NAME)
```

```
VALUES ('emailtoh', 'cSeB47o4CarlY/Kmw711sw==', 'user', 'first', 'last');
```

```
INSERT INTO APP.ACCOUNTS (USERNAME, PASSWORD, "ROLE", FIRST_NAME,
LAST_NAME)
```

```
VALUES ('emailaddress', 'cSeB47o4CarlY/Kmw711sw==', 'user', 'firstname', 'lastname');
```

//CART TABLE

```
CREATE TABLE CART (PRODCODE VARCHAR(20), PRICE INTEGER, PRODNAME  
VARCHAR(50));
```

//PRODUCTS TABLE

```
CREATE TABLE PRODUCTS (PRODCODE VARCHAR(50) NOT NULL, PRODNAME  
VARCHAR(50), STOCK INTEGER, PRICE INTEGER, PRIMARY KEY (PRODCODE));
```

```
INSERT INTO APP.PRODUCTS (PRODCODE, PRODNAME, STOCK, PRICE)  
VALUES ('001', 'RTX 2060', 99, 20000);  
INSERT INTO APP.PRODUCTS (PRODCODE, PRODNAME, STOCK, PRICE)  
VALUES ('002', 'AMD Ryzen 9 5900X', 99, 46999);  
INSERT INTO APP.PRODUCTS (PRODCODE, PRODNAME, STOCK, PRICE)  
VALUES ('003', 'TEAM XTREEM ARGB 16GB DDR4-3600MHz ', 99, 7665);  
INSERT INTO APP.PRODUCTS (PRODCODE, PRODNAME, STOCK, PRICE)  
VALUES ('004', 'Corsair RM750x ', 99, 6349);  
INSERT INTO APP.PRODUCTS (PRODCODE, PRODNAME, STOCK, PRICE)  
VALUES ('005', 'Alienware 34 QD-OLED (AW3423DW)', 99, 64000);  
INSERT INTO APP.PRODUCTS (PRODCODE, PRODNAME, STOCK, PRICE)  
VALUES ('006', 'EK-AIO Basic 240', 99, 3995);  
INSERT INTO APP.PRODUCTS (PRODCODE, PRODNAME, STOCK, PRICE)  
VALUES ('007', 'Fractal Design Meshify 2 Compact', 99, 7000);  
INSERT INTO APP.PRODUCTS (PRODCODE, PRODNAME, STOCK, PRICE)  
VALUES ('008', 'Noctua NF-S12B redux-1200', 99, 1300);  
INSERT INTO APP.PRODUCTS (PRODCODE, PRODNAME, STOCK, PRICE)  
VALUES ('009', 'Logitech G Pro X SuperLight Wireless', 99, 5960);  
INSERT INTO APP.PRODUCTS (PRODCODE, PRODNAME, STOCK, PRICE)  
VALUES ('010', 'Logitech G613 Wireless Mechanical Keyboard', 99, 4295);  
INSERT INTO APP.PRODUCTS (PRODCODE, PRODNAME, STOCK, PRICE)  
VALUES ('011', 'Logitech G435 LIGHTSPEED WIRELESS GAMING HEADSET', 99,  
3350);  
INSERT INTO APP.PRODUCTS (PRODCODE, PRODNAME, STOCK, PRICE)  
VALUES ('012', 'Shure MV7 Podcast Microphone', 99, 13500);
```

//ORDERS TABLE

CREATE TABLE ORDERS (ORDER_DATE DATE, PRODCODE VARCHAR(20), CUST_EMAIL VARCHAR(50), PRICE INTEGER);

```
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '001', 'user1@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '009', 'user1@email.com', 5960);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '008', 'user1@email.com', 1300);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '002', 'user1@email.com', 46999);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '002', 'user1@email.com', 46999);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '001', 'user1@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '001', 'user1@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '009', 'user1@email.com', 5960);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '008', 'user1@email.com', 1300);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '002', 'user1@email.com', 46999);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '002', 'user1@email.com', 46999);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '001', 'user1@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '001', 'user2@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '009', 'user2@email.com', 5960);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '008', 'user2@email.com', 1300);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '002', 'user2@email.com', 46999);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '002', 'user2@email.com', 46999);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '001', 'user2@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '001', 'user1@email.com', 20000);
```

```
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '006', 'user1@email.com', 3995);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '004', 'user1@email.com', 6349);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '008', 'user1@email.com', 1300);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '002', 'user1@email.com', 46999);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '008', 'user1@email.com', 1300);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '003', 'user1@email.com', 7665);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '002', 'user1@email.com', 46999);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '007', 'user1@email.com', 7000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '009', 'user1@email.com', 5960);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '001', 'user1@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '001', 'user1@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-19', '002', 'user1@email.com', 46999);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-20', '001', 'user1@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-20', '003', 'user1@email.com', 7665);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-20', '005', 'user1@email.com', 64000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-20', '001', 'user1@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-20', '007', 'user1@email.com', 7000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '001', 'chan@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '001', 'chan@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '001', 'chan@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '001', 'chan@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '001', 'chan@email.com', 20000);
```

```
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '001', 'chan@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '001', 'chan@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '001', 'chan@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '001', 'chan@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '001', 'chan@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '001', 'chan@email.com', 20000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '007', 'chan@email.com', 7000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '007', 'chan@email.com', 7000);
INSERT INTO APP.ORDERS (ORDER_DATE, PRODCODE, CUST_EMAIL, PRICE)
VALUES ('2022-05-21', '007', 'chan@email.com', 7000);
```