Bio Med Ingredients

Liposomal Berberine

India | Germany | Australia | Jordan



www.biomedingredients.com

Liposomal Berberine – Enhanced Bioavailability

Berberine, an isoquinoline alkaloid isolated from plants such as Berberis aristata, has been extensively studied for its broad-spectrum pharmacological activities, including anti-diabetic, antiinflammatory, lipid-lowering, and antimicrobial effects. Despite its promising therapeutic potential, the clinical translation of berberine has been largely constrained by its poor oral bioavailability. To overcome these limitations, we have developed Liposomal Berberine using our proprietary LIPOZOID™ technology, ensuring superior stability, absorption, and efficacy.


True Liposomal Structure with Enhanced Stability


Our Liposomal berberine is formulated using LIPOZOID™, an advanced liposomal encapsulation technology that provides:

- True Liposomal Structure – Unlike conventional emulsions or micelles, our formulation ensures that Berberine is encapsulated within bilayer lipid vesicles, mimicking the natural phospholipid membrane of cells. This structure enhances its cellular uptake and prevents premature degradation.
- Good Zeta Potential Stability (-62.8 mV) – The zeta potential of our liposomes ensures electrostatic repulsion, preventing aggregation and enhancing stability in suspension. This results in a longer shelf life and better dispersibility in physiological conditions.
- Optimized Particle Size (below 250 nm) – Our liposomes are engineered to have an average particle size of 70.4 nm, ensuring efficient cellular uptake while maintaining stability during storage and transport.

Liposomal Berberine with LIPOZOID™ Technology
Enhancing Bioavailability. Elevating Efficacy.


LIPOSOMAL BERBERINE SEM IMAGES





Particle Size:- 70.4 nm

Zeta Potential :- -62.8 mV



HORIBA Scientific

SZ-100

HORIBA SZ-100 for Windows [Z Type] Ver2.20

Measurement Results

Date	: Sunday, September 13, 2015
Measurement Type	: Particle Size
Sample Name	: E
Scattering Angle	: 90
Temperature of the Holder	: 24.9 °C
Dispersion Medium Viscosity	: 0.897 mPa·s
Transmission Intensity before Meas.	: 23155
Distribution Form	: Standard
Distribution Form(Dispersity)	: Monodisperse
Representation of Result	: Scattering Light Intensity
Count Rate	: 529 kCPS

Calculation Results


Peak No.	S.P.Area Ratio	Mean	S.D.	Mode
1	1.00	70.4 nm	4.1 nm	69.7 nm
2	---	--- nm	--- nm	--- nm
3	---	--- nm	--- nm	--- nm
Total	1.00	70.4 nm	4.1 nm	69.7 nm

Cumulant Operations

Z-Average : --- nm

PI : ---

HORIBA



HORIBA Scientific

SZ-100

HORIBA SZ-100 for Windows [Z Type] Ver2.20

Measurement Results

Measurement Results

Date	: Monday, September 14, 2015 12:57:30 AM
Measurement Type	: Zeta Potential
Sample Name	: E
Temperature of the Holder	: 25.0 °C
Dispersion Medium Viscosity	: 0.896 mPa·s
Conductivity	: 0.076 mS/cm
Electrode Voltage	: 3.9 V

Calculation Results

Peak No.	Zeta Potential	Electrophoretic Mobility
1	-62.8 mV	-0.000486 cm²/Vs
2	--- mV	--- cm²/Vs
3	--- mV	--- cm²/Vs

Zeta Potential (Mean) : -62.8 mV

Electrophoretic Mobility Mean : -0.000486 cm²/Vs

HORIBA

Particle size of liposomal Berberine

Zeta Potential of liposomal Berberine

FOLLOW US ON

Bio Med Ingredients

Where Quality Matters...

Premium Natural Extracts for Nutraceuticals, Food & Cosmetics

100% Natural & Organic Extracts | State-of-the-Art Facility | Tailor-made Extract Solutions

All Brochures

+91 88066 68458 | info@biomedingredients.com | www.biomedingredients.com

Explore More

