

| BT ID   | Summary   | Fixed Date | Fixed in Version | Type    |
|---------|---|------------|------------------|---------|
| 1 (19)  | New Processing PatternContour in BTLx 2.3.0   | 31.01.2025 | 18.6.525         | Feature |
| 10 (19) | HipValleyRafterNotch 3/4-025-X, difference between BTL10.6 and BTLx                   | 15.01.2025 |                  | Bug     |
| 78 (18) | 250, nail contour, nailing point should be improved                                   | 30.12.2024 | 18.8.733         | Bug     |
| 62 (18) | 020, actualisation of parameter and treeview should be improved                       | 09.12.2024 | 18.8.699         | Bug     |
| 76 (18) | BTLx 2.3.0 Support of parameter CrampWidth should be improved                         | 06.12.2024 | 18.8.697         | Bug     |
| 77 (18) | BTLx 2.3.0 FreeContour Support of parameter FaceLimited should be improved            | 06.12.2024 | 18.8.697         | Bug     |
| 75 (18) | BTLx 2.2.0 Support of parameter Screwdiameter should be improved                      | 05.12.2024 | 18.8.695         | Bug     |
| 72 (18) | PatternContour, distance between insertion pattern should be improved                 | 04.12.2024 | 18.8.691         | Bug     |
| 74 (18) | Enable BTLx 2.3.0 for Beta and Release  | 03.12.2024 | 18.7.689         | Bug     |
| 63 (18) | New Processing PatternContour, 3D Models for PatternContour                           | 02.10.2024 | 18.6.525         | Feature |
| 66 (18) | Colors processings with default values should be improved                             | 01.10.2024 | 18.6.518         | Bug     |
| 68 (18) | BTLx write of DualContour should be improved  | 27.09.2024 | 18.6.512         | Bug     |
| 67 (18) | Connector with a contour should be improved   | 27.09.2024 | 18.6.515         | Bug     |
| 65 (18) | 900-140 and ConnectorType, HTC-P2P 90 version 24.3 should be reverted to version 24.2 | 18.09.2024 | 18.5.463.75336   | Feature |
| 64 (18) | 900-140 and ConnectorType, HTC-P2P 90 version 24.3 should be updated                  | 09.09.2024 | 18.4.350         | Bug     |
| 60 (18) | New Processing PatternContour, Processing 3D Models with reusable Geometry            | 26.08.2024 | 18.5.432         | Feature |
| 61 (18) | MillContour, SawContour, read of Parameter FaceLimited should be improved             | 29.07.2024 | 18.5.384         | Bug     |
| 59 (18) | Read/save files BTLx 2.3.0 (beta) should be improved                                  | 24.07.2024 | 18.5.378         | Bug     |
| 58 (18) | New Processing PatternContour, BTLx Write   | 24.07.2024 | 18.5.378         | Feature |
| 50 (18) | New Processing PatternContour, BTLx Read  | 22.07.2024 | 18.5.374         | Bug     |

|            |   |            |                |         |
|------------|---|------------|----------------|---------|
| 53<br>(18) | 020, geometrie should be improved   | 16.07.2024 | 18.5.367       | Bug     |
| 49<br>(18) | 055, Mortise angle modelisation should be improved                          | 10.07.2024 | 18.4.351       | Bug     |
| 52<br>(18) | 3/4-020-X BirdsMouth, improve model with angles P09/P10                     | 10.07.2024 | 18.4.351       | Bug     |
| 47<br>(18) | BTLx, Slot edit Start-End should be improved                                | 05.07.2024 | 18.4.344       | Bug     |
| 51<br>(18) | 900-140 and ConnectorType, HTC-P2P 90 version 24.2 should be updated        | 02.07.2024 | 18.4.334       | Feature |
| 44<br>(18) | BTLx Concept Accoustic Contours   | 01.07.2024 | 18.4.330       | Feature |
| 48<br>(18) | Installation should be improved   | 17.06.2024 | 18.4.299       | Bug     |
| 46<br>(18) | BTLx, Table all parameter all processing error with virtual groupe building | 13.06.2024 | 18.4.296       | Bug     |
| 43<br>(18) | 900-140 and ConnectorType, HTC-P2P 90 version 24.1 should be updated        | 06.05.2024 | 18.3.228       | Feature |
| 45<br>(18) | BTLx 2.3.0 XSD Userattributes Typesafe                                      | 01.05.2024 | 18.3.223       | Bug     |
| 42<br>(18) | Support of BTLx 2.3.0 should be improved                                    | 24.04.2024 | 18.3.214       | Feature |
| 30<br>(18) | 250 Contour, DepthBounded, model should be improved                         | 23.04.2024 | 18.4.354.74546 | Bug     |
| 40<br>(18) | BTLx 2.2, mortise, sorting of slope & inclination should be improved        | 18.04.2024 | 18.3.203       | Feature |
| 28<br>(18) | BTLx, sawcut and slot limits, lamps and bits should be improved             | 11.04.2024 | 18.2.178       | Bug     |
| 37<br>(18) | BTLx, add a Processing, new Window should be improved                       | 09.04.2024 | 18.3.172       | Bug     |
| 38<br>(18) | BTLx, add a Processing, new Window, error in case of non validation field   | 09.04.2024 | 18.3.174       | Bug     |
| 5 (18)     | BTLX, edit several processing in same time should be improved               | 09.04.2024 | 18.3.171       | Bug     |
| 36<br>(18) | BTLx activate new XSD 2.2.0   | 05.04.2024 | 18.2.159.72212 | Bug     |
| 29<br>(18) | Jackraftercut, recess quality, translation should be improved               | 02.04.2024 | 18.2.156       | Bug     |
| 24<br>(18) | multi selection processing should be improved                               | 26.03.2024 | 18.2.159.72202 | Bug     |
| 33<br>(18) | 250, nail contour, activation point should be improved                      | 26.03.2024 | 18.2.150       | Bug     |
| 34<br>(18) | EAssertionFailed by part deleting   | 26.03.2024 | 18.2.147       | Bug     |
| 32<br>(18) | BTLx, userattribute, userattribute type read should be improved             | 22.03.2024 | 18.2.136       | Bug     |

|            |  |            |          |         |
|------------|--|------------|----------|---------|
| 25<br>(18) | BTLx, Protocol Bitmaps   | 20.03.2024 | 18.4.296 | Bug     |
| 20<br>(18) | BTLx, pocket limits, lamps and bits should be improved                           | 04.03.2024 | 18.2.090 | Bug     |
| 22<br>(18) | BTLx, Processing, process yes/no with a lamp instead pulldown menu               | 27.02.2024 | 18.2.083 | Bug     |
| 14<br>(18) | BTLx, Variant processing needs bitmaps   | 26.02.2024 | 18.2.080 | Bug     |
| 18<br>(18) | Triedre reference plane should be always visible                                 | 26.02.2024 | 18.2.079 | Bug     |
| 8 (18)     | BTLx, pull donw for group parameters should be improved                          | 26.02.2024 | 18.2.079 | Bug     |
| 17<br>(18) | 3/4-020-X BirdsMouth, model & angles should be improved                          | 14.02.2024 | 18.4.351 | Bug     |
| 16<br>(18) | 251, P06 limit should be improved  | 12.02.2024 | 18.2.054 | Bug     |
| 3 (18)     | BTLx, add a Processing, new Window   | 01.02.2024 | 18.2.072 | Bug     |
| 13<br>(18) | New variant 900-140 Panel Connector Hilti P2 should improved                     | 26.01.2024 | 18.1.30  | Feature |
| 6 (18)     | BTLx, Field validation should be improved  | 25.01.2024 | 18.1.026 | Bug     |
| 11<br>(18) | 3/4-020-X BirdsMouth, improve model for P07=0                                    | 08.01.2024 | 17.8.596 | Bug     |
| 2 (18)     | BTLx Variante presentation for registred variante processings should be improved | 22.12.2023 | 17.8.584 | Bug     |
| 23<br>(18) | Showing the reference plan triedre for all processings should be improve         | 26.04.2023 | 18.2.104 | Bug     |