

CSS3 Buttons

What is this?

CSS3 Buttons is a simple *framework* for creating good-looking GitHub style button links.

UPDATE 19th of Mar. Now you can also indicate a *positive* action by using the `.positive` class, which will change the hover-state to green.

UPDATE 19th of Mar. It is now possible to use `<button>` tags to easily submit forms.

UPDATE 26th of Feb. The icon sprite has been optimized and additional icons has been added. Scroll down to see what's new!

- [Download CSS3 Buttons as zip archive](#)
- [Download CSS3 Buttons as tar.gz archive](#)

Buttons

To create a button, the only thing you have to do is this:

Code:

```
<a href="#" class="button">This is a Button</a>
```

Result:

[This is a Button](#)

You can also use the button tag:

Code:

```
<button class="button">This is a Button</button>
```

Result:

This is a Button

If you prefer a pill-like button with more rounded corners, you can add a `.pill` class to the button

Code:

```
<a href="#" class="pill button">This is a Pill Button</a>
```

Result:

[This is a Pill Button](#)

Sometimes when you have multiple buttons, it's considered good practice to highlight the button with the primary action in order to give the user a visual clue of what action to take if in doubt. This can be accomplished by adding a `.primary` class to the button

Code:

```
<a href="#" class="primary button">Publish Post</a> or <a href="#" class="button">Save as Draft</a>
```

Result:

[Publish Post](#) or [Save as Draft](#)

Buttons with negative actions

If you have a button that triggers a *negative* action, like deleting data, it's good practice to warn the user by styling the button differently than the normal buttons. Give a button the class `.negative` and the hover-state will change to red

Code:

```
<a href="#" class="negative button">Divide by Zero</a>
```

Result:

[Divide by Zero](#)

Buttons with positive actions

If you have a button that triggers an action you want to encourage your users to do, you can give a button a `.positive` class and the hover-state will change to green

Code:

```
<a href="#" class="positive button">Save the World</a>
```

Result:

[Save the World](#)

Grouped buttons

You can create grouped buttons that are linked together, like seen at [Gmail](#) and other places, by using the `.left`, `.middle` and `.right` classes:

Code:

```
<a href="#" class="left primary button">Archive</a>  
<a href="#" class="middle button">Report Spam</a>  
<a href="#" class="right negative button">Delete</a>
```

Result:

[Archive](#)[Report Spam](#)[Delete](#)

You can also add the pill class to grouped buttons if preferred:

Code:

```
<a href="#" class="left primary pill button">Archive</a>
<a href="#" class="middle pill button">Report Spam</a>
<a href="#" class="right negative pill button">Delete</a>
```

Result:

[Archive](#)[Report Spam](#)[Delete](#)

Buttons with icons

CSS3 Buttons supports a wide range of icons that can easily be added to any button by adding a `span` tag inside the anchor tag with the class of `.icon` and any one of the provided icon classes:

Code:

```
<a href="#" class="button"><span class="magnifier icon"></span>Search</a>
```

Result:

[Search](#)

Here is a list of all the supported icon classes:

Class	Example
.book	View Log <small>NEW</small>
.calendar	Add to Calendar
.chat	Start Chat
.check	Approve Registration
.clock	Register Work Time <small>NEW</small>
.cog	Settings
.comment	Add Comment
.cross	Remove Item
.downarrow	Move Down <small>NEW</small>
.fork	Create Branch <small>NEW</small>
.heart	Add to Favorites
.home	Back to Frontpage
.key	Password Protect
.leftarrow	Move Left
.lock	Lock Article
.loop	Resend Message
.magnifier	Search
.mail	Send Newsletter
.move	Move
.pen	Edit Post
.pin	Pin to Map

```

.plus      Add Post
.reload    Reload Page
.rightarrow Move Right NEW
.rss       Subscribe to RSS Feed
.tag       Add Tag
.trash     Delete Post
.unlock    Unlock Article NEW
.uparrow   Move Up NEW
.user      Add New User

```

Big buttons

If you wish to emphasize a specific action you can add the `.big` class to make a more prominent *call-to-action* button:

Code:

```
<a href="#" class="big button">Create Project</a>
```

Result:

[Create Project](#)

Browser compatibility

CSS3 Buttons works in all major browsers

Note: Some CSS3 features used in CSS3 Buttons is not supported in Internet Explorer browsers! (IE 8 and under)

Installation

1. Drop `css3buttons.css` in your stylesheets folder
2. Drop `css3buttons_backgrounds.png` and `css3buttons_icons.png` in your images folder
3. Link to `css3buttons.css` in the head section of your HTML page (see code example below)

Code:

```
<link rel="stylesheet" href="stylesheets/css3buttons.css" media="screen">
```

CSS3 Buttons expects that some kind of CSS reset is in place in your project, otherwise the look might not be, as seen here

License

The [Unlicense](#):

This is free and unencumbered software released into the public domain.

Anyone is free to copy, modify, publish, use, compile, sell, or distribute this software, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

In jurisdictions that recognize copyright laws, the author or authors of this software dedicate any and all copyright

interest in the software to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this software under copyright law.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For more information, please refer to <http://unlicense.org/>

Shout-Outs

- Thanks to [GitHub](#) and [David Walsh](#) for inspiration!
- Icons used in CSS3 Buttons are from the excellent [Iconic pack](#) by [some random dude](#)!

Contact

Found a Bug?

Please create a [ticket on GitHub](#) With a description of the problem, browser and operating system information and how to reproduce the problem.

Need Help?

You can send me a private message on [GitHub](#) and I'll do my best to help you.

-
-
-
-
-
-
-
-
-
-

[CSS3 Buttons](#) is created by [Michael Henriksen](#) · [Follow me on twitter](#)