

CSS3 Facebook Buttons

The easiest way to make people think: "Wow, this app must be as good as Facebook!".

Buttons

To create the default "button" add a class of `uibutton` to any appropriate element. To create the blue variant include an additional class `confirm`. To create the green variant include an additional class `special`.

```
<a class="uibutton" href="#">Button</a>  
<button class="uibutton" type="submit">Button</button>  
<input class="uibutton" type="submit" value="Button">
```

A rectangular button with a thin border and the text "Change picture" in a sans-serif font.A rectangular button with a thin border and the text "Log in" in a sans-serif font.A rectangular button with a thin border and the text "Publish" in a sans-serif font.A rectangular button with a thin border and the text "Save as draft" in a sans-serif font.A rectangular button with a thin border and the text "Request an invitation" in a sans-serif font.

Larger buttons

To create larger buttons include an additional class of `large`.

```
<a class="uibutton large" href="#">Search</a>
```

A rectangular button with a thin border and the text "Search" in a sans-serif font.A rectangular button with a thin border and the text "Share" in a sans-serif font.A rectangular button with a thin border and the text "Request an invitation" in a sans-serif font.

Grouped buttons

To create grouped buttons wrap them in an element, or use a list, given the class `uibutton-group`.

```
<div class="uibutton-group">
  <a class="uibutton" href="#">Dashboard</a>
  <a class="uibutton" href="#">Inbox</a>
  <a class="uibutton" href="#">Account</a>
  <a class="uibutton" href="#">Logout</a>
</div>

<ul class="uibutton-group">
  <li><a class="uibutton" href="#">Dashboard</a></li>
  <li><a class="uibutton" href="#">Inbox</a></li>
  <li><a class="uibutton" href="#">Account</a></li>
  <li><a class="uibutton" href="#">Logout</a></li>
</ul>
```

Dashboard	Inbox	Account	Logout
-----------	-------	---------	--------

Mixed groups

To display a toolbar of buttons and grouped buttons, use a wrapping element given the class `uibutton-toolbar`.

```
<div class="uibutton-toolbar">
  <a class="uibutton" href="#">Mark as unread</a>

  <div class="uibutton-group">
    <a class="uibutton" href="#">Report spam</a>
    <a class="uibutton" href="#">Delete</a>
  </div>

  <a class="uibutton" href="#">Unsubscribe</a>
</div>
```






Mark as unread	Report spam	Delete	Unsubscribe
----------------	-------------	--------	-------------

Buttons with icons

A range of icons can be added (only for links and buttons) by adding a class of `icon` and any one of the provided icon classes:

```
<a class="uibutton icon add" href="#">New message</a>
```

New message

Class	Example
<code>.edit</code>	
<code>.add</code>	
<code>.secure</code>	
<code>.prev</code>	
<code>.next</code>	

Browser compatibility

Full support: Firefox 3.5+, Google Chrome, Safari 4+, IE 9+, Opera 11.10+.

Note: Some CSS3 enhancements are not supported in older versions of Opera and IE. The use of icons is not supported in IE 6 or IE 7.

License

Public domain: <http://unlicense.org/>

[CSS3 Facebook Buttons](#) by [Nicolas Gallagher](#).