

Components Guidelines

V1.0 • System Documentation & Standards



01 Foundations

Defining the core logic and modular structure of our interface elements.

| 01 Component

Atomic Design

All elements follow a modular hierarchy from Atoms (Buttons) to Molecules (Search Bars) and Organisms (Headers). This ensures absolute reusability.

Anatomy of a Unit

Every component documentation must include Anatomy, Properties, States (Hover, Active, Disabled), and Accessibility requirements.

02 Actions



Buttons

Primary, Secondary, and Ghost variants. Used for high-impact user intent and core task completion.



Links

Inline navigation triggers. Should be used for exploration rather than critical task finalization.



Triggers


Chips, Menu items, and Action icons that initiate immediate UI changes or state transitions.

03 Controls

Selection & Toggles

Selection controls allow users to pick options, flip states, and manage preferences efficiently.

- ☒ **Checkboxes:** Multi-select lists.
- ☐ **Radio Buttons:** Single choice only.
- ☒ **Switches:** Immediate setting change.



04 Forms

-  **Input Fields:** Single and multi-line text entry with clear label and placeholder hierarchy.
-  **Select Menus:** Standard and searchable dropdowns for handling large sets of data entry.
-  **Validation:** Inline error messaging that provides immediate, actionable feedback to users.
-  **Input Masking:** Formatting helpers for dates, currency, and phone numbers to ensure data integrity.

| 06 Feedback & Status

System Communication


Feedback elements mirror human communication, acknowledging user actions and indicating the current system health or progress.

Alert banners (persistent) vs Toasts (temporary) help prioritize information based on severity and urgency.

07 Data Display


Display Type	Best For	Key Feature
Data Tables	Large datasets	Sorting & Filtering
Cards	Individual items	Rich media integration
Lists	Sequential info	High scannability

08 Navigation



Navigation patterns define the mental model of the product. Sidebar utility is prioritized for data-dense enterprise applications.

| 09 Overlays




Focused Interaction

Overlays disable background content to focus attention on a specific task. They should be used sparingly to avoid breaking user flow.

-  **Modals:** High friction, required action.
-  **Tooltips:** Low friction, contextual help.
-  **Popovers:** Rich content menus.


10 Other



Badges & Tags

Dividers UI

Dividers



Avatars

Questions?

Thank you for following the Components Guidelines.

design-system@horizon.io

Image Sources



<https://m1.material.io/assets/0Bzhp5Z4wHba3U3cyZ2d5c0lJOVU/components-switches-check4.png>

Source: m1.material.io



https://cdn.prod.website-files.com/64e895a2f8733943c6d0ddef/65ae6687ecf205afe869e7ef_Toasts%20UI%20Element%20-%20uinkits.png

Source: www.uinkits.com



Thumbnail
for

<https://web.dev/static/articles/building/a-dialog-component/image/screenshot-chrome-devtoo-9e1f1816b909e.png>

Source: web.dev



https://cdn.prod.website-files.com/6365d860c7b7a7191055eb8a/670c88aa4458519e4d802e7a_best-free-icon-sets-cover.webp

Source: www.untitledui.com



<https://uicookies.com/wp-content/uploads/2019/03/CSS-divider-1.jpg>

Source: uicookies.com



https://static.vecteezy.com/system/resources/previews/066/124/903/non_2x/collection-of-four-anonymous-gray-silhouette-avatar-default-photo-placeholder-for-social-media-or-profiles-neutral-expressions-with-distinct-hairstyles-highlighting-individuality-on-gray-background-vector.jpg

Source: www.vecteezy.com