

MINDHEAL

Psychological Wellness Platform

FULL STACK DEVELOPER BLUEPRINT

Complete Architecture, API Design, Database Schema, Feature Specification
& Development Roadmap for All Three Applications

USER APP Flutter / Dart	COUNSELLOR APP Flutter / Dart	ADMIN PANEL React.js / Web App
-----------------------------------	---	--

Version 1.0 | Classification: Confidential | For Development Use Only

1. PROJECT OVERVIEW

1.1 Platform Summary

MindHeal is a full-stack psychological wellness platform consisting of three interconnected applications: a User Mobile App, a Counsellor Mobile App, and a Web-based Admin Panel. The platform connects users seeking mental health support with licensed human counsellors and AI-powered counselling services. All monetary transactions are in Indian Rupees (INR).

1.1.1 Application Breakdown

Application	Platform	Primary Users	Tech Stack
User App	iOS + Android	End users seeking counselling	Flutter, Dart, Firebase
Counsellor App	iOS + Android	Psychologists, therapists, organisations	Flutter, Dart, Firebase

Admin Panel	Web Browser	Platform administrators	React.js, Node.js, PostgreSQL
-------------	-------------	-------------------------	-------------------------------

1.2 Core Technology Stack

Layer	Technology	Purpose
Mobile Frontend	Flutter (Dart)	Cross-platform iOS & Android apps
Web Frontend	React.js + TypeScript	Admin Panel web application
Backend API	Node.js + Express.js	REST API + WebSocket server
Realtime	Socket.io + Firebase Realtime DB	Chat, presence, notifications
Primary DB	PostgreSQL	Users, sessions, transactions, reports
Auth & Storage	Firebase Auth + Firebase Storage	Authentication, media files, push notifications
Cache	Redis	OTP store, session cache, rate limiting
AI Services	Gemini API (Free & Paid Tiers)	Counselling, analysis, PDF generation
Audio/Video Calls	Agora SDK or 100ms	In-app audio and video calling
Payments	Razorpay	Wallet top-up, session payments (INR)
OTP / SMS	MSG91 or Firebase Phone Auth	OTP delivery via SMS
Maps	Google Maps SDK + Places API	Counsellor & clinic location map
PDF Generation	PDFKit (Node.js backend)	Analysis reports, prescriptions
Notifications	Firebase Cloud Messaging (FCM)	Push notifications to both apps
Hosting	AWS EC2 / GCP Cloud Run + NGINX	Backend + Admin Panel hosting

2. USER MOBILE APP

2.1 Onboarding & Authentication

2.1.1 Welcome Carousel

Displayed only on first launch. Three slides using Flutter PageView with smooth transitions:

- Slide 1: Platform introduction — AI & human counselling
- Slide 2: Privacy & confidentiality assurance
- Slide 3: Key features overview — Dream Analysis, Games, Healing Maps
- Skip button available on all slides
- "Get Started" CTA on final slide

2.1.2 Registration & Login

Three registration methods, all requiring OTP verification:

Method	Flow	OTP Channel
Email	Enter email → Send OTP → Verify → Set name/password → Dashboard	Email (SMTP / SendGrid)
Mobile Number	Enter number → Send OTP → Verify → Set name → Dashboard	SMS via MSG91
Google Account	Google OAuth → Firebase Auth → Profile check → Dashboard	Not required

INFO: OTP is mandatory in all registration and login flows. OTP expires in 5 minutes. Maximum 3 attempts before a 30-minute lockout. Store OTP hash in Redis with TTL.

2.2 Dashboard

The main landing screen after login. Contains:

- Mood check-in prompt (daily, dismissible)
- Quick access grid: AI Chat, Find Counsellor, Dream Analysis, Handwriting Analysis, Games, Healing Map
- Upcoming sessions widget
- Mental health tip of the day (fetched from CMS)
- Recently viewed counsellors
- Notification bell with badge count
- Language selector (top bar)

2.3 AI Counselling Chat

2.3.1 Functionality

- Completely free for all registered users
- Powered by Gemini Free Tier API
- Persistent conversation history stored per user session
- System prompt configured via Admin Panel (admin can modify)
- Mood tracking at start and end of session
- Crisis detection: if user expresses self-harm intent, system shows emergency helpline numbers
- Admin can swap AI model from Admin Panel without code deployment

2.3.2 API Configuration (Admin-Controlled)

INFO: All AI API keys and model names are stored in the Admin Panel database. The backend fetches the active configuration at runtime. No API keys are hardcoded in the app or backend codebase.

Admin-configurable fields for AI Chat:

- API Provider: Gemini / OpenAI / Custom
- Model Name: e.g., gemini-1.5-flash
- API Key: encrypted and stored in database
- System Prompt: editable rich text in Admin Panel
- Max tokens per message
- Temperature setting

2.4 Human Counsellor Services

2.4.1 Browse & Filter Counsellors

- Search by name, specialization, language
- Filter by availability, price range, rating, session type
- View counsellor profile: bio, education, experience, reviews, pricing, available services
- See online/offline/busy status in real time (via Firebase Presence)

2.4.2 Communication Modes

Mode	Implementation	Pricing	Scheduling
Text Chat	Firebase Realtime DB + Socket.io	Per minute or per session	Instant or scheduled
Audio Call	Agora SDK (RTC)	Per minute (set by counsellor)	Scheduled only

Video Call	Agora SDK (RTC)	Per minute (set by counsellor)	Scheduled only
------------	-----------------	--------------------------------	----------------

NOTE: Each counsellor individually enables or disables chat, audio call, and video call from their app settings. User sees only enabled options on that counsellor's profile.

2.4.3 Session Booking Flow

1. User selects counsellor and views available slots
2. User selects date, time, duration, and session type
3. System calculates fee = counsellor rate x duration
4. User confirms and pays from wallet (amount held/deducted)
5. System sends FCM notification to counsellor
6. Counsellor accepts or declines (with reason)
7. If declined, wallet amount is refunded instantly
8. Both parties receive reminders 30 min and 10 min before session
9. Post-session: user rates counsellor (1-5 stars + review text)

2.5 Analytical Services

2.5.1 Dream Analysis

Input methods (user can use one or combine):

- Typed text description of dream
- Attach photo (handwritten paper or drawn diagram)
- Voice recording (transcribed by Gemini Multimodal / Whisper)

Processing flow:

10. Input received and uploaded to Firebase Storage
11. Backend sends to Gemini Paid Tier API with dream analysis system prompt
12. AI generates brief summary (free, shown immediately in app)
13. Backend generates detailed PDF report using PDFKit
14. PDF stored in Firebase Storage with user-specific signed URL
15. User pays nominal fee (set by admin, e.g., INR 49) to unlock full PDF
16. After payment: PDF view in-app, download option, and "Get Expert Review" button
17. "Get Expert Review" links to booking flow with counsellors offering dream analysis

2.5.2 Handwriting & Signature Analysis

Same functional flow as Dream Analysis with these differences:

- Input: image upload only (photo of handwriting or signature sample)
- Processed by Gemini Vision (Paid Tier) with graphology system prompt

- AI summary shown free; detailed PDF report unlocked via payment
- Expert review option available post-payment

2.5.3 AI Analysis API Configuration (Admin-Controlled)

Admin Panel allows separate API key and model configuration per service:

Service	Suggested Model	API Tier	Admin Editable
AI Chat (counselling)	gemini-1.5-flash	Free Tier	Yes — full config
Dream Analysis Summary	gemini-1.5-flash	Free Tier	Yes
Dream Analysis PDF (detailed)	gemini-1.5-pro	Paid Tier	Yes
Voice Transcription	Gemini Multimodal	Paid Tier	Yes
Handwriting Analysis	gemini-1.5-pro-vision	Paid Tier	Yes
Signature Analysis	gemini-1.5-pro-vision	Paid Tier	Yes
Custom Future Service	Admin sets	Admin sets	Yes

2.6 Wellness & Mind Training

2.6.1 Mind Training Games (All Free)

Games targeting specific mental health conditions:

Game	Target Condition	Description
Memory Matrix	Focus, ADHD	Pattern recognition and recall grid game
Breathe Box	Anxiety, Panic	Guided box breathing exercise with visual animation
Focus Flow	Procrastination	Pomodoro-style focus timer with micro-rewards
Gratitude Journal	Depression	Daily structured gratitude prompts with streak tracking
Emotion Wheel	Emotional awareness	Interactive emotion identification and naming exercise
Stress Sudoku	Stress, rumination	Logic puzzles calibrated to distract from

		anxious thoughts
Trauma Grounding	PTSD, Trauma	5-4-3-2-1 sensory grounding exercise with voice guidance
CBT Thought Log	Depression, Anxiety	Structured cognitive behavioural thought record tool

2.6.2 Focus Enhancement Tools

- Binaural beats player (focus, sleep, meditation frequencies)
- Ambient sound library (rain, forest, white noise, cafe)
- Pomodoro timer with custom work/break intervals
- Guided meditation audio (free basic, premium via payment)
- Daily habit tracker integrated with mood log

2.6.3 Tips & Educational Content

- Mental health tips fetched from Admin CMS
- Psychologist-curated video tutorials (YouTube embed via counsellors)
- Condition-specific guides: Anxiety, Depression, Procrastination, Trauma, OCD, ADHD
- Admin can add/edit/delete tip categories and content from Admin Panel

2.7 Healing Location Map

2.7.1 Map Features

- Google Maps SDK integration showing:
- Registered counsellor clinics (individual practitioners)
- Registered rehabilitation centres
- Psychological healing and wellness centres
- Only shows entities that have opted in for offline services in their profile
- Tap on marker shows: name, address, working hours, specializations, distance, "Book Appointment" button
- Filter by: type (clinic/rehab/wellness), distance, specialty, rating
- Search by city or current location (GPS)

NOTE: Entities appear on map only after admin account approval AND after counsellor/organisation enables "Show on Map for Offline Services" toggle in their app settings.

2.8 Wallet System

- INR-only wallet linked to user account

- Top-up via Razorpay: UPI, Net Banking, Credit/Debit Card
- Wallet balance displayed on dashboard and wallet screen
- Spend on: session bookings, PDF report unlock, premium sound packs
- Transaction history with filter: all / credit / debit / refunds
- Automatic refund on cancelled/declined sessions
- Counsellor earnings managed separately in counsellor wallet
- Admin controls platform commission percentage per service type

2.9 Profile & Settings

- Full name, profile photo, date of birth, gender
- Contact: email, mobile (both can be linked)
- Language preference (affects entire app UI)
- Notification preferences: session reminders, tips, promotions
- Privacy settings: data sharing consent
- Account: change password, linked accounts, delete account
- My Sessions: upcoming and past sessions with replay/notes
- My Reports: all generated analysis PDF reports

2.10 Language Support

The app UI fully translates based on user language selection. Supported languages:

Indian Languages	International Languages
Hindi, Bengali, Telugu, Marathi, Tamil, Gujarati, Kannada, Malayalam, Punjabi, Odia, Urdu, Assamese	English, Arabic, French, Spanish, German, Portuguese, Japanese, Korean, Mandarin Chinese

NOTE: All static UI strings stored in Flutter ARB (Application Resource Bundle) files. One ARB file per language. Admin Panel allows adding new languages. AI responses are prompted to reply in the user's selected language.

3. COUNSELLOR MOBILE APP

3.1 Account Types

Type	Individual Account	Organisation Account
------	--------------------	----------------------

Who	Solo psychologist, therapist, psychiatrist, counsellor	Mental health clinic, rehab centre, wellness organisation
Profile	Personal bio, education, certifications, license number	Organisation details, GST, team of professionals
Map Listing	Optional: show clinic address on map	Required for offline services; shows on healing map
Team	N/A	Admin can add multiple counsellors under organisation
Verification	License + ID document upload for admin review	Registration certificate + team member licenses

IMPORTANT: ALL counsellor accounts (individual and organisation) must be verified and approved by platform admin before going live. Pending accounts cannot accept clients or appear in search.

3.2 Registration & Verification Flow

18. Counsellor downloads app and selects "Register as Professional"
19. Chooses account type: Individual or Organisation
20. Fills multi-step registration form (see fields below)
21. Uploads verification documents
22. Account status set to: Pending Review
23. Admin receives notification in Admin Panel
24. Admin reviews documents; Approves or Declines with reason
25. Counsellor receives push notification + email of decision
26. If approved: account goes live, visible in search
27. If declined: counsellor can edit and resubmit

3.2.1 Registration Form Fields

Individual Account

- Full legal name
- Mobile number + OTP verification
- Email address
- Profile photo (high resolution, professional)
- Gender, date of birth
- Specializations (multi-select): Anxiety, Depression, Trauma, PTSD, CBT, Marriage Counselling, Child Psychology, Addiction, OCD, ADHD, etc.

- Years of experience
- Education: degree, institution, year of passing (add multiple)
- Certifications: name, issuing body, year (add multiple)
- Professional License Number + license document upload
- Government ID upload (Aadhaar / PAN for Indian; Passport for international)
- Clinic address (optional — for map listing)
- Languages spoken (multi-select from language list)
- Pricing: per session rate (INR), per-minute rate for calls
- Prescription authority: YES/NO (requires valid medical license)
- Available session types: Chat / Audio / Video (individually toggle-able)

Organisation Account (additional fields)

- Organisation name and type (Clinic / Rehab / Wellness Centre / NGO)
- GST number (Indian organisations)
- Registration certificate upload
- Organisation logo
- Physical address (mandatory, shown on healing map)
- Working hours per day
- Team members: invite by email or add manually

3.3 Dashboard (Counsellor)

- Today's scheduled sessions summary
- Pending session requests (accept/decline with one tap)
- Earnings this week / this month
- Unread chat messages count
- New analysis review requests
- Rating summary and recent reviews
- Quick toggle: Online / Busy / Offline status

3.4 Client Services

3.4.1 Chat with Clients

- Real-time text chat via Firebase Realtime DB
- File sharing: images, documents (PDF, JPG)
- Session notes: private notes visible only to counsellor
- Message encryption at rest and in transit (TLS + Firebase rules)

3.4.2 Audio & Video Calls

- Agora SDK integration for RTC (Real-Time Communication)
- Call starts at scheduled session time
- Timer visible during call showing elapsed duration and estimated fee
- Session recording option (with user consent — both parties notified)
- Call summary auto-saved after session ends

3.4.3 Review AI Chat Transcripts

- With user consent (explicit toggle in user profile), counsellor can view past AI chat sessions
- Counsellor can add professional annotations to AI conversation
- Used as context before starting a human counselling session

3.4.4 Analysis Report Review Services

- Dream Analysis Review: counsellor receives AI-generated report, adds professional interpretation
- Handwriting/Signature Review: same flow as dream analysis
- Counsellor sets fee for expert review service (separate from session fee)
- User pays review fee, counsellor delivers written or video response

3.4.5 Prescription & Medication (Licensed Only)

- Available only if counsellor registered with valid medical license and admin approved prescription authority
- Counsellor can write digital prescriptions within app
- Prescription PDF generated and sent to user's My Reports section
- Prescription includes: medication, dosage, frequency, duration, warnings, counsellor signature

IMPORTANT: Prescription functionality is restricted by admin. Only accounts with verified medical licenses and admin-granted prescription authority can access this feature.

3.5 Group & Healing Sessions

- Counsellor can create group healing sessions (up to 50 participants)
- Types: Anxiety Support Group, Grief Counselling, Addiction Recovery, etc.
- Set session fee or mark as free
- Users browse and join sessions from dashboard
- Session conducted via Agora Group Video/Audio
- Counsellor can share screen and upload materials during session

3.6 Content Management

- Upload video tutorials: paste YouTube URL, add title, description, tags

- Videos appear in user app Tips & Videos section after admin review
- Write mental health articles (rich text editor in app)
- Articles admin-reviewed before publishing

3.7 Slot & Availability Management

- Weekly schedule builder: set available hours per day
- Block specific dates (holidays, vacations)
- View booked slots vs. available slots in calendar view
- Buffer time setting between sessions
- Maximum daily sessions limit

3.8 Earnings & Wallet (Counsellor)

- Earnings dashboard: today, this week, this month, all time
- Commission deducted by platform (admin-configured %)
- Withdraw earnings to linked bank account via Razorpay Payout
- Transaction history: session payments, review payments, refunds
- Tax summary: downloadable monthly earnings statement

4. ADMIN PANEL (WEB APPLICATION)

INFO: The Admin Panel is a React.js web application. It is the central control system for the entire platform. Every critical configuration — including all API keys, AI models, commission rates, and service toggles — is managed here.

4.1 Admin Authentication

- Separate admin login (email + strong password + 2FA via TOTP — e.g., Google Authenticator)
- Role-based: Super Admin, Support Admin, Finance Admin, Content Admin
- All admin actions logged in audit trail with timestamp and admin ID

4.2 User Account Management

- View all registered users with filters: date joined, status, language, activity
- Search by name, email, mobile

- View individual user profile: personal info, sessions, transactions, reports
- Actions: Suspend, Activate, Delete user account
- Manually adjust user wallet balance with reason log
- Send direct push notification to specific user or group
- View user's mood history and session activity (aggregated analytics)

4.3 Counsellor Account Management

- View all counsellor registrations with status: Pending / Active / Suspended / Rejected
- Review submitted documents: photo, license, ID, certificates
- One-click Approve or Decline with optional reason message
- Grant or revoke prescription authority per counsellor
- Grant or revoke organisation team management access
- Edit counsellor profile data if needed (e.g., correction of details)
- View counsellor earnings, sessions, and review history
- Suspend or permanently ban counsellors with reason

4.4 AI Configuration Panel (Core Feature)

This is the most critical admin section. All AI-related configurations are stored in the database and fetched at runtime. No hardcoded API keys exist anywhere in the codebase.

4.4.1 API Key Manager

Service / Task	API Provider Field	Model Field	API Key Field
AI Counselling Chat	Dropdown: Gemini / OpenAI / Custom	Text input (e.g., gemini-1.5-flash)	Encrypted text input
Dream Analysis — Summary	Dropdown	Text input	Encrypted text input
Dream Analysis — PDF Report	Dropdown	Text input	Encrypted text input
Voice Transcription	Dropdown	Text input	Encrypted text input
Handwriting Analysis	Dropdown	Text input	Encrypted text input
Signature Analysis	Dropdown	Text input	Encrypted text input
Maps (Google Maps)	Fixed: Google	N/A	Encrypted text input
OTP (SMS Gateway)	Dropdown: MSG91 /	N/A	Encrypted text input

	Twilio / Firebase		
Payment Gateway	Dropdown: Razorpay / Stripe	N/A	Key ID + Secret (encrypted)
Custom Future Service	Free text	Free text	Encrypted text input

NOTE: API keys are encrypted using AES-256 before storage. They are never returned in plaintext to the frontend. Backend decrypts at runtime only when making outbound API calls.

4.4.2 System Prompt Editor

- Separate rich text system prompt for each AI service
- Live preview of prompt before saving
- Version history: last 10 prompts with rollback option
- Test prompt: admin can type a test message and see AI response within Admin Panel

4.4.3 AI Model Parameters

- Temperature (0.0 – 1.0)
- Max tokens per response
- Top-p sampling value
- Safety filter settings per service
- Rate limit per user per day (e.g., max 50 AI messages/day)

4.5 Service Management

Admin can dynamically add, edit, enable, or disable any service shown in both apps.

4.5.1 Service Configuration Table

Service	Status Toggle	Price (INR)	AI Config Link
AI Counselling Chat	ON / OFF	Free	AI Config Panel
Dream Analysis — Free Summary	ON / OFF	Free	AI Config Panel
Dream Analysis — PDF Report	ON / OFF	Editable INR amount	AI Config Panel
Handwriting Analysis	ON / OFF	Editable INR amount	AI Config Panel
Signature Analysis	ON / OFF	Editable INR amount	AI Config Panel

Mind Games	ON / OFF	Free	N/A
Ambient Sounds — Premium	ON / OFF	Editable INR amount	N/A
Group Healing Sessions	ON / OFF	Set by counsellor	N/A
New Custom Service (add new row)	ON / OFF	Editable	Configurable

4.6 Financial Management

- View all transactions across both apps: deposits, session payments, refunds, withdrawals
- Platform commission configuration: set % per service type
- Counsellor payout management: pending / paid / failed payouts
- Wallet balance overview for all users and counsellors
- Dispute management: raise refund for a specific transaction with reason
- Revenue reports: daily, weekly, monthly, annual
- Export reports as CSV or PDF
- GST report generation for Indian tax compliance

4.7 Content Management System (CMS)

- Mental health tips: add, edit, delete, categorize
- Games library: add/remove games (link to Flutter module)
- Ambient sounds: upload, categorize (free / premium), delete
- Focus tool content: breathing exercises, meditation scripts
- Onboarding carousel content: edit text, images per slide
- Notification templates: email and push notification text templates

4.8 Push Notification Center

- Send push notifications to: All Users, All Counsellors, Specific User, Specific Counsellor
- Segment by: language, activity status, subscription level
- Notification types: Promotional, Reminder, System Alert, New Feature
- Schedule notifications for future delivery
- Track delivery status and open rates
- Bulk import user IDs for targeted campaigns (CSV)

4.9 Analytics Dashboard

Metric Category	Data Points
User Metrics	Daily/Monthly Active Users, New Registrations, Retention Rate, Churn, Language Distribution
Session Metrics	Sessions per day, Chat vs Audio vs Video split, Average duration, Counsellor utilization rate
Revenue Metrics	Gross Revenue, Net Revenue (after payouts), Commission earned, Wallet top-ups, Refund rate
AI Usage	AI messages per day, tokens consumed, analysis requests, PDF unlocks
Counsellor Metrics	Active counsellors, Pending approvals, Average rating, Payout amounts
Geographic	User location distribution, Counsellor density map, Top cities

5. DATABASE SCHEMA (POSTGRESQL)

INFO: All primary relational data is stored in PostgreSQL. Firebase Firestore handles real-time chat messages only. Firebase Storage handles all media files. Redis stores OTPs and session cache.

5.1 Core Tables

Table: users

Column	Type	Constraints	Description
id	UUID	PK, DEFAULT gen_random_uuid()	Primary key
firebase_uid	VARCHAR(128)	UNIQUE, NOT NULL	Firebase Auth UID
full_name	VARCHAR(255)	NOT NULL	User display name
email	VARCHAR(255)	UNIQUE, NULLABLE	Email address
mobile	VARCHAR(20)	UNIQUE, NULLABLE	Mobile with country code

auth_provider	ENUM	('email', 'mobile', 'google')	Registration method
language_code	VARCHAR(10)	DEFAULT 'en'	App UI language
avatar_url	TEXT	NULLABLE	Firebase Storage URL
wallet_balance	DECIMAL(12,2)	DEFAULT 0.00	INR wallet balance
is_active	BOOLEAN	DEFAULT TRUE	Account status
fcm_token	TEXT	NULLABLE	Push notification token
created_at	TIMESTAMPZ	DEFAULT NOW()	Registration timestamp
updated_at	TIMESTAMPZ	DEFAULT NOW()	Last update timestamp

Table: counsellors

Column	Type	Constraints	Description
id	UUID	PK	Primary key
user_id	UUID	FK → users.id	Linked user account
account_type	ENUM	('individual', 'organisation')	Account category
display_name	VARCHAR(255)	NOT NULL	Professional/org name
bio	TEXT	NULLABLE	About/description
specializations	TEXT[]	NOT NULL	Array of specialties
languages_spoken	VARCHAR(10)[]	NOT NULL	Language codes
experience_years	INTEGER	DEFAULT 0	Years of experience
license_number	VARCHAR(100)	NULLABLE	Professional license
has_prescription_auth	BOOLEAN	DEFAULT FALSE	Can write prescriptions
hourly_rate_inr	DECIMAL(10,2)	NOT NULL	Hourly rate in INR
per_minute_rate_inr	DECIMAL(8,2)	NULLABLE	Per-minute call rate
chat_enabled	BOOLEAN	DEFAULT TRUE	Text chat toggle
audio_enabled	BOOLEAN	DEFAULT FALSE	Audio call toggle

video_enabled	BOOLEAN	DEFAULT FALSE	Video call toggle
show_on_map	BOOLEAN	DEFAULT FALSE	Offline location map
location_lat	DECIMAL(10,8)	NULLABLE	GPS latitude
location_lng	DECIMAL(11,8)	NULLABLE	GPS longitude
address	TEXT	NULLABLE	Physical address
rating_avg	DECIMAL(3,2)	DEFAULT 0.00	Average rating (0-5)
rating_count	INTEGER	DEFAULT 0	Total ratings received
verification_status	ENUM	('pending', 'approved', 'rejected', 'suspended')	Admin approval status
wallet_balance	DECIMAL(12,2)	DEFAULT 0.00	Counsellor earnings
is_online	BOOLEAN	DEFAULT FALSE	Current online status
fcm_token	TEXT	NULLABLE	Push notification token
created_at	TIMESTAMPZ	DEFAULT NOW()	Registration timestamp

Table: sessions

Column	Type	Constraints	Description
id	UUID	PK	Session ID
user_id	UUID	FK → users.id	Client user
counsellor_id	UUID	FK → counsellors.id	Assigned counsellor
session_type	ENUM	('chat', 'audio', 'video', 'group')	Communication mode
service_type	ENUM	('counselling', 'dream_review', 'hw_review', 'healing_session')	Service category
status	ENUM	('pending', 'confirmed', 'in_progress', 'completed', 'cancelled', 'declined')	Session lifecycle
scheduled_at	TIMESTAMPZ	NOT NULL	Booked start time
duration_minutes	INTEGER	NOT NULL	Planned duration

actual_duration_min	INTEGER	NULLABLE	Actual call duration
amount_charged_inr	DECIMAL(10,2)	NOT NULL	Total fee charged
platform_commission_inr	DECIMAL(10,2)	NOT NULL	Platform's cut
counsellor_earning_inr	DECIMAL(10,2)	NOT NULL	Counsellor payout
agora_channel_id	VARCHAR(255)	NULLABLE	Agora RTC channel
notes_counsellor	TEXT	NULLABLE	Private counsellor notes
recording_url	TEXT	NULLABLE	Session recording (consent)
decline_reason	TEXT	NULLABLE	If counsellor declines
created_at	TIMESTAMPZ	DEFAULT NOW()	Booking timestamp

Table: analysis_reports

Column	Type	Constraints	Description
id	UUID	PK	Report ID
user_id	UUID	FK → users.id	Report owner
report_type	ENUM	('dream', 'handwriting', 'signature')	Analysis category
input_text	TEXT	NULLABLE	Typed description
input_media_url	TEXT	NULLABLE	Firebase Storage URL
voice_transcript	TEXT	NULLABLE	Transcribed voice input
ai_summary	TEXT	NOT NULL	Free brief summary
ai_full_report	TEXT	NULLABLE	Detailed AI report text
pdf_url	TEXT	NULLABLE	Firebase Storage signed URL
is_pdf_unlocked	BOOLEAN	DEFAULT FALSE	Payment status
pdf_unlock_fee_inr	DECIMAL(8,2)	NOT NULL	Fee charged for unlock
expert_review_session_id	UUID	FK → sessions.id NULLABLE	Linked expert session

ai_model_used	VARCHAR(100)	NOT NULL	Model at time of generation
created_at	TIMESTAMPTZ	DEFAULT NOW()	Creation timestamp

Table: transactions

Column	Type	Constraints	Description
id	UUID	PK	Transaction ID
user_id	UUID	FK → users.id NULLABLE	User (if user txn)
counsellor_id	UUID	FK → counsellors.id NULLABLE	Counsellor (if payout)
txn_type	ENUM	('wallet_topup', 'session_payment', 'pdf_unlock', 'refund', 'payout', 'commission')	Transaction category
direction	ENUM	('credit', 'debit')	Money direction
amount_inr	DECIMAL(12,2)	NOT NULL	Transaction amount
reference_id	VARCHAR(255)	NULLABLE	Razorpay reference
payment_gateway	ENUM	('razorpay', 'wallet', 'stripe')	Payment method
gateway_status	ENUM	('pending', 'success', 'failed', 'refunded')	Payment gateway status
related_session_id	UUID	FK → sessions.id NULLABLE	Linked session
related_report_id	UUID	FK → analysis_reports.id NULLABLE	Linked report
notes	TEXT	NULLABLE	Admin or system note
created_at	TIMESTAMPTZ	DEFAULT NOW()	Transaction timestamp

Additional Tables (Summary)

Table Name	Key Columns & Purpose
counsellor_slots	id, counsellor_id, date, start_time, end_time, is_booked, session_id — Availability slots
reviews	id, session_id, user_id, counsellor_id, rating (1-5), review_text,

	created_at
ai_chat_sessions	id, user_id, title, messages (JSONB), mood_start, mood_end, ai_model_used, token_count, created_at, ended_at
notifications	id, recipient_id, recipient_type (user/counsellor), title, body, type, is_read, reference_id, created_at
api_configurations	id, service_name, provider, model_name, api_key_encrypted, system_prompt, parameters (JSONB), is_active, updated_by, updated_at — Central API config table
services_catalog	id, name, description, icon, is_active, price_inr, is_free, api_config_id, created_at — Admin-managed service list
mood_logs	id, user_id, mood_score (1-10), mood_label, notes, logged_at
prescriptions	id, session_id, counsellor_id, user_id, medication_list (JSONB), instructions, pdf_url, issued_at
group_sessions	id, counsellor_id, title, description, max_participants, fee_inr, agora_channel, scheduled_at, status, created_at
group_session_participants	id, group_session_id, user_id, joined_at, payment_txn_id
admin_users	id, email, password_hash, role (super/support/finance/content), totp_secret, is_active, last_login, created_at
audit_logs	id, admin_id, action, entity_type, entity_id, old_value (JSONB), new_value (JSONB), ip_address, created_at
cms_content	id, content_type (tip/video/article/sound), title, body, media_url, category, language_code, is_active, created_by, created_at
documents_verification	id, counsellor_id, doc_type, file_url, status (pending/approved/rejected), reviewed_by, review_note, uploaded_at, reviewed_at

6. REST API ENDPOINTS

INFO: Base URL: /api/v1 | All routes require Authorization: Bearer <JWT> header except public auth routes | Rate limiting applied via Redis

6.1 Authentication (/api/v1/auth)

Method	Endpoint	Description
POST	/auth/register	Register new user (email or mobile). Triggers OTP send.
POST	/auth/register/google	Register or login via Google OAuth token from Firebase
POST	/auth/send-otp	Send OTP to email or mobile number (MSG91 or SMTP)
POST	/auth/verify-otp	Verify OTP. Returns JWT access token + refresh token on success
POST	/auth/login	Login with email/mobile. Triggers OTP send
POST	/auth/refresh-token	Exchange refresh token for new access token
POST	/auth/logout	Invalidate refresh token (blacklist in Redis)
POST	/auth/counsellor/register	Register new counsellor account (starts as Pending)

6.2 User Profile (/api/v1/user)

Method	Endpoint	Description
GET	/user/me	Get own profile
PUT	/user/me	Update profile (name, avatar, language, notification prefs)
POST	/user/avatar	Upload avatar to Firebase Storage, update URL in DB
PUT	/user/language	Update language preference (language_code)
GET	/user/notifications	List notifications with pagination. Accepts ?unread=true
PUT	/user/notifications/:id/read	Mark notification as read
GET	/user/mood/history	Get mood log history for charts
POST	/user/mood/log	Log a mood entry
DELETE	/user/me	Soft delete own account (sets is_active = false)

6.3 Counsellors (/api/v1/counsellors)

Method	Endpoint	Description
GET	/counsellors	List counsellors. Query: ?specialty=&language=&min_rate=&max_rate=&available=&type=
GET	/counsellors/:id	Get counsellor public profile with education and certifications
GET	/counsellors/:id/slots	Get available booking slots for next 30 days
GET	/counsellors/:id/reviews	Get paginated reviews for counsellor
GET	/counsellors/map	Get all counsellors with show_on_map=true (for map screen)
GET	/counsellors/me	Get own counsellor profile (counsellor only)
PUT	/counsellors/me	Update own profile, rates, service toggles (counsellor only)
POST	/counsellors/me/slots	Create/update availability slots (counsellor only)
DELETE	/counsellors/me/slots/:id	Delete a slot (counsellor only)
PUT	/counsellors/me/status	Update online/busy/offline status (counsellor only)

6.4 Sessions (/api/v1/sessions)

Method	Endpoint	Description
POST	/sessions/book	Book a session. Deducts from wallet and sends FCM to counsellor
GET	/sessions/my	List user sessions. Query: ?status=&type=&page=
GET	/sessions/:id	Get session details including agora channel info
PUT	/sessions/:id/cancel	Cancel session (user). Triggers refund if within policy
PUT	/sessions/:id/accept	Counsellor accepts session request
PUT	/sessions/:id/decline	Counsellor declines with reason. Triggers user refund
POST	/sessions/:id/call/token	Generate Agora RTC token for audio/video call

PUT	<code>/sessions/:id/complete</code>	Mark session as completed (counsellor triggers)
POST	<code>/sessions/:id/review</code>	User submits rating and review after completed session
GET	<code>/sessions/me/counsellor</code>	Counsellor view of their sessions. Query: ?status=&date=

6.5 AI Services (`/api/v1/ai`)

Method	Endpoint	Description
POST	<code>/ai/chat</code>	Send message to AI counsellor. Returns AI response. Saves to ai_chat_sessions
GET	<code>/ai/chat/sessions</code>	List user AI chat session history
GET	<code>/ai/chat/sessions/:id</code>	Get full AI chat session with all messages
POST	<code>/analysis/dream</code>	Submit dream for analysis. Accepts text + file upload
POST	<code>/analysis/handwriting</code>	Submit handwriting image for analysis
POST	<code>/analysis/signature</code>	Submit signature image for analysis
GET	<code>/analysis/reports</code>	List all analysis reports for logged-in user
GET	<code>/analysis/reports/:id</code>	Get single report (summary only if not paid)
POST	<code>/analysis/reports/:id/unlock</code>	Pay to unlock full PDF report
GET	<code>/analysis/reports/:id/pdf</code>	Download PDF (only if unlocked). Returns signed Firebase URL

6.6 Wallet & Payments (`/api/v1/wallet`)

Method	Endpoint	Description
GET	<code>/wallet/balance</code>	Get current wallet balance
POST	<code>/wallet/topup/initiate</code>	Create Razorpay order. Returns order_id for client SDK
POST	<code>/wallet/topup/verify</code>	Verify Razorpay payment signature. Credits wallet on success
GET	<code>/wallet/transactions</code>	Paginated transaction history. Query: ?type=&direction=

POST	/payments/webhook	Razorpay webhook handler (public, signature-verified)
GET	/wallet/counsellor/earnings	Counsellor earnings summary (counsellor only)
POST	/wallet/counsellor/withdraw	Initiate payout to bank via Razorpay (counsellor only)

6.7 Admin API (/api/v1/admin)

Method	Endpoint	Description
GET	/admin/users	List all users with filters and pagination
PUT	/admin/users/:id/status	Activate or suspend user account
GET	/admin/counsellors	List all counsellors with verification status filter
PUT	/admin/counsellors/:id/verify	Approve or decline counsellor. Body: {action, reason}
PUT	/admin/counsellors/:id/prescription	Grant or revoke prescription authority
GET	/admin/api-config	Get all API configurations (keys masked)
PUT	/admin/api-config/:service	Update API key, model, or system prompt for service
POST	/admin/api-config/test	Test AI config with a sample prompt
GET	/admin/services	List all services from services_catalog
PUT	/admin/services/:id	Update service (enable/disable, price, AI config link)
POST	/admin/services	Add a new service to catalog
DELETE	/admin/services/:id	Remove service from catalog
GET	/admin/transactions	All transactions across both apps with filters
POST	/admin/transactions/refund	Issue manual refund
GET	/admin/analytics/summary	Platform KPI summary for dashboard
POST	/admin/notifications/send	Send push notification to targeted users/counsellors
GET	/admin/audit-logs	View admin action audit trail

7. PROJECT FOLDER STRUCTURE

7.1 Backend (Node.js + Express)

```
mindheal-backend/ | src/ | | config/ | | | database.js # PostgreSQL
connection (pg pool) | | | firebase.js # Firebase Admin SDK init | | |
redis.js # Redis client init | | | apiConfig.js # Fetches AI configs
from DB at runtime | | | controllers/ | | | auth.controller.js | | |
user.controller.js | | | counsellor.controller.js | | | session.controller.js | | |
| | | ai.controller.js | | | analysis.controller.js | | | wallet.controller.js | | |
| | | notification.controller.js | | | admin.controller.js | | | middleware/ | | |
auth.middleware.js # JWT verification | | | role.middleware.js # User / counsellor /
admin role check | | | rateLimit.middleware.js | | | upload.middleware.js # Multer
for file uploads | | | routes/ | | | auth.routes.js | | | user.routes.js | | |
| | | counsellor.routes.js | | | session.routes.js | | | ai.routes.js | | |
wallet.routes.js | | | admin.routes.js | | | services/ | | | gemini.service.js
# Calls Gemini API with runtime key from DB | | | pdf.service.js # PDFKit report
generation | | | razorpay.service.js | | | agora.service.js # Agora token
generation | | | fcm.service.js # Firebase Cloud Messaging | | |
otp.service.js # MSG91 / Firebase OTP | | | storage.service.js # Firebase Storage
operations | | | maps.service.js # Google Maps Places | | | models/ | | |
index.js # PostgreSQL query helpers | | | utils/ | | | encryption.js
# AES-256 for API key encrypt/decrypt | | | validators.js # Joi schemas | | |
logger.js # Winston logger | | | helpers.js | | | sockets/ | | |
chat.socket.js # Socket.io event handlers | | | app.js # Express app
setup | | | migrations/ # PostgreSQL schema migrations | | | seeds/
# Initial data seeds | | | .env.example # Template (no real keys) | | | .env
# Real keys (gitignored) | | | server.js # Entry point package.json
```

7.2 Flutter App Structure (Shared Pattern for Both Apps)

```
mindheal_user_app/ (or mindheal_counsellor_app/) | lib/ | | main.dart | | config/ |
| | | app_config.dart # Base API URL, environment flags | | | routes.dart
# Named routes / GoRouter config | | | themes.dart # App theme, colors, text
styles | | | l10n/ # Localisation ARB files | | | app_en.arb | | |
| | | app_hi.arb | | | ... (one per language) | | | models/ # Dart model
classes (User, Session, Report...) | | | providers/ # Riverpod state providers
| | | auth_provider.dart | | | session_provider.dart | | | ai_chat_provider.dart
| | | wallet_provider.dart | | | repositories/ # API call abstraction layer | | | | | | |
| | | auth_repository.dart | | | session_repository.dart | | | ... | | | screens/ |
| | | onboarding/ | | | auth/ | | | dashboard/ | | | counsellors/ |
| | | ai_chat/ | | | analysis/ # Dream, handwriting, signature | | | games/
| | | map/ | | | wallet/ | | | sessions/ | | | profile/ | | | widgets/
# Reusable UI components | | | utils/ | | | dio_client.dart # Dio HTTP client with
interceptors | | | secure_storage.dart # flutter_secure_storage for JWT | | |
helpers.dart | | | assets/ | | | images/ | | | sounds/ | | | animations/ #
Lottie json files | | | pubspec.yaml
```

7.3 Admin Panel (React.js + TypeScript)

```
mindheal-admin/ | src/ | | api/ # Axios API call functions | | |
components/ # Reusable React components | | | pages/ | | | Dashboard.tsx
# Analytics overview | | | Users.tsx # User management | | |
```

```

Counsellors.tsx      # Counsellor management + approval | | | — ApiConfig.tsx      # API
key manager (core page) | | | — Services.tsx      # Service catalog management | |
|— Transactions.tsx    # Financial management | | | — Notifications.tsx    # Push
notification center | | | — CMS.tsx              # Content management | | | —
AuditLog.tsx         # Admin action trail | | | — store/                  # Redux Toolkit or
Zustand | | | — hooks/ | | | — utils/ | | | — App.tsx | — public/ | — .env
# REACT_APP_API_URL only package.json

```

8. SECURITY & COMPLIANCE

8.1 Authentication & Authorisation

- Firebase Auth for identity management (token issuance and verification)
- Custom JWT (access token: 15 min, refresh token: 30 days) issued by backend
- Refresh tokens stored in Redis (revocable on logout)
- Role-based middleware: USER / COUNSELLOR / ADMIN roles enforced on every protected route
- Admin routes protected by 2FA (TOTP) in addition to password

8.2 Data Security

- All API keys encrypted with AES-256 before storage in PostgreSQL
- Encryption key stored in backend environment variable (never in DB or codebase)
- Firebase Storage rules: users can only access their own files
- Firebase Firestore rules: users can only read/write their own chat rooms
- HTTPS enforced everywhere (TLS 1.2+)
- Passwords hashed with bcrypt (minimum 10 rounds)
- OTP stored as SHA-256 hash in Redis with 5-minute TTL
- Input validation with Joi on all API endpoints
- SQL injection prevention via parameterised queries (pg library)

8.3 Rate Limiting

- OTP send: max 3 requests per mobile/email per 10 minutes
- Login attempts: max 5 failures per IP per 15 minutes (then 30-min block)
- AI chat messages: admin-configurable daily limit per user (default 50)
- API endpoints: 100 requests per minute per authenticated user
- File upload: max 10MB per file, validated MIME types

8.4 Privacy & Compliance

- DPDP Act (India) compliance: explicit consent for data processing
- Users can request data export and account deletion
- Counsellor document uploads accessible only to admin (signed URLs with 1-hour expiry)
- AI chat sessions shown to counsellors only with explicit user consent toggle
- Session recordings stored only with documented consent from both parties
- No data sold to third parties

9. DEVELOPMENT ROADMAP

Phase	Duration	Deliverables
Phase 1 MVP Foundation	Weeks 1 – 8	Backend: • PostgreSQL schema + migrations • Auth module (email, mobile, Google, OTP) • User and counsellor CRUD APIs • Counsellor verification flow (admin approve/decline) • Wallet top-up and session payment with Razorpay • Basic FCM push notifications User App: • Onboarding carousel + auth screens (register, login, OTP) • Dashboard with quick access grid • AI Chat screen (Gemini Free Tier integration) • Counsellor browse, profile view, session booking • Text chat with counsellors • Wallet screen Counsellor App: • Registration form (individual + organisation) • Counsellor dashboard and session management • Accept/decline session requests • Text chat with clients Admin Panel: • Admin auth with 2FA • User management table • Counsellor verification workflow • API Configuration panel (key manager + system prompt)

		editor) • Basic analytics dashboard
Phase 2 Core Services	Weeks 9 – 16	Backend: • Agora token server for audio/video calls • AI analysis pipeline (dream, handwriting, signature) • PDFKit report generation and Firebase Storage upload • Voice transcription via Gemini Multimodal • Razorpay webhook handler + payout API User App: • Audio and video call screens (Agora SDK) • Dream Analysis screen (text + photo + voice input) • Handwriting and signature analysis screens • PDF viewer (in-app) and download • My Sessions history screen • My Reports screen • Language selection (ARB files for 10 languages) Counsellor App: • Audio/video call functionality • Analysis report review service • Slot management calendar • Earnings dashboard Admin Panel: • Financial management and transaction tables • Service catalog management • Push notification center
Phase 3 Full Platform	Weeks 17 – 24	User App: • Mind training games (8 games with Flutter game engine) • Ambient sounds player (free + premium packs) • Focus tools (binaural beats, pomodoro, breathe box) • Healing location map (Google Maps with counsellor markers) • Tips, articles, and video tutorials section • Group healing session browse and join • Mood tracker with charts Counsellor App: • Group session creation and hosting • Video tutorial upload (YouTube link embed) • Prescription writing and PDF generation • AI chat transcript review with annotations

		- Withdrawal to bank via Razorpay payout Admin Panel: - CMS for tips, sounds, and content - Audit log viewer - GST report generation - Advanced analytics and segment filtering - All languages (21 total) fully integrated
Phase 4 QA & Launch	Weeks 25 – 28	- End-to-end QA testing across all three applications - Penetration testing and security audit - Performance testing (API load testing with Artillery or k6) - App Store (Apple) and Google Play submission - Production infrastructure setup (AWS / GCP + NGINX + SSL) - CI/CD pipeline (GitHub Actions) for backend and admin panel - Monitoring setup: Sentry (errors), Mixpanel (analytics), Uptime robot - Admin onboarding and platform configuration walkthrough

10. ENVIRONMENT & DEPLOYMENT

10.1 Environment Variables (Backend .env)

NOTE: This file must NEVER be committed to version control. Add .env to .gitignore. Use .env.example with empty values as a template for developers.

```
# — SERVER ————— NODE_ENV=production PORT=4000
APP_URL=https://api.mindheal.in # — POSTGRESQL —————
DATABASE_URL=postgresql://user:password@host:5432/mindheal # — REDIS
————— REDIS_URL=redis://:password@host:6379 # — JWT
————— JWT_ACCESS_SECRET=<long-random-string>
JWT_REFRESH_SECRET=<different-long-random-string> JWT_ACCESS_EXPIRY=15m JWT_REFRESH_EXPIRY=30d
# — FIREBASE ————— FIREBASE_PROJECT_ID=mindheal-prod
FIREBASE_PRIVATE_KEY="-----BEGIN PRIVATE KEY-----\n...\n-----END PRIVATE KEY-----"
FIREBASE_CLIENT_EMAIL=firebase-adminsdk-xxx@mindheal.iam.gserviceaccount.com # — ENCRYPTION
(for API keys stored in DB) ————— ENCRYPTION_KEY=<32-byte-hex-string> # AES-256 # —
RAZORPAY ————— RAZORPAY_KEY_ID=rzp_live_xxxx
RAZORPAY_KEY_SECRET=xxxx RAZORPAY_WEBHOOK_SECRET=xxxx # — AGORA
————— AGORA_APP_ID=xxxx AGORA_APP_CERTIFICATE=xxxx #
NOTE: Gemini, MSG91, Google Maps API keys are stored # in the admin_configurations DB table
(encrypted), # NOT in this .env file. Admin pastes them via UI.
```

10.2 Deployment Architecture

Component	Hosting	Notes
Backend API (Node.js)	AWS EC2 (t3.medium) or GCP Cloud Run	NGINX reverse proxy, PM2 process manager
PostgreSQL Database	AWS RDS PostgreSQL or Supabase	Automated backups, Multi-AZ for production
Redis Cache	AWS ElastiCache or Redis Cloud	Persistent for refresh token storage
Admin Panel (React)	Vercel or Netlify or S3 + CloudFront	Static build, served via CDN
File Storage	Firebase Storage	Media, PDFs, documents
Real-time Chat	Firebase Realtime Database	Socket.io fallback for complex events
SSL Certificates	Let's Encrypt (Certbot)	Auto-renew via cron
CI/CD	GitHub Actions	Auto-deploy on merge to main branch
Error Monitoring	Sentry	Backend + Admin Panel + both Flutter apps

11. KEY FLUTTER DEPENDENCIES (pubspec.yaml)

Package	Version (approx)	Purpose
flutter_riverpod	^2.4.0	State management
go_router	^13.0.0	Declarative routing
dio	^5.4.0	HTTP client with interceptors
flutter_secure_storage	^9.0.0	Secure JWT token storage
firebase_core	^2.24.0	Firebase core initialisation
firebase_auth	^4.16.0	Authentication

firebase_messaging	^14.7.0	Push notifications (FCM)
cloud_firestore	^4.14.0	Real-time chat messages
firebase_storage	^11.6.0	File uploads
google_sign_in	^6.2.0	Google OAuth sign-in
agora_rtc_engine	^6.3.0	Audio and video calls
google_maps_flutter	^2.5.0	Map screen
image_picker	^1.0.7	Photo / gallery picker
file_picker	^6.1.1	Document file picker
record	^5.1.0	Voice recording
just_audio	^0.9.36	Ambient sounds player
flutter_pdfview	^1.3.2	In-app PDF viewer
razorpay_flutter	^1.3.6	Razorpay payment SDK
flutter_localizations	SDK	Internationalisation support
intl	^0.19.0	Date/number formatting per locale
socket_io_client	^2.0.3	Socket.io real-time connection
lottie	^3.0.0	Animation files (.json)
cached_network_image	^3.3.1	Image caching
fl_chart	^0.66.0	Mood tracker charts
shared_preferences	^2.2.2	Local non-sensitive data
permission_handler	^11.3.0	Camera, mic, location permissions

12. QUICK REFERENCE SUMMARY

12.1 Admin API Configuration Checklist

After platform deployment, the admin must configure the following in the Admin Panel API Config screen before any AI features are live:

Item to Configure	Admin Action	Priority
Gemini Free Tier API Key	Paste key in AI Config → AI Chat service	Critical
Gemini Paid Tier API Key	Paste key in AI Config → Dream PDF, Handwriting, Signature	Critical
AI Chat System Prompt	Write/paste in System Prompt Editor → AI Chat	Critical
Dream Analysis Prompts	Write for Summary and Full Report separately	Critical
Handwriting/Signature Prompts	Configure in AI Config for each service	High
Razorpay Keys	Enter Key ID and Secret in Payments Config	Critical
Google Maps API Key	Enter in Maps Config section	High
MSG91 API Key	Enter in OTP Config section	High
PDF Report Unlock Price	Set INR amount in Services Catalog	High
Platform Commission %	Set per service type in Financial Config	High
Welcome Carousel Content	Edit in CMS → Onboarding section	Medium
Initial Tips & Content	Add in CMS → Tips section	Medium

12.2 AI Tier Mapping Reference

Feature	API Tier	Rationale
AI Counselling Chat	FREE	High volume, low-cost generation; flash model sufficient
Dream Analysis — Free	FREE	Brief output; free model adequate

Summary		
Dream Analysis — Full PDF Report	PAID	Detailed long-form content; revenue-gated feature
Voice-to-Text Transcription	PAID	Multimodal API; paid tier required
Handwriting Image Analysis	PAID	Vision API; revenue-gated feature
Signature Image Analysis	PAID	Vision API; revenue-gated feature

END OF DOCUMENT

MindHeal Platform — Full Stack Developer Blueprint v1.0
All rights reserved. For development use only.