



PRINT-WORLD CORPORATION

PRINT-WORLD CORPORATION

Office no.3, Bhurat Heights, 2nd floor, Plot no- J/P-11/1 Bhosari MIDC, Tal - Haveli Dist- Pune-411026.

E-Mail: printworld.corporation@gmail.com Website: www.print-world.in



We “**Print-World Corporation**” are leading wholesale Supplier & Exporter of our company Brand **RYO Inkjet Printers**, Inkjet Printer Consumables, Inkjet Printer Spare Parts & Packaging Machines and many more..

About Us:

Print-World Corporation is committed for providing the Cost effective Coding solutions through supplying Continuous Inkjet Printer Thermal Inkjet Printer, TTO Printer We are also Manufacturing Consumables which are compatible for leading brands such as Domino®, Videojet®, Willet®, Imaje®, Alphajet®, Linx®, Citronix®, Hitachi® Rot-well® etc. Print-World Provides 24X7 service support for all kinds of CIJ printers.

Being the pioneer in this field, we have carved a dominant position as one of the leading service provider, Fluid Manufacturers, Exporters, and Suppliers of CIJ Printer spares at the most economic price. We cater our most economic consumables for all kinds of Continuous Inkjet Printers and providing timely and satisfactory services.

With a vast experience in the CIJ industry, we have the ability to work with the different variety of industry customers such as Pharmaceutical, Glass, Auto ancillary, Food & beverages, Liquor, Condom manufacturers, Cable & Pipe Industries across India. Our Fluids are exported to South Africa, Kenya, Middle East country UAE etc. This young team is equipped with able and trained customer service executives and caliber Managers who are experts of CIJ industry.

PRODUCTS

Continuous Inkjet Printer:


Specifications:

- 5line Full Graphics (32 Dot) Printing, High Resolution Printing.
- High Printing Speed Max 300m/min.
- Font Matrix Configuration:
 - Single Line:
5x5,5x7,6x10,8x12,11x16,17x24,24x24,32x32
 - Double Line: 5x5,5x7,6x10,8x12,11x15
 - 3 Line: 5x5,5x7,6x10
 - 4 Line: 5x5,5x7
 - 5 Line:5x5
- Throw Distance:
 - Typical: 15mm
 - Range : 5mm -40mm
- Message Storage more than 1000 Messages & Expandable By USB Drive.
- Printing Content Multiplex: Text,Date ,Time,Batch Number,Symbol,QR Code,Barcode,DM Code ,Logo & Variable data.
- Fluid Type: 750ml Ink Smart Cartridge.
750ml Makeup Smart Cartridge. Applicable
- Material Of Printer:
Boards,Carton,Stone,Pipe,Cable,Metal,Plastic,Electronics,Automotive Parts.

360° Coding Solution....



Thermal Inkjet Printer:



Specifications:

- Print Head: 12.7mm .
- Throw Distance: 2-5mm.
- Print Resolution: 300dpi Maximum.
- Zero Maintenance Printer, Low Cost High Performance Printer.
- Support 1-4 Print Heads Assembly.
- Character Size & Font Style Adjustable.
- Printing Content Multiplex: Text, Date, Time, Batch Number, Symbol, QR Code, Barcode, DM Code, Logo & Variable data.
- Cartridge Colour Options: Black, White, Red, Blue, Yellow, Green, Invisible, UV.
- Interface: USB, RS232, Encoder, Photocell, LAN, Alarm Light.
- Languages: English, Turkish, Arabic, Korean, Spanish etc.
- The QR Code & Barcode is Print is 100% Readable.
- Message Storage more than 1000 Messages & Expandable By USB Drive.

Handheld Inkjet Printer: 12.7mm & 25.4mm Print Height.

Specifications:

- Print Head: 12.7mm & 25.4mm .
- Throw Distance: 2-5mm.
- Print Resolution: 300dpi
Maximum.
- Zero Maintenance Printer,Low
Cost ,High Performance Printer.
- Character Size & Font Style
Adjustable.
- Printing Content Multiplex:
Text,Date ,Time,Batch
Number,Symbol,QR
Code,Barcode,DM Code ,Logo .
- Cartridge Colour Options: Black,White,Red,Blue,Yellow ,Green.
- Languages: English ,Turkish,Arabic,Korean,Spanish etc.
- This Printer We Can Use Manual & For Online Print By Using Conveyor Belt,Printer
Stand & Product Sensor.
- The QR Code & Barcode is Print is 100% Readable.
- Long Life Battery Endurance :Lithium Battery 2600m Ah, It Be Last 10 Hours After
Charge.
- Massage Storage more than 1000 Massages & Expandable By USB Dive.



Laser Coding Machine:(CO2,Fiber & UV)

Specifications:

- Laser Type:CO2 Laser
- Laser Power:20w/30w/50w
- Marking Range:110'110mm/150'150mm/175'175mm/200'200mm/300'300mm
- Minimum Line Width:0.01mm
- Minimum Character:0.1mm
- Marking Speed:10000mm/s
- Engraving Line Speed: ≤ 7000 mm/s
- Marking Format: Graphics,text,bar codes,two-dimensional code,automatically marking the date,batch number,serial number
- Working Condition Temperature:10°C-40°C



Some of the CO₂ laser Marking machine applications are listed as below:

- a. All types of Plastics such as PP, ABS, PVC, PBT, PE etc.
- b. Pet Bottles
- c. Glass
- d. Acrylic
- e. Wood
- f. Ceramics
- g. Plastic
- h. Foils & films
- i. Leather and much more

Consumables:



Domino I-Tech Ink & MEK



Domino A-Series Ink & MEK



Videojet Ink & MEK



Willett Ink & MEK



Markem Imaje Ink & MEK



Alphajet(Control Print) Ink & MEK



Hitachi Ink & MEK



Alphajet(Control Print) Ink & MEK



Citronix Ink & MEK



Linx Ink & MEK



Alphajet(Control Print) Ink & MEK



Hitachi UX Ink & MEK



Leadtech Ink



Leadtech MEK



Cleaning Solution



IQ 800 Cartridge

Spare Parts:



Alphajet-keyboard



Alphajet-Pump



A-series-plus-pump



Domino Nozzle Assembly



Domino-A200-SMPS



Eye Mark Sensor



Band Sealing Machine



Conveyor Belt



HP 1918 Dye Based Black Cartridges



HP 2580 Cartridge



Imaje-9018-9028-Bypass-kit



Imaje-9410-9450-Bypass-kit



Imaje Printer Keyboard



JS12 Cartridge



Linx Printer-Filter set



Linx Nozzle



Linx Pump



Product Sensor



Videojet Printer Ink-Core



Videojet Core Valve



Videojet Core Pump



Videojet EHT Module



Videojet Fan



Videojet head valve



Videojet ink core PCB



Videojet Key-Board



Videojet Main Board



Videojet Positive Air Pump



Videojet Pressure Sensor



Videojet Print Engine



Customer Service:

Customer Service & Satisfaction are our first priority. Our strong commitment to building and developing long-term relationship with our customer ensures that your needs are at the heart of any solution we propose.

Website- <https://www.print-world.in>

Contact Us-7057531193/8669998905/06/07