


TRIBOX® ALUMINIUM ENCLOSURES

ENCLOSURE PROGRAM















SIMPLY SOLUTIONS



Aluminium Enclosures










Our Aluminium Enclosures caters to a market which requires high strength, compact and robust enclosures. We use high quality Aluminium and provide IP 67 rating along with protection against mechanical impacts IK 09. A high quality gasket, well engineered screw make our Aluminium Enclosures a good solution for all the demand placed on the compact enclosures.



Technical Specifications	
Description	Die cast Aluminium Enclosure
Material & Reference Standard	EN AC 44300, DIN 1706 AlSi12 (Fe)
Colour	RAL 7001 / RAL 7035 optional colour also available on request
Surface Finish	Powder coated / Corrosion protection
LID Screw	Stainless steel 1.4301 (A2)
Gasket Material	Silicon
Temperature Resistance (Continuous)	-40 - +110°C
Temperature Resistance (Short time)	-60 - +160°C
Ingress Protection	IP 67 as per IEC 60529
Impact Resistance	IK 09 as per IEC 62262



TRIBOX® Aluminium Enclosure Series

















100 x 100 x 80 mm



























































Trinity Touch Pvt. Ltd.

www.trinitytouch.com

INDIA

Delhi: Corporate Office

D-10, Defence Colony, New Delhi 110024, INDIA

Tel: +91.11.71200900 Fax: +91.11.71200998

E-mail: postmaster@trinitytouch.com

Bengaluru

2nd Floor, Umiya Land Mark 10/7, Lavelle Road, Bengaluru 560001, INDIA Tel: +91.80.46231200

Works & Warehouse

Prithla-Dudhola road, Dudhola Distt. Palwal, Haryana 121102, INDIA Tel: +91.1275.711500 E-mail: sales@trinitytouch.com





Trinity Touch (EUROPE) Ltd.

www.trinitytouch.co.uk

UK

Unit-L, Tyson Courtyard, Weldon South Industrial Estate, Corby, Northants, N N18 8AZ, UK

N N18 8AZ, UK Tel: +44 (0) 1536 400 641 Fax: +44 (0) 1536 268 043

E-mail: gbsales@trinitytouch.com

