```
1 waiting message
No waiting messages
12345678901234567890123456789012345678901234567890123456789012345678901234567890
```

Example from 1 waiting message from above

Data Stream Value (little endian)	Hex Value / character	Description
01000001	0x82	Header byte to indicate MDMF message waiting data format
00001000	0x10	Length of following data packet in bytes
<mark>10000000</mark>	0x01	Date parameter type header marker
00010000	0x08	Length of date parameter in bytes
00001100	0x30	Ascii Digit 0 (first digit of month)
<mark>00011100</mark>	0x38	Ascii Digit 8 (second digit of month. 8 = August)
00001100	0x30	Ascii Digit 0 (first digit of day of month)
01001100	0x32	Ascii Digit 2 (second digit of day of month - so the 2nd)
10001100	0x31	Ascii Digit 1 (first digit of hour)
00011100	0x38	Ascii Digit 8 (second digit of hour)
00001100	0x30	Ascii Digit 0 (first digit of minutes)
<mark>10001100</mark>	0x31	Ascii Digit 1 (first digit of minutes)
11010000	0x0B	visual indicator parameter type header marker
10000000	0x01	Length of visual indicator parameter in bytes
<u> 11111111</u>	0xFF	Indicator on
11001000	0x13	Number of waiting messages parameter type header marker
10000000	0x01	Length of number of messages parameter in bytes
10000000	0x01	1 message waiting
10001101	0xB1	check sum

The example of no waiting messages is similar except:

- 1. The visual indicator is off (0x00), not (0xFF)
- 2. The 3 entries relating to number of waiting messages are not present when the number of messages is zero.