

4	3	2	1																																							
B		B																																								
A		A																																								
	<table border="1"> <thead> <tr> <th>ITEM NO.</th><th>PART NUMBER</th><th>DESCRIPTION</th><th>QTY.</th></tr> </thead> <tbody> <tr> <td>1</td><td>Channel</td><td>U-Channel, Cold Rolled Steel, 4 in x 2 in x 0.25 in</td><td>2</td></tr> <tr> <td>2</td><td>Metal pipe</td><td>Round Tubing, Seamless, Stainless Steel 304</td><td>10</td></tr> <tr> <td>3</td><td>Conveyor Support.</td><td>Fabricated Assembly</td><td>10</td></tr> <tr> <td>4</td><td>Bearing Housing</td><td>Cast Iron, Designed for DIN 628 Bearing</td><td>12</td></tr> <tr> <td>5</td><td>Ball Bearing</td><td>Angular Contact Ball Bearing DIN 628 - 7308 - Full Compliment, 60mm Bore</td><td>12</td></tr> <tr> <td>6</td><td>Drive Motor</td><td>1.5 kW (or 2 HP), 1750 RPM, 400V 3-Phase</td><td>12</td></tr> <tr> <td>7</td><td>Object</td><td>Placed on belt will move further</td><td>1</td></tr> <tr> <td>8</td><td>Motor</td><td>0.75 kW (or 1 HP), 1750 RPM, 400V 3-Phase</td><td>1</td></tr> <tr> <td>9</td><td>Conveyor Belt</td><td>18 inch width x 30 ft length</td><td>1</td></tr> </tbody> </table>	ITEM NO.	PART NUMBER	DESCRIPTION	QTY.	1	Channel	U-Channel, Cold Rolled Steel, 4 in x 2 in x 0.25 in	2	2	Metal pipe	Round Tubing, Seamless, Stainless Steel 304	10	3	Conveyor Support.	Fabricated Assembly	10	4	Bearing Housing	Cast Iron, Designed for DIN 628 Bearing	12	5	Ball Bearing	Angular Contact Ball Bearing DIN 628 - 7308 - Full Compliment, 60mm Bore	12	6	Drive Motor	1.5 kW (or 2 HP), 1750 RPM, 400V 3-Phase	12	7	Object	Placed on belt will move further	1	8	Motor	0.75 kW (or 1 HP), 1750 RPM, 400V 3-Phase	1	9	Conveyor Belt	18 inch width x 30 ft length	1	<p>UNLESS OTHERWISE SPECIFIED:      DIMENSIONS ARE IN INCHES      TOLERANCES:      FRACTIONAL <math>\pm</math>      ANGULAR: MACH <math>\pm</math> BEND <math>\pm</math>      TWO PLACE DECIMAL <math>\pm</math>      THREE PLACE DECIMAL <math>\pm</math></p> <p>INTERPRET GEOMETRIC      TOLERANCING PER:</p> <p>DRAWN MM 16 Dec 25      CHECKED MM      ENG APPR.      MFG APPR.</p> <p>Q.A.      COMMENTS:</p> <p>TITLE: Conveyor Belt</p> <p>SIZE DWG. NO. REV  <b>B</b> Drawing01 00</p> <p>NEXT ASSY USED ON FINISH      APPLICATION DO NOT SCALE DRAWING</p> <p>SCALE: 1:50 WEIGHT: SHEET 1 OF 1</p>
ITEM NO.	PART NUMBER	DESCRIPTION	QTY.																																							
1	Channel	U-Channel, Cold Rolled Steel, 4 in x 2 in x 0.25 in	2																																							
2	Metal pipe	Round Tubing, Seamless, Stainless Steel 304	10																																							
3	Conveyor Support.	Fabricated Assembly	10																																							
4	Bearing Housing	Cast Iron, Designed for DIN 628 Bearing	12																																							
5	Ball Bearing	Angular Contact Ball Bearing DIN 628 - 7308 - Full Compliment, 60mm Bore	12																																							
6	Drive Motor	1.5 kW (or 2 HP), 1750 RPM, 400V 3-Phase	12																																							
7	Object	Placed on belt will move further	1																																							
8	Motor	0.75 kW (or 1 HP), 1750 RPM, 400V 3-Phase	1																																							
9	Conveyor Belt	18 inch width x 30 ft length	1																																							