Description

A child, James Smith, is brought to the local clinic to determine what immunizations have been given and what immunizations are needed. A clinic staff member collects basic patient demographic information including name, date of birth and sex. A clinic provider uses this information to locate the patient's medical record. The staff member then uses the medical record and system capabilities to query the IIS to request an evaluated history and forecast for the patient.

The IIS performs a search for James Smith and finds too many matches. The IIS returns a response message indicating no person found (too many matches) to the querying system. It is expected that the requesting system (e.g., EHR-S) process the response message and display some indication to the end user that the person was not found (too many matches).

Comments

Pre Condition

Person exists in the system with the complete demographics as provided in the Test Data Specification.

Person has Medical Record Number (MR).

Person may have a record in the IIS, however the IIS is unable narrow the search results to a single match (multiple matches exist).

Post Condition

The clinician is provided some indication that too many matches were found.

Test Objectives

Tests for a typically valued query message. Test the capability of the EHR-S to process a response message that returns no persons found (too many matches) and to provide an indication to the end user.

Evaluation Criteria

Query Message: Message Validation Report
Response Message: Juror Document. The EHR-S receives the response and alerts the clinician that too many matches were found.

Notes for Testers

The NIST tool is simulating a response from the IIS.

Important note regarding the Query Tag (QPD-2): The NIST response message is predefined and is based on the query message. Most systems will automatically create the query tag (Identifier) and will require it for importing, linking, and processing the response message. The NIST test message can be modified such that the query tag matches that query tag generated by the system-under test.