

MSH : Message Header

| Location | Data Elementmt | Data | Categrization |
|---------------|---------------------------------|---------------------|---------------|
| MSH-1 | Field Separator | | |
| MSH-2 | Encoding Characters | ^~\& | |
| MSH-3 | Sending Application | | |
| MSH-3.1 | Namespace ID | MyIIS | |
| MSH-3.2 | Universal ID | | |
| MSH-3.3 | Universal ID Type | | |
| MSH-4 | Sending Facility | | |
| MSH-4.1 | Namespace ID | StatePH | |
| MSH-4.2 | Universal ID | | |
| MSH-4.3 | Universal ID Type | | |
| MSH-5 | Receiving Application | | |
| MSH-5.1 | Namespace ID | MyEHR | |
| MSH-5.2 | Universal ID | | |
| MSH-5.3 | Universal ID Type | | |
| MSH-6 | Receiving Facility | | |
| MSH-6.1 | Namespace ID | DCS | |
| MSH-6.2 | Universal ID | | |
| MSH-6.3 | Universal ID Type | | |
| MSH-7 | Date/Time Of Message | | |
| MSH-7.1 | Time | 20150531145233-0500 | |
| MSH-7.2 | Degree of Precision | | |
| MSH-8 | Security | | |
| MSH-9 | Message Type | | |
| MSH-9.1 | Message Code | RSP | |
| MSH-9.2 | Trigger Event | K11 | |
| MSH-9.3 | Message Structure | RSP_K11 | |
| MSH-10 | Message Control ID | 4483533469 | |
| MSH-11 | Processing ID | | |
| MSH-11.1 | Processing ID | P | |
| MSH-11.2 | Processing Mode | | |
| MSH-12 | Version ID | | |
| MSH-12.1 | Version ID | 2.5.1 | |
| MSH-12.2 | Internationalization Code | | |
| MSH-12.2.1 | Identifier | | |
| MSH-12.2.2 | Text | | |
| MSH-12.2.3 | Name of Coding System | | |
| MSH-12.2.4 | Alternate Identifier | | |
| MSH-12.2.5 | Alternate Text | | |
| MSH-12.2.6 | Name of Alternate Coding System | | |
| MSH-12.3 | International Version ID | | |
| MSH-12.3.1 | Identifier | | |
| MSH-12.3.2 | Text | | |
| MSH-12.3.3 | Name of Coding | | |

| Location | System Data Element | Data | Categorization |
|---------------|--|-----------|----------------|
| MSH-12.3.4 | Alternate Identifier | | |
| MSH-12.3.5 | Alternate Text | | |
| MSH-12.3.6 | Name of Alternate Coding System | | |
| MSH-13 | Sequence Number | | |
| MSH-14 | Continuation Pointer | | |
| MSH-15 | Accept Acknowledgment Type | NE | |
| MSH-16 | Application Acknowledgment Type | NE | |
| MSH-17 | Country Code | | |
| MSH-18 | Character Set | | |
| MSH-19 | Principal Language Of Message | | |
| MSH-19.1 | Identifier | | |
| MSH-19.2 | Text | | |
| MSH-19.3 | Name of Coding System | | |
| MSH-19.4 | Alternate Identifier | | |
| MSH-19.5 | Alternate Text | | |
| MSH-19.6 | Name of Alternate Coding System | | |
| MSH-20 | Alternate Character Set Handling Scheme | | |
| MSH-21 | Message Profile Identifier | | |
| MSH-21.1 | Entity Identifier | Z42 | |
| MSH-21.2 | Namespace ID | CDCPHINVS | |
| MSH-21.3 | Universal ID | | |
| MSH-21.4 | Universal ID Type | | |
| MSH-22 | Sending Responsible Organization | | |
| MSH-22.1 | Organization Name | StatePH | |
| MSH-22.2 | Organization Name Type Code | | |
| MSH-22.3 | ID Number | | |
| MSH-22.4 | Check Digit | | |
| MSH-22.5 | Check Digit Scheme | | |
| MSH-22.6 | Assigning Authority | | |
| MSH-22.6.1 | Namespace ID | | |
| MSH-22.6.2 | Universal ID | | |
| MSH-22.6.3 | Universal ID Type | | |
| MSH-22.7 | Identifier Type Code | | |
| MSH-22.8 | Assigning Facility | | |
| MSH-22.8.1 | Namespace ID | | |
| MSH-22.8.2 | Universal ID | | |
| MSH-22.8.3 | Universal ID Type | | |
| MSH-22.9 | Name Representation Code | | |

| MSH-23.10 | Organization Identifier | | |
|---------------|---|---------|----------------|
| Location | Data Element | Data | Categorization |
| MSH-23 | Receiving Responsible Organization | | |
| MSH-23.1 | Organization Name | DCS | |
| MSH-23.2 | Organization Name Type Code | | |
| MSH-23.3 | ID Number | | |
| MSH-23.4 | Check Digit | | |
| MSH-23.5 | Check Digit Scheme | | |
| MSH-23.6 | Assigning Authority | | |
| MSH-23.6.1 | Namespace ID | DCS | |
| MSH-23.6.2 | Universal ID | | |
| MSH-23.6.3 | Universal ID Type | | |
| MSH-23.7 | Identifier Type Code | XX | |
| MSH-23.8 | Assigning Facility | | |
| MSH-23.8.1 | Namespace ID | | |
| MSH-23.8.2 | Universal ID | | |
| MSH-23.8.3 | Universal ID Type | | |
| MSH-23.9 | Name Representation Code | | |
| MSH-23.10 | Organization Identifier | 6439432 | |

MSA : Message Acknowledgment

| Location | Data Element | Data | Categorization |
|--------------|------------------------------------|--------|------------------|
| MSA-1 | Acknowledgment Code | AA | Test Case Fixed |
| MSA-2 | Message Control ID | 793543 | System Generated |
| MSA-3 | Text Message | | |
| MSA-4 | Expected Sequence Number | | |
| MSA-5 | Delayed Acknowledgment Type | | |
| MSA-6 | Error Condition | | |
| MSA-6.1 | Identifier | | |
| MSA-6.2 | Text | | |
| MSA-6.3 | Name of Coding System | | |
| MSA-6.4 | Alternate Identifier | | |
| MSA-6.5 | Alternate Text | | |
| MSA-6.6 | Name of Alternate Coding System | | |

QAK : Query Acknowledgment

| Location | Data Element | Data | Categorization |
|--------------|------------------------------|-------------------|------------------|
| QAK-1 | Query Tag | 37374859 | System Generated |
| QAK-2 | Query Response Status | OK | Test Case Fixed |
| QAK-3 | Message Query Name | | |
| QAK-3.1 | Identifier | Z44 | |
| | | request evaluated | |

| QAK-3.2 | Location | Data Element | Immunization History | Categorization |
|---------|----------|---------------------------------|----------------------|----------------|
| QAK-3.3 | | Name of Coding System | CDCPHINVS | |
| QAK-3.4 | | Alternate Identifier | | |
| QAK-3.5 | | Alternate Text | | |
| QAK-3.6 | | Name of Alternate Coding System | | |
| QAK-4 | | Hit Count | | |
| QAK-5 | | This payload | | |
| QAK-6 | | Hits remaining | | |

QPD : Query Parameter Definition

| | Location | Data Element | Data | Categorization |
|-----------|----------|---------------------------------|--|----------------|
| QPD-1 | | Message Query Name | | |
| QPD-1.1 | | Identifier | Z44 | |
| QPD-1.2 | | Text | Request Evaluated History and Forecast | |
| QPD-1.3 | | Name of Coding System | CDCPHINVS | |
| QPD-1.4 | | Alternate Identifier | | |
| QPD-1.5 | | Alternate Text | | |
| QPD-1.6 | | Name of Alternate Coding System | | |
| QPD-2 | | Query Tag | 37374859 | |
| QPD-3 | | PatientList | | |
| QPD-3.1 | | ID Number | 12993456 | |
| QPD-3.2 | | Check Digit | | |
| QPD-3.3 | | Check Digit Scheme | | |
| QPD-3.4 | | Assigning Authority | | |
| QPD-3.4.1 | | Namespace ID | MYEHR | |
| QPD-3.4.2 | | Universal ID | | |
| QPD-3.4.3 | | Universal ID Type | | |
| QPD-3.5 | | Identifier Type Code | MR | |
| QPD-3.6 | | Assigning Facility | | |
| QPD-3.6.1 | | Namespace ID | | |
| QPD-3.6.2 | | Universal ID | | |
| QPD-3.6.3 | | Universal ID Type | | |
| QPD-3.7 | | Effective Date | | |
| QPD-3.8 | | Expiration Date | | |
| QPD-3.9 | | Assigning Jurisdiction | | |
| QPD-3.9.1 | | Identifier | | |
| QPD-3.9.2 | | Text | | |
| QPD-3.9.3 | | Name of Coding System | | |
| QPD-3.9.4 | | Alternate Identifier | | |
| QPD-3.9.5 | | Alternate Text | | |
| QPD-3.9.6 | | Name of Alternate Coding System | | |
| QPD-3.9.7 | | Coding System Version ID | | |
| | | Alternate Coding System | | |

| QPD-3.9.8 | Version ID | Data Element | Data | Categorization |
|--------------|------------|--|---------|----------------|
| QPD-3.9.9 | | Original Text | | |
| QPD-3.10 | | Assigning Agency or Department | | |
| QPD-3.10.1 | | Identifier | | |
| QPD-3.10.2 | | Text | | |
| QPD-3.10.3 | | Name of Coding System | | |
| QPD-3.10.4 | | Alternate Identifier | | |
| QPD-3.10.5 | | Alternate Text | | |
| QPD-3.10.6 | | Name of Alternate Coding System | | |
| QPD-3.10.7 | | Coding System Version ID | | |
| QPD-3.10.8 | | Alternate Coding System Version ID | | |
| QPD-3.10.9 | | Original Text | | |
| QPD-4 | | PatientName | | |
| QPD-4.1 | | Family Name | | |
| QPD-4.1.1 | | Surname | Stanley | |
| QPD-4.1.2 | | Own Surname Prefix | | |
| QPD-4.1.3 | | Own Surname | | |
| QPD-4.1.4 | | Surname Prefix From Partner/Spouse | | |
| QPD-4.1.5 | | Surname From Partner/Spouse | | |
| QPD-4.2 | | Given Name | Sally | |
| QPD-4.3 | | Second and Further Given Names or Initials Thereof | S | |
| QPD-4.4 | | Suffix (e.g., JR or III) | | |
| QPD-4.5 | | Prefix (e.g., DR) | | |
| QPD-4.6 | | Degree (e.g., MD) | | |
| QPD-4.7 | | Name Type Code | L | |
| QPD-4.8 | | Name Representation Code | | |
| QPD-4.9 | | Name Context | | |
| QPD-4.9.1 | | Identifier | | |
| QPD-4.9.2 | | Text | | |
| QPD-4.9.3 | | Name of Coding System | | |
| QPD-4.9.4 | | Alternate Identifier | | |
| QPD-4.9.5 | | Alternate Text | | |
| QPD-4.9.6 | | Name of Alternate Coding System | | |
| QPD-4.10 | | Name Validity Range | | |
| QPD-4.10.1 | | Range Start Date/Time | | |
| QPD-4.10.2 | | Range End Date/Time | | |
| QPD-4.11 | | Name Assembly Order | | |
| QPD-4.12 | | Effective Date | | |
| QPD-4.12.1 | | Time | | |
| QPD-4.12.2 | | Degree of Precision | | |
| QPD-4.13 | | Expiration Date | | |
| QPD-4.13.1 | | Time | | |

| QPD Location | Data Element | Data | Categorization |
|--------------|---|-----------------|----------------|
| QPD-4.14 | Professional Suffix | | |
| QPD-5 | PatientMotherMaidenName | | |
| QPD-5.1 | Family Name | | |
| QPD-5.1.1 | Surname | | |
| QPD-5.1.2 | Own Surname Prefix | | |
| QPD-5.1.3 | Own Surname | | |
| QPD-5.1.4 | Surname Prefix From Partner/Spouse | | |
| QPD-5.1.5 | Surname From Partner/Spouse | | |
| QPD-5.2 | Given Name | | |
| QPD-5.3 | Second and Further Given Names or Initials Thereof | | |
| QPD-5.4 | Suffix (e.g., JR or III) | | |
| QPD-5.5 | Prefix (e.g., DR) | | |
| QPD-5.6 | Degree (e.g., MD) | | |
| QPD-5.7 | Name Type Code | | |
| QPD-5.8 | Name Representation Code | | |
| QPD-5.9 | Name Context | | |
| QPD-5.9.1 | Identifier | | |
| QPD-5.9.2 | Text | | |
| QPD-5.9.3 | Name of Coding System | | |
| QPD-5.9.4 | Alternate Identifier | | |
| QPD-5.9.5 | Alternate Text | | |
| QPD-5.9.6 | Name of Alternate Coding System | | |
| QPD-5.10 | Name Validity Range | | |
| QPD-5.10.1 | Range Start Date/Time | | |
| QPD-5.10.2 | Range End Date/Time | | |
| QPD-5.11 | Name Assembly Order | | |
| QPD-5.12 | Effective Date | | |
| QPD-5.12.1 | Time | | |
| QPD-5.12.2 | Degree of Precision | | |
| QPD-5.13 | Expiration Date | | |
| QPD-5.13.1 | Time | | |
| QPD-5.13.2 | Degree of Precision | | |
| QPD-5.14 | Professional Suffix | | |
| QPD-6 | PatientDateOfBirth | | |
| QPD-6.1 | Time | 19800214 | |
| QPD-6.2 | Degree of Precision | | |
| QPD-7 | Patient Sex | F | |
| QPD-8 | Patient Address | | |
| QPD-8.1 | Street Address | | |
| QPD-8.1.1 | Street or Mailing Address | 10 East Main St | |
| QPD-8.1.2 | Street Name | | |
| QPD-8.1.3 | Dwelling Number | | |
| QPD-8.2 | Other Designation | | |
| QPD-8.3 | City | Pretty Valley | |

| QPD-8.4 | Location | State Data Element | MI | Data | Categorization |
|---------------|-------------------------------------|--------------------|----|------|----------------|
| QPD-8.5 | Zip or Postal Code | | | | |
| QPD-8.6 | Country | | | | |
| QPD-8.7 | Address Type | L | | | |
| QPD-8.8 | Other Geographic Designation | | | | |
| QPD-8.9 | County/Parish Code | | | | |
| QPD-8.10 | Census Tract | | | | |
| QPD-8.11 | Address Representation Code | | | | |
| QPD-8.12 | Address Validity Range | | | | |
| QPD-8.12.1 | Range Start Date/Time | | | | |
| QPD-8.12.2 | Range End Date/Time | | | | |
| QPD-8.13 | Effective Date | | | | |
| QPD-8.13.1 | Time | | | | |
| QPD-8.13.2 | Degree of Precision | | | | |
| QPD-8.14 | Expiration Date | | | | |
| QPD-8.14.1 | Time | | | | |
| QPD-8.14.2 | Degree of Precision | | | | |
| QPD-9 | Phone | | | | |
| QPD-9.1 | Telephone Number | | | | |
| QPD-9.2 | Telecommunication Use Code | PRN | | | |
| QPD-9.3 | Telecommunication Equipment Type | PH | | | |
| QPD-9.4 | Email Address | | | | |
| QPD-9.5 | Country Code | | | | |
| QPD-9.6 | Area/City Code | 734 | | | |
| QPD-9.7 | Local Number | 5556712 | | | |
| QPD-9.8 | Extension | | | | |
| QPD-9.9 | Any Text | | | | |
| QPD-9.10 | Extension Prefix | | | | |
| QPD-9.11 | Speed Dial Code | | | | |
| QPD-9.12 | Unformatted Telephone number | | | | |
| QPD-10 | Multiple birth indicator | | | | |
| QPD-11 | Birth order | | | | |
| QPD-12 | Client last updated date | | | | |
| QPD-12.1 | Time | | | | |
| QPD-12.2 | Degree of Precision | | | | |
| QPD-13 | Client last updated facility | | | | |
| QPD-13.1 | Namespace ID | | | | |
| QPD-13.2 | Universal ID | | | | |
| QPD-13.3 | Universal ID Type | | | | |

PID : Patient Identification

| Location | Data Element | Data | Categorization |
|--------------|---------------------|------|----------------|
| PID-1 | Set ID - PID | 1 | |
| | | | |

| PID-2 Location | Patient ID Element | Data | Categorization |
|----------------|------------------------------------|----------|----------------|
| PID-2.1 | ID Number | | |
| PID-2.2 | Check Digit | | |
| PID-2.3 | Check Digit Scheme | | |
| PID-2.4 | Assigning Authority | | |
| PID-2.4.1 | Namespace ID | | |
| PID-2.4.2 | Universal ID | | |
| PID-2.4.3 | Universal ID Type | | |
| PID-2.5 | Identifier Type Code | | |
| PID-2.6 | Assigning Facility | | |
| PID-2.6.1 | Namespace ID | | |
| PID-2.6.2 | Universal ID | | |
| PID-2.6.3 | Universal ID Type | | |
| PID-2.7 | Effective Date | | |
| PID-2.8 | Expiration Date | | |
| PID-2.9 | Assigning Jurisdiction | | |
| PID-2.9.1 | Identifier | | |
| PID-2.9.2 | Text | | |
| PID-2.9.3 | Name of Coding System | | |
| PID-2.9.4 | Alternate Identifier | | |
| PID-2.9.5 | Alternate Text | | |
| PID-2.9.6 | Name of Alternate Coding System | | |
| PID-2.9.7 | Coding System Version ID | | |
| PID-2.9.8 | Alternate Coding System Version ID | | |
| PID-2.9.9 | Original Text | | |
| PID-2.10 | Assigning Agency or Department | | |
| PID-2.10.1 | Identifier | | |
| PID-2.10.2 | Text | | |
| PID-2.10.3 | Name of Coding System | | |
| PID-2.10.4 | Alternate Identifier | | |
| PID-2.10.5 | Alternate Text | | |
| PID-2.10.6 | Name of Alternate Coding System | | |
| PID-2.10.7 | Coding System Version ID | | |
| PID-2.10.8 | Alternate Coding System Version ID | | |
| PID-2.10.9 | Original Text | | |
| PID-3 | Patient Identifier List | | |
| PID-3.1 | ID Number | 12993456 | |
| PID-3.2 | Check Digit | | |
| PID-3.3 | Check Digit Scheme | | |
| PID-3.4 | Assigning Authority | | |
| PID-3.4.1 | Namespace ID | MYEHR | |

| PID Location | Data Element | Data | Categorization |
|--------------|------------------------------------|----------|----------------|
| | | | |
| PID-3.4.3 | Universal ID Type | | |
| PID-3.5 | Identifier Type Code | MR | |
| PID-3.6 | Assigning Facility | | |
| PID-3.6.1 | Namespace ID | | |
| PID-3.6.2 | Universal ID | | |
| PID-3.6.3 | Universal ID Type | | |
| PID-3.7 | Effective Date | | |
| PID-3.8 | Expiration Date | | |
| PID-3.9 | Assigning Jurisdiction | | |
| PID-3.9.1 | Identifier | | |
| PID-3.9.2 | Text | | |
| PID-3.9.3 | Name of Coding System | | |
| PID-3.9.4 | Alternate Identifier | | |
| PID-3.9.5 | Alternate Text | | |
| PID-3.9.6 | Name of Alternate Coding System | | |
| PID-3.9.7 | Coding System Version ID | | |
| PID-3.9.8 | Alternate Coding System Version ID | | |
| PID-3.9.9 | Original Text | | |
| PID-3.10 | Assigning Agency or Department | | |
| PID-3.10.1 | Identifier | | |
| PID-3.10.2 | Text | | |
| PID-3.10.3 | Name of Coding System | | |
| PID-3.10.4 | Alternate Identifier | | |
| PID-3.10.5 | Alternate Text | | |
| PID-3.10.6 | Name of Alternate Coding System | | |
| PID-3.10.7 | Coding System Version ID | | |
| PID-3.10.8 | Alternate Coding System Version ID | | |
| PID-3.10.9 | Original Text | | |
| PID-3 | Patient Identifier List | | |
| PID-3.1 | ID Number | 34500907 | |
| PID-3.2 | Check Digit | | |
| PID-3.3 | Check Digit Scheme | | |
| PID-3.4 | Assigning Authority | | |
| PID-3.4.1 | Namespace ID | MyIIS | |
| PID-3.4.2 | Universal ID | | |
| PID-3.4.3 | Universal ID Type | | |
| PID-3.5 | Identifier Type Code | SR | |
| PID-3.6 | Assigning Facility | | |
| PID-3.6.1 | Namespace ID | | |

| PID-3.6.2 Location | Universal ID | Data | Categorization |
|---------------------------|------------------------------------|-------------|-----------------------|
| PID-3.6.3 | Universal ID Type | | |
| PID-3.7 | Effective Date | | |
| PID-3.8 | Expiration Date | | |
| PID-3.9 | Assigning Jurisdiction | | |
| PID-3.9.1 | Identifier | | |
| PID-3.9.2 | Text | | |
| PID-3.9.3 | Name of Coding System | | |
| PID-3.9.4 | Alternate Identifier | | |
| PID-3.9.5 | Alternate Text | | |
| PID-3.9.6 | Name of Alternate Coding System | | |
| PID-3.9.7 | Coding System Version ID | | |
| PID-3.9.8 | Alternate Coding System Version ID | | |
| PID-3.9.9 | Original Text | | |
| PID-3.10 | Assigning Agency or Department | | |
| PID-3.10.1 | Identifier | | |
| PID-3.10.2 | Text | | |
| PID-3.10.3 | Name of Coding System | | |
| PID-3.10.4 | Alternate Identifier | | |
| PID-3.10.5 | Alternate Text | | |
| PID-3.10.6 | Name of Alternate Coding System | | |
| PID-3.10.7 | Coding System Version ID | | |
| PID-3.10.8 | Alternate Coding System Version ID | | |
| PID-3.10.9 | Original Text | | |
| PID-4 | Alternate Patient ID - PID | | |
| PID-4.1 | ID Number | | |
| PID-4.2 | Check Digit | | |
| PID-4.3 | Check Digit Scheme | | |
| PID-4.4 | Assigning Authority | | |
| PID-4.4.1 | Namespace ID | | |
| PID-4.4.2 | Universal ID | | |
| PID-4.4.3 | Universal ID Type | | |
| PID-4.5 | Identifier Type Code | | |
| PID-4.6 | Assigning Facility | | |
| PID-4.6.1 | Namespace ID | | |
| PID-4.6.2 | Universal ID | | |
| PID-4.6.3 | Universal ID Type | | |
| PID-4.7 | Effective Date | | |
| PID-4.8 | Expiration Date | | |
| | | | |

| PID-4.9.1 | Location | Assigning Jurisdiction Identifier | Data | Categorization |
|--------------|--|-----------------------------------|------|----------------|
| PID-4.9.2 | Text | | | |
| PID-4.9.3 | Name of Coding System | | | |
| PID-4.9.4 | Alternate Identifier | | | |
| PID-4.9.5 | Alternate Text | | | |
| PID-4.9.6 | Name of Alternate Coding System | | | |
| PID-4.9.7 | Coding System Version ID | | | |
| PID-4.9.8 | Alternate Coding System Version ID | | | |
| PID-4.9.9 | Original Text | | | |
| PID-4.10 | Assigning Agency or Department | | | |
| PID-4.10.1 | Identifier | | | |
| PID-4.10.2 | Text | | | |
| PID-4.10.3 | Name of Coding System | | | |
| PID-4.10.4 | Alternate Identifier | | | |
| PID-4.10.5 | Alternate Text | | | |
| PID-4.10.6 | Name of Alternate Coding System | | | |
| PID-4.10.7 | Coding System Version ID | | | |
| PID-4.10.8 | Alternate Coding System Version ID | | | |
| PID-4.10.9 | Original Text | | | |
| PID-5 | Patient Name | | | |
| PID-5.1 | Family Name | | | |
| PID-5.1.1 | Surname | Stanley | | |
| PID-5.1.2 | Own Surname Prefix | | | |
| PID-5.1.3 | Own Surname | | | |
| PID-5.1.4 | Surname Prefix From Partner/Spouse | | | |
| PID-5.1.5 | Surname From Partner/Spouse | | | |
| PID-5.2 | Given Name | Sally | | |
| PID-5.3 | Second and Further Given Names or Initials Thereof | S | | |
| PID-5.4 | Suffix (e.g., JR or III) | | | |
| PID-5.5 | Prefix (e.g., DR) | | | |
| PID-5.6 | Degree (e.g., MD) | | | |
| PID-5.7 | Name Type Code | L | | |
| PID-5.8 | Name Representation Code | | | |
| PID-5.9 | Name Context | | | |
| PID-5.9.1 | Identifier | | | |
| | | | | |

| PID-5.8.2 | Location | Data Element | Data | Categorization |
|------------------|-----------------|--|-------------|-----------------------|
| PID-5.9.3 | | System | | |
| PID-5.9.4 | | Alternate Identifier | | |
| PID-5.9.5 | | Alternate Text | | |
| PID-5.9.6 | | Name of Alternate Coding System | | |
| PID-5.10 | | Name Validity Range | | |
| PID-5.10.1 | | Range Start Date/Time | | |
| PID-5.10.2 | | Range End Date/Time | | |
| PID-5.11 | | Name Assembly Order | | |
| PID-5.12 | | Effective Date | | |
| PID-5.12.1 | | Time | | |
| PID-5.12.2 | | Degree of Precision | | |
| PID-5.13 | | Expiration Date | | |
| PID-5.13.1 | | Time | | |
| PID-5.13.2 | | Degree of Precision | | |
| PID-5.14 | | Professional Suffix | | |
| PID-6 | | Mother's Maiden Name | | |
| PID-6.1 | | Family Name | | |
| PID-6.1.1 | | Surname | | |
| PID-6.1.2 | | Own Surname Prefix | | |
| PID-6.1.3 | | Own Surname | | |
| PID-6.1.4 | | Surname Prefix From Partner/Spouse | | |
| PID-6.1.5 | | Surname From Partner/Spouse | | |
| PID-6.2 | | Given Name | | |
| PID-6.3 | | Second and Further Given Names or Initials Thereof | | |
| PID-6.4 | | Suffix (e.g., JR or III) | | |
| PID-6.5 | | Prefix (e.g., DR) | | |
| PID-6.6 | | Degree (e.g., MD) | | |
| PID-6.7 | | Name Type Code | | |
| PID-6.8 | | Name Representation Code | | |
| PID-6.9 | | Name Context | | |
| PID-6.9.1 | | Identifier | | |
| PID-6.9.2 | | Text | | |
| PID-6.9.3 | | Name of Coding System | | |
| PID-6.9.4 | | Alternate Identifier | | |
| PID-6.9.5 | | Alternate Text | | |
| PID-6.9.6 | | Name of Alternate Coding System | | |
| PID-6.10 | | Name Validity Range | | |
| | | | | |

| PID-6.10 | Location | Range Start Date/Time | Range End Date/Time | Data | Categorization |
|--------------|----------|--|---------------------|------|----------------|
| PID-6.10.2 | | | | | |
| PID-6.11 | | Name Assembly Order | | | |
| PID-6.12 | | Effective Date | | | |
| PID-6.12.1 | | Time | | | |
| PID-6.12.2 | | Degree of Precision | | | |
| PID-6.13 | | Expiration Date | | | |
| PID-6.13.1 | | Time | | | |
| PID-6.13.2 | | Degree of Precision | | | |
| PID-6.14 | | Professional Suffix | | | |
| PID-7 | | Date/Time of Birth | | | |
| PID-7.1 | | Time | 19800214 | | |
| PID-7.2 | | Degree of Precision | | | |
| PID-8 | | Administrative Sex | F | | |
| PID-9 | | Patient Alias | | | |
| PID-9.1 | | Family Name | | | |
| PID-9.1.1 | | Surname | | | |
| PID-9.1.2 | | Own Surname Prefix | | | |
| PID-9.1.3 | | Own Surname | | | |
| PID-9.1.4 | | Surname Prefix From Partner/Spouse | | | |
| PID-9.1.5 | | Surname From Partner/Spouse | | | |
| PID-9.2 | | Given Name | | | |
| PID-9.3 | | Second and Further Given Names or Initials Thereof | | | |
| PID-9.4 | | Suffix (e.g., JR or III) | | | |
| PID-9.5 | | Prefix (e.g., DR) | | | |
| PID-9.6 | | Degree (e.g., MD) | | | |
| PID-9.7 | | Name Type Code | | | |
| PID-9.8 | | Name Representation Code | | | |
| PID-9.9 | | Name Context | | | |
| PID-9.9.1 | | Identifier | | | |
| PID-9.9.2 | | Text | | | |
| PID-9.9.3 | | Name of Coding System | | | |
| PID-9.9.4 | | Alternate Identifier | | | |
| PID-9.9.5 | | Alternate Text | | | |
| PID-9.9.6 | | Name of Alternate Coding System | | | |
| PID-9.10 | | Name Validity Range | | | |
| PID-9.10.1 | | Range Start Date/Time | | | |
| PID-9.10.2 | | Range End Date/Time | | | |
| PID-9.11 | | Name Assembly Order | | | |
| | | | | | |

| PID-9.12.1 | Effective Date | Element | mt | Data | Categorization |
|---------------|---------------------------------|-----------------|----|------|----------------|
| Location | | | | | |
| PID-9.12.2 | Degree of Precision | | | | |
| PID-9.13 | Expiration Date | | | | |
| PID-9.13.1 | Time | | | | |
| PID-9.13.2 | Degree of Precision | | | | |
| PID-9.14 | Professional Suffix | | | | |
| PID-10 | Race | | | | |
| PID-10.1 | Identifier | 10 East Main St | | | |
| PID-10.2 | Text | | | | |
| PID-10.3 | Name of Coding System | Titletown | | | |
| PID-10.4 | Alternate Identifier | WI | | | |
| PID-10.5 | Alternate Text | | | | |
| PID-10.6 | Name of Alternate Coding System | | | | |
| PID-11 | Patient Address | | | | |
| PID-11.1 | Street Address | | | | |
| PID-11.1.1 | Street or Mailing Address | | | | |
| PID-11.1.2 | Street Name | | | | |
| PID-11.1.3 | Dwelling Number | | | | |
| PID-11.2 | Other Designation | | | | |
| PID-11.3 | City | | | | |
| PID-11.4 | State or Province | | | | |
| PID-11.5 | Zip or Postal Code | | | | |
| PID-11.6 | Country | | | | |
| PID-11.7 | Address Type | | | | |
| PID-11.8 | Other Geographic Designation | | | | |
| PID-11.9 | County/Parish Code | | | | |
| PID-11.10 | Census Tract | | | | |
| PID-11.11 | Address Representation Code | | | | |
| PID-11.12 | Address Validity Range | | | | |
| PID-11.12.1 | Range Start Date/Time | | | | |
| PID-11.12.2 | Range End Date/Time | | | | |
| PID-11.13 | Effective Date | | | | |
| PID-11.13.1 | Time | | | | |
| PID-11.13.2 | Degree of Precision | | | | |
| PID-11.14 | Expiration Date | | | | |
| PID-11.14.1 | Time | | | | |
| PID-11.14.2 | Degree of Precision | | | | |
| PID-12 | County Code | | | | |
| PID-13 | Phone Number - Home | | | | |
| PID-13.1 | Telephone Number | | | | |
| PID-13.2 | Telecommunication | | | | |

| Location | Use Code Elementmt Telecommunication | Data | Categrization |
|---------------|---|------|---------------|
| PID-13.3 | Equipment Type | | |
| PID-13.4 | Email Address | | |
| PID-13.5 | Country Code | | |
| PID-13.6 | Area/City Code | | |
| PID-13.7 | Local Number | | |
| PID-13.8 | Extension | | |
| PID-13.9 | Any Text | | |
| PID-13.10 | Extension Prefix | | |
| PID-13.11 | Speed Dial Code | | |
| PID-13.12 | Unformatted Telephone number | | |
| PID-14 | Phone Number - Business | | |
| PID-14.1 | Telephone Number | | |
| PID-14.2 | Telecommunication Use Code | | |
| PID-14.3 | Telecommunication Equipment Type | | |
| PID-14.4 | Email Address | | |
| PID-14.5 | Country Code | | |
| PID-14.6 | Area/City Code | | |
| PID-14.7 | Local Number | | |
| PID-14.8 | Extension | | |
| PID-14.9 | Any Text | | |
| PID-14.10 | Extension Prefix | | |
| PID-14.11 | Speed Dial Code | | |
| PID-14.12 | Unformatted Telephone number | | |
| PID-15 | Primary Language | | |
| PID-15.1 | Identifier | | |
| PID-15.2 | Text | | |
| PID-15.3 | Name of Coding System | | |
| PID-15.4 | Alternate Identifier | | |
| PID-15.5 | Alternate Text | | |
| PID-15.6 | Name of Alternate Coding System | | |
| PID-16 | Marital Status | | |
| PID-16.1 | Identifier | | |
| PID-16.2 | Text | | |
| PID-16.3 | Name of Coding System | | |
| PID-16.4 | Alternate Identifier | | |
| PID-16.5 | Alternate Text | | |
| PID-16.6 | Name of Alternate Coding System | | |
| PID-17 | Religion | | |
| PID-17.1 | Identifier | | |
| | | | |

| PID-17.2 | Location | Data Element | Data | Categorization |
|---------------|----------|------------------------------------|------|----------------|
| PID-17.3 | | System | | |
| PID-17.4 | | Alternate Identifier | | |
| PID-17.5 | | Alternate Text | | |
| PID-17.6 | | Name of Alternate Coding System | | |
| PID-18 | | Patient Account Number | | |
| PID-18.1 | | ID Number | | |
| PID-18.2 | | Check Digit | | |
| PID-18.3 | | Check Digit Scheme | | |
| PID-18.4 | | Assigning Authority | | |
| PID-18.4.1 | | Namespace ID | | |
| PID-18.4.2 | | Universal ID | | |
| PID-18.4.3 | | Universal ID Type | | |
| PID-18.5 | | Identifier Type Code | | |
| PID-18.6 | | Assigning Facility | | |
| PID-18.6.1 | | Namespace ID | | |
| PID-18.6.2 | | Universal ID | | |
| PID-18.6.3 | | Universal ID Type | | |
| PID-18.7 | | Effective Date | | |
| PID-18.8 | | Expiration Date | | |
| PID-18.9 | | Assigning Jurisdiction | | |
| PID-18.9.1 | | Identifier | | |
| PID-18.9.2 | | Text | | |
| PID-18.9.3 | | Name of Coding System | | |
| PID-18.9.4 | | Alternate Identifier | | |
| PID-18.9.5 | | Alternate Text | | |
| PID-18.9.6 | | Name of Alternate Coding System | | |
| PID-18.9.7 | | Coding System Version ID | | |
| PID-18.9.8 | | Alternate Coding System Version ID | | |
| PID-18.9.9 | | Original Text | | |
| PID-18.10 | | Assigning Agency or Department | | |
| PID-18.10.1 | | Identifier | | |
| PID-18.10.2 | | Text | | |
| PID-18.10.3 | | Name of Coding System | | |
| PID-18.10.4 | | Alternate Identifier | | |
| PID-18.10.5 | | Alternate Text | | |
| PID-18.10.6 | | Name of Alternate Coding System | | |
| PID-18.10.7 | | Coding System Version ID | | |
| PID-18.10.8 | | Alternate Coding System Version ID | | |

| PID Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| PID-19 | SSN Number - Patient | | |
| PID-20 | Driver's License Number - Patient | | |
| PID-20.1 | License Number | | |
| PID-20.2 | Issuing State, Province, Country | | |
| PID-20.3 | Expiration Date | | |
| PID-21 | Mother's Identifier | | |
| PID-21.1 | ID Number | | |
| PID-21.2 | Check Digit | | |
| PID-21.3 | Check Digit Scheme | | |
| PID-21.4 | Assigning Authority | | |
| PID-21.4.1 | Namespace ID | | |
| PID-21.4.2 | Universal ID | | |
| PID-21.4.3 | Universal ID Type | | |
| PID-21.5 | Identifier Type Code | | |
| PID-21.6 | Assigning Facility | | |
| PID-21.6.1 | Namespace ID | | |
| PID-21.6.2 | Universal ID | | |
| PID-21.6.3 | Universal ID Type | | |
| PID-21.7 | Effective Date | | |
| PID-21.8 | Expiration Date | | |
| PID-21.9 | Assigning Jurisdiction | | |
| PID-21.9.1 | Identifier | | |
| PID-21.9.2 | Text | | |
| PID-21.9.3 | Name of Coding System | | |
| PID-21.9.4 | Alternate Identifier | | |
| PID-21.9.5 | Alternate Text | | |
| PID-21.9.6 | Name of Alternate Coding System | | |
| PID-21.9.7 | Coding System Version ID | | |
| PID-21.9.8 | Alternate Coding System Version ID | | |
| PID-21.9.9 | Original Text | | |
| PID-21.10 | Assigning Agency or Department | | |
| PID-21.10.1 | Identifier | | |
| PID-21.10.2 | Text | | |
| PID-21.10.3 | Name of Coding System | | |
| PID-21.10.4 | Alternate Identifier | | |
| PID-21.10.5 | Alternate Text | | |
| PID-21.10.6 | Name of Alternate Coding System | | |
| PID-21.10.7 | Coding System Version ID | | |

| PID-10 | Location | Data Element Coding | Data | Categorization |
|---------------|------------------------------------|---------------------|------|----------------|
| PID-21.10.8 | System Version ID | | | |
| PID-21.10.9 | Original Text | | | |
| PID-22 | Ethnic Group | | | |
| PID-22.1 | Identifier | | | |
| PID-22.2 | Text | | | |
| PID-22.3 | Name of Coding System | | | |
| PID-22.4 | Alternate Identifier | | | |
| PID-22.5 | Alternate Text | | | |
| PID-22.6 | Name of Alternate Coding System | | | |
| PID-23 | Birth Place | | | |
| PID-24 | Multiple Birth Indicator | | | |
| PID-25 | Birth Order | | | |
| PID-26 | Citizenship | | | |
| PID-26.1 | Identifier | | | |
| PID-26.2 | Text | | | |
| PID-26.3 | Name of Coding System | | | |
| PID-26.4 | Alternate Identifier | | | |
| PID-26.5 | Alternate Text | | | |
| PID-26.6 | Name of Alternate Coding System | | | |
| PID-27 | Veterans Military Status | | | |
| PID-27.1 | Identifier | | | |
| PID-27.2 | Text | | | |
| PID-27.3 | Name of Coding System | | | |
| PID-27.4 | Alternate Identifier | | | |
| PID-27.5 | Alternate Text | | | |
| PID-27.6 | Name of Alternate Coding System | | | |
| PID-28 | Nationality | | | |
| PID-28.1 | Identifier | | | |
| PID-28.2 | Text | | | |
| PID-28.3 | Name of Coding System | | | |
| PID-28.4 | Alternate Identifier | | | |
| PID-28.5 | Alternate Text | | | |
| PID-28.6 | Name of Alternate Coding System | | | |
| PID-29 | Patient Death Date and Time | | | |
| PID-29.1 | Time | | | |
| PID-29.2 | Degree of Precision | | | |
| PID-30 | Patient Death Indicator | N | | |

| PID-31 | Location | Identity Unknown | Data Element | Data | Categorization |
|----------|----------|------------------|---------------------------------|------|----------------|
| | | | Indicator | | |
| PID-32 | | | Identity Reliability Code | | |
| PID-33 | | | Last Update Date/Time | | |
| PID-33.1 | | | Time | | |
| PID-33.2 | | | Degree of Precision | | |
| PID-34 | | | Last Update Facility | | |
| PID-34.1 | | | Namespace ID | | |
| PID-34.2 | | | Universal ID | | |
| PID-34.3 | | | Universal ID Type | | |
| PID-35 | | | Species Code | | |
| PID-35.1 | | | Identifier | | |
| PID-35.2 | | | Text | | |
| PID-35.3 | | | Name of Coding System | | |
| PID-35.4 | | | Alternate Identifier | | |
| PID-35.5 | | | Alternate Text | | |
| PID-35.6 | | | Name of Alternate Coding System | | |
| PID-36 | | | Breed Code | | |
| PID-36.1 | | | Identifier | | |
| PID-36.2 | | | Text | | |
| PID-36.3 | | | Name of Coding System | | |
| PID-36.4 | | | Alternate Identifier | | |
| PID-36.5 | | | Alternate Text | | |
| PID-36.6 | | | Name of Alternate Coding System | | |
| PID-37 | | | Strain | | |
| PID-38 | | | Production Class Code | | |
| PID-38.1 | | | Identifier | | |
| PID-38.2 | | | Text | | |
| PID-38.3 | | | Name of Coding System | | |
| PID-38.4 | | | Alternate Identifier | | |
| PID-38.5 | | | Alternate Text | | |
| PID-38.6 | | | Name of Alternate Coding System | | |
| PID-39 | | | Tribal Citizenship | | |
| PID-39.1 | | | Identifier | | |
| PID-39.2 | | | Text | | |
| PID-39.3 | | | Name of Coding System | | |
| PID-39.4 | | | Alternate Identifier | | |
| PID-39.5 | | | Alternate Text | | |
| PID-39.6 | | | Name of Alternate Coding System | | |
| PID-39.7 | | | Coding System Version ID | | |

| PID-39.8 | Location | Data Element | Data | Categorization |
|----------|----------|-------------------|------|----------------|
| | | System Version ID | | |
| PID-39.9 | | Original Text | | |

ORC : Common Order

| | Location | Data Element | Data | Categorization |
|--------------|----------|--|--------|----------------|
| ORC-1 | | Order Control | RE | |
| ORC-2 | | Placer Order Number | | |
| ORC-2.1 | | Entity Identifier | | |
| ORC-2.2 | | Namespace ID | | |
| ORC-2.3 | | Universal ID | | |
| ORC-2.4 | | Universal ID Type | | |
| ORC-3 | | Filler Order Number | | |
| ORC-3.1 | | Entity Identifier | 197023 | |
| ORC-3.2 | | Namespace ID | MyIIS | |
| ORC-3.3 | | Universal ID | | |
| ORC-3.4 | | Universal ID Type | | |
| ORC-4 | | Placer Group Number | | |
| ORC-4.1 | | Entity Identifier | | |
| ORC-4.2 | | Namespace ID | | |
| ORC-4.3 | | Universal ID | | |
| ORC-4.4 | | Universal ID Type | | |
| ORC-5 | | Order Status | | |
| ORC-6 | | Response Flag | | |
| ORC-7 | | Quantity/Timing | | |
| ORC-7.1 | | Quantity | | |
| ORC-7.1.1 | | Quantity | | |
| ORC-7.1.2 | | Units | | |
| ORC-7.2 | | Interval | | |
| ORC-7.2.1 | | Repeat Pattern | | |
| ORC-7.2.2 | | Explicit Time Interval | | |
| ORC-7.3 | | Duration | | |
| ORC-7.4 | | Start Date/Time | | |
| ORC-7.4.1 | | Time | | |
| ORC-7.4.2 | | Degree of Precision | | |
| ORC-7.5 | | End Date/Time | | |
| ORC-7.5.1 | | Time | | |
| ORC-7.5.2 | | Degree of Precision | | |
| ORC-7.6 | | Priority | | |
| ORC-7.7 | | Condition | | |
| ORC-7.8 | | Text | | |
| ORC-7.9 | | Conjunction | | |
| ORC-7.10 | | Order Sequencing | | |
| ORC-7.10.1 | | Sequence/Results Flag | | |
| ORC-7.10.2 | | Placer Order Number: Entity Identifier | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-7.10.3 | Number: Namespace ID | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | |
| ORC-7.10.6 | Sequence Condition Value | | |
| ORC-7.10.7 | Maximum Number of Repeats | | |
| ORC-7.10.8 | Placer Order Number: Universal ID | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| ORC-8.2 | Filler Assigned Identifier | | |
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |
| ORC-9.1 | Time | | |
| ORC-9.2 | Degree of Precision | | |
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |

| Location | Data Element | Data | Categorization |
|-------------|--|------|----------------|
| ORC-10.2.1 | Own Surname Prefix | | |
| ORC-10.2.2 | Own Surname | | |
| ORC-10.2.3 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.4 | Surname From Partner/Spouse | | |
| ORC-10.2.5 | Given Name | | |
| ORC-10.3 | Second and Further Given Names or Initials Thereof | | |
| ORC-10.4 | Suffix (e.g., JR or III) | | |
| ORC-10.5 | Prefix (e.g., DR) | | |
| ORC-10.6 | Degree (e.g., MD) | | |
| ORC-10.7 | Source Table | | |
| ORC-10.8 | Assigning Authority | | |
| ORC-10.9 | Namespace ID | | |
| ORC-10.9.1 | Universal ID | | |
| ORC-10.9.2 | Universal ID Type | | |
| ORC-10.9.3 | Name Type Code | | |
| ORC-10.10 | Identifier Check Digit | | |
| ORC-10.11 | Check Digit Scheme | | |
| ORC-10.12 | Identifier Type Code | | |
| ORC-10.13 | Assigning Facility | | |
| ORC-10.14 | Namespace ID | | |
| ORC-10.14.1 | Universal ID | | |
| ORC-10.14.2 | Universal ID Type | | |
| ORC-10.14.3 | Name Representation Code | | |
| ORC-10.15 | Name Context | | |
| ORC-10.16 | Identifier | | |
| ORC-10.16.1 | Text | | |
| ORC-10.16.2 | Name of Coding System | | |
| ORC-10.16.3 | Alternate Identifier | | |
| ORC-10.16.4 | Alternate Text | | |
| ORC-10.16.5 | Name of Alternate Coding System | | |
| ORC-10.16.6 | Name Validity Range | | |
| ORC-10.17 | Range Start Date/Time | | |
| ORC-10.17.1 | Range End Date/Time | | |
| ORC-10.17.2 | Name Assembly Order | | |
| ORC-10.18 | Effective Date | | |
| ORC-10.19 | Time | | |
| ORC-10.19.1 | Degree of Precision | | |
| ORC-10.19.2 | Expiration Date | | |
| ORC-10.20 | Time | | |
| ORC-10.20.1 | Degree of Precision | | |
| ORC-10.20.2 | | | |

| ORC-Location | Pr Data Element Suffix | Data | Categrization |
|---------------|--|------|---------------|
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| ORC-11.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |

| Location | Universal ID Data Element | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |

| ORC-11.23.1 | Location | Identifier | Data | Categorization |
|---------------|----------|--|------|----------------|
| ORC-11.23.2 | | Text | | |
| ORC-11.23.3 | | Name of Coding System | | |
| ORC-11.23.4 | | Alternate Identifier | | |
| ORC-11.23.5 | | Alternate Text | | |
| ORC-11.23.6 | | Name of Alternate Coding System | | |
| ORC-11.23.7 | | Coding System Version ID | | |
| ORC-11.23.8 | | Alternate Coding System Version ID | | |
| ORC-11.23.9 | | Original Text | | |
| ORC-12 | | Ordering Provider | | |
| ORC-12.1 | | ID Number | | |
| ORC-12.2 | | Family Name | | |
| ORC-12.2.1 | | Surname | | |
| ORC-12.2.2 | | Own Surname Prefix | | |
| ORC-12.2.3 | | Own Surname | | |
| ORC-12.2.4 | | Surname Prefix From Partner/Spouse | | |
| ORC-12.2.5 | | Surname From Partner/Spouse | | |
| ORC-12.3 | | Given Name | | |
| ORC-12.4 | | Second and Further Given Names or Initials Thereof | | |
| ORC-12.5 | | Suffix (e.g., JR or III) | | |
| ORC-12.6 | | Prefix (e.g., DR) | | |
| ORC-12.7 | | Degree (e.g., MD) | | |
| ORC-12.8 | | Source Table | | |
| ORC-12.9 | | Assigning Authority | | |
| ORC-12.9.1 | | Namespace ID | | |
| ORC-12.9.2 | | Universal ID | | |
| ORC-12.9.3 | | Universal ID Type | | |
| ORC-12.10 | | Name Type Code | | |
| ORC-12.11 | | Identifier Check Digit | | |
| ORC-12.12 | | Check Digit Scheme | | |
| ORC-12.13 | | Identifier Type Code | | |
| ORC-12.14 | | Assigning Facility | | |
| ORC-12.14.1 | | Namespace ID | | |
| ORC-12.14.2 | | Universal ID | | |
| ORC-12.14.3 | | Universal ID Type | | |
| ORC-12.15 | | Name Representation Code | | |
| ORC-12.16 | | Name Context | | |
| ORC-12.16.1 | | Identifier | | |
| ORC-12.16.2 | | Text | | |
| ORC-12.16.3 | | Name of Coding | | |

| Location | System Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| ORC-12.17.1 | Range Start Date/Time | | |
| ORC-12.17.2 | Range End Date/Time | | |
| ORC-12.18 | Name Assembly Order | | |
| ORC-12.19 | Effective Date | | |
| ORC-12.19.1 | Time | | |
| ORC-12.19.2 | Degree of Precision | | |
| ORC-12.20 | Expiration Date | | |
| ORC-12.20.1 | Time | | |
| ORC-12.20.2 | Degree of Precision | | |
| ORC-12.21 | Professional Suffix | | |
| ORC-12.22 | Assigning Jurisdiction | | |
| ORC-12.22.1 | Identifier | | |
| ORC-12.22.2 | Text | | |
| ORC-12.22.3 | Name of Coding System | | |
| ORC-12.22.4 | Alternate Identifier | | |
| ORC-12.22.5 | Alternate Text | | |
| ORC-12.22.6 | Name of Alternate Coding System | | |
| ORC-12.22.7 | Coding System Version ID | | |
| ORC-12.22.8 | Alternate Coding System Version ID | | |
| ORC-12.22.9 | Original Text | | |
| ORC-12.23 | Assigning Agency or Department | | |
| ORC-12.23.1 | Identifier | | |
| ORC-12.23.2 | Text | | |
| ORC-12.23.3 | Name of Coding System | | |
| ORC-12.23.4 | Alternate Identifier | | |
| ORC-12.23.5 | Alternate Text | | |
| ORC-12.23.6 | Name of Alternate Coding System | | |
| ORC-12.23.7 | Coding System Version ID | | |
| ORC-12.23.8 | Alternate Coding System Version ID | | |
| ORC-12.23.9 | Original Text | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |

| ORC-13 Location | BCD Data Element | Data | Categorization |
|------------------------|-----------------------------------|-------------|-----------------------|
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication Equipment Type | | |
| ORC-14.4 | Email Address | | |
| ORC-14.5 | Country Code | | |
| ORC-14.6 | Area/City Code | | |
| ORC-14.7 | Local Number | | |
| ORC-14.8 | Extension | | |
| ORC-14.9 | Any Text | | |
| ORC-14.10 | Extension Prefix | | |
| ORC-14.11 | Speed Dial Code | | |
| ORC-14.12 | Unformatted Telephone number | | |
| ORC-15 | Order Effective Date/Time | | |
| ORC-15.1 | Time | | |
| ORC-15.2 | Degree of Precision | | |
| ORC-16 | Order Control Code Reason | | |
| ORC-16.1 | Identifier | | |
| ORC-16.2 | Text | | |
| ORC-16.3 | Name of Coding System | | |
| ORC-16.4 | Alternate Identifier | | |
| ORC-16.5 | Alternate Text | | |

| Location | Name of Alternate Data Element | Data | Categorization |
|---------------|--|-----------------------|----------------|
| ORC-16.6 | Coding System | | |
| ORC-17 | Entering Organization | | |
| ORC-17.1 | Identifier | DCS | |
| ORC-17.2 | Text | Dabig Clinical System | |
| ORC-17.3 | Name of Coding System | StateIIS | |
| ORC-17.4 | Alternate Identifier | | |
| ORC-17.5 | Alternate Text | | |
| ORC-17.6 | Name of Alternate Coding System | | |
| ORC-18 | Entering Device | | |
| ORC-18.1 | Identifier | | |
| ORC-18.2 | Text | | |
| ORC-18.3 | Name of Coding System | | |
| ORC-18.4 | Alternate Identifier | | |
| ORC-18.5 | Alternate Text | | |
| ORC-18.6 | Name of Alternate Coding System | | |
| ORC-19 | Action By | | |
| ORC-19.1 | ID Number | | |
| ORC-19.2 | Family Name | | |
| ORC-19.2.1 | Surname | | |
| ORC-19.2.2 | Own Surname Prefix | | |
| ORC-19.2.3 | Own Surname | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | |
| ORC-19.3 | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |
| ORC-19.6 | Prefix (e.g., DR) | | |
| ORC-19.7 | Degree (e.g., MD) | | |
| ORC-19.8 | Source Table | | |
| ORC-19.9 | Assigning Authority | | |
| ORC-19.9.1 | Namespace ID | | |
| ORC-19.9.2 | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | | |
| ORC-19.10 | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | | |
| ORC-19.12 | Check Digit Scheme | | |
| ORC-19.13 | Identifier Type Code | | |
| ORC-19.14 | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |

| Location | Data Element | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| ORC-19.22.3 | Name of Coding System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |

| Location | Data Element Coding | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.23.8 | System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |

| Location | Data Element | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| ORC-22.11 | Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| ORC-23.9 | Any Text | | |
| ORC-23.10 | Extension Prefix | | |
| ORC-23.11 | Speed Dial Code | | |
| ORC-23.12 | Unformatted Telephone number | | |
| ORC-24 | Ordering Provider Address | | |
| ORC-24.1 | Street Address | | |
| ORC-24.1.1 | Street or Mailing Address | | |
| ORC-24.1.2 | Street Name | | |
| ORC-24.1.3 | Dwelling Number | | |
| ORC-24.2 | Other Designation | | |
| ORC-24.3 | City | | |
| ORC-24.4 | State or Province | | |
| ORC-24.5 | Zip or Postal Code | | |
| ORC-24.6 | Country | | |
| ORC-24.7 | Address Type | | |
| ORC-24.8 | Other Geographic Designation | | |
| ORC-24.9 | County/Parish Code | | |
| ORC-24.10 | Census Tract | | |
| | Address | | |

| ORC-24 | Location | Representation Code | Data | Categorization |
|---------------|-----------------|--|-------------|-----------------------|
| | ORC-24.12 | Address Validity Range | | |
| | ORC-24.12.1 | Range Start Date/Time | | |
| | ORC-24.12.2 | Range End Date/Time | | |
| | ORC-24.13 | Effective Date | | |
| | ORC-24.13.1 | Time | | |
| | ORC-24.13.2 | Degree of Precision | | |
| | ORC-24.14 | Expiration Date | | |
| | ORC-24.14.1 | Time | | |
| | ORC-24.14.2 | Degree of Precision | | |
| ORC-25 | | Order Status Modifier | | |
| | ORC-25.1 | Identifier | | |
| | ORC-25.2 | Text | | |
| | ORC-25.3 | Name of Coding System | | |
| | ORC-25.4 | Alternate Identifier | | |
| | ORC-25.5 | Alternate Text | | |
| | ORC-25.6 | Name of Alternate Coding System | | |
| | ORC-25.7 | Coding System Version ID | | |
| | ORC-25.8 | Alternate Coding System Version ID | | |
| | ORC-25.9 | Original Text | | |
| ORC-26 | | Advanced Beneficiary Notice Override Reason | | |
| | ORC-26.1 | Identifier | | |
| | ORC-26.2 | Text | | |
| | ORC-26.3 | Name of Coding System | | |
| | ORC-26.4 | Alternate Identifier | | |
| | ORC-26.5 | Alternate Text | | |
| | ORC-26.6 | Name of Alternate Coding System | | |
| | ORC-26.7 | Coding System Version ID | | |
| | ORC-26.8 | Alternate Coding System Version ID | | |
| | ORC-26.9 | Original Text | | |
| ORC-27 | | Filler's Expected Availability Date/Time | | |
| | ORC-27.1 | Time | | |
| | ORC-27.2 | Degree of Precision | | |
| ORC-28 | | Confidentiality Code | | |
| | ORC-28.1 | Identifier | | |
| | ORC-28.2 | Text | | |
| | | | | |

| ORC-28.3 | Location | Name of Coding System | Data Element | Data | Categorization |
|---------------|----------|--|----------------------|------|----------------|
| ORC-28.4 | | System | Alternate Identifier | | |
| ORC-28.5 | | | Alternate Text | | |
| ORC-28.6 | | Name of Alternate Coding System | | | |
| ORC-28.7 | | Coding System Version ID | | | |
| ORC-28.8 | | Alternate Coding System Version ID | | | |
| ORC-28.9 | | Original Text | | | |
| ORC-29 | | Order Type | | | |
| ORC-29.1 | | Identifier | | | |
| ORC-29.2 | | Text | | | |
| ORC-29.3 | | Name of Coding System | | | |
| ORC-29.4 | | Alternate Identifier | | | |
| ORC-29.5 | | Alternate Text | | | |
| ORC-29.6 | | Name of Alternate Coding System | | | |
| ORC-29.7 | | Coding System Version ID | | | |
| ORC-29.8 | | Alternate Coding System Version ID | | | |
| ORC-29.9 | | Original Text | | | |
| ORC-30 | | Enterer Authorization Mode | | | |
| ORC-30.1 | | Identifier | | | |
| ORC-30.2 | | Text | | | |
| ORC-30.3 | | Name of Coding System | | | |
| ORC-30.4 | | Alternate Identifier | | | |
| ORC-30.5 | | Alternate Text | | | |
| ORC-30.6 | | Name of Alternate Coding System | | | |
| ORC-30.7 | | Coding System Version ID | | | |
| ORC-30.8 | | Alternate Coding System Version ID | | | |
| ORC-30.9 | | Original Text | | | |
| ORC-31 | | Parent Universal Service Identifier | | | |
| ORC-31.1 | | Identifier | | | |
| ORC-31.2 | | Text | | | |
| ORC-31.3 | | Name of Coding System | | | |
| ORC-31.4 | | Alternate Identifier | | | |
| ORC-31.5 | | Alternate Text | | | |
| ORC-31.6 | | Name of Alternate Coding System | | | |
| ORC-31.7 | | Coding System | | | |

| Location | Data Elementmt | Data | Categrization |
|----------|-------------------|------|---------------|
| ORC-31.8 | System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Elementmt | Data | Categrization |
|--------------|--|-------------------|---------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 20090415 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 20090415 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 45 | |
| RXA-5.2 | Text | Hep B NOS | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |
| RXA-7 | Administered Units | | |
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage Form | | |
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |
| RXA-8.6 | Name of Alternate Coding System | | |
| RXA-9 | Administration Notes | | |
| RXA-9.1 | Identifier | 01 | |
| RXA-9.2 | Text | historical record | |

| RXA-9.3 | Location | Name of Coding System | NIP001 | Data | Categorization |
|---------------|----------|--|--------|------|----------------|
| | | System | | | |
| RXA-9.4 | | Alternate Identifier | | | |
| RXA-9.5 | | Alternate Text | | | |
| RXA-9.6 | | Name of Alternate Coding System | | | |
| RXA-10 | | Administering Provider | | | |
| RXA-10.1 | | ID Number | | | |
| RXA-10.2 | | Family Name | | | |
| RXA-10.2.1 | | Surname | | | |
| RXA-10.2.2 | | Own Surname Prefix | | | |
| RXA-10.2.3 | | Own Surname | | | |
| RXA-10.2.4 | | Surname Prefix From Partner/Spouse | | | |
| RXA-10.2.5 | | Surname From Partner/Spouse | | | |
| RXA-10.3 | | Given Name | | | |
| RXA-10.4 | | Second and Further Given Names or Initials Thereof | | | |
| RXA-10.5 | | Suffix (e.g., JR or III) | | | |
| RXA-10.6 | | Prefix (e.g., DR) | | | |
| RXA-10.7 | | Degree (e.g., MD) | | | |
| RXA-10.8 | | Source Table | | | |
| RXA-10.9 | | Assigning Authority | | | |
| RXA-10.9.1 | | Namespace ID | | | |
| RXA-10.9.2 | | Universal ID | | | |
| RXA-10.9.3 | | Universal ID Type | | | |
| RXA-10.10 | | Name Type Code | | | |
| RXA-10.11 | | Identifier Check Digit | | | |
| RXA-10.12 | | Check Digit Scheme | | | |
| RXA-10.13 | | Identifier Type Code | | | |
| RXA-10.14 | | Assigning Facility | | | |
| RXA-10.14.1 | | Namespace ID | | | |
| RXA-10.14.2 | | Universal ID | | | |
| RXA-10.14.3 | | Universal ID Type | | | |
| RXA-10.15 | | Name Representation Code | | | |
| RXA-10.16 | | Name Context | | | |
| RXA-10.16.1 | | Identifier | | | |
| RXA-10.16.2 | | Text | | | |
| RXA-10.16.3 | | Name of Coding System | | | |
| RXA-10.16.4 | | Alternate Identifier | | | |
| RXA-10.16.5 | | Alternate Text | | | |
| RXA-10.16.6 | | Name of Alternate Coding System | | | |
| RXA-10.17 | | Name Validity Range | | | |
| | | Range Start | | | |

| RXA-10.17.1 | Date/Time | Data Element | Data | Categorization |
|--------------------|------------------------------------|---------------------|-------------|-----------------------|
| RXA-10.17.2 | Range End Date/Time | | | |
| RXA-10.18 | Name Assembly Order | | | |
| RXA-10.19 | Effective Date | | | |
| RXA-10.19.1 | Time | | | |
| RXA-10.19.2 | Degree of Precision | | | |
| RXA-10.20 | Expiration Date | | | |
| RXA-10.20.1 | Time | | | |
| RXA-10.20.2 | Degree of Precision | | | |
| RXA-10.21 | Professional Suffix | | | |
| RXA-10.22 | Assigning Jurisdiction | | | |
| RXA-10.22.1 | Identifier | | | |
| RXA-10.22.2 | Text | | | |
| RXA-10.22.3 | Name of Coding System | | | |
| RXA-10.22.4 | Alternate Identifier | | | |
| RXA-10.22.5 | Alternate Text | | | |
| RXA-10.22.6 | Name of Alternate Coding System | | | |
| RXA-10.22.7 | Coding System Version ID | | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | | |
| RXA-10.22.9 | Original Text | | | |
| RXA-10.23 | Assigning Agency or Department | | | |
| RXA-10.23.1 | Identifier | | | |
| RXA-10.23.2 | Text | | | |
| RXA-10.23.3 | Name of Coding System | | | |
| RXA-10.23.4 | Alternate Identifier | | | |
| RXA-10.23.5 | Alternate Text | | | |
| RXA-10.23.6 | Name of Alternate Coding System | | | |
| RXA-10.23.7 | Coding System Version ID | | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | | |
| RXA-10.23.9 | Original Text | | | |
| RXA-11 | Administered-at Location | | | |
| RXA-11.1 | Point of Care | | | |
| RXA-11.2 | Room | | | |
| RXA-11.3 | Bed | | | |
| RXA-11.4 | Facility | | | |
| RXA-11.4.1 | Namespace ID | | | |
| RXA-11.4.2 | Universal ID | | | |
| RXA-11.4.3 | Universal ID Type | | | |
| RXA-11.5 | Location Status | | | |

| RXA-Location | Data Element Type | Data | Categorization |
|---------------------|---|-------------|-----------------------|
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |
| RXA-11.11 | City | | |
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| RXA-11.14 | Country | | |
| RXA-11.15 | Address Type | | |
| RXA-11.16 | Other Geographic Designation | | |
| RXA-12 | Administered Per (Time Unit) | | |
| RXA-13 | Administered Strength | | |
| RXA-14 | Administered Strength Units | | |
| RXA-14.1 | Identifier | | |
| RXA-14.2 | Text | | |
| RXA-14.3 | Name of Coding System | | |
| RXA-14.4 | Alternate Identifier | | |
| RXA-14.5 | Alternate Text | | |
| RXA-14.6 | Name of Alternate Coding System | | |
| RXA-15 | Substance Lot Number | | |
| RXA-16 | Substance Expiration Date | | |
| RXA-16.1 | Time | | |
| RXA-16.2 | Degree of Precision | | |
| RXA-17 | Substance Manufacturer Name | | |
| RXA-17.1 | Identifier | | |
| RXA-17.2 | Text | | |
| RXA-17.3 | Name of Coding System | | |
| RXA-17.4 | Alternate Identifier | | |
| RXA-17.5 | Alternate Text | | |
| RXA-17.6 | Name of Alternate Coding System | | |
| RXA-18 | Substance/Treatment Refusal Reason | | |
| RXA-18.1 | Identifier | | |
| RXA-18.2 | Text | | |
| RXA-18.3 | Name of Coding System | | |
| RXA-18.4 | Alternate Identifier | | |
| RXA-18.5 | Alternate Text | | |
| RXA-18.6 | Name of Alternate Coding System | | |

| RXA-19 | Location | Indicator | Element | Data | Categorization |
|---------------|-----------------|------------------|--|-------------|-----------------------|
| | RXA-19.1 | | Identifier | | |
| | RXA-19.2 | | Text | | |
| | RXA-19.3 | | Name of Coding System | | |
| | RXA-19.4 | | Alternate Identifier | | |
| | RXA-19.5 | | Alternate Text | | |
| | RXA-19.6 | | Name of Alternate Coding System | | |
| RXA-20 | | | Completion Status | CP | |
| RXA-21 | | | Action Code - RXA | | |
| RXA-22 | | | System Entry Date/Time | | |
| | RXA-22.1 | | Time | | |
| | RXA-22.2 | | Degree of Precision | | |
| RXA-23 | | | Administered Drug Strength Volume | | |
| RXA-24 | | | Administered Drug Strength Volume Units | | |
| | RXA-24.1 | | Identifier | | |
| | RXA-24.2 | | Text | | |
| | RXA-24.3 | | Name of Coding System | | |
| | RXA-24.4 | | Alternate Identifier | | |
| | RXA-24.5 | | Alternate Text | | |
| | RXA-24.6 | | Name of Alternate Coding System | | |
| | RXA-24.7 | | Coding System Version ID | | |
| | RXA-24.8 | | Alternate Coding System Version ID | | |
| | RXA-24.9 | | Original Text | | |
| RXA-25 | | | Administered Barcode Identifier | | |
| | RXA-25.1 | | Identifier | | |
| | RXA-25.2 | | Text | | |
| | RXA-25.3 | | Name of Coding System | | |
| | RXA-25.4 | | Alternate Identifier | | |
| | RXA-25.5 | | Alternate Text | | |
| | RXA-25.6 | | Name of Alternate Coding System | | |
| | RXA-25.7 | | Coding System Version ID | | |
| | RXA-25.8 | | Alternate Coding System Version ID | | |
| | RXA-25.9 | | Original Text | | |
| RXA-26 | | | Pharmacy Order Type | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|---------------|---|--------------|----------------|
| OBX-1 | Set ID - OBX | 1 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 1 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 45 | |
| OBX-5.2 | Text | Hep B NOS | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | | |
| OBX-14.2 | Degree of Precision | | |

| OBX-15 | Location | Product Identifier | Data | Categorization |
|---------------|-------------|--|------|----------------|
| | OBX-15.1 | Identifier | | |
| | OBX-15.2 | Text | | |
| | OBX-15.3 | Name of Coding System | | |
| | OBX-15.4 | Alternate Identifier | | |
| | OBX-15.5 | Alternate Text | | |
| | OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | | Responsible Observer | | |
| | OBX-16.1 | ID Number | | |
| | OBX-16.2 | Family Name | | |
| | OBX-16.2.1 | Surname | | |
| | OBX-16.2.2 | Own Surname Prefix | | |
| | OBX-16.2.3 | Own Surname | | |
| | OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| | OBX-16.2.5 | Surname From Partner/Spouse | | |
| | OBX-16.3 | Given Name | | |
| | OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| | OBX-16.5 | Suffix (e.g., JR or III) | | |
| | OBX-16.6 | Prefix (e.g., DR) | | |
| | OBX-16.7 | Degree (e.g., MD) | | |
| | OBX-16.8 | Source Table | | |
| | OBX-16.9 | Assigning Authority | | |
| | OBX-16.9.1 | Namespace ID | | |
| | OBX-16.9.2 | Universal ID | | |
| | OBX-16.9.3 | Universal ID Type | | |
| | OBX-16.10 | Name Type Code | | |
| | OBX-16.11 | Identifier Check Digit | | |
| | OBX-16.12 | Check Digit Scheme | | |
| | OBX-16.13 | Identifier Type Code | | |
| | OBX-16.14 | Assigning Facility | | |
| | OBX-16.14.1 | Namespace ID | | |
| | OBX-16.14.2 | Universal ID | | |
| | OBX-16.14.3 | Universal ID Type | | |
| | OBX-16.15 | Name Representation Code | | |
| | OBX-16.16 | Name Context | | |
| | OBX-16.16.1 | Identifier | | |
| | OBX-16.16.2 | Text | | |
| | OBX-16.16.3 | Name of Coding System | | |
| | OBX-16.16.4 | Alternate Identifier | | |
| | OBX-16.16.5 | Alternate Text | | |
| | OBX-16.16.6 | Name of Alternate | | |

| Location | Coding System Name | Data Element Name | Data | Categorization |
|---------------|------------------------------------|-------------------|------|----------------|
| OBX-16.17 | Range Start | Range End | | |
| OBX-16.17.1 | Date/Time | | | |
| OBX-16.17.2 | Date/Time | | | |
| OBX-16.18 | Name Assembly Order | | | |
| OBX-16.19 | Effective Date | | | |
| OBX-16.19.1 | Time | | | |
| OBX-16.19.2 | Degree of Precision | | | |
| OBX-16.20 | Expiration Date | | | |
| OBX-16.20.1 | Time | | | |
| OBX-16.20.2 | Degree of Precision | | | |
| OBX-16.21 | Professional Suffix | | | |
| OBX-16.22 | Assigning Jurisdiction | | | |
| OBX-16.22.1 | Identifier | | | |
| OBX-16.22.2 | Text | | | |
| OBX-16.22.3 | Name of Coding System | | | |
| OBX-16.22.4 | Alternate Identifier | | | |
| OBX-16.22.5 | Alternate Text | | | |
| OBX-16.22.6 | Name of Alternate Coding System | | | |
| OBX-16.22.7 | Coding System Version ID | | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | | |
| OBX-16.22.9 | Original Text | | | |
| OBX-16.23 | Assigning Agency or Department | | | |
| OBX-16.23.1 | Identifier | | | |
| OBX-16.23.2 | Text | | | |
| OBX-16.23.3 | Name of Coding System | | | |
| OBX-16.23.4 | Alternate Identifier | | | |
| OBX-16.23.5 | Alternate Text | | | |
| OBX-16.23.6 | Name of Alternate Coding System | | | |
| OBX-16.23.7 | Coding System Version ID | | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | | |
| OBX-16.23.9 | Original Text | | | |
| OBX-17 | Observation Method | | | |
| OBX-17.1 | Identifier | | | |
| OBX-17.2 | Text | | | |
| OBX-17.3 | Name of Coding System | | | |
| OBX-17.4 | Alternate Identifier | | | |
| OBX-17.5 | Alternate Text | | | |

| OBX-17.6 Location | Name of Alternate Coding System | Data Element | Data | Categorization |
|-------------------|---|--------------|------|----------------|
| OBX-18 | Equipment Instance Identifier | | | |
| OBX-18.1 | Entity Identifier | | | |
| OBX-18.2 | Namespace ID | | | |
| OBX-18.3 | Universal ID | | | |
| OBX-18.4 | Universal ID Type | | | |
| OBX-19 | Date/Time of the Analysis | | | |
| OBX-19.1 | Time | | | |
| OBX-19.2 | Degree of Precision | | | |
| OBX-20 | Reserved for harmonization with V2.6 | | | |
| OBX-21 | Reserved for harmonization with V2.6 | | | |
| OBX-22 | Reserved for harmonization with V2.6 | | | |
| OBX-23 | Performing Organization Name | | | |
| OBX-23.1 | Organization Name | | | |
| OBX-23.2 | Organization Name Type Code | | | |
| OBX-23.3 | ID Number | | | |
| OBX-23.4 | Check Digit | | | |
| OBX-23.5 | Check Digit Scheme | | | |
| OBX-23.6 | Assigning Authority | | | |
| OBX-23.6.1 | Namespace ID | | | |
| OBX-23.6.2 | Universal ID | | | |
| OBX-23.6.3 | Universal ID Type | | | |
| OBX-23.7 | Identifier Type Code | | | |
| OBX-23.8 | Assigning Facility | | | |
| OBX-23.8.1 | Namespace ID | | | |
| OBX-23.8.2 | Universal ID | | | |
| OBX-23.8.3 | Universal ID Type | | | |
| OBX-23.9 | Name Representation Code | | | |
| OBX-23.10 | Organization Identifier | | | |
| OBX-24 | Performing Organization Address | | | |
| OBX-24.1 | Street Address | | | |
| OBX-24.1.1 | Street or Mailing Address | | | |
| OBX-24.1.2 | Street Name | | | |
| OBX-24.1.3 | Dwelling Number | | | |
| OBX-24.2 | Other Designation | | | |
| OBX-24.3 | City | | | |
| OBX-24.4 | State or Province | | | |

| OBX-24.5 | Location | Zip Data Element Code | Data | Categorization |
|---------------|----------|--|------|----------------|
| OBX-24.6 | | Country | | |
| OBX-24.7 | | Address Type | | |
| OBX-24.8 | | Other Geographic Designation | | |
| OBX-24.9 | | County/Parish Code | | |
| OBX-24.10 | | Census Tract | | |
| OBX-24.11 | | Address Representation Code | | |
| OBX-24.12 | | Address Validity Range | | |
| OBX-24.12.1 | | Range Start Date/Time | | |
| OBX-24.12.2 | | Range End Date/Time | | |
| OBX-24.13 | | Effective Date | | |
| OBX-24.13.1 | | Time | | |
| OBX-24.13.2 | | Degree of Precision | | |
| OBX-24.14 | | Expiration Date | | |
| OBX-24.14.1 | | Time | | |
| OBX-24.14.2 | | Degree of Precision | | |
| OBX-25 | | Performing Organization Medical Director | | |
| OBX-25.1 | | ID Number | | |
| OBX-25.2 | | Family Name | | |
| OBX-25.2.1 | | Surname | | |
| OBX-25.2.2 | | Own Surname Prefix | | |
| OBX-25.2.3 | | Own Surname | | |
| OBX-25.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | | Surname From Partner/Spouse | | |
| OBX-25.3 | | Given Name | | |
| OBX-25.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | | Suffix (e.g., JR or III) | | |
| OBX-25.6 | | Prefix (e.g., DR) | | |
| OBX-25.7 | | Degree (e.g., MD) | | |
| OBX-25.8 | | Source Table | | |
| OBX-25.9 | | Assigning Authority | | |
| OBX-25.9.1 | | Namespace ID | | |
| OBX-25.9.2 | | Universal ID | | |
| OBX-25.9.3 | | Universal ID Type | | |
| OBX-25.10 | | Name Type Code | | |
| OBX-25.11 | | Identifier Check Digit | | |
| OBX-25.12 | | Check Digit Scheme | | |
| OBX-25.13 | | Identifier Type Code | | |
| OBX-25.14 | | Assigning Facility | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |

| OBX-Location | Name Of Alternate Data Elementmt | Data | Categrization |
|--------------|------------------------------------|------|---------------|
| OBX-25.23.6 | Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Elemenmt | Data | Categrization |
|---------------|---|----------------------------|---------------|
| OBX-1 | Set ID - OBX | 2 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 1 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|--|----------|----------------|
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |

| OBX-17 | Location | Observation Method | Data | Categorization |
|---------------|------------|---|------|----------------|
| | OBX-17.1 | Identifier | | |
| | OBX-17.2 | Text | | |
| | OBX-17.3 | Name of Coding System | | |
| | OBX-17.4 | Alternate Identifier | | |
| | OBX-17.5 | Alternate Text | | |
| | OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | | Equipment Instance Identifier | | |
| | OBX-18.1 | Entity Identifier | | |
| | OBX-18.2 | Namespace ID | | |
| | OBX-18.3 | Universal ID | | |
| | OBX-18.4 | Universal ID Type | | |
| OBX-19 | | Date/Time of the Analysis | | |
| | OBX-19.1 | Time | | |
| | OBX-19.2 | Degree of Precision | | |
| OBX-20 | | Reserved for harmonization with V2.6 | | |
| OBX-21 | | Reserved for harmonization with V2.6 | | |
| OBX-22 | | Reserved for harmonization with V2.6 | | |
| OBX-23 | | Performing Organization Name | | |
| | OBX-23.1 | Organization Name | | |
| | OBX-23.2 | Organization Name Type Code | | |
| | OBX-23.3 | ID Number | | |
| | OBX-23.4 | Check Digit | | |
| | OBX-23.5 | Check Digit Scheme | | |
| | OBX-23.6 | Assigning Authority | | |
| | OBX-23.6.1 | Namespace ID | | |
| | OBX-23.6.2 | Universal ID | | |
| | OBX-23.6.3 | Universal ID Type | | |
| | OBX-23.7 | Identifier Type Code | | |
| | OBX-23.8 | Assigning Facility | | |
| | OBX-23.8.1 | Namespace ID | | |
| | OBX-23.8.2 | Universal ID | | |
| | OBX-23.8.3 | Universal ID Type | | |
| | OBX-23.9 | Name Representation Code | | |
| | OBX-23.10 | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | |

| OBX-24.1 | Street Address | Data Element | Data | Categorization |
|-------------|--|-------------------|------|----------------|
| OBX-24.1.1 | Address | Street or Mailing | | |
| OBX-24.1.2 | Street Name | | | |
| OBX-24.1.3 | Dwelling Number | | | |
| OBX-24.2 | Other Designation | | | |
| OBX-24.3 | City | | | |
| OBX-24.4 | State or Province | | | |
| OBX-24.5 | Zip or Postal Code | | | |
| OBX-24.6 | Country | | | |
| OBX-24.7 | Address Type | | | |
| OBX-24.8 | Other Geographic Designation | | | |
| OBX-24.9 | County/Parish Code | | | |
| OBX-24.10 | Census Tract | | | |
| OBX-24.11 | Address Representation Code | | | |
| OBX-24.12 | Address Validity Range | | | |
| OBX-24.12.1 | Range Start Date/Time | | | |
| OBX-24.12.2 | Range End Date/Time | | | |
| OBX-24.13 | Effective Date | | | |
| OBX-24.13.1 | Time | | | |
| OBX-24.13.2 | Degree of Precision | | | |
| OBX-24.14 | Expiration Date | | | |
| OBX-24.14.1 | Time | | | |
| OBX-24.14.2 | Degree of Precision | | | |
| OBX-25 | Performing Organization Medical Director | | | |
| OBX-25.1 | ID Number | | | |
| OBX-25.2 | Family Name | | | |
| OBX-25.2.1 | Surname | | | |
| OBX-25.2.2 | Own Surname Prefix | | | |
| OBX-25.2.3 | Own Surname | | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | | |
| OBX-25.3 | Given Name | | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | | |
| OBX-25.6 | Prefix (e.g., DR) | | | |
| OBX-25.7 | Degree (e.g., MD) | | | |
| OBX-25.8 | Source Table | | | |
| OBX-25.9 | Assigning Authority | | | |
| | | | | |

| OBX-Location | Name-Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| | Assigning Agency or | | |

| OBX-25.23-Location | Data Element | Data | Categorization |
|--------------------|------------------------------------|------|----------------|
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|---------------|---|---------------|----------------|
| OBX-1 | Set ID - OBX | 3 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 1 | |
| OBX-5 | Observation Value | Y | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|--|----------|----------------|
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |

| OBX-17 | Location | Observation Method | Data | Categorization |
|---------------|------------|---|------|----------------|
| | OBX-17.1 | Identifier | | |
| | OBX-17.2 | Text | | |
| | OBX-17.3 | Name of Coding System | | |
| | OBX-17.4 | Alternate Identifier | | |
| | OBX-17.5 | Alternate Text | | |
| | OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | | Equipment Instance Identifier | | |
| | OBX-18.1 | Entity Identifier | | |
| | OBX-18.2 | Namespace ID | | |
| | OBX-18.3 | Universal ID | | |
| | OBX-18.4 | Universal ID Type | | |
| OBX-19 | | Date/Time of the Analysis | | |
| | OBX-19.1 | Time | | |
| | OBX-19.2 | Degree of Precision | | |
| OBX-20 | | Reserved for harmonization with V2.6 | | |
| OBX-21 | | Reserved for harmonization with V2.6 | | |
| OBX-22 | | Reserved for harmonization with V2.6 | | |
| OBX-23 | | Performing Organization Name | | |
| | OBX-23.1 | Organization Name | | |
| | OBX-23.2 | Organization Name Type Code | | |
| | OBX-23.3 | ID Number | | |
| | OBX-23.4 | Check Digit | | |
| | OBX-23.5 | Check Digit Scheme | | |
| | OBX-23.6 | Assigning Authority | | |
| | OBX-23.6.1 | Namespace ID | | |
| | OBX-23.6.2 | Universal ID | | |
| | OBX-23.6.3 | Universal ID Type | | |
| | OBX-23.7 | Identifier Type Code | | |
| | OBX-23.8 | Assigning Facility | | |
| | OBX-23.8.1 | Namespace ID | | |
| | OBX-23.8.2 | Universal ID | | |
| | OBX-23.8.3 | Universal ID Type | | |
| | OBX-23.9 | Name Representation Code | | |
| | OBX-23.10 | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | |

| OBX-24 Location | Street Address | Data | Categorization |
|-----------------|--|------|----------------|
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |

| OBX-25.9.1 Location | Name-25.9.1 Name-25.9.1 | Data | Categorization |
|------------------------|------------------------------------|------|----------------|
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |

| OBX-25.23 Location | Signing Agency or Data Element | Data | Categorization |
|--------------------|------------------------------------|------|----------------|
| OBX-25.23.1 | Department Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|--------------|----------------------------|--------|----------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 207023 | |
| ORC-3.2 | Namespace ID | MyIIS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |
| ORC-4.3 | Universal ID | | |
| ORC-4.4 | Universal ID Type | | |
| ORC-5 | Order Status | | |
| ORC-6 | Response Flag | | |
| ORC-7 | Quantity/Timing | | |
| ORC-7.1 | Quantity | | |
| ORC-7.1.1 | Quantity | | |
| ORC-7.1.2 | Units | | |
| ORC-7.2 | Interval | | |
| ORC-7.2.1 | Repeat Pattern | | |
| ORC-7.2.2 | Explicit Time Interval | | |
| ORC-7.3 | Duration | | |
| ORC-7.4 | Start Date/Time | | |
| ORC-7.4.1 | Time | | |
| ORC-7.4.2 | Degree of Precision | | |
| ORC-7.5 | End Date/Time | | |

| Location | Data Element | Data | Categorization |
|--------------|--|------|----------------|
| ORC-7.5.2 | Degree of Precision | | |
| ORC-7.6 | Priority | | |
| ORC-7.7 | Condition | | |
| ORC-7.8 | Text | | |
| ORC-7.9 | Conjunction | | |
| ORC-7.10 | Order Sequencing | | |
| ORC-7.10.1 | Sequence/Results Flag | | |
| ORC-7.10.2 | Placer Order Number: Entity Identifier | | |
| ORC-7.10.3 | Placer Order Number: Namespace ID | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | |
| ORC-7.10.6 | Sequence Condition Value | | |
| ORC-7.10.7 | Maximum Number of Repeats | | |
| ORC-7.10.8 | Placer Order Number: Universal ID | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| | Filler Assigned | | |

| ORC-8.2 Location | Identifier Element | Data | Categorization |
|------------------|--|------|----------------|
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |
| ORC-9.1 | Time | | |
| ORC-9.2 | Degree of Precision | | |
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | |
| ORC-10.3 | Given Name | | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |
| ORC-10.9 | Assigning Authority | | |
| ORC-10.9.1 | Namespace ID | | |
| ORC-10.9.2 | Universal ID | | |
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | | |
| ORC-10.11 | Identifier Check Digit | | |
| ORC-10.12 | Check Digit Scheme | | |
| ORC-10.13 | Identifier Type Code | | |
| ORC-10.14 | Assigning Facility | | |
| ORC-10.14.1 | Namespace ID | | |
| ORC-10.14.2 | Universal ID | | |
| ORC-10.14.3 | Universal ID Type | | |
| ORC-10.15 | Name Representation Code | | |
| ORC-10.16 | Name Context | | |
| ORC-10.16.1 | Identifier | | |
| ORC-10.16.2 | Text | | |
| ORC-10.16.3 | Name of Coding System | | |
| ORC-10.16.4 | Alternate Identifier | | |
| ORC-10.16.5 | Alternate Text | | |
| ORC-10.16.6 | Name of Alternate | | |

| Location | Coding System Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| | Surname Prefix | | |

| ORC-11.2.4n Location | From Data Item From Partner/Spouse | Data | Categorization |
|-------------------------|--|------|----------------|
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-11.22.3 | System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |
| ORC-11.23.6 | Name of Alternate Coding System | | |
| ORC-11.23.7 | Coding System Version ID | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | |
| ORC-11.23.9 | Original Text | | |
| ORC-12 | Ordering Provider | | |
| ORC-12.1 | ID Number | | |
| ORC-12.2 | Family Name | | |
| ORC-12.2.1 | Surname | | |
| ORC-12.2.2 | Own Surname Prefix | | |
| ORC-12.2.3 | Own Surname | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | |
| ORC-12.3 | Given Name | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-12.5 | Suffix (e.g., JR or III) | | |
| ORC-12.6 | Prefix (e.g., DR) | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |
| ORC-12.10 | Name Type Code | | |
| ORC-12.11 | Identifier Check Digit | | |

| ORC Location | Check Digit Scheme Identifier Type Code | Data | Categorization |
|--------------|---|------|----------------|
| ORC-12.12 | Assigning Facility | | |
| ORC-12.13 | Namespaces | | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |
| ORC-12.16 | Name Context | | |
| ORC-12.16.1 | Identifier | | |
| ORC-12.16.2 | Text | | |
| ORC-12.16.3 | Name of Coding System | | |
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| ORC-12.17.1 | Range Start Date/Time | | |
| ORC-12.17.2 | Range End Date/Time | | |
| ORC-12.18 | Name Assembly Order | | |
| ORC-12.19 | Effective Date | | |
| ORC-12.19.1 | Time | | |
| ORC-12.19.2 | Degree of Precision | | |
| ORC-12.20 | Expiration Date | | |
| ORC-12.20.1 | Time | | |
| ORC-12.20.2 | Degree of Precision | | |
| ORC-12.21 | Professional Suffix | | |
| ORC-12.22 | Assigning Jurisdiction | | |
| ORC-12.22.1 | Identifier | | |
| ORC-12.22.2 | Text | | |
| ORC-12.22.3 | Name of Coding System | | |
| ORC-12.22.4 | Alternate Identifier | | |
| ORC-12.22.5 | Alternate Text | | |
| ORC-12.22.6 | Name of Alternate Coding System | | |
| ORC-12.22.7 | Coding System Version ID | | |
| ORC-12.22.8 | Alternate Coding System Version ID | | |
| ORC-12.22.9 | Original Text | | |
| ORC-12.23 | Assigning Agency or Department | | |
| ORC-12.23.1 | Identifier | | |
| ORC-12.23.2 | Text | | |
| ORC-12.23.3 | Name of Coding System | | |

| ORC-12.23.4 | Alternate Identifier | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-12.23.5 | Alternate Text | | |
| ORC-12.23.6 | Name of Alternate Coding System | | |
| ORC-12.23.7 | Coding System Version ID | | |
| ORC-12.23.8 | Alternate Coding System Version ID | | |
| ORC-12.23.9 | Original Text | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication Equipment Type | | |
| ORC-14.4 | Email Address | | |
| ORC-14.5 | Country Code | | |
| ORC-14.6 | Area/City Code | | |
| ORC-14.7 | Local Number | | |
| ORC-14.8 | Extension | | |
| ORC-14.9 | Any Text | | |
| ORC-14.10 | Extension Prefix | | |
| ORC-14.11 | Speed Dial Code | | |
| ORC-14.12 | Unformatted Telephone number | | |

| Location | Order Element | Data | Categorization |
|---------------|--|-----------------------|----------------|
| ORC-15 | Date/Time | | |
| ORC-15.1 | Time | | |
| ORC-15.2 | Degree of Precision | | |
| ORC-16 | Order Control Code Reason | | |
| ORC-16.1 | Identifier | | |
| ORC-16.2 | Text | | |
| ORC-16.3 | Name of Coding System | | |
| ORC-16.4 | Alternate Identifier | | |
| ORC-16.5 | Alternate Text | | |
| ORC-16.6 | Name of Alternate Coding System | | |
| ORC-17 | Entering Organization | | |
| ORC-17.1 | Identifier | DCS | |
| ORC-17.2 | Text | Dabig Clinical System | |
| ORC-17.3 | Name of Coding System | StateIIS | |
| ORC-17.4 | Alternate Identifier | | |
| ORC-17.5 | Alternate Text | | |
| ORC-17.6 | Name of Alternate Coding System | | |
| ORC-18 | Entering Device | | |
| ORC-18.1 | Identifier | | |
| ORC-18.2 | Text | | |
| ORC-18.3 | Name of Coding System | | |
| ORC-18.4 | Alternate Identifier | | |
| ORC-18.5 | Alternate Text | | |
| ORC-18.6 | Name of Alternate Coding System | | |
| ORC-19 | Action By | | |
| ORC-19.1 | ID Number | | |
| ORC-19.2 | Family Name | | |
| ORC-19.2.1 | Surname | | |
| ORC-19.2.2 | Own Surname Prefix | | |
| ORC-19.2.3 | Own Surname | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | |
| ORC-19.3 | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |
| ORC-19.6 | Prefix (e.g., DR) | | |
| ORC-19.7 | Degree (e.g., MD) | | |
| | | | |

| ORC-19.8 | Location | Source Table Element | Data | Categorization |
|-------------|----------|------------------------------------|------|----------------|
| ORC-19.9 | | Assigning Authority | | |
| ORC-19.9.1 | | Namespace ID | | |
| ORC-19.9.2 | | Universal ID | | |
| ORC-19.9.3 | | Universal ID Type | | |
| ORC-19.10 | | Name Type Code | | |
| ORC-19.11 | | Identifier Check Digit | | |
| ORC-19.12 | | Check Digit Scheme | | |
| ORC-19.13 | | Identifier Type Code | | |
| ORC-19.14 | | Assigning Facility | | |
| ORC-19.14.1 | | Namespace ID | | |
| ORC-19.14.2 | | Universal ID | | |
| ORC-19.14.3 | | Universal ID Type | | |
| ORC-19.15 | | Name Representation Code | | |
| ORC-19.16 | | Name Context | | |
| ORC-19.16.1 | | Identifier | | |
| ORC-19.16.2 | | Text | | |
| ORC-19.16.3 | | Name of Coding System | | |
| ORC-19.16.4 | | Alternate Identifier | | |
| ORC-19.16.5 | | Alternate Text | | |
| ORC-19.16.6 | | Name of Alternate Coding System | | |
| ORC-19.17 | | Name Validity Range | | |
| ORC-19.17.1 | | Range Start Date/Time | | |
| ORC-19.17.2 | | Range End Date/Time | | |
| ORC-19.18 | | Name Assembly Order | | |
| ORC-19.19 | | Effective Date | | |
| ORC-19.19.1 | | Time | | |
| ORC-19.19.2 | | Degree of Precision | | |
| ORC-19.20 | | Expiration Date | | |
| ORC-19.20.1 | | Time | | |
| ORC-19.20.2 | | Degree of Precision | | |
| ORC-19.21 | | Professional Suffix | | |
| ORC-19.22 | | Assigning Jurisdiction | | |
| ORC-19.22.1 | | Identifier | | |
| ORC-19.22.2 | | Text | | |
| ORC-19.22.3 | | Name of Coding System | | |
| ORC-19.22.4 | | Alternate Identifier | | |
| ORC-19.22.5 | | Alternate Text | | |
| ORC-19.22.6 | | Name of Alternate Coding System | | |
| ORC-19.22.7 | | Coding System Version ID | | |
| ORC-19.22.8 | | Alternate Coding System Version ID | | |
| | | | | |

| Location | Original Element Assigning Agency or Department | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.23 | Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |

| Location | Element | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| ORC-23.9 | Any Text | | |
| ORC-23.10 | Extension Prefix | | |
| ORC-23.11 | Speed Dial Code | | |
| ORC-23.12 | Unformatted Telephone number | | |
| ORC-24 | Ordering Provider Address | | |
| ORC-24.1 | Street Address | | |
| ORC-24.1.1 | Street or Mailing Address | | |
| ORC-24.1.2 | Street Name | | |
| ORC-24.1.3 | Dwelling Number | | |

| ORC-24.2 | Location | Other Designation | Data | Categorization |
|---------------|--|-------------------|------|----------------|
| ORC-24.3 | City | | | |
| ORC-24.4 | State or Province | | | |
| ORC-24.5 | Zip or Postal Code | | | |
| ORC-24.6 | Country | | | |
| ORC-24.7 | Address Type | | | |
| ORC-24.8 | Other Geographic Designation | | | |
| ORC-24.9 | County/Parish Code | | | |
| ORC-24.10 | Census Tract | | | |
| ORC-24.11 | Address Representation Code | | | |
| ORC-24.12 | Address Validity Range | | | |
| ORC-24.12.1 | Range Start Date/Time | | | |
| ORC-24.12.2 | Range End Date/Time | | | |
| ORC-24.13 | Effective Date | | | |
| ORC-24.13.1 | Time | | | |
| ORC-24.13.2 | Degree of Precision | | | |
| ORC-24.14 | Expiration Date | | | |
| ORC-24.14.1 | Time | | | |
| ORC-24.14.2 | Degree of Precision | | | |
| ORC-25 | Order Status Modifier | | | |
| ORC-25.1 | Identifier | | | |
| ORC-25.2 | Text | | | |
| ORC-25.3 | Name of Coding System | | | |
| ORC-25.4 | Alternate Identifier | | | |
| ORC-25.5 | Alternate Text | | | |
| ORC-25.6 | Name of Alternate Coding System | | | |
| ORC-25.7 | Coding System Version ID | | | |
| ORC-25.8 | Alternate Coding System Version ID | | | |
| ORC-25.9 | Original Text | | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | | |
| ORC-26.1 | Identifier | | | |
| ORC-26.2 | Text | | | |
| ORC-26.3 | Name of Coding System | | | |
| ORC-26.4 | Alternate Identifier | | | |
| ORC-26.5 | Alternate Text | | | |
| ORC-26.6 | Name of Alternate Coding System | | | |
| | Coding System | | | |

| Location | Version ID | Data Element | Data | Categorization |
|----------|------------|--|------|----------------|
| ORC-26.7 | | Alternate Coding System Version ID | | |
| ORC-26.8 | | Original Text | | |
| ORC-26.9 | | | | |
| ORC-27 | | Filler's Expected Availability Date/Time | | |
| ORC-27.1 | | Time | | |
| ORC-27.2 | | Degree of Precision | | |
| ORC-28 | | Confidentiality Code | | |
| ORC-28.1 | | Identifier | | |
| ORC-28.2 | | Text | | |
| ORC-28.3 | | Name of Coding System | | |
| ORC-28.4 | | Alternate Identifier | | |
| ORC-28.5 | | Alternate Text | | |
| ORC-28.6 | | Name of Alternate Coding System | | |
| ORC-28.7 | | Coding System Version ID | | |
| ORC-28.8 | | Alternate Coding System Version ID | | |
| ORC-28.9 | | Original Text | | |
| ORC-29 | | Order Type | | |
| ORC-29.1 | | Identifier | | |
| ORC-29.2 | | Text | | |
| ORC-29.3 | | Name of Coding System | | |
| ORC-29.4 | | Alternate Identifier | | |
| ORC-29.5 | | Alternate Text | | |
| ORC-29.6 | | Name of Alternate Coding System | | |
| ORC-29.7 | | Coding System Version ID | | |
| ORC-29.8 | | Alternate Coding System Version ID | | |
| ORC-29.9 | | Original Text | | |
| ORC-30 | | Enterer Authorization Mode | | |
| ORC-30.1 | | Identifier | | |
| ORC-30.2 | | Text | | |
| ORC-30.3 | | Name of Coding System | | |
| ORC-30.4 | | Alternate Identifier | | |
| ORC-30.5 | | Alternate Text | | |
| ORC-30.6 | | Name of Alternate Coding System | | |
| ORC-30.7 | | Coding System Version ID | | |
| ORC-30.8 | | Alternate Coding System Version ID | | |
| | | | | |

| Location | Data Elementmt | Data | Categrization |
|---------------|------------------------------------|------|---------------|
| ORC-31 | Service Identifier | | |
| ORC-31.1 | Identifier | | |
| ORC-31.2 | Text | | |
| ORC-31.3 | Name of Coding System | | |
| ORC-31.4 | Alternate Identifier | | |
| ORC-31.5 | Alternate Text | | |
| ORC-31.6 | Name of Alternate Coding System | | |
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Elementmt | Data | Categrization |
|--------------|--|-----------|---------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 20090515 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 20090515 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 45 | |
| RXA-5.2 | Text | Hep B NOS | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |
| RXA-7 | Administered Units | | |
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage | | |

| Location | Form Data Element | Data | Categorization |
|---------------|--|-------------------|----------------|
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |
| RXA-8.6 | Name of Alternate Coding System | | |
| RXA-9 | Administration Notes | | |
| RXA-9.1 | Identifier | 01 | |
| RXA-9.2 | Text | historical record | |
| RXA-9.3 | Name of Coding System | NIP001 | |
| RXA-9.4 | Alternate Identifier | | |
| RXA-9.5 | Alternate Text | | |
| RXA-9.6 | Name of Alternate Coding System | | |
| RXA-10 | Administering Provider | | |
| RXA-10.1 | ID Number | | |
| RXA-10.2 | Family Name | | |
| RXA-10.2.1 | Surname | | |
| RXA-10.2.2 | Own Surname Prefix | | |
| RXA-10.2.3 | Own Surname | | |
| RXA-10.2.4 | Surname Prefix From Partner/Spouse | | |
| RXA-10.2.5 | Surname From Partner/Spouse | | |
| RXA-10.3 | Given Name | | |
| RXA-10.4 | Second and Further Given Names or Initials Thereof | | |
| RXA-10.5 | Suffix (e.g., JR or III) | | |
| RXA-10.6 | Prefix (e.g., DR) | | |
| RXA-10.7 | Degree (e.g., MD) | | |
| RXA-10.8 | Source Table | | |
| RXA-10.9 | Assigning Authority | | |
| RXA-10.9.1 | Namespace ID | | |
| RXA-10.9.2 | Universal ID | | |
| RXA-10.9.3 | Universal ID Type | | |
| RXA-10.10 | Name Type Code | | |
| RXA-10.11 | Identifier Check Digit | | |
| RXA-10.12 | Check Digit Scheme | | |
| RXA-10.13 | Identifier Type Code | | |
| RXA-10.14 | Assigning Facility | | |
| RXA-10.14.1 | Namespace ID | | |
| RXA-10.14.2 | Universal ID | | |
| RXA-10.14.3 | Universal ID Type | | |
| | Name Representation | | |

| RXA-10.15 | Location | Code Element | Data | Categorization |
|-------------|----------|------------------------------------|------|----------------|
| RXA-10.16 | | Name Context | | |
| RXA-10.16.1 | | Identifier | | |
| RXA-10.16.2 | | Text | | |
| RXA-10.16.3 | | Name of Coding System | | |
| RXA-10.16.4 | | Alternate Identifier | | |
| RXA-10.16.5 | | Alternate Text | | |
| RXA-10.16.6 | | Name of Alternate Coding System | | |
| RXA-10.17 | | Name Validity Range | | |
| RXA-10.17.1 | | Range Start Date/Time | | |
| RXA-10.17.2 | | Range End Date/Time | | |
| RXA-10.18 | | Name Assembly Order | | |
| RXA-10.19 | | Effective Date | | |
| RXA-10.19.1 | | Time | | |
| RXA-10.19.2 | | Degree of Precision | | |
| RXA-10.20 | | Expiration Date | | |
| RXA-10.20.1 | | Time | | |
| RXA-10.20.2 | | Degree of Precision | | |
| RXA-10.21 | | Professional Suffix | | |
| RXA-10.22 | | Assigning Jurisdiction | | |
| RXA-10.22.1 | | Identifier | | |
| RXA-10.22.2 | | Text | | |
| RXA-10.22.3 | | Name of Coding System | | |
| RXA-10.22.4 | | Alternate Identifier | | |
| RXA-10.22.5 | | Alternate Text | | |
| RXA-10.22.6 | | Name of Alternate Coding System | | |
| RXA-10.22.7 | | Coding System Version ID | | |
| RXA-10.22.8 | | Alternate Coding System Version ID | | |
| RXA-10.22.9 | | Original Text | | |
| RXA-10.23 | | Assigning Agency or Department | | |
| RXA-10.23.1 | | Identifier | | |
| RXA-10.23.2 | | Text | | |
| RXA-10.23.3 | | Name of Coding System | | |
| RXA-10.23.4 | | Alternate Identifier | | |
| RXA-10.23.5 | | Alternate Text | | |
| RXA-10.23.6 | | Name of Alternate Coding System | | |
| RXA-10.23.7 | | Coding System Version ID | | |
| | | Alternate Coding | | |

| RXA-10.23.8 | System Version ID | Data | Categorization |
|--------------------|-------------------------------------|-------------|-----------------------|
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |
| RXA-11.11 | City | | |
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| RXA-11.14 | Country | | |
| RXA-11.15 | Address Type | | |
| RXA-11.16 | Other Geographic Designation | | |
| RXA-12 | Administered Per (Time Unit) | | |
| RXA-13 | Administered Strength | | |
| RXA-14 | Administered Strength Units | | |
| RXA-14.1 | Identifier | | |
| RXA-14.2 | Text | | |
| RXA-14.3 | Name of Coding System | | |
| RXA-14.4 | Alternate Identifier | | |
| RXA-14.5 | Alternate Text | | |
| RXA-14.6 | Name of Alternate Coding System | | |
| RXA-15 | Substance Lot Number | | |
| RXA-16 | Substance Expiration Date | | |
| RXA-16.1 | Time | | |
| RXA-16.2 | Degree of Precision | | |
| RXA-17 | Substance Manufacturer Name | | |
| RXA-17.1 | Identifier | | |
| RXA-17.2 | Text | | |
| RXA-17.3 | Name of Coding System | | |
| RXA-17.4 | Alternate Identifier | | |
| RXA-17.5 | Alternate Text | | |

| RXA-17.6 | Location | Name of Alternate Data Element | Data | Categorization |
|---------------|----------|--|------|----------------|
| | | Coding System | | |
| RXA-18 | | Substance/Treatment Refusal Reason | | |
| RXA-18.1 | | Identifier | | |
| RXA-18.2 | | Text | | |
| RXA-18.3 | | Name of Coding System | | |
| RXA-18.4 | | Alternate Identifier | | |
| RXA-18.5 | | Alternate Text | | |
| RXA-18.6 | | Name of Alternate Coding System | | |
| RXA-19 | | Indication | | |
| RXA-19.1 | | Identifier | | |
| RXA-19.2 | | Text | | |
| RXA-19.3 | | Name of Coding System | | |
| RXA-19.4 | | Alternate Identifier | | |
| RXA-19.5 | | Alternate Text | | |
| RXA-19.6 | | Name of Alternate Coding System | | |
| RXA-20 | | Completion Status | CP | |
| RXA-21 | | Action Code - RXA | | |
| RXA-22 | | System Entry Date/Time | | |
| RXA-22.1 | | Time | | |
| RXA-22.2 | | Degree of Precision | | |
| RXA-23 | | Administered Drug Strength Volume | | |
| RXA-24 | | Administered Drug Strength Volume Units | | |
| RXA-24.1 | | Identifier | | |
| RXA-24.2 | | Text | | |
| RXA-24.3 | | Name of Coding System | | |
| RXA-24.4 | | Alternate Identifier | | |
| RXA-24.5 | | Alternate Text | | |
| RXA-24.6 | | Name of Alternate Coding System | | |
| RXA-24.7 | | Coding System Version ID | | |
| RXA-24.8 | | Alternate Coding System Version ID | | |
| RXA-24.9 | | Original Text | | |
| RXA-25 | | Administered Barcode Identifier | | |
| RXA-25.1 | | Identifier | | |
| RXA-25.2 | | Text | | |
| RXA-25.3 | | Name of Coding System | | |
| RXA-25.4 | | Alternate Identifier | | |

| RXA-25.5 | Location | Alternate Text | Data Elementmt | Data | Categrization |
|-----------------|-----------------|------------------------------------|-----------------------|-------------|----------------------|
| | | | | | |
| RXA-25.6 | | Name of Alternate Coding System | | | |
| RXA-25.7 | | Coding System Version ID | | | |
| RXA-25.8 | | Alternate Coding System Version ID | | | |
| RXA-25.9 | | Original Text | | | |
| RXA-26 | | Pharmacy Order Type | | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categrization |
|-----------------|----------------------------------|--------------|----------------------|
| OBX-1 | Set ID - OBX | 4 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 2 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 45 | |
| OBX-5.2 | Text | Hep B NOS | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |

| Location | Effective Date of Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-12 | Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |

| Location | Name Representation | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-16.15 | Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |

| OBX-Location | Data Element Coding | Data | Categorization |
|---------------|---|------|----------------|
| | System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| | | | |

| OBX-23.10 Location | Organization Identifier | Data | Categorization |
|--------------------|--|------|----------------|
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|---------------------------------|------|----------------|
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding | | |

| Location | Data Element | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|--------------|---------------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 5 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 2 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| | Name of Alternate | | |

| OBX-6 | Location | Coding System | Data Element | Data | Categorization |
|------------|----------|---------------|--|----------|----------------|
| OBX-7 | | | References Range | | |
| OBX-8 | | | Abnormal Flags | | |
| OBX-9 | | | Probability | | |
| OBX-10 | | | Nature of Abnormal Test | | |
| OBX-11 | | | Observation Result Status | F | |
| OBX-12 | | | Effective Date of Reference Range Values | | |
| OBX-12.1 | | | Time | | |
| OBX-12.2 | | | Degree of Precision | | |
| OBX-13 | | | User Defined Access Checks | | |
| OBX-14 | | | Date/Time of the Observation | | |
| OBX-14.1 | | | Time | 20150531 | |
| OBX-14.2 | | | Degree of Precision | | |
| OBX-15 | | | Producer's Reference | | |
| OBX-15.1 | | | Identifier | | |
| OBX-15.2 | | | Text | | |
| OBX-15.3 | | | Name of Coding System | | |
| OBX-15.4 | | | Alternate Identifier | | |
| OBX-15.5 | | | Alternate Text | | |
| OBX-15.6 | | | Name of Alternate Coding System | | |
| OBX-16 | | | Responsible Observer | | |
| OBX-16.1 | | | ID Number | | |
| OBX-16.2 | | | Family Name | | |
| OBX-16.2.1 | | | Surname | | |
| OBX-16.2.2 | | | Own Surname Prefix | | |
| OBX-16.2.3 | | | Own Surname | | |
| OBX-16.2.4 | | | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | | | Surname From Partner/Spouse | | |
| OBX-16.3 | | | Given Name | | |
| OBX-16.4 | | | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | | | Suffix (e.g., JR or III) | | |
| OBX-16.6 | | | Prefix (e.g., DR) | | |
| OBX-16.7 | | | Degree (e.g., MD) | | |
| OBX-16.8 | | | Source Table | | |
| OBX-16.9 | | | Assigning Authority | | |
| OBX-16.9.1 | | | Namespace ID | | |
| OBX-16.9.2 | | | Universal ID | | |
| OBX-16.9.3 | | | Universal ID Type | | |

| OBX-Location | Name Type Code | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.10 | Identifier Check Digit | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |

| OBX-16.23.3 Location | Name Of Coding System | Data | Categrization |
|-------------------------|---|------|---------------|
| | System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |

| OBX-23.7 Location | Identifier Type Code Data Element | Data | Categorization |
|----------------------|---|------|----------------|
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From | | |

| Location | Part of Specimen Data Element | Data | Categorization |
|-------------|--|------|----------------|
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding | | |

| Location | Data Elementmt | Data | Categrization |
|-------------|------------------------------------|------|---------------|
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categrization |
|--------------|---------------------------------|---------------|---------------|
| OBX-1 | Set ID - OBX | 6 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 2 | |
| OBX-5 | Observation Value | Y | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |

| OBX-7 Location | Reference Range | Data Element | Data | Categorization |
|----------------|--|--------------|------|----------------|
| OBX-8 | Abnormal Flags | | | |
| OBX-9 | Probability | | | |
| OBX-10 | Nature of Abnormal Test | | | |
| OBX-11 | Observation Result Status | F | | |
| OBX-12 | Effective Date of Reference Range Values | | | |
| OBX-12.1 | Time | | | |
| OBX-12.2 | Degree of Precision | | | |
| OBX-13 | User Defined Access Checks | | | |
| OBX-14 | Date/Time of the Observation | | | |
| OBX-14.1 | Time | 20150531 | | |
| OBX-14.2 | Degree of Precision | | | |
| OBX-15 | Producer's Reference | | | |
| OBX-15.1 | Identifier | | | |
| OBX-15.2 | Text | | | |
| OBX-15.3 | Name of Coding System | | | |
| OBX-15.4 | Alternate Identifier | | | |
| OBX-15.5 | Alternate Text | | | |
| OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | Responsible Observer | | | |
| OBX-16.1 | ID Number | | | |
| OBX-16.2 | Family Name | | | |
| OBX-16.2.1 | Surname | | | |
| OBX-16.2.2 | Own Surname Prefix | | | |
| OBX-16.2.3 | Own Surname | | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | | |
| OBX-16.3 | Given Name | | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | | |
| OBX-16.6 | Prefix (e.g., DR) | | | |
| OBX-16.7 | Degree (e.g., MD) | | | |
| OBX-16.8 | Source Table | | | |
| OBX-16.9 | Assigning Authority | | | |
| OBX-16.9.1 | Namespace ID | | | |
| OBX-16.9.2 | Universal ID | | | |
| OBX-16.9.3 | Universal ID Type | | | |
| OBX-16.10 | Name Type Code | | | |

| OBX-16.11 | Location | Identifier Check Digit | Data Element | Data | Categorization |
|-------------|----------|------------------------|------------------------------------|------|----------------|
| OBX-16.12 | | | Check Digit Scheme | | |
| OBX-16.13 | | | Identifier Type Code | | |
| OBX-16.14 | | | Assigning Facility | | |
| OBX-16.14.1 | | | Namespace ID | | |
| OBX-16.14.2 | | | Universal ID | | |
| OBX-16.14.3 | | | Universal ID Type | | |
| OBX-16.15 | | | Name Representation Code | | |
| OBX-16.16 | | | Name Context | | |
| OBX-16.16.1 | | | Identifier | | |
| OBX-16.16.2 | | | Text | | |
| OBX-16.16.3 | | | Name of Coding System | | |
| OBX-16.16.4 | | | Alternate Identifier | | |
| OBX-16.16.5 | | | Alternate Text | | |
| OBX-16.16.6 | | | Name of Alternate Coding System | | |
| OBX-16.17 | | | Name Validity Range | | |
| OBX-16.17.1 | | | Range Start Date/Time | | |
| OBX-16.17.2 | | | Range End Date/Time | | |
| OBX-16.18 | | | Name Assembly Order | | |
| OBX-16.19 | | | Effective Date | | |
| OBX-16.19.1 | | | Time | | |
| OBX-16.19.2 | | | Degree of Precision | | |
| OBX-16.20 | | | Expiration Date | | |
| OBX-16.20.1 | | | Time | | |
| OBX-16.20.2 | | | Degree of Precision | | |
| OBX-16.21 | | | Professional Suffix | | |
| OBX-16.22 | | | Assigning Jurisdiction | | |
| OBX-16.22.1 | | | Identifier | | |
| OBX-16.22.2 | | | Text | | |
| OBX-16.22.3 | | | Name of Coding System | | |
| OBX-16.22.4 | | | Alternate Identifier | | |
| OBX-16.22.5 | | | Alternate Text | | |
| OBX-16.22.6 | | | Name of Alternate Coding System | | |
| OBX-16.22.7 | | | Coding System Version ID | | |
| OBX-16.22.8 | | | Alternate Coding System Version ID | | |
| OBX-16.22.9 | | | Original Text | | |
| OBX-16.23 | | | Assigning Agency or Department | | |
| OBX-16.23.1 | | | Identifier | | |
| OBX-16.23.2 | | | Text | | |
| | | | Name of Coding | | |

| OBX-16.23.3 Location | System Data Element | Data | Categorization |
|-------------------------|---|------|----------------|
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|---|------|----------------|
| | | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From | | |

| Location | Part of System Data Element Given Name | Data | Categorization |
|-------------|--|------|----------------|
| OBX-25.3 | | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |

| OBX-25.22.4 Location | Data Element Identifier | Data | Categorization |
|-------------------------|------------------------------------|------|----------------|
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element Identifier | Data | Categorization |
|--------------|----------------------------|--------|----------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 227023 | |
| ORC-3.2 | Namespace ID | DCS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |
| ORC-4.3 | Universal ID | | |
| ORC-4.4 | Universal ID Type | | |
| ORC-5 | Order Status | | |
| ORC-6 | Response Flag | | |
| ORC-7 | Quantity/Timing | | |
| ORC-7.1 | Quantity | | |
| ORC-7.1.1 | Quantity | | |
| ORC-7.1.2 | Units | | |

| ORC-Location | Data Element | Data | Categorization |
|--------------|--|------|----------------|
| ORC-7.2.1 | Repeat Pattern | | |
| ORC-7.2.2 | Explicit Time Interval | | |
| ORC-7.3 | Duration | | |
| ORC-7.4 | Start Date/Time | | |
| ORC-7.4.1 | Time | | |
| ORC-7.4.2 | Degree of Precision | | |
| ORC-7.5 | End Date/Time | | |
| ORC-7.5.1 | Time | | |
| ORC-7.5.2 | Degree of Precision | | |
| ORC-7.6 | Priority | | |
| ORC-7.7 | Condition | | |
| ORC-7.8 | Text | | |
| ORC-7.9 | Conjunction | | |
| ORC-7.10 | Order Sequencing | | |
| ORC-7.10.1 | Sequence/Results Flag | | |
| ORC-7.10.2 | Placer Order Number: Entity Identifier | | |
| ORC-7.10.3 | Placer Order Number: Namespace ID | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | |
| ORC-7.10.6 | Sequence Condition Value | | |
| ORC-7.10.7 | Maximum Number of Repeats | | |
| ORC-7.10.8 | Placer Order Number: Universal ID | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| ORC-8.2 | Filler Assigned Identifier | | |
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |
| ORC-9.1 | Time | | |
| ORC-9.2 | Degree of Precision | | |
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | |
| ORC-10.3 | Given Name | | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |
| ORC-10.9 | Assigning Authority | | |
| ORC-10.9.1 | Namespace ID | | |
| ORC-10.9.2 | Universal ID | | |
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | | |
| ORC-10.11 | Identifier Check Digit | | |
| ORC-10.12 | Check Digit Scheme | | |
| ORC-10.13 | Identifier Type Code | | |
| ORC-10.14 | Assigning Facility | | |
| ORC-10.14.1 | Namespace ID | | |
| ORC-10.14.2 | Universal ID | | |
| ORC-10.14.3 | Universal ID Type | | |
| | Name Representation | | |

| ORC-10.15 Location | Code Data Element | Data | Categorization |
|--------------------|------------------------------------|------|----------------|
| ORC-10.16 | Name Context | | |
| ORC-10.16.1 | Identifier | | |
| ORC-10.16.2 | Text | | |
| ORC-10.16.3 | Name of Coding System | | |
| ORC-10.16.4 | Alternate Identifier | | |
| ORC-10.16.5 | Alternate Text | | |
| ORC-10.16.6 | Name of Alternate Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| | Alternate Coding | | |

| ORC-10.23.8 | System Element ID | Data | Categorization |
|---------------|--|------|----------------|
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| ORC-11.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |

| ORCID Location | Data Element | Data | Categorization |
|----------------|--|------|----------------|
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |
| ORC-11.23.6 | Name of Alternate Coding System | | |
| ORC-11.23.7 | Coding System Version ID | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | |
| ORC-11.23.9 | Original Text | | |
| ORC-12 | Ordering Provider | | |
| ORC-12.1 | ID Number | | |
| ORC-12.2 | Family Name | | |
| ORC-12.2.1 | Surname | | |
| ORC-12.2.2 | Own Surname Prefix | | |
| ORC-12.2.3 | Own Surname | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | |
| ORC-12.3 | Given Name | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-12.5 | Suffix (e.g., JR or III) | | |
| | | | |

| Location | Element | Data | Categorization |
|-------------|---------------------------------|------|----------------|
| ORC-12.7 | Source Table | | |
| ORC-12.8 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |
| ORC-12.10 | Name Type Code | | |
| ORC-12.11 | Identifier Check Digit | | |
| ORC-12.12 | Check Digit Scheme | | |
| ORC-12.13 | Identifier Type Code | | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |
| ORC-12.16 | Name Context | | |
| ORC-12.16.1 | Identifier | | |
| ORC-12.16.2 | Text | | |
| ORC-12.16.3 | Name of Coding System | | |
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| ORC-12.17.1 | Range Start Date/Time | | |
| ORC-12.17.2 | Range End Date/Time | | |
| ORC-12.18 | Name Assembly Order | | |
| ORC-12.19 | Effective Date | | |
| ORC-12.19.1 | Time | | |
| ORC-12.19.2 | Degree of Precision | | |
| ORC-12.20 | Expiration Date | | |
| ORC-12.20.1 | Time | | |
| ORC-12.20.2 | Degree of Precision | | |
| ORC-12.21 | Professional Suffix | | |
| ORC-12.22 | Assigning Jurisdiction | | |
| ORC-12.22.1 | Identifier | | |
| ORC-12.22.2 | Text | | |
| ORC-12.22.3 | Name of Coding System | | |
| ORC-12.22.4 | Alternate Identifier | | |
| ORC-12.22.5 | Alternate Text | | |
| ORC-12.22.6 | Name of Alternate Coding System | | |
| ORC-12.22.7 | Coding System Version ID | | |

| Location | Data Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-12.22.8 | System Version ID | | |
| ORC-12.22.9 | Original Text | | |
| ORC-12.23 | Assigning Agency or Department | | |
| ORC-12.23.1 | Identifier | | |
| ORC-12.23.2 | Text | | |
| ORC-12.23.3 | Name of Coding System | | |
| ORC-12.23.4 | Alternate Identifier | | |
| ORC-12.23.5 | Alternate Text | | |
| ORC-12.23.6 | Name of Alternate Coding System | | |
| ORC-12.23.7 | Coding System Version ID | | |
| ORC-12.23.8 | Alternate Coding System Version ID | | |
| ORC-12.23.9 | Original Text | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication Equipment Type | | |

| Location | Data Address | Data | Categorization |
|---------------|------------------------------------|-----------------------|----------------|
| ORC-14.4 | Country Code | | |
| ORC-14.5 | Area/City Code | | |
| ORC-14.6 | Local Number | | |
| ORC-14.7 | Extension | | |
| ORC-14.8 | Any Text | | |
| ORC-14.9 | Extension Prefix | | |
| ORC-14.10 | Speed Dial Code | | |
| ORC-14.11 | Unformatted Telephone number | | |
| ORC-14.12 | | | |
| ORC-15 | Order Effective Date/Time | | |
| ORC-15.1 | Time | | |
| ORC-15.2 | Degree of Precision | | |
| ORC-16 | Order Control Code Reason | | |
| ORC-16.1 | Identifier | | |
| ORC-16.2 | Text | | |
| ORC-16.3 | Name of Coding System | | |
| ORC-16.4 | Alternate Identifier | | |
| ORC-16.5 | Alternate Text | | |
| ORC-16.6 | Name of Alternate Coding System | | |
| ORC-17 | Entering Organization | | |
| ORC-17.1 | Identifier | DCS | |
| ORC-17.2 | Text | Dabig Clinical System | |
| ORC-17.3 | Name of Coding System | StateIIS | |
| ORC-17.4 | Alternate Identifier | | |
| ORC-17.5 | Alternate Text | | |
| ORC-17.6 | Name of Alternate Coding System | | |
| ORC-18 | Entering Device | | |
| ORC-18.1 | Identifier | | |
| ORC-18.2 | Text | | |
| ORC-18.3 | Name of Coding System | | |
| ORC-18.4 | Alternate Identifier | | |
| ORC-18.5 | Alternate Text | | |
| ORC-18.6 | Name of Alternate Coding System | | |
| ORC-19 | Action By | | |
| ORC-19.1 | ID Number | | |
| ORC-19.2 | Family Name | | |
| ORC-19.2.1 | Surname | | |
| ORC-19.2.2 | Own Surname Prefix | | |
| ORC-19.2.3 | Own Surname | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | |

| Location | Data Element | Data | Categorization |
|-------------|--|------|----------------|
| ORC-19.2.3 | Partner/Spouse | | |
| ORC-19.3 | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |
| ORC-19.6 | Prefix (e.g., DR) | | |
| ORC-19.7 | Degree (e.g., MD) | | |
| ORC-19.8 | Source Table | | |
| ORC-19.9 | Assigning Authority | | |
| ORC-19.9.1 | Namespace ID | | |
| ORC-19.9.2 | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | | |
| ORC-19.10 | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | | |
| ORC-19.12 | Check Digit Scheme | | |
| ORC-19.13 | Identifier Type Code | | |
| ORC-19.14 | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| | Name of Coding | | |

| Location | System Element | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |

| Location | Data Element | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| ORC-23.9 | Any Text | | |
| | | | |

| ORC-23.11 | Extended Patient Special Dia Code | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-23.12 | Unformatted Telephone number | | |
| ORC-24 | Ordering Provider Address | | |
| ORC-24.1 | Street Address | | |
| ORC-24.1.1 | Street or Mailing Address | | |
| ORC-24.1.2 | Street Name | | |
| ORC-24.1.3 | Dwelling Number | | |
| ORC-24.2 | Other Designation | | |
| ORC-24.3 | City | | |
| ORC-24.4 | State or Province | | |
| ORC-24.5 | Zip or Postal Code | | |
| ORC-24.6 | Country | | |
| ORC-24.7 | Address Type | | |
| ORC-24.8 | Other Geographic Designation | | |
| ORC-24.9 | County/Parish Code | | |
| ORC-24.10 | Census Tract | | |
| ORC-24.11 | Address Representation Code | | |
| ORC-24.12 | Address Validity Range | | |
| ORC-24.12.1 | Range Start Date/Time | | |
| ORC-24.12.2 | Range End Date/Time | | |
| ORC-24.13 | Effective Date | | |
| ORC-24.13.1 | Time | | |
| ORC-24.13.2 | Degree of Precision | | |
| ORC-24.14 | Expiration Date | | |
| ORC-24.14.1 | Time | | |
| ORC-24.14.2 | Degree of Precision | | |
| ORC-25 | Order Status Modifier | | |
| ORC-25.1 | Identifier | | |
| ORC-25.2 | Text | | |
| ORC-25.3 | Name of Coding System | | |
| ORC-25.4 | Alternate Identifier | | |
| ORC-25.5 | Alternate Text | | |
| ORC-25.6 | Name of Alternate Coding System | | |
| ORC-25.7 | Coding System Version ID | | |
| ORC-25.8 | Alternate Coding System Version ID | | |
| ORC-25.9 | Original Text | | |
| | Advanced Beneficiary | | |

| ORC-26 | Location | Notice Override Reason | Data Element | Data | Categorization |
|---------------|----------|---|--------------|------|----------------|
| | ORC-26.1 | Identifier | | | |
| | ORC-26.2 | Text | | | |
| | ORC-26.3 | Name of Coding System | | | |
| | ORC-26.4 | Alternate Identifier | | | |
| | ORC-26.5 | Alternate Text | | | |
| | ORC-26.6 | Name of Alternate Coding System | | | |
| | ORC-26.7 | Coding System Version ID | | | |
| | ORC-26.8 | Alternate Coding System Version ID | | | |
| | ORC-26.9 | Original Text | | | |
| ORC-27 | | Filler's Expected Availability Date/Time | | | |
| | ORC-27.1 | Time | | | |
| | ORC-27.2 | Degree of Precision | | | |
| ORC-28 | | Confidentiality Code | | | |
| | ORC-28.1 | Identifier | | | |
| | ORC-28.2 | Text | | | |
| | ORC-28.3 | Name of Coding System | | | |
| | ORC-28.4 | Alternate Identifier | | | |
| | ORC-28.5 | Alternate Text | | | |
| | ORC-28.6 | Name of Alternate Coding System | | | |
| | ORC-28.7 | Coding System Version ID | | | |
| | ORC-28.8 | Alternate Coding System Version ID | | | |
| | ORC-28.9 | Original Text | | | |
| ORC-29 | | Order Type | | | |
| | ORC-29.1 | Identifier | | | |
| | ORC-29.2 | Text | | | |
| | ORC-29.3 | Name of Coding System | | | |
| | ORC-29.4 | Alternate Identifier | | | |
| | ORC-29.5 | Alternate Text | | | |
| | ORC-29.6 | Name of Alternate Coding System | | | |
| | ORC-29.7 | Coding System Version ID | | | |
| | ORC-29.8 | Alternate Coding System Version ID | | | |
| | ORC-29.9 | Original Text | | | |
| ORC-30 | | Enterer Authorization Mode | | | |
| | ORC-30.1 | Identifier | | | |
| | ORC-30.2 | Text | | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-30.3 | System | | |
| ORC-30.4 | Alternate Identifier | | |
| ORC-30.5 | Alternate Text | | |
| ORC-30.6 | Name of Alternate Coding System | | |
| ORC-30.7 | Coding System Version ID | | |
| ORC-30.8 | Alternate Coding System Version ID | | |
| ORC-30.9 | Original Text | | |
| ORC-31 | Parent Universal Service Identifier | | |
| ORC-31.1 | Identifier | | |
| ORC-31.2 | Text | | |
| ORC-31.3 | Name of Coding System | | |
| ORC-31.4 | Alternate Identifier | | |
| ORC-31.5 | Alternate Text | | |
| ORC-31.6 | Name of Alternate Coding System | | |
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|-----------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 20091215 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 20091215 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 45 | |
| RXA-5.2 | Text | Hep B NOS | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |

| RXA-7 Location | Administered Unit | Data | Categorization |
|-----------------------|--|-------------------|-----------------------|
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage Form | | |
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |
| RXA-8.6 | Name of Alternate Coding System | | |
| RXA-9 | Administration Notes | | |
| RXA-9.1 | Identifier | 01 | |
| RXA-9.2 | Text | historical record | |
| RXA-9.3 | Name of Coding System | NIP001 | |
| RXA-9.4 | Alternate Identifier | | |
| RXA-9.5 | Alternate Text | | |
| RXA-9.6 | Name of Alternate Coding System | | |
| RXA-10 | Administering Provider | | |
| RXA-10.1 | ID Number | | |
| RXA-10.2 | Family Name | | |
| RXA-10.2.1 | Surname | | |
| RXA-10.2.2 | Own Surname Prefix | | |
| RXA-10.2.3 | Own Surname | | |
| RXA-10.2.4 | Surname Prefix From Partner/Spouse | | |
| RXA-10.2.5 | Surname From Partner/Spouse | | |
| RXA-10.3 | Given Name | | |
| RXA-10.4 | Second and Further Given Names or Initials Thereof | | |
| RXA-10.5 | Suffix (e.g., JR or III) | | |
| RXA-10.6 | Prefix (e.g., DR) | | |
| RXA-10.7 | Degree (e.g., MD) | | |
| RXA-10.8 | Source Table | | |
| RXA-10.9 | Assigning Authority | | |
| RXA-10.9.1 | Namespace ID | | |
| RXA-10.9.2 | Universal ID | | |

| RXA-10.9.3 Location | Universal ID Type Data Element | Data | Categorization |
|----------------------------|---------------------------------------|-------------|-----------------------|
| RXA-10.10 | Name Type Code | | |
| RXA-10.11 | Identifier Check Digit | | |
| RXA-10.12 | Check Digit Scheme | | |
| RXA-10.13 | Identifier Type Code | | |
| RXA-10.14 | Assigning Facility | | |
| RXA-10.14.1 | Namespace ID | | |
| RXA-10.14.2 | Universal ID | | |
| RXA-10.14.3 | Universal ID Type | | |
| RXA-10.15 | Name Representation Code | | |
| RXA-10.16 | Name Context | | |
| RXA-10.16.1 | Identifier | | |
| RXA-10.16.2 | Text | | |
| RXA-10.16.3 | Name of Coding System | | |
| RXA-10.16.4 | Alternate Identifier | | |
| RXA-10.16.5 | Alternate Text | | |
| RXA-10.16.6 | Name of Alternate Coding System | | |
| RXA-10.17 | Name Validity Range | | |
| RXA-10.17.1 | Range Start Date/Time | | |
| RXA-10.17.2 | Range End Date/Time | | |
| RXA-10.18 | Name Assembly Order | | |
| RXA-10.19 | Effective Date | | |
| RXA-10.19.1 | Time | | |
| RXA-10.19.2 | Degree of Precision | | |
| RXA-10.20 | Expiration Date | | |
| RXA-10.20.1 | Time | | |
| RXA-10.20.2 | Degree of Precision | | |
| RXA-10.21 | Professional Suffix | | |
| RXA-10.22 | Assigning Jurisdiction | | |
| RXA-10.22.1 | Identifier | | |
| RXA-10.22.2 | Text | | |
| RXA-10.22.3 | Name of Coding System | | |
| RXA-10.22.4 | Alternate Identifier | | |
| RXA-10.22.5 | Alternate Text | | |
| RXA-10.22.6 | Name of Alternate Coding System | | |
| RXA-10.22.7 | Coding System Version ID | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | |
| RXA-10.22.9 | Original Text | | |
| RXA-10.23 | Assigning Agency or Department | | |
| RXA-10.23.1 | Identifier | | |

| RXA-10.23.2 | Data Element | Data | Categorization |
|--------------------|-------------------------------------|-------------|-----------------------|
| | | | |
| RXA-10.23.3 | Name of Coding System | | |
| RXA-10.23.4 | Alternate Identifier | | |
| RXA-10.23.5 | Alternate Text | | |
| RXA-10.23.6 | Name of Alternate Coding System | | |
| RXA-10.23.7 | Coding System Version ID | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |
| RXA-11.11 | City | | |
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| RXA-11.14 | Country | | |
| RXA-11.15 | Address Type | | |
| RXA-11.16 | Other Geographic Designation | | |
| RXA-12 | Administered Per (Time Unit) | | |
| RXA-13 | Administered Strength | | |
| RXA-14 | Administered Strength Units | | |
| RXA-14.1 | Identifier | | |
| RXA-14.2 | Text | | |
| RXA-14.3 | Name of Coding System | | |
| RXA-14.4 | Alternate Identifier | | |
| RXA-14.5 | Alternate Text | | |
| RXA-14.6 | Name of Alternate Coding System | | |
| RXA-15 | Substance Lot Number | | |
| RXA-16 | Substance Expiration | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| RXA-16.1 | Time | | |
| RXA-16.2 | Degree of Precision | | |
| RXA-17 | Substance Manufacturer Name | | |
| RXA-17.1 | Identifier | | |
| RXA-17.2 | Text | | |
| RXA-17.3 | Name of Coding System | | |
| RXA-17.4 | Alternate Identifier | | |
| RXA-17.5 | Alternate Text | | |
| RXA-17.6 | Name of Alternate Coding System | | |
| RXA-18 | Substance/Treatment Refusal Reason | | |
| RXA-18.1 | Identifier | | |
| RXA-18.2 | Text | | |
| RXA-18.3 | Name of Coding System | | |
| RXA-18.4 | Alternate Identifier | | |
| RXA-18.5 | Alternate Text | | |
| RXA-18.6 | Name of Alternate Coding System | | |
| RXA-19 | Indication | | |
| RXA-19.1 | Identifier | | |
| RXA-19.2 | Text | | |
| RXA-19.3 | Name of Coding System | | |
| RXA-19.4 | Alternate Identifier | | |
| RXA-19.5 | Alternate Text | | |
| RXA-19.6 | Name of Alternate Coding System | | |
| RXA-20 | Completion Status | CP | |
| RXA-21 | Action Code - RXA | | |
| RXA-22 | System Entry Date/Time | | |
| RXA-22.1 | Time | | |
| RXA-22.2 | Degree of Precision | | |
| RXA-23 | Administered Drug Strength Volume | | |
| RXA-24 | Administered Drug Strength Volume Units | | |
| RXA-24.1 | Identifier | | |
| RXA-24.2 | Text | | |
| RXA-24.3 | Name of Coding System | | |
| RXA-24.4 | Alternate Identifier | | |
| RXA-24.5 | Alternate Text | | |
| RXA-24.6 | Name of Alternate Coding System | | |
| | Coding System | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| RXA-24.7 | Alternate Coding System Version ID | | |
| RXA-24.8 | | | |
| RXA-24.9 | Original Text | | |
| RXA-25 | Administered Barcode Identifier | | |
| RXA-25.1 | Identifier | | |
| RXA-25.2 | Text | | |
| RXA-25.3 | Name of Coding System | | |
| RXA-25.4 | Alternate Identifier | | |
| RXA-25.5 | Alternate Text | | |
| RXA-25.6 | Name of Alternate Coding System | | |
| RXA-25.7 | Coding System Version ID | | |
| RXA-25.8 | Alternate Coding System Version ID | | |
| RXA-25.9 | Original Text | | |
| RXA-26 | Pharmacy Order Type | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|--------------|---------------------------------|--------------|----------------|
| OBX-1 | Set ID - OBX | 4 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 3 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 45 | |
| OBX-5.2 | Text | Hep B NOS | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |

| OBX-6.4 Location | Alternate Identifier Data Element | Data | Categorization |
|---------------------|--|------|----------------|
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |

| OBX-Location | Name Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.9.1 | Universal ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or | | |

| Location | Dependent Element Identifier | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.23.1 | Text | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| | | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-23.6.1 | Universal ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| | | | |

| OBX-25.2.4 | Data Element | Data | Categorization |
|-------------|--|------|----------------|
| OBX-25.2.4 | From Partner/Spouse Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |

| OBX-25.22.2 Location | Data Elementmt Name of Coding System | Data | Categrization |
|-------------------------|---|------|---------------|
| OBX-25.22.3 | System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categrization |
|--------------|---------------------------------|----------------------------|---------------|
| OBX-1 | Set ID - OBX | 5 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 3 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| | Name of Alternate | | |

| OBX-6 | Location | Coding System | Data Element | Data | Categorization |
|---------------|----------|---|--------------|------|----------------|
| OBX-6 | | Units | | | |
| OBX-6.1 | | Identifier | | | |
| OBX-6.2 | | Text | | | |
| OBX-6.3 | | Name of Coding System | | | |
| OBX-6.4 | | Alternate Identifier | | | |
| OBX-6.5 | | Alternate Text | | | |
| OBX-6.6 | | Name of Alternate Coding System | | | |
| OBX-7 | | References Range | | | |
| OBX-8 | | Abnormal Flags | | | |
| OBX-9 | | Probability | | | |
| OBX-10 | | Nature of Abnormal Test | | | |
| OBX-11 | | Observation Result Status | F | | |
| OBX-12 | | Effective Date of Reference Range Values | | | |
| OBX-12.1 | | Time | | | |
| OBX-12.2 | | Degree of Precision | | | |
| OBX-13 | | User Defined Access Checks | | | |
| OBX-14 | | Date/Time of the Observation | | | |
| OBX-14.1 | | Time | 20150531 | | |
| OBX-14.2 | | Degree of Precision | | | |
| OBX-15 | | Producer's Reference | | | |
| OBX-15.1 | | Identifier | | | |
| OBX-15.2 | | Text | | | |
| OBX-15.3 | | Name of Coding System | | | |
| OBX-15.4 | | Alternate Identifier | | | |
| OBX-15.5 | | Alternate Text | | | |
| OBX-15.6 | | Name of Alternate Coding System | | | |
| OBX-16 | | Responsible Observer | | | |
| OBX-16.1 | | ID Number | | | |
| OBX-16.2 | | Family Name | | | |
| OBX-16.2.1 | | Surname | | | |
| OBX-16.2.2 | | Own Surname Prefix | | | |
| OBX-16.2.3 | | Own Surname | | | |
| OBX-16.2.4 | | Surname Prefix From Partner/Spouse | | | |
| OBX-16.2.5 | | Surname From Partner/Spouse | | | |
| OBX-16.3 | | Given Name | | | |
| OBX-16.4 | | Second and Further Given Names or Initials | | | |

| Location | Therapy Element | Data | Categorization |
|-------------|---------------------------------|------|----------------|
| OBX-16.5 | Prefix (e.g., DR) | | |
| OBX-16.6 | Degree (e.g., MD) | | |
| OBX-16.7 | Source Table | | |
| OBX-16.8 | Assigning Authority | | |
| OBX-16.9 | Namespace ID | | |
| OBX-16.9.1 | Universal ID | | |
| OBX-16.9.2 | Universal ID Type | | |
| OBX-16.9.3 | Name Type Code | | |
| OBX-16.10 | Identifier Check Digit | | |
| OBX-16.11 | Check Digit Scheme | | |
| OBX-16.12 | Identifier Type Code | | |
| OBX-16.13 | Assigning Facility | | |
| OBX-16.14 | Namespace ID | | |
| OBX-16.14.1 | Universal ID | | |
| OBX-16.14.2 | Universal ID Type | | |
| OBX-16.14.3 | Name Representation Code | | |
| OBX-16.15 | Name Context | | |
| OBX-16.16 | Identifier | | |
| OBX-16.16.1 | Text | | |
| OBX-16.16.2 | Name of Coding System | | |
| OBX-16.16.3 | Alternate Identifier | | |
| OBX-16.16.4 | Alternate Text | | |
| OBX-16.16.5 | Name of Alternate Coding System | | |
| OBX-16.16.6 | Name Validity Range | | |
| OBX-16.17 | Range Start Date/Time | | |
| OBX-16.17.1 | Range End Date/Time | | |
| OBX-16.17.2 | Name Assembly Order | | |
| OBX-16.18 | Effective Date | | |
| OBX-16.19 | Time | | |
| OBX-16.19.1 | Degree of Precision | | |
| OBX-16.19.2 | Expiration Date | | |
| OBX-16.20 | Time | | |
| OBX-16.20.1 | Degree of Precision | | |
| OBX-16.20.2 | Professional Suffix | | |
| OBX-16.21 | Assigning Jurisdiction | | |
| OBX-16.22 | Identifier | | |
| OBX-16.22.1 | Text | | |
| OBX-16.22.2 | Name of Coding System | | |
| OBX-16.22.3 | Alternate Identifier | | |
| OBX-16.22.4 | Alternate Text | | |
| OBX-16.22.5 | Name of Alternate Coding System | | |
| OBX-16.22.6 | | | |

| Location | Coding System | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.22.7 | Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-23.2 | Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical | | |

| Location | Data Element | Data | Categorization |
|-------------|--|------|----------------|
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| | | | |

| OBX-25.20 | Degree of Precision | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|----------|---------------------------------|---------------|----------------|
| OBX-1 | Set ID - OBX | 6 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 3 | |
| OBX-5 | Observation Value | Y | |

| OBX-6 Location | Unit Data Element | Data | Categorization |
|----------------|--|----------|----------------|
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| | | | |

| OBX-Location | Sub-Data (e.g., ID, PK) | Data | Categorization |
|--------------|---------------------------------|------|----------------|
| OBX-16.6 | OBX (e.g., ID) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| | Coding System | | |

| OBX-16.22.7 | Version ID | Data Element | Data | Categorization |
|---------------|---|--------------|------|----------------|
| OBX-16.22.8 | Alternate Coding System Version ID | | | |
| OBX-16.22.9 | Original Text | | | |
| OBX-16.23 | Assigning Agency or Department | | | |
| OBX-16.23.1 | Identifier | | | |
| OBX-16.23.2 | Text | | | |
| OBX-16.23.3 | Name of Coding System | | | |
| OBX-16.23.4 | Alternate Identifier | | | |
| OBX-16.23.5 | Alternate Text | | | |
| OBX-16.23.6 | Name of Alternate Coding System | | | |
| OBX-16.23.7 | Coding System Version ID | | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | | |
| OBX-16.23.9 | Original Text | | | |
| OBX-17 | Observation Method | | | |
| OBX-17.1 | Identifier | | | |
| OBX-17.2 | Text | | | |
| OBX-17.3 | Name of Coding System | | | |
| OBX-17.4 | Alternate Identifier | | | |
| OBX-17.5 | Alternate Text | | | |
| OBX-17.6 | Name of Alternate Coding System | | | |
| OBX-18 | Equipment Instance Identifier | | | |
| OBX-18.1 | Entity Identifier | | | |
| OBX-18.2 | Namespace ID | | | |
| OBX-18.3 | Universal ID | | | |
| OBX-18.4 | Universal ID Type | | | |
| OBX-19 | Date/Time of the Analysis | | | |
| OBX-19.1 | Time | | | |
| OBX-19.2 | Degree of Precision | | | |
| OBX-20 | Reserved for harmonization with V2.6 | | | |
| OBX-21 | Reserved for harmonization with V2.6 | | | |
| OBX-22 | Reserved for harmonization with V2.6 | | | |
| OBX-23 | Performing Organization Name | | | |
| OBX-23.1 | Organization Name | | | |
| | Organization Name | | | |

| OBX-Location | Type Code Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |

| OBX-25.1 Location | ID Number | Item Name | Data | Categorization |
|-------------------|-----------|--|------|----------------|
| OBX-25.2 | | Family Name | | |
| OBX-25.2.1 | | Surname | | |
| OBX-25.2.2 | | Own Surname Prefix | | |
| OBX-25.2.3 | | Own Surname | | |
| OBX-25.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | | Surname From Partner/Spouse | | |
| OBX-25.3 | | Given Name | | |
| OBX-25.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | | Suffix (e.g., JR or III) | | |
| OBX-25.6 | | Prefix (e.g., DR) | | |
| OBX-25.7 | | Degree (e.g., MD) | | |
| OBX-25.8 | | Source Table | | |
| OBX-25.9 | | Assigning Authority | | |
| OBX-25.9.1 | | Namespace ID | | |
| OBX-25.9.2 | | Universal ID | | |
| OBX-25.9.3 | | Universal ID Type | | |
| OBX-25.10 | | Name Type Code | | |
| OBX-25.11 | | Identifier Check Digit | | |
| OBX-25.12 | | Check Digit Scheme | | |
| OBX-25.13 | | Identifier Type Code | | |
| OBX-25.14 | | Assigning Facility | | |
| OBX-25.14.1 | | Namespace ID | | |
| OBX-25.14.2 | | Universal ID | | |
| OBX-25.14.3 | | Universal ID Type | | |
| OBX-25.15 | | Name Representation Code | | |
| OBX-25.16 | | Name Context | | |
| OBX-25.16.1 | | Identifier | | |
| OBX-25.16.2 | | Text | | |
| OBX-25.16.3 | | Name of Coding System | | |
| OBX-25.16.4 | | Alternate Identifier | | |
| OBX-25.16.5 | | Alternate Text | | |
| OBX-25.16.6 | | Name of Alternate Coding System | | |
| OBX-25.17 | | Name Validity Range | | |
| OBX-25.17.1 | | Range Start Date/Time | | |
| OBX-25.17.2 | | Range End Date/Time | | |
| OBX-25.18 | | Name Assembly Order | | |
| OBX-25.19 | | Effective Date | | |
| OBX-25.19.1 | | Time | | |
| OBX-25.19.2 | | Degree of Precision | | |
| OBX-25.20 | | Expiration Date | | |

| OBX-25.20.1 | Data Element | Data | Categorization |
|--------------------|------------------------------------|-------------|-----------------------|
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|-----------------|----------------------------|-------------|-----------------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 317023 | |
| ORC-3.2 | Namespace ID | DCS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |

| ORC-4 | Location | Universal ID | Data Element | mt | Data | Categorization |
|--------------|----------|--|--------------|----|------|----------------|
| ORC-4.4 | | Universal ID Type | | | | |
| ORC-5 | | Order Status | | | | |
| ORC-6 | | Response Flag | | | | |
| ORC-7 | | Quantity/Timing | | | | |
| ORC-7.1 | | Quantity | | | | |
| ORC-7.1.1 | | Quantity | | | | |
| ORC-7.1.2 | | Units | | | | |
| ORC-7.2 | | Interval | | | | |
| ORC-7.2.1 | | Repeat Pattern | | | | |
| ORC-7.2.2 | | Explicit Time Interval | | | | |
| ORC-7.3 | | Duration | | | | |
| ORC-7.4 | | Start Date/Time | | | | |
| ORC-7.4.1 | | Time | | | | |
| ORC-7.4.2 | | Degree of Precision | | | | |
| ORC-7.5 | | End Date/Time | | | | |
| ORC-7.5.1 | | Time | | | | |
| ORC-7.5.2 | | Degree of Precision | | | | |
| ORC-7.6 | | Priority | | | | |
| ORC-7.7 | | Condition | | | | |
| ORC-7.8 | | Text | | | | |
| ORC-7.9 | | Conjunction | | | | |
| ORC-7.10 | | Order Sequencing | | | | |
| ORC-7.10.1 | | Sequence/Results Flag | | | | |
| ORC-7.10.2 | | Placer Order Number: Entity Identifier | | | | |
| ORC-7.10.3 | | Placer Order Number: Namespace ID | | | | |
| ORC-7.10.4 | | Filler Order Number: Entity Identifier | | | | |
| ORC-7.10.5 | | Filler Order Number: Namespace ID | | | | |
| ORC-7.10.6 | | Sequence Condition Value | | | | |
| ORC-7.10.7 | | Maximum Number of Repeats | | | | |
| ORC-7.10.8 | | Placer Order Number: Universal ID | | | | |
| ORC-7.10.9 | | Placer Order Number: Universal ID Type | | | | |
| ORC-7.10.10 | | Filler Order Number: Universal ID | | | | |
| ORC-7.10.11 | | Filler Order Number: Universal ID Type | | | | |
| ORC-7.11 | | Occurrence Duration | | | | |

| ORC-Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| ORC-8.2 | Filler Assigned Identifier | | |
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |
| ORC-9.1 | Time | | |
| ORC-9.2 | Degree of Precision | | |
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | |
| ORC-10.3 | Given Name | | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |
| ORC-10.9 | Assigning Authority | | |
| ORC-10.9.1 | Namespace ID | | |
| ORC-10.9.2 | Universal ID | | |
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | | |
| | | | |

| ORC-10.11 | Identifier Check Digit | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| ORC-10.12 | Identifier Check Digit Scheme | | |
| ORC-10.13 | Identifier Type Code | | |
| ORC-10.14 | Assigning Facility | | |
| ORC-10.14.1 | Namespace ID | | |
| ORC-10.14.2 | Universal ID | | |
| ORC-10.14.3 | Universal ID Type | | |
| ORC-10.15 | Name Representation Code | | |
| ORC-10.16 | Name Context | | |
| ORC-10.16.1 | Identifier | | |
| ORC-10.16.2 | Text | | |
| ORC-10.16.3 | Name of Coding System | | |
| ORC-10.16.4 | Alternate Identifier | | |
| ORC-10.16.5 | Alternate Text | | |
| ORC-10.16.6 | Name of Alternate Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding | | |

| Location | System Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| ORC-11.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| | Name of Alternate | | |

| ORC-11.16.6 Location | Coding System Element | Data | Categorization |
|----------------------|------------------------------------|------|----------------|
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |
| ORC-11.23.6 | Name of Alternate Coding System | | |
| ORC-11.23.7 | Coding System Version ID | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | |
| ORC-11.23.9 | Original Text | | |
| ORC-12 | Ordering Provider | | |
| ORC-12.1 | ID Number | | |
| ORC-12.2 | Family Name | | |
| ORC-12.2.1 | Surname | | |
| ORC-12.2.2 | Own Surname Prefix | | |
| ORC-12.2.3 | Own Surname | | |
| | | | |

| Location | Data Element | Data | Categorization |
|-------------|--|------|----------------|
| ORC-12.2.5 | From Partner/Spouse Surname From Partner/Spouse | | |
| ORC-12.3 | Given Name | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-12.5 | Suffix (e.g., JR or III) | | |
| ORC-12.6 | Prefix (e.g., DR) | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |
| ORC-12.10 | Name Type Code | | |
| ORC-12.11 | Identifier Check Digit | | |
| ORC-12.12 | Check Digit Scheme | | |
| ORC-12.13 | Identifier Type Code | | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |
| ORC-12.16 | Name Context | | |
| ORC-12.16.1 | Identifier | | |
| ORC-12.16.2 | Text | | |
| ORC-12.16.3 | Name of Coding System | | |
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| ORC-12.17.1 | Range Start Date/Time | | |
| ORC-12.17.2 | Range End Date/Time | | |
| ORC-12.18 | Name Assembly Order | | |
| ORC-12.19 | Effective Date | | |
| ORC-12.19.1 | Time | | |
| ORC-12.19.2 | Degree of Precision | | |
| ORC-12.20 | Expiration Date | | |
| ORC-12.20.1 | Time | | |
| ORC-12.20.2 | Degree of Precision | | |
| ORC-12.21 | Professional Suffix | | |
| ORC-12.22 | Assigning Jurisdiction | | |
| ORC-12.22.1 | Identifier | | |

| Location | Data Element Name of Coding System | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| ORC-12.22.3 | System | | |
| ORC-12.22.4 | Alternate Identifier | | |
| ORC-12.22.5 | Alternate Text | | |
| ORC-12.22.6 | Name of Alternate Coding System | | |
| ORC-12.22.7 | Coding System Version ID | | |
| ORC-12.22.8 | Alternate Coding System Version ID | | |
| ORC-12.22.9 | Original Text | | |
| ORC-12.23 | Assigning Agency or Department | | |
| ORC-12.23.1 | Identifier | | |
| ORC-12.23.2 | Text | | |
| ORC-12.23.3 | Name of Coding System | | |
| ORC-12.23.4 | Alternate Identifier | | |
| ORC-12.23.5 | Alternate Text | | |
| ORC-12.23.6 | Name of Alternate Coding System | | |
| ORC-12.23.7 | Coding System Version ID | | |
| ORC-12.23.8 | Alternate Coding System Version ID | | |
| ORC-12.23.9 | Original Text | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| | | | |

| Location | Device ID Type | Data | Categorization |
|---------------|----------------------------------|-----------------------|----------------|
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication Equipment Type | | |
| ORC-14.4 | Email Address | | |
| ORC-14.5 | Country Code | | |
| ORC-14.6 | Area/City Code | | |
| ORC-14.7 | Local Number | | |
| ORC-14.8 | Extension | | |
| ORC-14.9 | Any Text | | |
| ORC-14.10 | Extension Prefix | | |
| ORC-14.11 | Speed Dial Code | | |
| ORC-14.12 | Unformatted Telephone number | | |
| ORC-15 | Order Effective Date/Time | | |
| ORC-15.1 | Time | | |
| ORC-15.2 | Degree of Precision | | |
| ORC-16 | Order Control Code Reason | | |
| ORC-16.1 | Identifier | | |
| ORC-16.2 | Text | | |
| ORC-16.3 | Name of Coding System | | |
| ORC-16.4 | Alternate Identifier | | |
| ORC-16.5 | Alternate Text | | |
| ORC-16.6 | Name of Alternate Coding System | | |
| ORC-17 | Entering Organization | | |
| ORC-17.1 | Identifier | DCS | |
| ORC-17.2 | Text | Dabig Clinical System | |
| ORC-17.3 | Name of Coding System | StateIIS | |
| ORC-17.4 | Alternate Identifier | | |
| ORC-17.5 | Alternate Text | | |
| ORC-17.6 | Name of Alternate Coding System | | |
| ORC-18 | Entering Device | | |
| ORC-18.1 | Identifier | | |
| ORC-18.2 | Text | | |
| ORC-18.3 | Name of Coding System | | |
| ORC-18.4 | Alternate Identifier | | |
| ORC-18.5 | Alternate Text | | |
| ORC-18.6 | Name of Alternate Coding System | | |
| ORC-19 | Action By | | |

| ORC-Location | ID Number Element | Data | Categorization |
|--------------|--|------|----------------|
| ORC-19.2 | Family Name | | |
| ORC-19.2.1 | Surname | | |
| ORC-19.2.2 | Own Surname Prefix | | |
| ORC-19.2.3 | Own Surname | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | |
| ORC-19.3 | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |
| ORC-19.6 | Prefix (e.g., DR) | | |
| ORC-19.7 | Degree (e.g., MD) | | |
| ORC-19.8 | Source Table | | |
| ORC-19.9 | Assigning Authority | | |
| ORC-19.9.1 | Namespace ID | | |
| ORC-19.9.2 | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | | |
| ORC-19.10 | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | | |
| ORC-19.12 | Check Digit Scheme | | |
| ORC-19.13 | Identifier Type Code | | |
| ORC-19.14 | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |

| Location | Expirable Data Element | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| ORC-19.22.3 | Name of Coding System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| | | | |

| ORC-21.6 | Ordering Facility Assigning Authority | Data | Categorization |
|---------------|---|------|----------------|
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |

| ORC-23.4 | Location | Data Element | Data | Categorization |
|---------------|----------|----------------------------------|------|----------------|
| ORC-23.5 | | Country Code | | |
| ORC-23.6 | | Area/City Code | | |
| ORC-23.7 | | Local Number | | |
| ORC-23.8 | | Extension | | |
| ORC-23.9 | | Any Text | | |
| ORC-23.10 | | Extension Prefix | | |
| ORC-23.11 | | Speed Dial Code | | |
| ORC-23.12 | | Unformatted Telephone number | | |
| ORC-24 | | Ordering Provider Address | | |
| ORC-24.1 | | Street Address | | |
| ORC-24.1.1 | | Street or Mailing Address | | |
| ORC-24.1.2 | | Street Name | | |
| ORC-24.1.3 | | Dwelling Number | | |
| ORC-24.2 | | Other Designation | | |
| ORC-24.3 | | City | | |
| ORC-24.4 | | State or Province | | |
| ORC-24.5 | | Zip or Postal Code | | |
| ORC-24.6 | | Country | | |
| ORC-24.7 | | Address Type | | |
| ORC-24.8 | | Other Geographic Designation | | |
| ORC-24.9 | | County/Parish Code | | |
| ORC-24.10 | | Census Tract | | |
| ORC-24.11 | | Address Representation Code | | |
| ORC-24.12 | | Address Validity Range | | |
| ORC-24.12.1 | | Range Start Date/Time | | |
| ORC-24.12.2 | | Range End Date/Time | | |
| ORC-24.13 | | Effective Date | | |
| ORC-24.13.1 | | Time | | |
| ORC-24.13.2 | | Degree of Precision | | |
| ORC-24.14 | | Expiration Date | | |
| ORC-24.14.1 | | Time | | |
| ORC-24.14.2 | | Degree of Precision | | |
| ORC-25 | | Order Status Modifier | | |
| ORC-25.1 | | Identifier | | |
| ORC-25.2 | | Text | | |
| ORC-25.3 | | Name of Coding System | | |
| ORC-25.4 | | Alternate Identifier | | |
| ORC-25.5 | | Alternate Text | | |
| ORC-25.6 | | Name of Alternate | | |

| Location | Code Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-25.7 | Coding System Version ID | | |
| ORC-25.8 | Alternate Coding System Version ID | | |
| ORC-25.9 | Original Text | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | |
| ORC-26.1 | Identifier | | |
| ORC-26.2 | Text | | |
| ORC-26.3 | Name of Coding System | | |
| ORC-26.4 | Alternate Identifier | | |
| ORC-26.5 | Alternate Text | | |
| ORC-26.6 | Name of Alternate Coding System | | |
| ORC-26.7 | Coding System Version ID | | |
| ORC-26.8 | Alternate Coding System Version ID | | |
| ORC-26.9 | Original Text | | |
| ORC-27 | Filler's Expected Availability Date/Time | | |
| ORC-27.1 | Time | | |
| ORC-27.2 | Degree of Precision | | |
| ORC-28 | Confidentiality Code | | |
| ORC-28.1 | Identifier | | |
| ORC-28.2 | Text | | |
| ORC-28.3 | Name of Coding System | | |
| ORC-28.4 | Alternate Identifier | | |
| ORC-28.5 | Alternate Text | | |
| ORC-28.6 | Name of Alternate Coding System | | |
| ORC-28.7 | Coding System Version ID | | |
| ORC-28.8 | Alternate Coding System Version ID | | |
| ORC-28.9 | Original Text | | |
| ORC-29 | Order Type | | |
| ORC-29.1 | Identifier | | |
| ORC-29.2 | Text | | |
| ORC-29.3 | Name of Coding System | | |
| ORC-29.4 | Alternate Identifier | | |
| ORC-29.5 | Alternate Text | | |
| ORC-29.6 | Name of Alternate Coding System | | |
| ORC-29.7 | Coding System Version ID | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-29.8 | System Version ID | | |
| ORC-29.9 | Original Text | | |
| ORC-30 | Enterer Authorization Mode | | |
| ORC-30.1 | Identifier | | |
| ORC-30.2 | Text | | |
| ORC-30.3 | Name of Coding System | | |
| ORC-30.4 | Alternate Identifier | | |
| ORC-30.5 | Alternate Text | | |
| ORC-30.6 | Name of Alternate Coding System | | |
| ORC-30.7 | Coding System Version ID | | |
| ORC-30.8 | Alternate Coding System Version ID | | |
| ORC-30.9 | Original Text | | |
| ORC-31 | Parent Universal Service Identifier | | |
| ORC-31.1 | Identifier | | |
| ORC-31.2 | Text | | |
| ORC-31.3 | Name of Coding System | | |
| ORC-31.4 | Alternate Identifier | | |
| ORC-31.5 | Alternate Text | | |
| ORC-31.6 | Name of Alternate Coding System | | |
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|----------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 19800415 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 19800415 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 01 | |

| RXA-5.2 Location | Data Element | DTP | Data | Categorization |
|-------------------------|--|-------------------|-------------|-----------------------|
| RXA-5.3 | Name of Coding System | CVX | | |
| RXA-5.4 | Alternate Identifier | | | |
| RXA-5.5 | Alternate Text | | | |
| RXA-5.6 | Name of Alternate Coding System | | | |
| RXA-6 | Administered Amount | 999 | | |
| RXA-7 | Administered Units | | | |
| RXA-7.1 | Identifier | | | |
| RXA-7.2 | Text | | | |
| RXA-7.3 | Name of Coding System | | | |
| RXA-7.4 | Alternate Identifier | | | |
| RXA-7.5 | Alternate Text | | | |
| RXA-7.6 | Name of Alternate Coding System | | | |
| RXA-8 | Administered Dosage Form | | | |
| RXA-8.1 | Identifier | | | |
| RXA-8.2 | Text | | | |
| RXA-8.3 | Name of Coding System | | | |
| RXA-8.4 | Alternate Identifier | | | |
| RXA-8.5 | Alternate Text | | | |
| RXA-8.6 | Name of Alternate Coding System | | | |
| RXA-9 | Administration Notes | | | |
| RXA-9.1 | Identifier | 01 | | |
| RXA-9.2 | Text | historical record | | |
| RXA-9.3 | Name of Coding System | NIP001 | | |
| RXA-9.4 | Alternate Identifier | | | |
| RXA-9.5 | Alternate Text | | | |
| RXA-9.6 | Name of Alternate Coding System | | | |
| RXA-10 | Administering Provider | | | |
| RXA-10.1 | ID Number | | | |
| RXA-10.2 | Family Name | | | |
| RXA-10.2.1 | Surname | | | |
| RXA-10.2.2 | Own Surname Prefix | | | |
| RXA-10.2.3 | Own Surname | | | |
| RXA-10.2.4 | Surname Prefix From Partner/Spouse | | | |
| RXA-10.2.5 | Surname From Partner/Spouse | | | |
| RXA-10.3 | Given Name | | | |
| RXA-10.4 | Second and Further Given Names or Initials | | | |

| Location | Therapy Element | Data | Categorization |
|-------------|---------------------------------|------|----------------|
| RXA-10.5 | Suffix (e.g., DR or II) | | |
| RXA-10.6 | Prefix (e.g., DR) | | |
| RXA-10.7 | Degree (e.g., MD) | | |
| RXA-10.8 | Source Table | | |
| RXA-10.9 | Assigning Authority | | |
| RXA-10.9.1 | Namespace ID | | |
| RXA-10.9.2 | Universal ID | | |
| RXA-10.9.3 | Universal ID Type | | |
| RXA-10.10 | Name Type Code | | |
| RXA-10.11 | Identifier Check Digit | | |
| RXA-10.12 | Check Digit Scheme | | |
| RXA-10.13 | Identifier Type Code | | |
| RXA-10.14 | Assigning Facility | | |
| RXA-10.14.1 | Namespace ID | | |
| RXA-10.14.2 | Universal ID | | |
| RXA-10.14.3 | Universal ID Type | | |
| RXA-10.15 | Name Representation Code | | |
| RXA-10.16 | Name Context | | |
| RXA-10.16.1 | Identifier | | |
| RXA-10.16.2 | Text | | |
| RXA-10.16.3 | Name of Coding System | | |
| RXA-10.16.4 | Alternate Identifier | | |
| RXA-10.16.5 | Alternate Text | | |
| RXA-10.16.6 | Name of Alternate Coding System | | |
| RXA-10.17 | Name Validity Range | | |
| RXA-10.17.1 | Range Start Date/Time | | |
| RXA-10.17.2 | Range End Date/Time | | |
| RXA-10.18 | Name Assembly Order | | |
| RXA-10.19 | Effective Date | | |
| RXA-10.19.1 | Time | | |
| RXA-10.19.2 | Degree of Precision | | |
| RXA-10.20 | Expiration Date | | |
| RXA-10.20.1 | Time | | |
| RXA-10.20.2 | Degree of Precision | | |
| RXA-10.21 | Professional Suffix | | |
| RXA-10.22 | Assigning Jurisdiction | | |
| RXA-10.22.1 | Identifier | | |
| RXA-10.22.2 | Text | | |
| RXA-10.22.3 | Name of Coding System | | |
| RXA-10.22.4 | Alternate Identifier | | |
| RXA-10.22.5 | Alternate Text | | |
| RXA-10.22.6 | Name of Alternate Coding System | | |

| RXA-10.22.7 | Coding System | Data | Categorization |
|--------------------|-------------------------------------|-------------|-----------------------|
| | Version ID | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | |
| RXA-10.22.9 | Original Text | | |
| RXA-10.23 | Assigning Agency or Department | | |
| RXA-10.23.1 | Identifier | | |
| RXA-10.23.2 | Text | | |
| RXA-10.23.3 | Name of Coding System | | |
| RXA-10.23.4 | Alternate Identifier | | |
| RXA-10.23.5 | Alternate Text | | |
| RXA-10.23.6 | Name of Alternate Coding System | | |
| RXA-10.23.7 | Coding System Version ID | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |
| RXA-11.11 | City | | |
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| RXA-11.14 | Country | | |
| RXA-11.15 | Address Type | | |
| RXA-11.16 | Other Geographic Designation | | |
| RXA-12 | Administered Per (Time Unit) | | |
| RXA-13 | Administered Strength | | |
| RXA-14 | Administered Strength Units | | |
| RXA-14.1 | Identifier | | |
| RXA-14.2 | Text | | |
| RXA-14.3 | Name of Coding | | |

| Location | System Data Element | Data | Categorization |
|---------------|--|------|----------------|
| RXA-14.4 | Alternate Identifier | | |
| RXA-14.5 | Alternate Text | | |
| RXA-14.6 | Name of Alternate Coding System | | |
| RXA-15 | Substance Lot Number | | |
| RXA-16 | Substance Expiration Date | | |
| RXA-16.1 | Time | | |
| RXA-16.2 | Degree of Precision | | |
| RXA-17 | Substance Manufacturer Name | | |
| RXA-17.1 | Identifier | | |
| RXA-17.2 | Text | | |
| RXA-17.3 | Name of Coding System | | |
| RXA-17.4 | Alternate Identifier | | |
| RXA-17.5 | Alternate Text | | |
| RXA-17.6 | Name of Alternate Coding System | | |
| RXA-18 | Substance/Treatment Refusal Reason | | |
| RXA-18.1 | Identifier | | |
| RXA-18.2 | Text | | |
| RXA-18.3 | Name of Coding System | | |
| RXA-18.4 | Alternate Identifier | | |
| RXA-18.5 | Alternate Text | | |
| RXA-18.6 | Name of Alternate Coding System | | |
| RXA-19 | Indication | | |
| RXA-19.1 | Identifier | | |
| RXA-19.2 | Text | | |
| RXA-19.3 | Name of Coding System | | |
| RXA-19.4 | Alternate Identifier | | |
| RXA-19.5 | Alternate Text | | |
| RXA-19.6 | Name of Alternate Coding System | | |
| RXA-20 | Completion Status | CP | |
| RXA-21 | Action Code - RXA | | |
| RXA-22 | System Entry Date/Time | | |
| RXA-22.1 | Time | | |
| RXA-22.2 | Degree of Precision | | |
| RXA-23 | Administered Drug Strength Volume | | |
| RXA-24 | Administered Drug Strength Volume Units | | |
| RXA-24.1 | Identifier | | |
| RXA-24.2 | Text | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| RXA-24.3 | System | | |
| RXA-24.4 | Alternate Identifier | | |
| RXA-24.5 | Alternate Text | | |
| RXA-24.6 | Name of Alternate Coding System | | |
| RXA-24.7 | Coding System Version ID | | |
| RXA-24.8 | Alternate Coding System Version ID | | |
| RXA-24.9 | Original Text | | |
| RXA-25 | Administered Barcode Identifier | | |
| RXA-25.1 | Identifier | | |
| RXA-25.2 | Text | | |
| RXA-25.3 | Name of Coding System | | |
| RXA-25.4 | Alternate Identifier | | |
| RXA-25.5 | Alternate Text | | |
| RXA-25.6 | Name of Alternate Coding System | | |
| RXA-25.7 | Coding System Version ID | | |
| RXA-25.8 | Alternate Coding System Version ID | | |
| RXA-25.9 | Original Text | | |
| RXA-26 | Pharmacy Order Type | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|--------------|---------------------------------|--------------|----------------|
| OBX-1 | Set ID - OBX | 7 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 4 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 107 | |
| OBX-5.2 | Text | DTAP NOS | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |

| Location | Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-5.6 | Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| | Second and Further | | |

| OBX-Location | OBX-Data Element | Data | Categorization |
|--------------|--|------|----------------|
| | OBX-16.4 Give Name or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| | | | |

| OBX-16.22.6 | Name of Alternate Coding System | Data | Categorization |
|---------------|---|------|----------------|
| | Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing | | |

| OBX-23.1 | Location | Organization Name | Data | Categorization |
|---------------|----------|--|------|----------------|
| | | Organization Name | | |
| OBX-23.2 | | Organization Name Type Code | | |
| OBX-23.3 | | ID Number | | |
| OBX-23.4 | | Check Digit | | |
| OBX-23.5 | | Check Digit Scheme | | |
| OBX-23.6 | | Assigning Authority | | |
| OBX-23.6.1 | | Namespace ID | | |
| OBX-23.6.2 | | Universal ID | | |
| OBX-23.6.3 | | Universal ID Type | | |
| OBX-23.7 | | Identifier Type Code | | |
| OBX-23.8 | | Assigning Facility | | |
| OBX-23.8.1 | | Namespace ID | | |
| OBX-23.8.2 | | Universal ID | | |
| OBX-23.8.3 | | Universal ID Type | | |
| OBX-23.9 | | Name Representation Code | | |
| OBX-23.10 | | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | |
| OBX-24.1 | | Street Address | | |
| OBX-24.1.1 | | Street or Mailing Address | | |
| OBX-24.1.2 | | Street Name | | |
| OBX-24.1.3 | | Dwelling Number | | |
| OBX-24.2 | | Other Designation | | |
| OBX-24.3 | | City | | |
| OBX-24.4 | | State or Province | | |
| OBX-24.5 | | Zip or Postal Code | | |
| OBX-24.6 | | Country | | |
| OBX-24.7 | | Address Type | | |
| OBX-24.8 | | Other Geographic Designation | | |
| OBX-24.9 | | County/Parish Code | | |
| OBX-24.10 | | Census Tract | | |
| OBX-24.11 | | Address Representation Code | | |
| OBX-24.12 | | Address Validity Range | | |
| OBX-24.12.1 | | Range Start Date/Time | | |
| OBX-24.12.2 | | Range End Date/Time | | |
| OBX-24.13 | | Effective Date | | |
| OBX-24.13.1 | | Time | | |
| OBX-24.13.2 | | Degree of Precision | | |
| OBX-24.14 | | Expiration Date | | |
| OBX-24.14.1 | | Time | | |
| OBX-24.14.2 | | Degree of Precision | | |

| Location | Performance | Data | Categorization |
|-------------|--|------|----------------|
| OBX-25 | Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| | | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.19.1 | Effective Date | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|----------|------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 8 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| | Name of Alternate | | |

| OBX-Location | Coding System Element | Data | Categorization |
|---------------|---|-----------|----------------|
| OBX-4 | Observation Sub-ID | 4 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |

| OBX-16.2.1 Location | Data Element | Data | Categorization |
|------------------------|--|------|----------------|
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |

| OBX-16.21 Location | Professional Suffix | Data | Categorization |
|--------------------|--|------|----------------|
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| | Reserved for harmonization with | | |

| OBX-20 | Location | V2.6 Data Element | Data | Categorization |
|--------|-------------|--------------------------------------|------|----------------|
| OBX-21 | | Reserved for harmonization with V2.6 | | |
| OBX-22 | | Reserved for harmonization with V2.6 | | |
| OBX-23 | | Performing Organization Name | | |
| | OBX-23.1 | Organization Name | | |
| | OBX-23.2 | Organization Name Type Code | | |
| | OBX-23.3 | ID Number | | |
| | OBX-23.4 | Check Digit | | |
| | OBX-23.5 | Check Digit Scheme | | |
| | OBX-23.6 | Assigning Authority | | |
| | OBX-23.6.1 | Namespace ID | | |
| | OBX-23.6.2 | Universal ID | | |
| | OBX-23.6.3 | Universal ID Type | | |
| | OBX-23.7 | Identifier Type Code | | |
| | OBX-23.8 | Assigning Facility | | |
| | OBX-23.8.1 | Namespace ID | | |
| | OBX-23.8.2 | Universal ID | | |
| | OBX-23.8.3 | Universal ID Type | | |
| | OBX-23.9 | Name Representation Code | | |
| | OBX-23.10 | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | |
| | OBX-24.1 | Street Address | | |
| | OBX-24.1.1 | Street or Mailing Address | | |
| | OBX-24.1.2 | Street Name | | |
| | OBX-24.1.3 | Dwelling Number | | |
| | OBX-24.2 | Other Designation | | |
| | OBX-24.3 | City | | |
| | OBX-24.4 | State or Province | | |
| | OBX-24.5 | Zip or Postal Code | | |
| | OBX-24.6 | Country | | |
| | OBX-24.7 | Address Type | | |
| | OBX-24.8 | Other Geographic Designation | | |
| | OBX-24.9 | County/Parish Code | | |
| | OBX-24.10 | Census Tract | | |
| | OBX-24.11 | Address Representation Code | | |
| | OBX-24.12 | Address Validity Range | | |
| | OBX-24.12.1 | Range Start Date/Time | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-24.12.2 | Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| | | | |

| OBX-Location | Name Of Alternate Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.16 | Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|----------|------------------------|------|----------------|
| OBX-1 | Set ID - OBX | 9 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |

| OBX-Location | Identifier | Data Element | 59781-5 Data | Categorization |
|---------------|---|---------------|--------------|----------------|
| OBX-3.2 | Text | dose validity | | |
| OBX-3.3 | Name of Coding System | LN | | |
| OBX-3.4 | Alternate Identifier | | | |
| OBX-3.5 | Alternate Text | | | |
| OBX-3.6 | Name of Alternate Coding System | | | |
| OBX-4 | Observation Sub-ID | 4 | | |
| OBX-5 | Observation Value | Y | | |
| OBX-6 | Units | | | |
| OBX-6.1 | Identifier | | | |
| OBX-6.2 | Text | | | |
| OBX-6.3 | Name of Coding System | | | |
| OBX-6.4 | Alternate Identifier | | | |
| OBX-6.5 | Alternate Text | | | |
| OBX-6.6 | Name of Alternate Coding System | | | |
| OBX-7 | References Range | | | |
| OBX-8 | Abnormal Flags | | | |
| OBX-9 | Probability | | | |
| OBX-10 | Nature of Abnormal Test | | | |
| OBX-11 | Observation Result Status | F | | |
| OBX-12 | Effective Date of Reference Range Values | | | |
| OBX-12.1 | Time | | | |
| OBX-12.2 | Degree of Precision | | | |
| OBX-13 | User Defined Access Checks | | | |
| OBX-14 | Date/Time of the Observation | | | |
| OBX-14.1 | Time | 20150531 | | |
| OBX-14.2 | Degree of Precision | | | |
| OBX-15 | Producer's Reference | | | |
| OBX-15.1 | Identifier | | | |
| OBX-15.2 | Text | | | |
| OBX-15.3 | Name of Coding System | | | |
| OBX-15.4 | Alternate Identifier | | | |
| OBX-15.5 | Alternate Text | | | |
| OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | Responsible Observer | | | |
| OBX-16.1 | ID Number | | | |
| OBX-16.2 | Family Name | | | |
| OBX-16.2.1 | Surname | | | |

| OBX-16.2.2 Location | Own Surname Prefix Data Element | Data | Categorization |
|---------------------|--|------|----------------|
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |

| OBX-16.22 | Location | Assigning Jurisdiction | Data | Categorization |
|---------------|--|------------------------------------|------|----------------|
| | OBX-16.22.1 | Identifier | | |
| | OBX-16.22.2 | Text | | |
| | OBX-16.22.3 | Name of Coding System | | |
| | OBX-16.22.4 | Alternate Identifier | | |
| | OBX-16.22.5 | Alternate Text | | |
| | OBX-16.22.6 | Name of Alternate Coding System | | |
| | OBX-16.22.7 | Coding System Version ID | | |
| | OBX-16.22.8 | Alternate Coding System Version ID | | |
| | OBX-16.22.9 | Original Text | | |
| | OBX-16.23 | Assigning Agency or Department | | |
| | OBX-16.23.1 | Identifier | | |
| | OBX-16.23.2 | Text | | |
| | OBX-16.23.3 | Name of Coding System | | |
| | OBX-16.23.4 | Alternate Identifier | | |
| | OBX-16.23.5 | Alternate Text | | |
| | OBX-16.23.6 | Name of Alternate Coding System | | |
| | OBX-16.23.7 | Coding System Version ID | | |
| | OBX-16.23.8 | Alternate Coding System Version ID | | |
| | OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | | |
| | OBX-17.1 | Identifier | | |
| | OBX-17.2 | Text | | |
| | OBX-17.3 | Name of Coding System | | |
| | OBX-17.4 | Alternate Identifier | | |
| | OBX-17.5 | Alternate Text | | |
| | OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | | |
| | OBX-18.1 | Entity Identifier | | |
| | OBX-18.2 | Namespace ID | | |
| | OBX-18.3 | Universal ID | | |
| | OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | | |
| | OBX-19.1 | Time | | |
| | OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with | | | |

| Location | V2.6 Data Elementmt Reserved for | Data | Categrization |
|-------------|--|------|---------------|
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| | Range End | | |

| OBX-Location | Date/Time Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |

| OBX-Location | Data Element Range | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| | | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|----------|---------------------|------|----------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |

| ORC-Location | Data Element | Data | Categorization |
|--------------|--|--------|----------------|
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 197024 | |
| ORC-3.2 | Namespace ID | DCS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |
| ORC-4.3 | Universal ID | | |
| ORC-4.4 | Universal ID Type | | |
| ORC-5 | Order Status | | |
| ORC-6 | Response Flag | | |
| ORC-7 | Quantity/Timing | | |
| ORC-7.1 | Quantity | | |
| ORC-7.1.1 | Quantity | | |
| ORC-7.1.2 | Units | | |
| ORC-7.2 | Interval | | |
| ORC-7.2.1 | Repeat Pattern | | |
| ORC-7.2.2 | Explicit Time Interval | | |
| ORC-7.3 | Duration | | |
| ORC-7.4 | Start Date/Time | | |
| ORC-7.4.1 | Time | | |
| ORC-7.4.2 | Degree of Precision | | |
| ORC-7.5 | End Date/Time | | |
| ORC-7.5.1 | Time | | |
| ORC-7.5.2 | Degree of Precision | | |
| ORC-7.6 | Priority | | |
| ORC-7.7 | Condition | | |
| ORC-7.8 | Text | | |
| ORC-7.9 | Conjunction | | |
| ORC-7.10 | Order Sequencing | | |
| ORC-7.10.1 | Sequence/Results Flag | | |
| ORC-7.10.2 | Placer Order Number: Entity Identifier | | |
| ORC-7.10.3 | Placer Order Number: Namespace ID | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | |
| ORC-7.10.6 | Sequence Condition Value | | |
| ORC-7.10.7 | Maximum Number of Repeats | | |

| Location | Data Element | Data | Categorization |
|---------------|---|------|----------------|
| ORC-7.10.8 | Number: Universal ID | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| ORC-8.2 | Filler Assigned Identifier | | |
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |
| ORC-9.1 | Time | | |
| ORC-9.2 | Degree of Precision | | |
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | |
| ORC-10.3 | Given Name | | |
| ORC-10.4 | Second and Further Given Names or Initials | | |

| Location | Data Element | Data | Categorization |
|-------------|---------------------------------|------|----------------|
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |
| ORC-10.9 | Assigning Authority | | |
| ORC-10.9.1 | Namespace ID | | |
| ORC-10.9.2 | Universal ID | | |
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | | |
| ORC-10.11 | Identifier Check Digit | | |
| ORC-10.12 | Check Digit Scheme | | |
| ORC-10.13 | Identifier Type Code | | |
| ORC-10.14 | Assigning Facility | | |
| ORC-10.14.1 | Namespace ID | | |
| ORC-10.14.2 | Universal ID | | |
| ORC-10.14.3 | Universal ID Type | | |
| ORC-10.15 | Name Representation Code | | |
| ORC-10.16 | Name Context | | |
| ORC-10.16.1 | Identifier | | |
| ORC-10.16.2 | Text | | |
| ORC-10.16.3 | Name of Coding System | | |
| ORC-10.16.4 | Alternate Identifier | | |
| ORC-10.16.5 | Alternate Text | | |
| ORC-10.16.6 | Name of Alternate Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-10.22.7 | Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| ORC-11.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| | | | |

| ORC Location | Data Element Type | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| ORC-11.15 | Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |
| ORC-11.23.6 | Name of Alternate Coding System | | |
| ORC-11.23.7 | Coding System | | |

| Location | Version ID | Data Element | Data | Categorization |
|---------------|--|--------------|------|----------------|
| ORC-11.23.8 | Alternate Coding System Version ID | | | |
| ORC-11.23.9 | Original Text | | | |
| ORC-12 | Ordering Provider | | | |
| ORC-12.1 | ID Number | | | |
| ORC-12.2 | Family Name | | | |
| ORC-12.2.1 | Surname | | | |
| ORC-12.2.2 | Own Surname Prefix | | | |
| ORC-12.2.3 | Own Surname | | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | | |
| ORC-12.3 | Given Name | | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | | |
| ORC-12.5 | Suffix (e.g., JR or III) | | | |
| ORC-12.6 | Prefix (e.g., DR) | | | |
| ORC-12.7 | Degree (e.g., MD) | | | |
| ORC-12.8 | Source Table | | | |
| ORC-12.9 | Assigning Authority | | | |
| ORC-12.9.1 | Namespace ID | | | |
| ORC-12.9.2 | Universal ID | | | |
| ORC-12.9.3 | Universal ID Type | | | |
| ORC-12.10 | Name Type Code | | | |
| ORC-12.11 | Identifier Check Digit | | | |
| ORC-12.12 | Check Digit Scheme | | | |
| ORC-12.13 | Identifier Type Code | | | |
| ORC-12.14 | Assigning Facility | | | |
| ORC-12.14.1 | Namespace ID | | | |
| ORC-12.14.2 | Universal ID | | | |
| ORC-12.14.3 | Universal ID Type | | | |
| ORC-12.15 | Name Representation Code | | | |
| ORC-12.16 | Name Context | | | |
| ORC-12.16.1 | Identifier | | | |
| ORC-12.16.2 | Text | | | |
| ORC-12.16.3 | Name of Coding System | | | |
| ORC-12.16.4 | Alternate Identifier | | | |
| ORC-12.16.5 | Alternate Text | | | |
| ORC-12.16.6 | Name of Alternate Coding System | | | |
| ORC-12.17 | Name Validity Range | | | |
| ORC-12.17.1 | Range Start Date/Time | | | |
| ORC-12.17.2 | Range End Date/Time | | | |

| ORC-12.18 | Location | Name Assembly Order | Data | Categorization |
|---------------|------------------------------------|---------------------|------|----------------|
| ORC-12.19 | Effective Date | | | |
| ORC-12.19.1 | Time | | | |
| ORC-12.19.2 | Degree of Precision | | | |
| ORC-12.20 | Expiration Date | | | |
| ORC-12.20.1 | Time | | | |
| ORC-12.20.2 | Degree of Precision | | | |
| ORC-12.21 | Professional Suffix | | | |
| ORC-12.22 | Assigning Jurisdiction | | | |
| ORC-12.22.1 | Identifier | | | |
| ORC-12.22.2 | Text | | | |
| ORC-12.22.3 | Name of Coding System | | | |
| ORC-12.22.4 | Alternate Identifier | | | |
| ORC-12.22.5 | Alternate Text | | | |
| ORC-12.22.6 | Name of Alternate Coding System | | | |
| ORC-12.22.7 | Coding System Version ID | | | |
| ORC-12.22.8 | Alternate Coding System Version ID | | | |
| ORC-12.22.9 | Original Text | | | |
| ORC-12.23 | Assigning Agency or Department | | | |
| ORC-12.23.1 | Identifier | | | |
| ORC-12.23.2 | Text | | | |
| ORC-12.23.3 | Name of Coding System | | | |
| ORC-12.23.4 | Alternate Identifier | | | |
| ORC-12.23.5 | Alternate Text | | | |
| ORC-12.23.6 | Name of Alternate Coding System | | | |
| ORC-12.23.7 | Coding System Version ID | | | |
| ORC-12.23.8 | Alternate Coding System Version ID | | | |
| ORC-12.23.9 | Original Text | | | |
| ORC-13 | Enterer's Location | | | |
| ORC-13.1 | Point of Care | | | |
| ORC-13.2 | Room | | | |
| ORC-13.3 | Bed | | | |
| ORC-13.4 | Facility | | | |
| ORC-13.4.1 | Namespace ID | | | |
| ORC-13.4.2 | Universal ID | | | |
| ORC-13.4.3 | Universal ID Type | | | |
| ORC-13.5 | Location Status | | | |
| ORC-13.6 | Person Location Type | | | |
| ORC-13.7 | Building | | | |
| ORC-13.8 | Floor | | | |
| ORC-13.9 | Location Description | | | |

| Location | Data Element | Data | Categorization |
|------------------|----------------------------------|-----------------------|----------------|
| ORC-13.10 | Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication Equipment Type | | |
| ORC-14.4 | Email Address | | |
| ORC-14.5 | Country Code | | |
| ORC-14.6 | Area/City Code | | |
| ORC-14.7 | Local Number | | |
| ORC-14.8 | Extension | | |
| ORC-14.9 | Any Text | | |
| ORC-14.10 | Extension Prefix | | |
| ORC-14.11 | Speed Dial Code | | |
| ORC-14.12 | Unformatted Telephone number | | |
| ORC-15 | Order Effective Date/Time | | |
| ORC-15.1 | Time | | |
| ORC-15.2 | Degree of Precision | | |
| ORC-16 | Order Control Code Reason | | |
| ORC-16.1 | Identifier | | |
| ORC-16.2 | Text | | |
| ORC-16.3 | Name of Coding System | | |
| ORC-16.4 | Alternate Identifier | | |
| ORC-16.5 | Alternate Text | | |
| ORC-16.6 | Name of Alternate Coding System | | |
| ORC-17 | Entering Organization | | |
| ORC-17.1 | Identifier | DCS | |
| ORC-17.2 | Text | Dabig Clinical System | |
| ORC-17.3 | Name of Coding System | StateIIS | |
| ORC-17.4 | Alternate Identifier | | |
| ORC-17.5 | Alternate Text | | |
| | Name of Alternate | | |

| ORC-17.6 Location | Coding System Element | Data | Categorization |
|-------------------|--|------|----------------|
| ORC-18 | Entering Device | | |
| ORC-18.1 | Identifier | | |
| ORC-18.2 | Text | | |
| ORC-18.3 | Name of Coding System | | |
| ORC-18.4 | Alternate Identifier | | |
| ORC-18.5 | Alternate Text | | |
| ORC-18.6 | Name of Alternate Coding System | | |
| ORC-19 | Action By | | |
| ORC-19.1 | ID Number | | |
| ORC-19.2 | Family Name | | |
| ORC-19.2.1 | Surname | | |
| ORC-19.2.2 | Own Surname Prefix | | |
| ORC-19.2.3 | Own Surname | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | |
| ORC-19.3 | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |
| ORC-19.6 | Prefix (e.g., DR) | | |
| ORC-19.7 | Degree (e.g., MD) | | |
| ORC-19.8 | Source Table | | |
| ORC-19.9 | Assigning Authority | | |
| ORC-19.9.1 | Namespace ID | | |
| ORC-19.9.2 | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | | |
| ORC-19.10 | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | | |
| ORC-19.12 | Check Digit Scheme | | |
| ORC-19.13 | Identifier Type Code | | |
| ORC-19.14 | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |

| Location | Name Of Alternate Data Element | Data | Categorization |
|---------------|---|------|----------------|
| | Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| ORC-19.22.3 | Name of Coding System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |

| Location | Alternate Identifier Data Element | Data | Categorization |
|-----------------|--|-------------|-----------------------|
| ORC-20.4 | Alternate Text | | |
| ORC-20.5 | | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |

| Location | Data Element | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| ORC-22.13.1 | Degree of Precision | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| ORC-23.9 | Any Text | | |
| ORC-23.10 | Extension Prefix | | |
| ORC-23.11 | Speed Dial Code | | |
| ORC-23.12 | Unformatted Telephone number | | |
| ORC-24 | Ordering Provider Address | | |
| ORC-24.1 | Street Address | | |
| ORC-24.1.1 | Street or Mailing Address | | |
| ORC-24.1.2 | Street Name | | |
| ORC-24.1.3 | Dwelling Number | | |
| ORC-24.2 | Other Designation | | |
| ORC-24.3 | City | | |
| ORC-24.4 | State or Province | | |
| ORC-24.5 | Zip or Postal Code | | |
| ORC-24.6 | Country | | |
| ORC-24.7 | Address Type | | |
| ORC-24.8 | Other Geographic Designation | | |
| ORC-24.9 | County/Parish Code | | |
| ORC-24.10 | Census Tract | | |
| ORC-24.11 | Address Representation Code | | |
| ORC-24.12 | Address Validity Range | | |
| ORC-24.12.1 | Range Start Date/Time | | |
| ORC-24.12.2 | Range End Date/Time | | |
| ORC-24.13 | Effective Date | | |
| ORC-24.13.1 | Time | | |
| ORC-24.13.2 | Degree of Precision | | |

| Location | Expected Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-24.14.1 | Time | | |
| ORC-24.14.2 | Degree of Precision | | |
| ORC-25 | Order Status Modifier | | |
| ORC-25.1 | Identifier | | |
| ORC-25.2 | Text | | |
| ORC-25.3 | Name of Coding System | | |
| ORC-25.4 | Alternate Identifier | | |
| ORC-25.5 | Alternate Text | | |
| ORC-25.6 | Name of Alternate Coding System | | |
| ORC-25.7 | Coding System Version ID | | |
| ORC-25.8 | Alternate Coding System Version ID | | |
| ORC-25.9 | Original Text | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | |
| ORC-26.1 | Identifier | | |
| ORC-26.2 | Text | | |
| ORC-26.3 | Name of Coding System | | |
| ORC-26.4 | Alternate Identifier | | |
| ORC-26.5 | Alternate Text | | |
| ORC-26.6 | Name of Alternate Coding System | | |
| ORC-26.7 | Coding System Version ID | | |
| ORC-26.8 | Alternate Coding System Version ID | | |
| ORC-26.9 | Original Text | | |
| ORC-27 | Filler's Expected Availability Date/Time | | |
| ORC-27.1 | Time | | |
| ORC-27.2 | Degree of Precision | | |
| ORC-28 | Confidentiality Code | | |
| ORC-28.1 | Identifier | | |
| ORC-28.2 | Text | | |
| ORC-28.3 | Name of Coding System | | |
| ORC-28.4 | Alternate Identifier | | |
| ORC-28.5 | Alternate Text | | |
| ORC-28.6 | Name of Alternate Coding System | | |
| ORC-28.7 | Coding System Version ID | | |
| ORC-28.8 | Alternate Coding System Version ID | | |
| | | | |

| ORC-29 Location | Original Elementmt | Data | Categrization |
|-----------------|--|------|---------------|
| ORC-29.1 | Identifier | | |
| ORC-29.2 | Text | | |
| ORC-29.3 | Name of Coding System | | |
| ORC-29.4 | Alternate Identifier | | |
| ORC-29.5 | Alternate Text | | |
| ORC-29.6 | Name of Alternate Coding System | | |
| ORC-29.7 | Coding System Version ID | | |
| ORC-29.8 | Alternate Coding System Version ID | | |
| ORC-29.9 | Original Text | | |
| ORC-30 | Enterer Authorization Mode | | |
| ORC-30.1 | Identifier | | |
| ORC-30.2 | Text | | |
| ORC-30.3 | Name of Coding System | | |
| ORC-30.4 | Alternate Identifier | | |
| ORC-30.5 | Alternate Text | | |
| ORC-30.6 | Name of Alternate Coding System | | |
| ORC-30.7 | Coding System Version ID | | |
| ORC-30.8 | Alternate Coding System Version ID | | |
| ORC-30.9 | Original Text | | |
| ORC-31 | Parent Universal Service Identifier | | |
| ORC-31.1 | Identifier | | |
| ORC-31.2 | Text | | |
| ORC-31.3 | Name of Coding System | | |
| ORC-31.4 | Alternate Identifier | | |
| ORC-31.5 | Alternate Text | | |
| ORC-31.6 | Name of Alternate Coding System | | |
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Elementmt | Data | Categrization |
|--------------|------------------------------|------|---------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| | Administration Sub-ID | | |

| RXA-2 Location | Code Element | 1 Data | Categorization |
|-----------------------|--|-------------------|-----------------------|
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 19800615 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 19800615 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 01 | |
| RXA-5.2 | Text | DTP | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |
| RXA-7 | Administered Units | | |
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage Form | | |
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |
| RXA-8.6 | Name of Alternate Coding System | | |
| RXA-9 | Administration Notes | | |
| RXA-9.1 | Identifier | 01 | |
| RXA-9.2 | Text | historical record | |
| RXA-9.3 | Name of Coding System | NIP001 | |
| RXA-9.4 | Alternate Identifier | | |
| RXA-9.5 | Alternate Text | | |
| RXA-9.6 | Name of Alternate Coding System | | |
| RXA-10 | Administering Provider | | |
| RXA-10.1 | ID Number | | |

| RXA-10.2 | Family Name | Data Element | Data | Categorization |
|-----------------|--|---------------------|-------------|-----------------------|
| RXA-10.2.1 | Surname | | | |
| RXA-10.2.2 | Own Surname Prefix | | | |
| RXA-10.2.3 | Own Surname | | | |
| RXA-10.2.4 | Surname Prefix From Partner/Spouse | | | |
| RXA-10.2.5 | Surname From Partner/Spouse | | | |
| RXA-10.3 | Given Name | | | |
| RXA-10.4 | Second and Further Given Names or Initials Thereof | | | |
| RXA-10.5 | Suffix (e.g., JR or III) | | | |
| RXA-10.6 | Prefix (e.g., DR) | | | |
| RXA-10.7 | Degree (e.g., MD) | | | |
| RXA-10.8 | Source Table | | | |
| RXA-10.9 | Assigning Authority | | | |
| RXA-10.9.1 | Namespace ID | | | |
| RXA-10.9.2 | Universal ID | | | |
| RXA-10.9.3 | Universal ID Type | | | |
| RXA-10.10 | Name Type Code | | | |
| RXA-10.11 | Identifier Check Digit | | | |
| RXA-10.12 | Check Digit Scheme | | | |
| RXA-10.13 | Identifier Type Code | | | |
| RXA-10.14 | Assigning Facility | | | |
| RXA-10.14.1 | Namespace ID | | | |
| RXA-10.14.2 | Universal ID | | | |
| RXA-10.14.3 | Universal ID Type | | | |
| RXA-10.15 | Name Representation Code | | | |
| RXA-10.16 | Name Context | | | |
| RXA-10.16.1 | Identifier | | | |
| RXA-10.16.2 | Text | | | |
| RXA-10.16.3 | Name of Coding System | | | |
| RXA-10.16.4 | Alternate Identifier | | | |
| RXA-10.16.5 | Alternate Text | | | |
| RXA-10.16.6 | Name of Alternate Coding System | | | |
| RXA-10.17 | Name Validity Range | | | |
| RXA-10.17.1 | Range Start Date/Time | | | |
| RXA-10.17.2 | Range End Date/Time | | | |
| RXA-10.18 | Name Assembly Order | | | |
| RXA-10.19 | Effective Date | | | |
| RXA-10.19.1 | Time | | | |
| RXA-10.19.2 | Degree of Precision | | | |
| RXA-10.20 | Expiration Date | | | |
| RXA-10.20.1 | Time | | | |

| RXA-10.20.2 | Degree of Precision | Data | Categorization |
|--------------------|------------------------------------|-------------|-----------------------|
| Location | Element | | |
| RXA-10.21 | Professional Suffix | | |
| RXA-10.22 | Assigning Jurisdiction | | |
| RXA-10.22.1 | Identifier | | |
| RXA-10.22.2 | Text | | |
| RXA-10.22.3 | Name of Coding System | | |
| RXA-10.22.4 | Alternate Identifier | | |
| RXA-10.22.5 | Alternate Text | | |
| RXA-10.22.6 | Name of Alternate Coding System | | |
| RXA-10.22.7 | Coding System Version ID | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | |
| RXA-10.22.9 | Original Text | | |
| RXA-10.23 | Assigning Agency or Department | | |
| RXA-10.23.1 | Identifier | | |
| RXA-10.23.2 | Text | | |
| RXA-10.23.3 | Name of Coding System | | |
| RXA-10.23.4 | Alternate Identifier | | |
| RXA-10.23.5 | Alternate Text | | |
| RXA-10.23.6 | Name of Alternate Coding System | | |
| RXA-10.23.7 | Coding System Version ID | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |
| RXA-11.11 | City | | |
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| | | | |

| RXA-11.14 | Location | Quantity Element | Data | Categorization |
|------------------|---|-------------------------|-------------|-----------------------|
| RXA-11.15 | Address Type | | | |
| RXA-11.16 | Other Geographic Designation | | | |
| RXA-12 | Administered Per (Time Unit) | | | |
| RXA-13 | Administered Strength | | | |
| RXA-14 | Administered Strength Units | | | |
| RXA-14.1 | Identifier | | | |
| RXA-14.2 | Text | | | |
| RXA-14.3 | Name of Coding System | | | |
| RXA-14.4 | Alternate Identifier | | | |
| RXA-14.5 | Alternate Text | | | |
| RXA-14.6 | Name of Alternate Coding System | | | |
| RXA-15 | Substance Lot Number | | | |
| RXA-16 | Substance Expiration Date | | | |
| RXA-16.1 | Time | | | |
| RXA-16.2 | Degree of Precision | | | |
| RXA-17 | Substance Manufacturer Name | | | |
| RXA-17.1 | Identifier | | | |
| RXA-17.2 | Text | | | |
| RXA-17.3 | Name of Coding System | | | |
| RXA-17.4 | Alternate Identifier | | | |
| RXA-17.5 | Alternate Text | | | |
| RXA-17.6 | Name of Alternate Coding System | | | |
| RXA-18 | Substance/Treatment Refusal Reason | | | |
| RXA-18.1 | Identifier | | | |
| RXA-18.2 | Text | | | |
| RXA-18.3 | Name of Coding System | | | |
| RXA-18.4 | Alternate Identifier | | | |
| RXA-18.5 | Alternate Text | | | |
| RXA-18.6 | Name of Alternate Coding System | | | |
| RXA-19 | Indication | | | |
| RXA-19.1 | Identifier | | | |
| RXA-19.2 | Text | | | |
| RXA-19.3 | Name of Coding System | | | |
| RXA-19.4 | Alternate Identifier | | | |
| RXA-19.5 | Alternate Text | | | |
| RXA-19.6 | Name of Alternate Coding System | | | |

| RXA-20 | Location | Completion Status | CP | Data | Categorization |
|---------------|-----------------|--|-----------|-------------|-----------------------|
| RXA-21 | | Action Code - RXA | | | |
| RXA-22 | | System Entry Date/Time | | | |
| | RXA-22.1 | Time | | | |
| | RXA-22.2 | Degree of Precision | | | |
| RXA-23 | | Administered Drug Strength Volume | | | |
| RXA-24 | | Administered Drug Strength Volume Units | | | |
| | RXA-24.1 | Identifier | | | |
| | RXA-24.2 | Text | | | |
| | RXA-24.3 | Name of Coding System | | | |
| | RXA-24.4 | Alternate Identifier | | | |
| | RXA-24.5 | Alternate Text | | | |
| | RXA-24.6 | Name of Alternate Coding System | | | |
| | RXA-24.7 | Coding System Version ID | | | |
| | RXA-24.8 | Alternate Coding System Version ID | | | |
| | RXA-24.9 | Original Text | | | |
| RXA-25 | | Administered Barcode Identifier | | | |
| | RXA-25.1 | Identifier | | | |
| | RXA-25.2 | Text | | | |
| | RXA-25.3 | Name of Coding System | | | |
| | RXA-25.4 | Alternate Identifier | | | |
| | RXA-25.5 | Alternate Text | | | |
| | RXA-25.6 | Name of Alternate Coding System | | | |
| | RXA-25.7 | Coding System Version ID | | | |
| | RXA-25.8 | Alternate Coding System Version ID | | | |
| | RXA-25.9 | Original Text | | | |
| RXA-26 | | Pharmacy Order Type | | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categorization |
|-----------------|-------------------------------|-----------------------|-----------------------|
| OBX-1 | Set ID - OBX | 7 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| | OBX-3.1 | Identifier | 30956-7 |
| | OBX-3.2 | Text | vaccine type |
| | OBX-3.3 | Name of Coding System | LN |
| | | | |

| OBX-Location | Alternate Identifier | Data Element | Data | Categorization |
|---------------|---|--------------|------|----------------|
| OBX-3.5 | Alternate Text | | | |
| OBX-3.6 | Name of Alternate Coding System | | | |
| OBX-4 | Observation Sub-ID | 5 | | |
| OBX-5 | Observation Value | | | |
| OBX-5.1 | Identifier | 107 | | |
| OBX-5.2 | Text | DTAP NOS | | |
| OBX-5.3 | Name of Coding System | CVX | | |
| OBX-5.4 | Alternate Identifier | | | |
| OBX-5.5 | Alternate Text | | | |
| OBX-5.6 | Name of Alternate Coding System | | | |
| OBX-6 | Units | | | |
| OBX-6.1 | Identifier | | | |
| OBX-6.2 | Text | | | |
| OBX-6.3 | Name of Coding System | | | |
| OBX-6.4 | Alternate Identifier | | | |
| OBX-6.5 | Alternate Text | | | |
| OBX-6.6 | Name of Alternate Coding System | | | |
| OBX-7 | References Range | | | |
| OBX-8 | Abnormal Flags | | | |
| OBX-9 | Probability | | | |
| OBX-10 | Nature of Abnormal Test | | | |
| OBX-11 | Observation Result Status | F | | |
| OBX-12 | Effective Date of Reference Range Values | | | |
| OBX-12.1 | Time | | | |
| OBX-12.2 | Degree of Precision | | | |
| OBX-13 | User Defined Access Checks | | | |
| OBX-14 | Date/Time of the Observation | | | |
| OBX-14.1 | Time | | | |
| OBX-14.2 | Degree of Precision | | | |
| OBX-15 | Producer's Reference | | | |
| OBX-15.1 | Identifier | | | |
| OBX-15.2 | Text | | | |
| OBX-15.3 | Name of Coding System | | | |
| OBX-15.4 | Alternate Identifier | | | |
| OBX-15.5 | Alternate Text | | | |
| OBX-15.6 | Name of Alternate Coding System | | | |
| | | | | |

| OBX-16 Location | Responsible Observer ID Number | Data | Categorization |
|-----------------|--|------|----------------|
| OBX-16.1 | | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |

| OBX-Location | Examination Element | Data | Categorization |
|---------------|--------------------------------------|------|----------------|
| OBX-16.20 | Time | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |

| OBX-19.1 Location | Data Element | Data | Categorization |
|-------------------|---|------|----------------|
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |

| OBX-Location | Address/Validity Data Element | Data | Categorization |
|---------------|--|------|----------------|
| | Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| | Name of Coding | | |

| OBX-Location | System Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.16.3 | Alternate Identifier | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|---------------|---|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 8 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 5 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |

| OBX-15 Location | Product Element Reference | Data | Categorization |
|-----------------|--|------|----------------|
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| | Name of Alternate | | |

| OBX-16.16.6 | Coding System | Data Element | Data | Categorization |
|---------------|------------------------------------|--------------|------|----------------|
| OBX-16.17 | Name Validity Range | | | |
| OBX-16.17.1 | Range Start Date/Time | | | |
| OBX-16.17.2 | Range End Date/Time | | | |
| OBX-16.18 | Name Assembly Order | | | |
| OBX-16.19 | Effective Date | | | |
| OBX-16.19.1 | Time | | | |
| OBX-16.19.2 | Degree of Precision | | | |
| OBX-16.20 | Expiration Date | | | |
| OBX-16.20.1 | Time | | | |
| OBX-16.20.2 | Degree of Precision | | | |
| OBX-16.21 | Professional Suffix | | | |
| OBX-16.22 | Assigning Jurisdiction | | | |
| OBX-16.22.1 | Identifier | | | |
| OBX-16.22.2 | Text | | | |
| OBX-16.22.3 | Name of Coding System | | | |
| OBX-16.22.4 | Alternate Identifier | | | |
| OBX-16.22.5 | Alternate Text | | | |
| OBX-16.22.6 | Name of Alternate Coding System | | | |
| OBX-16.22.7 | Coding System Version ID | | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | | |
| OBX-16.22.9 | Original Text | | | |
| OBX-16.23 | Assigning Agency or Department | | | |
| OBX-16.23.1 | Identifier | | | |
| OBX-16.23.2 | Text | | | |
| OBX-16.23.3 | Name of Coding System | | | |
| OBX-16.23.4 | Alternate Identifier | | | |
| OBX-16.23.5 | Alternate Text | | | |
| OBX-16.23.6 | Name of Alternate Coding System | | | |
| OBX-16.23.7 | Coding System Version ID | | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | | |
| OBX-16.23.9 | Original Text | | | |
| OBX-17 | Observation Method | | | |
| OBX-17.1 | Identifier | | | |
| OBX-17.2 | Text | | | |
| OBX-17.3 | Name of Coding System | | | |
| OBX-17.4 | Alternate Identifier | | | |
| OBX-17.5 | Alternate Text | | | |

| Location | Data Element Name | Data | Categorization |
|---------------|---|------|----------------|
| OBX-17.6 | Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |

| OBX-24.4 | Standard Element | Data | Categorization |
|-----------------|--|------|----------------|
| OBX-24.4 | Location | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| | | | |

| OBX-Location | Identifier Code Assigning Facility | Data | Categorization |
|--------------|---------------------------------------|------|----------------|
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |

| Location | Data Element | Data | Categorization |
|-------------|---------------------------------------|------|----------------|
| OBX-25.23.6 | Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|----------|--|---------------|----------------|
| OBX-1 | Set ID - OBX | 9 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 5 | |
| OBX-5 | Observation Value | Y | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |

| OBX-14.2 Location | Data Element | Data | Categorization |
|-------------------|--|------|----------------|
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| | Name of Alternate | | |

| OBX-Location | Code/Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.16 | Name Validity Range | | |
| OBX-16.17 | Range Start Date/Time | | |
| OBX-16.17.1 | Range End Date/Time | | |
| OBX-16.17.2 | Name Assembly Order | | |
| OBX-16.18 | Effective Date | | |
| OBX-16.19 | Time | | |
| OBX-16.19.1 | Degree of Precision | | |
| OBX-16.19.2 | Expiration Date | | |
| OBX-16.20 | Time | | |
| OBX-16.20.1 | Degree of Precision | | |
| OBX-16.20.2 | Professional Suffix | | |
| OBX-16.21 | Assigning Jurisdiction | | |
| OBX-16.22 | Identifier | | |
| OBX-16.22.1 | Text | | |
| OBX-16.22.2 | Name of Coding System | | |
| OBX-16.22.3 | Alternate Identifier | | |
| OBX-16.22.4 | Alternate Text | | |
| OBX-16.22.5 | Name of Alternate Coding System | | |
| OBX-16.22.6 | Coding System Version ID | | |
| OBX-16.22.7 | Alternate Coding System Version ID | | |
| OBX-16.22.8 | Original Text | | |
| OBX-16.22.9 | Assigning Agency or Department | | |
| OBX-16.23 | Identifier | | |
| OBX-16.23.1 | Text | | |
| OBX-16.23.2 | Name of Coding System | | |
| OBX-16.23.3 | Alternate Identifier | | |
| OBX-16.23.4 | Alternate Text | | |
| OBX-16.23.5 | Name of Alternate Coding System | | |
| OBX-16.23.6 | Coding System Version ID | | |
| OBX-16.23.7 | Alternate Coding System Version ID | | |
| OBX-16.23.8 | Original Text | | |
| OBX-16.23.9 | Observation Method | | |
| OBX-17 | Identifier | | |
| OBX-17.1 | Text | | |
| OBX-17.2 | Name of Coding System | | |
| OBX-17.3 | Alternate Identifier | | |
| OBX-17.4 | Alternate Text | | |
| OBX-17.5 | | | |

| Location | Name of Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-17.6 | Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |

| OBX-24.4 | Location | Standard Element | Data | Categorization |
|---------------|----------|--|------|----------------|
| OBX-24.5 | | Zip or Postal Code | | |
| OBX-24.6 | | Country | | |
| OBX-24.7 | | Address Type | | |
| OBX-24.8 | | Other Geographic Designation | | |
| OBX-24.9 | | County/Parish Code | | |
| OBX-24.10 | | Census Tract | | |
| OBX-24.11 | | Address Representation Code | | |
| OBX-24.12 | | Address Validity Range | | |
| OBX-24.12.1 | | Range Start Date/Time | | |
| OBX-24.12.2 | | Range End Date/Time | | |
| OBX-24.13 | | Effective Date | | |
| OBX-24.13.1 | | Time | | |
| OBX-24.13.2 | | Degree of Precision | | |
| OBX-24.14 | | Expiration Date | | |
| OBX-24.14.1 | | Time | | |
| OBX-24.14.2 | | Degree of Precision | | |
| OBX-25 | | Performing Organization Medical Director | | |
| OBX-25.1 | | ID Number | | |
| OBX-25.2 | | Family Name | | |
| OBX-25.2.1 | | Surname | | |
| OBX-25.2.2 | | Own Surname Prefix | | |
| OBX-25.2.3 | | Own Surname | | |
| OBX-25.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | | Surname From Partner/Spouse | | |
| OBX-25.3 | | Given Name | | |
| OBX-25.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | | Suffix (e.g., JR or III) | | |
| OBX-25.6 | | Prefix (e.g., DR) | | |
| OBX-25.7 | | Degree (e.g., MD) | | |
| OBX-25.8 | | Source Table | | |
| OBX-25.9 | | Assigning Authority | | |
| OBX-25.9.1 | | Namespace ID | | |
| OBX-25.9.2 | | Universal ID | | |
| OBX-25.9.3 | | Universal ID Type | | |
| OBX-25.10 | | Name Type Code | | |
| OBX-25.11 | | Identifier Check Digit | | |
| OBX-25.12 | | Check Digit Scheme | | |
| OBX-25.13 | | Identifier Type Code | | |

| OBX-Location | Data Element Assigning Entity | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |

| OBX-25.23.5 | Alternate Text | Data | Categorization |
|--------------------|---------------------------------------|-------------|-----------------------|
| Location | Data Element | | |
| OBX-25.23.6 | Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|-----------------|----------------------------|-------------|-----------------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 197025 | |
| ORC-3.2 | Namespace ID | DCS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |
| ORC-4.3 | Universal ID | | |
| ORC-4.4 | Universal ID Type | | |
| ORC-5 | Order Status | | |
| ORC-6 | Response Flag | | |
| ORC-7 | Quantity/Timing | | |
| ORC-7.1 | Quantity | | |
| ORC-7.1.1 | Quantity | | |
| ORC-7.1.2 | Units | | |
| ORC-7.2 | Interval | | |
| ORC-7.2.1 | Repeat Pattern | | |
| ORC-7.2.2 | Explicit Time Interval | | |
| ORC-7.3 | Duration | | |
| ORC-7.4 | Start Date/Time | | |
| ORC-7.4.1 | Time | | |
| ORC-7.4.2 | Degree of Precision | | |
| ORC-7.5 | End Date/Time | | |
| ORC-7.5.1 | Time | | |
| ORC-7.5.2 | Degree of Precision | | |
| ORC-7.6 | Priority | | |
| ORC-7.7 | Condition | | |
| ORC-7.8 | Text | | |
| ORC-7.9 | Conjunction | | |
| ORC-7.10 | Order Sequencing | | |

| Location | Sequence/Results | Data | Categorization |
|--------------|--|------|----------------|
| ORC-7.10.1 | Flag | | |
| ORC-7.10.2 | Placer Order Number: Entity Identifier | | |
| ORC-7.10.3 | Placer Order Number: Namespace ID | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | |
| ORC-7.10.6 | Sequence Condition Value | | |
| ORC-7.10.7 | Maximum Number of Repeats | | |
| ORC-7.10.8 | Placer Order Number: Universal ID | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| ORC-8.2 | Filler Assigned Identifier | | |
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |

| ORC-9.1 | Location | Data Element | Data | Categorization |
|---------------|----------|--|------|----------------|
| ORC-9.2 | | Degree of Precision | | |
| ORC-10 | | Entered By | | |
| ORC-10.1 | | ID Number | | |
| ORC-10.2 | | Family Name | | |
| ORC-10.2.1 | | Surname | | |
| ORC-10.2.2 | | Own Surname Prefix | | |
| ORC-10.2.3 | | Own Surname | | |
| ORC-10.2.4 | | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | | Surname From Partner/Spouse | | |
| ORC-10.3 | | Given Name | | |
| ORC-10.4 | | Second and Further Given Names or Initials Thereof | | |
| ORC-10.5 | | Suffix (e.g., JR or III) | | |
| ORC-10.6 | | Prefix (e.g., DR) | | |
| ORC-10.7 | | Degree (e.g., MD) | | |
| ORC-10.8 | | Source Table | | |
| ORC-10.9 | | Assigning Authority | | |
| ORC-10.9.1 | | Namespace ID | | |
| ORC-10.9.2 | | Universal ID | | |
| ORC-10.9.3 | | Universal ID Type | | |
| ORC-10.10 | | Name Type Code | | |
| ORC-10.11 | | Identifier Check Digit | | |
| ORC-10.12 | | Check Digit Scheme | | |
| ORC-10.13 | | Identifier Type Code | | |
| ORC-10.14 | | Assigning Facility | | |
| ORC-10.14.1 | | Namespace ID | | |
| ORC-10.14.2 | | Universal ID | | |
| ORC-10.14.3 | | Universal ID Type | | |
| ORC-10.15 | | Name Representation Code | | |
| ORC-10.16 | | Name Context | | |
| ORC-10.16.1 | | Identifier | | |
| ORC-10.16.2 | | Text | | |
| ORC-10.16.3 | | Name of Coding System | | |
| ORC-10.16.4 | | Alternate Identifier | | |
| ORC-10.16.5 | | Alternate Text | | |
| ORC-10.16.6 | | Name of Alternate Coding System | | |
| ORC-10.17 | | Name Validity Range | | |
| ORC-10.17.1 | | Range Start Date/Time | | |
| ORC-10.17.2 | | Range End Date/Time | | |
| ORC-10.18 | | Name Assembly Order | | |
| ORC-10.19 | | Effective Date | | |

| ORCID iD | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| | | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| ORC-11.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |

| ORC-Location | Data Element | Data | Categorization |
|--------------|---------------------------------|------|----------------|
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System | | |

| Location | Version ID | Data Element | Data | Categorization |
|---------------|------------------|--|------|----------------|
| ORC-11.22.8 | Alternate Coding | System Version ID | | |
| ORC-11.22.9 | | Original Text | | |
| ORC-11.23 | | Assigning Agency or Department | | |
| ORC-11.23.1 | | Identifier | | |
| ORC-11.23.2 | | Text | | |
| ORC-11.23.3 | | Name of Coding System | | |
| ORC-11.23.4 | | Alternate Identifier | | |
| ORC-11.23.5 | | Alternate Text | | |
| ORC-11.23.6 | | Name of Alternate Coding System | | |
| ORC-11.23.7 | | Coding System Version ID | | |
| ORC-11.23.8 | | Alternate Coding System Version ID | | |
| ORC-11.23.9 | | Original Text | | |
| ORC-12 | | Ordering Provider | | |
| ORC-12.1 | | ID Number | | |
| ORC-12.2 | | Family Name | | |
| ORC-12.2.1 | | Surname | | |
| ORC-12.2.2 | | Own Surname Prefix | | |
| ORC-12.2.3 | | Own Surname | | |
| ORC-12.2.4 | | Surname Prefix From Partner/Spouse | | |
| ORC-12.2.5 | | Surname From Partner/Spouse | | |
| ORC-12.3 | | Given Name | | |
| ORC-12.4 | | Second and Further Given Names or Initials Thereof | | |
| ORC-12.5 | | Suffix (e.g., JR or III) | | |
| ORC-12.6 | | Prefix (e.g., DR) | | |
| ORC-12.7 | | Degree (e.g., MD) | | |
| ORC-12.8 | | Source Table | | |
| ORC-12.9 | | Assigning Authority | | |
| ORC-12.9.1 | | Namespace ID | | |
| ORC-12.9.2 | | Universal ID | | |
| ORC-12.9.3 | | Universal ID Type | | |
| ORC-12.10 | | Name Type Code | | |
| ORC-12.11 | | Identifier Check Digit | | |
| ORC-12.12 | | Check Digit Scheme | | |
| ORC-12.13 | | Identifier Type Code | | |
| ORC-12.14 | | Assigning Facility | | |
| ORC-12.14.1 | | Namespace ID | | |
| ORC-12.14.2 | | Universal ID | | |
| ORC-12.14.3 | | Universal ID Type | | |
| ORC-12.15 | | Name Representation | | |

| ORC-12.16 | Location | Coding Element Name Context | Data | Categorization |
|-------------|----------|------------------------------------|------|----------------|
| ORC-12.16.1 | | Identifier | | |
| ORC-12.16.2 | | Text | | |
| ORC-12.16.3 | | Name of Coding System | | |
| ORC-12.16.4 | | Alternate Identifier | | |
| ORC-12.16.5 | | Alternate Text | | |
| ORC-12.16.6 | | Name of Alternate Coding System | | |
| ORC-12.17 | | Name Validity Range | | |
| ORC-12.17.1 | | Range Start Date/Time | | |
| ORC-12.17.2 | | Range End Date/Time | | |
| ORC-12.18 | | Name Assembly Order | | |
| ORC-12.19 | | Effective Date | | |
| ORC-12.19.1 | | Time | | |
| ORC-12.19.2 | | Degree of Precision | | |
| ORC-12.20 | | Expiration Date | | |
| ORC-12.20.1 | | Time | | |
| ORC-12.20.2 | | Degree of Precision | | |
| ORC-12.21 | | Professional Suffix | | |
| ORC-12.22 | | Assigning Jurisdiction | | |
| ORC-12.22.1 | | Identifier | | |
| ORC-12.22.2 | | Text | | |
| ORC-12.22.3 | | Name of Coding System | | |
| ORC-12.22.4 | | Alternate Identifier | | |
| ORC-12.22.5 | | Alternate Text | | |
| ORC-12.22.6 | | Name of Alternate Coding System | | |
| ORC-12.22.7 | | Coding System Version ID | | |
| ORC-12.22.8 | | Alternate Coding System Version ID | | |
| ORC-12.22.9 | | Original Text | | |
| ORC-12.23 | | Assigning Agency or Department | | |
| ORC-12.23.1 | | Identifier | | |
| ORC-12.23.2 | | Text | | |
| ORC-12.23.3 | | Name of Coding System | | |
| ORC-12.23.4 | | Alternate Identifier | | |
| ORC-12.23.5 | | Alternate Text | | |
| ORC-12.23.6 | | Name of Alternate Coding System | | |
| ORC-12.23.7 | | Coding System Version ID | | |
| ORC-12.23.8 | | Alternate Coding System Version ID | | |

| ORC-12.23.0 Location | Original Text | Data | Categorization |
|----------------------|-----------------------------------|------|----------------|
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication Equipment Type | | |
| ORC-14.4 | Email Address | | |
| ORC-14.5 | Country Code | | |
| ORC-14.6 | Area/City Code | | |
| ORC-14.7 | Local Number | | |
| ORC-14.8 | Extension | | |
| ORC-14.9 | Any Text | | |
| ORC-14.10 | Extension Prefix | | |
| ORC-14.11 | Speed Dial Code | | |
| ORC-14.12 | Unformatted Telephone number | | |
| ORC-15 | Order Effective Date/Time | | |
| ORC-15.1 | Time | | |
| ORC-15.2 | Degree of Precision | | |
| ORC-16 | Order Control Code Reason | | |
| ORC-16.1 | Identifier | | |

| ORC-16.2 Location | Data Element | Data | Categorization |
|-------------------|--|-----------------------|----------------|
| ORC-16.3 | Name of Coding System | | |
| ORC-16.4 | Alternate Identifier | | |
| ORC-16.5 | Alternate Text | | |
| ORC-16.6 | Name of Alternate Coding System | | |
| ORC-17 | Entering Organization | | |
| ORC-17.1 | Identifier | DCS | |
| ORC-17.2 | Text | Dabig Clinical System | |
| ORC-17.3 | Name of Coding System | StateIIS | |
| ORC-17.4 | Alternate Identifier | | |
| ORC-17.5 | Alternate Text | | |
| ORC-17.6 | Name of Alternate Coding System | | |
| ORC-18 | Entering Device | | |
| ORC-18.1 | Identifier | | |
| ORC-18.2 | Text | | |
| ORC-18.3 | Name of Coding System | | |
| ORC-18.4 | Alternate Identifier | | |
| ORC-18.5 | Alternate Text | | |
| ORC-18.6 | Name of Alternate Coding System | | |
| ORC-19 | Action By | | |
| ORC-19.1 | ID Number | | |
| ORC-19.2 | Family Name | | |
| ORC-19.2.1 | Surname | | |
| ORC-19.2.2 | Own Surname Prefix | | |
| ORC-19.2.3 | Own Surname | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | |
| ORC-19.3 | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |
| ORC-19.6 | Prefix (e.g., DR) | | |
| ORC-19.7 | Degree (e.g., MD) | | |
| ORC-19.8 | Source Table | | |
| ORC-19.9 | Assigning Authority | | |
| ORC-19.9.1 | Namespace ID | | |
| ORC-19.9.2 | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | | |
| ORC-19.10 | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | | |
| | | | |

| ORC-19.13 Location | Check Data Scheme Identifier Type Code | Data | Categorization |
|--------------------|--|------|----------------|
| ORC-19.14 | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| ORC-19.22.3 | Name of Coding System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |

| Location | Data Element Identifier | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.23.4 | Alternate Text | | |
| ORC-19.23.5 | | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| | | | |

| ORC-22 | Location | County Element Address Type | Data | Categorization |
|---------------|----------|---------------------------------------|------|----------------|
| ORC-22.8 | | Other Geographic Designation | | |
| ORC-22.9 | | County/Parish Code | | |
| ORC-22.10 | | Census Tract | | |
| ORC-22.11 | | Address Representation Code | | |
| ORC-22.12 | | Address Validity Range | | |
| ORC-22.12.1 | | Range Start Date/Time | | |
| ORC-22.12.2 | | Range End Date/Time | | |
| ORC-22.13 | | Effective Date | | |
| ORC-22.13.1 | | Time | | |
| ORC-22.13.2 | | Degree of Precision | | |
| ORC-22.14 | | Expiration Date | | |
| ORC-22.14.1 | | Time | | |
| ORC-22.14.2 | | Degree of Precision | | |
| ORC-23 | | Ordering Facility Phone Number | | |
| ORC-23.1 | | Telephone Number | | |
| ORC-23.2 | | Telecommunication Use Code | | |
| ORC-23.3 | | Telecommunication Equipment Type | | |
| ORC-23.4 | | Email Address | | |
| ORC-23.5 | | Country Code | | |
| ORC-23.6 | | Area/City Code | | |
| ORC-23.7 | | Local Number | | |
| ORC-23.8 | | Extension | | |
| ORC-23.9 | | Any Text | | |
| ORC-23.10 | | Extension Prefix | | |
| ORC-23.11 | | Speed Dial Code | | |
| ORC-23.12 | | Unformatted Telephone number | | |
| ORC-24 | | Ordering Provider Address | | |
| ORC-24.1 | | Street Address | | |
| ORC-24.1.1 | | Street or Mailing Address | | |
| ORC-24.1.2 | | Street Name | | |
| ORC-24.1.3 | | Dwelling Number | | |
| ORC-24.2 | | Other Designation | | |
| ORC-24.3 | | City | | |
| ORC-24.4 | | State or Province | | |
| ORC-24.5 | | Zip or Postal Code | | |
| ORC-24.6 | | Country | | |
| ORC-24.7 | | Address Type | | |
| | | | | |

| ORC-24.8 | Location | Other Geographical Data Element | Data | Categorization |
|---------------|--|------------------------------------|------|----------------|
| ORC-24.9 | Designation | County/Parish Code | | |
| ORC-24.10 | | Census Tract | | |
| ORC-24.11 | Address | Representation Code | | |
| ORC-24.12 | | Address Validity Range | | |
| ORC-24.12.1 | | Range Start Date/Time | | |
| ORC-24.12.2 | | Range End Date/Time | | |
| ORC-24.13 | | Effective Date | | |
| ORC-24.13.1 | | Time | | |
| ORC-24.13.2 | | Degree of Precision | | |
| ORC-24.14 | | Expiration Date | | |
| ORC-24.14.1 | | Time | | |
| ORC-24.14.2 | | Degree of Precision | | |
| ORC-25 | Order Status Modifier | | | |
| ORC-25.1 | | Identifier | | |
| ORC-25.2 | | Text | | |
| ORC-25.3 | | Name of Coding System | | |
| ORC-25.4 | | Alternate Identifier | | |
| ORC-25.5 | | Alternate Text | | |
| ORC-25.6 | | Name of Alternate Coding System | | |
| ORC-25.7 | | Coding System Version ID | | |
| ORC-25.8 | | Alternate Coding System Version ID | | |
| ORC-25.9 | | Original Text | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | | |
| ORC-26.1 | | Identifier | | |
| ORC-26.2 | | Text | | |
| ORC-26.3 | | Name of Coding System | | |
| ORC-26.4 | | Alternate Identifier | | |
| ORC-26.5 | | Alternate Text | | |
| ORC-26.6 | | Name of Alternate Coding System | | |
| ORC-26.7 | | Coding System Version ID | | |
| ORC-26.8 | | Alternate Coding System Version ID | | |
| ORC-26.9 | | Original Text | | |
| ORC-27 | Filler's Expected Availability Date/Time | | | |
| ORC-27.1 | | Time | | |

| ORC-27.2 Location | Area of Precision | Data | Categorization |
|-------------------|--|------|----------------|
| ORC-28 | Confidentiality Code | | |
| ORC-28.1 | Identifier | | |
| ORC-28.2 | Text | | |
| ORC-28.3 | Name of Coding System | | |
| ORC-28.4 | Alternate Identifier | | |
| ORC-28.5 | Alternate Text | | |
| ORC-28.6 | Name of Alternate Coding System | | |
| ORC-28.7 | Coding System Version ID | | |
| ORC-28.8 | Alternate Coding System Version ID | | |
| ORC-28.9 | Original Text | | |
| ORC-29 | Order Type | | |
| ORC-29.1 | Identifier | | |
| ORC-29.2 | Text | | |
| ORC-29.3 | Name of Coding System | | |
| ORC-29.4 | Alternate Identifier | | |
| ORC-29.5 | Alternate Text | | |
| ORC-29.6 | Name of Alternate Coding System | | |
| ORC-29.7 | Coding System Version ID | | |
| ORC-29.8 | Alternate Coding System Version ID | | |
| ORC-29.9 | Original Text | | |
| ORC-30 | Enterer Authorization Mode | | |
| ORC-30.1 | Identifier | | |
| ORC-30.2 | Text | | |
| ORC-30.3 | Name of Coding System | | |
| ORC-30.4 | Alternate Identifier | | |
| ORC-30.5 | Alternate Text | | |
| ORC-30.6 | Name of Alternate Coding System | | |
| ORC-30.7 | Coding System Version ID | | |
| ORC-30.8 | Alternate Coding System Version ID | | |
| ORC-30.9 | Original Text | | |
| ORC-31 | Parent Universal Service Identifier | | |
| ORC-31.1 | Identifier | | |
| ORC-31.2 | Text | | |
| ORC-31.3 | Name of Coding System | | |
| | | | |

| Location | Data Element | Data | Categorization |
|----------|------------------------------------|------|----------------|
| ORC-31.6 | Name of Alternate Coding System | | |
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|----------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 19800815 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 19800815 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 01 | |
| RXA-5.2 | Text | DTP | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |
| RXA-7 | Administered Units | | |
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage Form | | |
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |

| Location | Name of Alternate Data Element | Data | Categorization |
|---------------|--|-------------------|----------------|
| RXA-8.0 | Coding System | | |
| RXA-9 | Administration Notes | | |
| RXA-9.1 | Identifier | 01 | |
| RXA-9.2 | Text | historical record | |
| RXA-9.3 | Name of Coding System | NIP001 | |
| RXA-9.4 | Alternate Identifier | | |
| RXA-9.5 | Alternate Text | | |
| RXA-9.6 | Name of Alternate Coding System | | |
| RXA-10 | Administering Provider | | |
| RXA-10.1 | ID Number | | |
| RXA-10.2 | Family Name | | |
| RXA-10.2.1 | Surname | | |
| RXA-10.2.2 | Own Surname Prefix | | |
| RXA-10.2.3 | Own Surname | | |
| RXA-10.2.4 | Surname Prefix From Partner/Spouse | | |
| RXA-10.2.5 | Surname From Partner/Spouse | | |
| RXA-10.3 | Given Name | | |
| RXA-10.4 | Second and Further Given Names or Initials Thereof | | |
| RXA-10.5 | Suffix (e.g., JR or III) | | |
| RXA-10.6 | Prefix (e.g., DR) | | |
| RXA-10.7 | Degree (e.g., MD) | | |
| RXA-10.8 | Source Table | | |
| RXA-10.9 | Assigning Authority | | |
| RXA-10.9.1 | Namespace ID | | |
| RXA-10.9.2 | Universal ID | | |
| RXA-10.9.3 | Universal ID Type | | |
| RXA-10.10 | Name Type Code | | |
| RXA-10.11 | Identifier Check Digit | | |
| RXA-10.12 | Check Digit Scheme | | |
| RXA-10.13 | Identifier Type Code | | |
| RXA-10.14 | Assigning Facility | | |
| RXA-10.14.1 | Namespace ID | | |
| RXA-10.14.2 | Universal ID | | |
| RXA-10.14.3 | Universal ID Type | | |
| RXA-10.15 | Name Representation Code | | |
| RXA-10.16 | Name Context | | |
| RXA-10.16.1 | Identifier | | |
| RXA-10.16.2 | Text | | |
| RXA-10.16.3 | Name of Coding System | | |
| RXA-10.16.4 | Alternate Identifier | | |

| RXA-10.16.5 | Location | Data Element | Data | Categorization |
|--------------------|-----------------|------------------------------------|-------------|-----------------------|
| RXA-10.16.6 | | Name of Alternate Coding System | | |
| RXA-10.17 | | Name Validity Range | | |
| RXA-10.17.1 | | Range Start Date/Time | | |
| RXA-10.17.2 | | Range End Date/Time | | |
| RXA-10.18 | | Name Assembly Order | | |
| RXA-10.19 | | Effective Date | | |
| RXA-10.19.1 | | Time | | |
| RXA-10.19.2 | | Degree of Precision | | |
| RXA-10.20 | | Expiration Date | | |
| RXA-10.20.1 | | Time | | |
| RXA-10.20.2 | | Degree of Precision | | |
| RXA-10.21 | | Professional Suffix | | |
| RXA-10.22 | | Assigning Jurisdiction | | |
| RXA-10.22.1 | | Identifier | | |
| RXA-10.22.2 | | Text | | |
| RXA-10.22.3 | | Name of Coding System | | |
| RXA-10.22.4 | | Alternate Identifier | | |
| RXA-10.22.5 | | Alternate Text | | |
| RXA-10.22.6 | | Name of Alternate Coding System | | |
| RXA-10.22.7 | | Coding System Version ID | | |
| RXA-10.22.8 | | Alternate Coding System Version ID | | |
| RXA-10.22.9 | | Original Text | | |
| RXA-10.23 | | Assigning Agency or Department | | |
| RXA-10.23.1 | | Identifier | | |
| RXA-10.23.2 | | Text | | |
| RXA-10.23.3 | | Name of Coding System | | |
| RXA-10.23.4 | | Alternate Identifier | | |
| RXA-10.23.5 | | Alternate Text | | |
| RXA-10.23.6 | | Name of Alternate Coding System | | |
| RXA-10.23.7 | | Coding System Version ID | | |
| RXA-10.23.8 | | Alternate Coding System Version ID | | |
| RXA-10.23.9 | | Original Text | | |
| RXA-11 | | Administered-at Location | | |
| RXA-11.1 | | Point of Care | | |
| RXA-11.2 | | Room | | |
| RXA-11.3 | | Bed | | |

| RXA-11.4 | Location | Facility Element | Data | Categorization |
|-----------------|---|-------------------------|-------------|-----------------------|
| RXA-11.4.1 | Namespace ID | | | |
| RXA-11.4.2 | Universal ID | | | |
| RXA-11.4.3 | Universal ID Type | | | |
| RXA-11.5 | Location Status | | | |
| RXA-11.6 | Patient Location Type | | | |
| RXA-11.7 | Building | | | |
| RXA-11.8 | Floor | | | |
| RXA-11.9 | Street Address | | | |
| RXA-11.10 | Other Designation | | | |
| RXA-11.11 | City | | | |
| RXA-11.12 | State or Province | | | |
| RXA-11.13 | Zip or Postal Code | | | |
| RXA-11.14 | Country | | | |
| RXA-11.15 | Address Type | | | |
| RXA-11.16 | Other Geographic Designation | | | |
| RXA-12 | Administered Per (Time Unit) | | | |
| RXA-13 | Administered Strength | | | |
| RXA-14 | Administered Strength Units | | | |
| RXA-14.1 | Identifier | | | |
| RXA-14.2 | Text | | | |
| RXA-14.3 | Name of Coding System | | | |
| RXA-14.4 | Alternate Identifier | | | |
| RXA-14.5 | Alternate Text | | | |
| RXA-14.6 | Name of Alternate Coding System | | | |
| RXA-15 | Substance Lot Number | | | |
| RXA-16 | Substance Expiration Date | | | |
| RXA-16.1 | Time | | | |
| RXA-16.2 | Degree of Precision | | | |
| RXA-17 | Substance Manufacturer Name | | | |
| RXA-17.1 | Identifier | | | |
| RXA-17.2 | Text | | | |
| RXA-17.3 | Name of Coding System | | | |
| RXA-17.4 | Alternate Identifier | | | |
| RXA-17.5 | Alternate Text | | | |
| RXA-17.6 | Name of Alternate Coding System | | | |
| RXA-18 | Substance/Treatment Refusal Reason | | | |
| RXA-18.1 | Identifier | | | |
| RXA-18.2 | Text | | | |
| RXA-18.3 | Name of Coding | | | |

| Location | System Data Element | Data | Categorization |
|---------------|--|------|----------------|
| RXA-18.4 | Alternate Identifier | | |
| RXA-18.5 | Alternate Text | | |
| RXA-18.6 | Name of Alternate Coding System | | |
| RXA-19 | Indication | | |
| RXA-19.1 | Identifier | | |
| RXA-19.2 | Text | | |
| RXA-19.3 | Name of Coding System | | |
| RXA-19.4 | Alternate Identifier | | |
| RXA-19.5 | Alternate Text | | |
| RXA-19.6 | Name of Alternate Coding System | | |
| RXA-20 | Completion Status | CP | |
| RXA-21 | Action Code - RXA | | |
| RXA-22 | System Entry Date/Time | | |
| RXA-22.1 | Time | | |
| RXA-22.2 | Degree of Precision | | |
| RXA-23 | Administered Drug Strength Volume | | |
| RXA-24 | Administered Drug Strength Volume Units | | |
| RXA-24.1 | Identifier | | |
| RXA-24.2 | Text | | |
| RXA-24.3 | Name of Coding System | | |
| RXA-24.4 | Alternate Identifier | | |
| RXA-24.5 | Alternate Text | | |
| RXA-24.6 | Name of Alternate Coding System | | |
| RXA-24.7 | Coding System Version ID | | |
| RXA-24.8 | Alternate Coding System Version ID | | |
| RXA-24.9 | Original Text | | |
| RXA-25 | Administered Barcode Identifier | | |
| RXA-25.1 | Identifier | | |
| RXA-25.2 | Text | | |
| RXA-25.3 | Name of Coding System | | |
| RXA-25.4 | Alternate Identifier | | |
| RXA-25.5 | Alternate Text | | |
| RXA-25.6 | Name of Alternate Coding System | | |
| RXA-25.7 | Coding System Version ID | | |
| RXA-25.8 | Alternate Coding System Version ID | | |

| Location | Data Elementmt | Data | Categrization |
|----------|---------------------|------|---------------|
| RXA-26 | Pharmacy Order Type | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categrization |
|---------------|---|--------------|---------------|
| OBX-1 | Set ID - OBX | 7 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 6 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 107 | |
| OBX-5.2 | Text | DTAP NOS | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| | Date/Time of the | | |

| OBX-14 | Location | Observation | Element | Data | Categorization |
|---------------|-------------|--|---------|------|----------------|
| | OBX-14.1 | Time | | | |
| | OBX-14.2 | Degree of Precision | | | |
| OBX-15 | | Producer's Reference | | | |
| | OBX-15.1 | Identifier | | | |
| | OBX-15.2 | Text | | | |
| | OBX-15.3 | Name of Coding System | | | |
| | OBX-15.4 | Alternate Identifier | | | |
| | OBX-15.5 | Alternate Text | | | |
| | OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | | Responsible Observer | | | |
| | OBX-16.1 | ID Number | | | |
| | OBX-16.2 | Family Name | | | |
| | OBX-16.2.1 | Surname | | | |
| | OBX-16.2.2 | Own Surname Prefix | | | |
| | OBX-16.2.3 | Own Surname | | | |
| | OBX-16.2.4 | Surname Prefix From Partner/Spouse | | | |
| | OBX-16.2.5 | Surname From Partner/Spouse | | | |
| | OBX-16.3 | Given Name | | | |
| | OBX-16.4 | Second and Further Given Names or Initials Thereof | | | |
| | OBX-16.5 | Suffix (e.g., JR or III) | | | |
| | OBX-16.6 | Prefix (e.g., DR) | | | |
| | OBX-16.7 | Degree (e.g., MD) | | | |
| | OBX-16.8 | Source Table | | | |
| | OBX-16.9 | Assigning Authority | | | |
| | OBX-16.9.1 | Namespace ID | | | |
| | OBX-16.9.2 | Universal ID | | | |
| | OBX-16.9.3 | Universal ID Type | | | |
| | OBX-16.10 | Name Type Code | | | |
| | OBX-16.11 | Identifier Check Digit | | | |
| | OBX-16.12 | Check Digit Scheme | | | |
| | OBX-16.13 | Identifier Type Code | | | |
| | OBX-16.14 | Assigning Facility | | | |
| | OBX-16.14.1 | Namespace ID | | | |
| | OBX-16.14.2 | Universal ID | | | |
| | OBX-16.14.3 | Universal ID Type | | | |
| | OBX-16.15 | Name Representation Code | | | |
| | OBX-16.16 | Name Context | | | |
| | OBX-16.16.1 | Identifier | | | |
| | OBX-16.16.2 | Text | | | |
| | OBX-16.16.3 | Name of Coding System | | | |
| | OBX-16.16.4 | Alternate Identifier | | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |

| OBX-Location | Alternate Identifier Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-17.4 | Alternate Text | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| | | | |

| OBX-24.3 | Other Designation | Data | Categorization |
|---------------|--|------|----------------|
| OBX-24.4 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |

| OBX-Location | Data Element Identifier Type Code | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| | | | |

| OBX-25.23.4 Location | OBX-25.23.5 Data Element Identifier | Data | Categorization |
|-------------------------|--|------|----------------|
| | | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element Identifier | Data | Categorization |
|---------------|----------------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 8 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 6 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| | Effective Date of | | |

| OBX-12 | Location | Reference Range | Data Element | Data | Categorization |
|--------|-------------|-----------------|--|----------|----------------|
| | | | Values | | |
| | OBX-12.1 | | Time | | |
| | OBX-12.2 | | Degree of Precision | | |
| OBX-13 | | | User Defined Access Checks | | |
| OBX-14 | | | Date/Time of the Observation | | |
| | OBX-14.1 | | Time | 20150531 | |
| | OBX-14.2 | | Degree of Precision | | |
| OBX-15 | | | Producer's Reference | | |
| | OBX-15.1 | | Identifier | | |
| | OBX-15.2 | | Text | | |
| | OBX-15.3 | | Name of Coding System | | |
| | OBX-15.4 | | Alternate Identifier | | |
| | OBX-15.5 | | Alternate Text | | |
| | OBX-15.6 | | Name of Alternate Coding System | | |
| OBX-16 | | | Responsible Observer | | |
| | OBX-16.1 | | ID Number | | |
| | OBX-16.2 | | Family Name | | |
| | OBX-16.2.1 | | Surname | | |
| | OBX-16.2.2 | | Own Surname Prefix | | |
| | OBX-16.2.3 | | Own Surname | | |
| | OBX-16.2.4 | | Surname Prefix From Partner/Spouse | | |
| | OBX-16.2.5 | | Surname From Partner/Spouse | | |
| | OBX-16.3 | | Given Name | | |
| | OBX-16.4 | | Second and Further Given Names or Initials Thereof | | |
| | OBX-16.5 | | Suffix (e.g., JR or III) | | |
| | OBX-16.6 | | Prefix (e.g., DR) | | |
| | OBX-16.7 | | Degree (e.g., MD) | | |
| | OBX-16.8 | | Source Table | | |
| | OBX-16.9 | | Assigning Authority | | |
| | OBX-16.9.1 | | Namespace ID | | |
| | OBX-16.9.2 | | Universal ID | | |
| | OBX-16.9.3 | | Universal ID Type | | |
| | OBX-16.10 | | Name Type Code | | |
| | OBX-16.11 | | Identifier Check Digit | | |
| | OBX-16.12 | | Check Digit Scheme | | |
| | OBX-16.13 | | Identifier Type Code | | |
| | OBX-16.14 | | Assigning Facility | | |
| | OBX-16.14.1 | | Namespace ID | | |
| | OBX-16.14.2 | | Universal ID | | |
| | OBX-16.14.3 | | Universal ID Type | | |
| | | | Name Representation | | |

| OBX-Location | Code Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.15 | Name Context | | |
| OBX-16.16 | Identifier | | |
| OBX-16.16.1 | Text | | |
| OBX-16.16.2 | Name of Coding System | | |
| OBX-16.16.3 | Alternate Identifier | | |
| OBX-16.16.4 | Alternate Text | | |
| OBX-16.16.5 | Name of Alternate Coding System | | |
| OBX-16.16.6 | Name Validity Range | | |
| OBX-16.17 | Range Start Date/Time | | |
| OBX-16.17.1 | Range End Date/Time | | |
| OBX-16.17.2 | Name Assembly Order | | |
| OBX-16.18 | Effective Date | | |
| OBX-16.19 | Time | | |
| OBX-16.19.1 | Degree of Precision | | |
| OBX-16.19.2 | Expiration Date | | |
| OBX-16.20 | Time | | |
| OBX-16.20.1 | Degree of Precision | | |
| OBX-16.20.2 | Professional Suffix | | |
| OBX-16.21 | Assigning Jurisdiction | | |
| OBX-16.22 | Identifier | | |
| OBX-16.22.1 | Text | | |
| OBX-16.22.2 | Name of Coding System | | |
| OBX-16.22.3 | Alternate Identifier | | |
| OBX-16.22.4 | Alternate Text | | |
| OBX-16.22.5 | Name of Alternate Coding System | | |
| OBX-16.22.6 | Coding System Version ID | | |
| OBX-16.22.7 | Alternate Coding System Version ID | | |
| OBX-16.22.8 | Original Text | | |
| OBX-16.22.9 | Assigning Agency or Department | | |
| OBX-16.23 | Identifier | | |
| OBX-16.23.1 | Text | | |
| OBX-16.23.2 | Name of Coding System | | |
| OBX-16.23.3 | Alternate Identifier | | |
| OBX-16.23.4 | Alternate Text | | |
| OBX-16.23.5 | Name of Alternate Coding System | | |
| OBX-16.23.6 | Coding System Version ID | | |
| OBX-16.23.7 | Alternate Coding | | |

| OBX-16.23.8 Location | System Data Element ID | Data | Categorization |
|-------------------------|---|------|----------------|
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |

| OBX-24 Location | Performing Organization | Data Element | Data | Categorization |
|-----------------|--|--------------|------|----------------|
| | Organization Address | | | |
| OBX-24.1 | Street Address | | | |
| OBX-24.1.1 | Street or Mailing Address | | | |
| OBX-24.1.2 | Street Name | | | |
| OBX-24.1.3 | Dwelling Number | | | |
| OBX-24.2 | Other Designation | | | |
| OBX-24.3 | City | | | |
| OBX-24.4 | State or Province | | | |
| OBX-24.5 | Zip or Postal Code | | | |
| OBX-24.6 | Country | | | |
| OBX-24.7 | Address Type | | | |
| OBX-24.8 | Other Geographic Designation | | | |
| OBX-24.9 | County/Parish Code | | | |
| OBX-24.10 | Census Tract | | | |
| OBX-24.11 | Address Representation Code | | | |
| OBX-24.12 | Address Validity Range | | | |
| OBX-24.12.1 | Range Start Date/Time | | | |
| OBX-24.12.2 | Range End Date/Time | | | |
| OBX-24.13 | Effective Date | | | |
| OBX-24.13.1 | Time | | | |
| OBX-24.13.2 | Degree of Precision | | | |
| OBX-24.14 | Expiration Date | | | |
| OBX-24.14.1 | Time | | | |
| OBX-24.14.2 | Degree of Precision | | | |
| OBX-25 | Performing Organization Medical Director | | | |
| OBX-25.1 | ID Number | | | |
| OBX-25.2 | Family Name | | | |
| OBX-25.2.1 | Surname | | | |
| OBX-25.2.2 | Own Surname Prefix | | | |
| OBX-25.2.3 | Own Surname | | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | | |
| OBX-25.3 | Given Name | | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | | |
| OBX-25.6 | Prefix (e.g., DR) | | | |
| OBX-25.7 | Degree (e.g., MD) | | | |
| | | | | |

| OBX-25.8 Location | OBX-25.9 Data Element | Data | Categorization |
|-------------------|---------------------------------|------|----------------|
| | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding | | |

| OBX-25.23 | Location | Data Element | Data | Categorization |
|-------------|----------|------------------------------------|------|----------------|
| OBX-25.23 | | Assigning Agency or Department | | |
| OBX-25.23.1 | | Identifier | | |
| OBX-25.23.2 | | Text | | |
| OBX-25.23.3 | | Name of Coding System | | |
| OBX-25.23.4 | | Alternate Identifier | | |
| OBX-25.23.5 | | Alternate Text | | |
| OBX-25.23.6 | | Name of Alternate Coding System | | |
| OBX-25.23.7 | | Coding System Version ID | | |
| OBX-25.23.8 | | Alternate Coding System Version ID | | |
| OBX-25.23.9 | | Original Text | | |

OBX : Observation/Result

| OBX-1 | Location | Data Element | Data | Categorization |
|---------|----------|---------------------------------|---------------|----------------|
| OBX-1 | | Set ID - OBX | 9 | |
| OBX-2 | | Value Type | ID | |
| OBX-3 | | Observation Identifier | | |
| OBX-3.1 | | Identifier | 59781-5 | |
| OBX-3.2 | | Text | dose validity | |
| OBX-3.3 | | Name of Coding System | LN | |
| OBX-3.4 | | Alternate Identifier | | |
| OBX-3.5 | | Alternate Text | | |
| OBX-3.6 | | Name of Alternate Coding System | | |
| OBX-4 | | Observation Sub-ID | 6 | |
| OBX-5 | | Observation Value | Y | |
| OBX-6 | | Units | | |
| OBX-6.1 | | Identifier | | |
| OBX-6.2 | | Text | | |
| OBX-6.3 | | Name of Coding System | | |
| OBX-6.4 | | Alternate Identifier | | |
| OBX-6.5 | | Alternate Text | | |
| OBX-6.6 | | Name of Alternate Coding System | | |
| OBX-7 | | References Range | | |
| OBX-8 | | Abnormal Flags | | |
| OBX-9 | | Probability | | |
| OBX-10 | | Nature of Abnormal Test | | |
| OBX-11 | | Observation Result Status | F | |
| | | | | |

| OBX-12 | Location | Effective Date of Data Element | Data | Categorization |
|--------|-------------|--|----------|----------------|
| | | Reference Range Values | | |
| | OBX-12.1 | Time | | |
| | OBX-12.2 | Degree of Precision | | |
| OBX-13 | | User Defined Access Checks | | |
| OBX-14 | | Date/Time of the Observation | | |
| | OBX-14.1 | Time | 20150531 | |
| | OBX-14.2 | Degree of Precision | | |
| OBX-15 | | Producer's Reference | | |
| | OBX-15.1 | Identifier | | |
| | OBX-15.2 | Text | | |
| | OBX-15.3 | Name of Coding System | | |
| | OBX-15.4 | Alternate Identifier | | |
| | OBX-15.5 | Alternate Text | | |
| | OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | | Responsible Observer | | |
| | OBX-16.1 | ID Number | | |
| | OBX-16.2 | Family Name | | |
| | OBX-16.2.1 | Surname | | |
| | OBX-16.2.2 | Own Surname Prefix | | |
| | OBX-16.2.3 | Own Surname | | |
| | OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| | OBX-16.2.5 | Surname From Partner/Spouse | | |
| | OBX-16.3 | Given Name | | |
| | OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| | OBX-16.5 | Suffix (e.g., JR or III) | | |
| | OBX-16.6 | Prefix (e.g., DR) | | |
| | OBX-16.7 | Degree (e.g., MD) | | |
| | OBX-16.8 | Source Table | | |
| | OBX-16.9 | Assigning Authority | | |
| | OBX-16.9.1 | Namespace ID | | |
| | OBX-16.9.2 | Universal ID | | |
| | OBX-16.9.3 | Universal ID Type | | |
| | OBX-16.10 | Name Type Code | | |
| | OBX-16.11 | Identifier Check Digit | | |
| | OBX-16.12 | Check Digit Scheme | | |
| | OBX-16.13 | Identifier Type Code | | |
| | OBX-16.14 | Assigning Facility | | |
| | OBX-16.14.1 | Namespace ID | | |
| | OBX-16.14.2 | Universal ID | | |
| | OBX-16.14.3 | Universal ID Type | | |

| OBX-Location | Name Representation Data Element | Data | Categorization |
|--------------|-------------------------------------|------|----------------|
| | Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| | | | |

| OBX-Location | Data Element Coding | Data | Categorization |
|---------------|---|------|----------------|
| | System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| | | | |

| OBX-23.10 Location | Performing Organization Identifier | Data | Categorization |
|--------------------|--|------|----------------|
| OBX-24 | Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |

| OBX-25.8 Location | Source Table Element | Data | Categorization |
|-------------------|---------------------------------|------|----------------|
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding | | |

| Location | Data Element | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|--------------|----------------------------|--------|----------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 197026 | |
| ORC-3.2 | Namespace ID | DCS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |
| ORC-4.3 | Universal ID | | |
| ORC-4.4 | Universal ID Type | | |
| ORC-5 | Order Status | | |
| ORC-6 | Response Flag | | |
| ORC-7 | Quantity/Timing | | |
| ORC-7.1 | Quantity | | |
| ORC-7.1.1 | Quantity | | |
| ORC-7.1.2 | Units | | |
| ORC-7.2 | Interval | | |
| ORC-7.2.1 | Repeat Pattern | | |
| ORC-7.2.2 | Explicit Time Interval | | |
| ORC-7.3 | Duration | | |
| ORC-7.4 | Start Date/Time | | |
| ORC-7.4.1 | Time | | |

| Location | Data Element Definition | Data | Categorization |
|--------------|--|------|----------------|
| ORC-7.5 | End Date/Time | | |
| ORC-7.5.1 | Time | | |
| ORC-7.5.2 | Degree of Precision | | |
| ORC-7.6 | Priority | | |
| ORC-7.7 | Condition | | |
| ORC-7.8 | Text | | |
| ORC-7.9 | Conjunction | | |
| ORC-7.10 | Order Sequencing | | |
| ORC-7.10.1 | Sequence/Results Flag | | |
| ORC-7.10.2 | Placer Order Number: Entity Identifier | | |
| ORC-7.10.3 | Placer Order Number: Namespace ID | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | |
| ORC-7.10.6 | Sequence Condition Value | | |
| ORC-7.10.7 | Maximum Number of Repeats | | |
| ORC-7.10.8 | Placer Order Number: Universal ID | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |

| ORC Location | Universal ID Type | Data Element | Data | Categorization |
|---------------|--|--------------|------|----------------|
| ORC-8.2 | Filler Assigned Identifier | | | |
| ORC-8.2.1 | Entity Identifier | | | |
| ORC-8.2.2 | Namespace ID | | | |
| ORC-8.2.3 | Universal ID | | | |
| ORC-8.2.4 | Universal ID Type | | | |
| ORC-9 | Date/Time of Transaction | | | |
| ORC-9.1 | Time | | | |
| ORC-9.2 | Degree of Precision | | | |
| ORC-10 | Entered By | | | |
| ORC-10.1 | ID Number | | | |
| ORC-10.2 | Family Name | | | |
| ORC-10.2.1 | Surname | | | |
| ORC-10.2.2 | Own Surname Prefix | | | |
| ORC-10.2.3 | Own Surname | | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | | |
| ORC-10.3 | Given Name | | | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | | |
| ORC-10.6 | Prefix (e.g., DR) | | | |
| ORC-10.7 | Degree (e.g., MD) | | | |
| ORC-10.8 | Source Table | | | |
| ORC-10.9 | Assigning Authority | | | |
| ORC-10.9.1 | Namespace ID | | | |
| ORC-10.9.2 | Universal ID | | | |
| ORC-10.9.3 | Universal ID Type | | | |
| ORC-10.10 | Name Type Code | | | |
| ORC-10.11 | Identifier Check Digit | | | |
| ORC-10.12 | Check Digit Scheme | | | |
| ORC-10.13 | Identifier Type Code | | | |
| ORC-10.14 | Assigning Facility | | | |
| ORC-10.14.1 | Namespace ID | | | |
| ORC-10.14.2 | Universal ID | | | |
| ORC-10.14.3 | Universal ID Type | | | |
| ORC-10.15 | Name Representation Code | | | |
| ORC-10.16 | Name Context | | | |
| ORC-10.16.1 | Identifier | | | |
| ORC-10.16.2 | Text | | | |
| ORC-10.16.3 | Name of Coding System | | | |
| ORC-10.16.4 | Alternate Identifier | | | |
| ORC-10.16.5 | Alternate Text | | | |

| Location | Data Element | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| ORC-10.16.6 | Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |

| Location | Data Element | Data | Categorization |
|-------------|--|------|----------------|
| ORC-11.2.4 | From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |

| ORC Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |
| ORC-11.23.6 | Name of Alternate Coding System | | |
| ORC-11.23.7 | Coding System Version ID | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | |
| ORC-11.23.9 | Original Text | | |
| ORC-12 | Ordering Provider | | |
| ORC-12.1 | ID Number | | |
| ORC-12.2 | Family Name | | |
| ORC-12.2.1 | Surname | | |
| ORC-12.2.2 | Own Surname Prefix | | |
| ORC-12.2.3 | Own Surname | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | |
| ORC-12.3 | Given Name | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-12.5 | Suffix (e.g., JR or III) | | |
| ORC-12.6 | Prefix (e.g., DR) | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |
| ORC-12.10 | Name Type Code | | |

| ORC-12.11 | Identifier Check Digit | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| ORC-12.12 | Check Digit Scheme | | |
| ORC-12.13 | Identifier Type Code | | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |
| ORC-12.16 | Name Context | | |
| ORC-12.16.1 | Identifier | | |
| ORC-12.16.2 | Text | | |
| ORC-12.16.3 | Name of Coding System | | |
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| ORC-12.17.1 | Range Start Date/Time | | |
| ORC-12.17.2 | Range End Date/Time | | |
| ORC-12.18 | Name Assembly Order | | |
| ORC-12.19 | Effective Date | | |
| ORC-12.19.1 | Time | | |
| ORC-12.19.2 | Degree of Precision | | |
| ORC-12.20 | Expiration Date | | |
| ORC-12.20.1 | Time | | |
| ORC-12.20.2 | Degree of Precision | | |
| ORC-12.21 | Professional Suffix | | |
| ORC-12.22 | Assigning Jurisdiction | | |
| ORC-12.22.1 | Identifier | | |
| ORC-12.22.2 | Text | | |
| ORC-12.22.3 | Name of Coding System | | |
| ORC-12.22.4 | Alternate Identifier | | |
| ORC-12.22.5 | Alternate Text | | |
| ORC-12.22.6 | Name of Alternate Coding System | | |
| ORC-12.22.7 | Coding System Version ID | | |
| ORC-12.22.8 | Alternate Coding System Version ID | | |
| ORC-12.22.9 | Original Text | | |
| ORC-12.23 | Assigning Agency or Department | | |
| ORC-12.23.1 | Identifier | | |
| ORC-12.23.2 | Text | | |
| | Name of Coding | | |

| ORC-12.23.3 | System Data Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-12.23.4 | Alternate Identifier | | |
| ORC-12.23.5 | Alternate Text | | |
| ORC-12.23.6 | Name of Alternate Coding System | | |
| ORC-12.23.7 | Coding System Version ID | | |
| ORC-12.23.8 | Alternate Coding System Version ID | | |
| ORC-12.23.9 | Original Text | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication Equipment Type | | |
| ORC-14.4 | Email Address | | |
| ORC-14.5 | Country Code | | |
| ORC-14.6 | Area/City Code | | |
| ORC-14.7 | Local Number | | |
| ORC-14.8 | Extension | | |
| ORC-14.9 | Any Text | | |
| ORC-14.10 | Extension Prefix | | |
| ORC-14.11 | Speed Dial Code | | |
| | Unformatted | | |

| ORC-14 | Location | Telephone Number | Data | Categorization |
|---------------|--|-----------------------|------|----------------|
| ORC-15 | Order Effective Date/Time | | | |
| ORC-15.1 | Time | | | |
| ORC-15.2 | Degree of Precision | | | |
| ORC-16 | Order Control Code Reason | | | |
| ORC-16.1 | Identifier | | | |
| ORC-16.2 | Text | | | |
| ORC-16.3 | Name of Coding System | | | |
| ORC-16.4 | Alternate Identifier | | | |
| ORC-16.5 | Alternate Text | | | |
| ORC-16.6 | Name of Alternate Coding System | | | |
| ORC-17 | Entering Organization | | | |
| ORC-17.1 | Identifier | DCS | | |
| ORC-17.2 | Text | Dabig Clinical System | | |
| ORC-17.3 | Name of Coding System | StateIIS | | |
| ORC-17.4 | Alternate Identifier | | | |
| ORC-17.5 | Alternate Text | | | |
| ORC-17.6 | Name of Alternate Coding System | | | |
| ORC-18 | Entering Device | | | |
| ORC-18.1 | Identifier | | | |
| ORC-18.2 | Text | | | |
| ORC-18.3 | Name of Coding System | | | |
| ORC-18.4 | Alternate Identifier | | | |
| ORC-18.5 | Alternate Text | | | |
| ORC-18.6 | Name of Alternate Coding System | | | |
| ORC-19 | Action By | | | |
| ORC-19.1 | ID Number | | | |
| ORC-19.2 | Family Name | | | |
| ORC-19.2.1 | Surname | | | |
| ORC-19.2.2 | Own Surname Prefix | | | |
| ORC-19.2.3 | Own Surname | | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | | |
| ORC-19.3 | Given Name | | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | | |
| ORC-19.6 | Prefix (e.g., DR) | | | |
| ORC-19.7 | Degree (e.g., MD) | | | |

| Location | Data Element | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| ORC-19.8 | Assigning Authority | | |
| ORC-19.9 | | | |
| ORC-19.9.1 | Namespace ID | | |
| ORC-19.9.2 | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | | |
| ORC-19.10 | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | | |
| ORC-19.12 | Check Digit Scheme | | |
| ORC-19.13 | Identifier Type Code | | |
| ORC-19.14 | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| ORC-19.22.3 | Name of Coding System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |

| ORC-19.23.0 | Original Element | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| | Street or Mailing | | |

| Location | Data Element | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| ORC-23.9 | Any Text | | |
| ORC-23.10 | Extension Prefix | | |
| ORC-23.11 | Speed Dial Code | | |
| ORC-23.12 | Unformatted Telephone number | | |
| ORC-24 | Ordering Provider Address | | |
| ORC-24.1 | Street Address | | |
| ORC-24.1.1 | Street or Mailing Address | | |
| ORC-24.1.2 | Street Name | | |

| ORC-24 Location | ORC-24.2 Dwell ID Number Other Designation | Data | Categorization |
|-----------------|--|------|----------------|
| ORC-24.3 | City | | |
| ORC-24.4 | State or Province | | |
| ORC-24.5 | Zip or Postal Code | | |
| ORC-24.6 | Country | | |
| ORC-24.7 | Address Type | | |
| ORC-24.8 | Other Geographic Designation | | |
| ORC-24.9 | County/Parish Code | | |
| ORC-24.10 | Census Tract | | |
| ORC-24.11 | Address Representation Code | | |
| ORC-24.12 | Address Validity Range | | |
| ORC-24.12.1 | Range Start Date/Time | | |
| ORC-24.12.2 | Range End Date/Time | | |
| ORC-24.13 | Effective Date | | |
| ORC-24.13.1 | Time | | |
| ORC-24.13.2 | Degree of Precision | | |
| ORC-24.14 | Expiration Date | | |
| ORC-24.14.1 | Time | | |
| ORC-24.14.2 | Degree of Precision | | |
| ORC-25 | Order Status Modifier | | |
| ORC-25.1 | Identifier | | |
| ORC-25.2 | Text | | |
| ORC-25.3 | Name of Coding System | | |
| ORC-25.4 | Alternate Identifier | | |
| ORC-25.5 | Alternate Text | | |
| ORC-25.6 | Name of Alternate Coding System | | |
| ORC-25.7 | Coding System Version ID | | |
| ORC-25.8 | Alternate Coding System Version ID | | |
| ORC-25.9 | Original Text | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | |
| ORC-26.1 | Identifier | | |
| ORC-26.2 | Text | | |
| ORC-26.3 | Name of Coding System | | |
| ORC-26.4 | Alternate Identifier | | |
| ORC-26.5 | Alternate Text | | |
| ORC-26.6 | Name of Alternate Coding System | | |
| | Coding System | | |

| ORC-26.7 | Location | Version ID | Data Element | Data | Categorization |
|---------------|----------|------------|---|------|----------------|
| ORC-26.8 | | | Alternate Coding System Version ID | | |
| ORC-26.9 | | | Original Text | | |
| ORC-27 | | | Filler's Expected Availability Date/Time | | |
| ORC-27.1 | | | Time | | |
| ORC-27.2 | | | Degree of Precision | | |
| ORC-28 | | | Confidentiality Code | | |
| ORC-28.1 | | | Identifier | | |
| ORC-28.2 | | | Text | | |
| ORC-28.3 | | | Name of Coding System | | |
| ORC-28.4 | | | Alternate Identifier | | |
| ORC-28.5 | | | Alternate Text | | |
| ORC-28.6 | | | Name of Alternate Coding System | | |
| ORC-28.7 | | | Coding System Version ID | | |
| ORC-28.8 | | | Alternate Coding System Version ID | | |
| ORC-28.9 | | | Original Text | | |
| ORC-29 | | | Order Type | | |
| ORC-29.1 | | | Identifier | | |
| ORC-29.2 | | | Text | | |
| ORC-29.3 | | | Name of Coding System | | |
| ORC-29.4 | | | Alternate Identifier | | |
| ORC-29.5 | | | Alternate Text | | |
| ORC-29.6 | | | Name of Alternate Coding System | | |
| ORC-29.7 | | | Coding System Version ID | | |
| ORC-29.8 | | | Alternate Coding System Version ID | | |
| ORC-29.9 | | | Original Text | | |
| ORC-30 | | | Enterer Authorization Mode | | |
| ORC-30.1 | | | Identifier | | |
| ORC-30.2 | | | Text | | |
| ORC-30.3 | | | Name of Coding System | | |
| ORC-30.4 | | | Alternate Identifier | | |
| ORC-30.5 | | | Alternate Text | | |
| ORC-30.6 | | | Name of Alternate Coding System | | |
| ORC-30.7 | | | Coding System Version ID | | |
| ORC-30.8 | | | Alternate Coding System Version ID | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-30 | Parent Universal Service Identifier | | |
| ORC-31.1 | Identifier | | |
| ORC-31.2 | Text | | |
| ORC-31.3 | Name of Coding System | | |
| ORC-31.4 | Alternate Identifier | | |
| ORC-31.5 | Alternate Text | | |
| ORC-31.6 | Name of Alternate Coding System | | |
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|----------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 19811115 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 19811115 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 01 | |
| RXA-5.2 | Text | DTP | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |
| RXA-7 | Administered Units | | |
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |

| RXA-8 Location | Administered Dosage Data Element | Data | Categorization |
|-----------------------|--|-------------------|-----------------------|
| | Form | | |
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |
| RXA-8.6 | Name of Alternate Coding System | | |
| RXA-9 | Administration Notes | | |
| RXA-9.1 | Identifier | 01 | |
| RXA-9.2 | Text | historical record | |
| RXA-9.3 | Name of Coding System | NIP001 | |
| RXA-9.4 | Alternate Identifier | | |
| RXA-9.5 | Alternate Text | | |
| RXA-9.6 | Name of Alternate Coding System | | |
| RXA-10 | Administering Provider | | |
| RXA-10.1 | ID Number | | |
| RXA-10.2 | Family Name | | |
| RXA-10.2.1 | Surname | | |
| RXA-10.2.2 | Own Surname Prefix | | |
| RXA-10.2.3 | Own Surname | | |
| RXA-10.2.4 | Surname Prefix From Partner/Spouse | | |
| RXA-10.2.5 | Surname From Partner/Spouse | | |
| RXA-10.3 | Given Name | | |
| RXA-10.4 | Second and Further Given Names or Initials Thereof | | |
| RXA-10.5 | Suffix (e.g., JR or III) | | |
| RXA-10.6 | Prefix (e.g., DR) | | |
| RXA-10.7 | Degree (e.g., MD) | | |
| RXA-10.8 | Source Table | | |
| RXA-10.9 | Assigning Authority | | |
| RXA-10.9.1 | Namespace ID | | |
| RXA-10.9.2 | Universal ID | | |
| RXA-10.9.3 | Universal ID Type | | |
| RXA-10.10 | Name Type Code | | |
| RXA-10.11 | Identifier Check Digit | | |
| RXA-10.12 | Check Digit Scheme | | |
| RXA-10.13 | Identifier Type Code | | |
| RXA-10.14 | Assigning Facility | | |
| RXA-10.14.1 | Namespace ID | | |
| RXA-10.14.2 | Universal ID | | |
| RXA-10.14.3 | Universal ID Type | | |

| Location | Name Representation Data Element | Data | Categorization |
|-------------|-------------------------------------|------|----------------|
| RXA-10.15 | Code | | |
| RXA-10.16 | Name Context | | |
| RXA-10.16.1 | Identifier | | |
| RXA-10.16.2 | Text | | |
| RXA-10.16.3 | Name of Coding System | | |
| RXA-10.16.4 | Alternate Identifier | | |
| RXA-10.16.5 | Alternate Text | | |
| RXA-10.16.6 | Name of Alternate Coding System | | |
| RXA-10.17 | Name Validity Range | | |
| RXA-10.17.1 | Range Start Date/Time | | |
| RXA-10.17.2 | Range End Date/Time | | |
| RXA-10.18 | Name Assembly Order | | |
| RXA-10.19 | Effective Date | | |
| RXA-10.19.1 | Time | | |
| RXA-10.19.2 | Degree of Precision | | |
| RXA-10.20 | Expiration Date | | |
| RXA-10.20.1 | Time | | |
| RXA-10.20.2 | Degree of Precision | | |
| RXA-10.21 | Professional Suffix | | |
| RXA-10.22 | Assigning Jurisdiction | | |
| RXA-10.22.1 | Identifier | | |
| RXA-10.22.2 | Text | | |
| RXA-10.22.3 | Name of Coding System | | |
| RXA-10.22.4 | Alternate Identifier | | |
| RXA-10.22.5 | Alternate Text | | |
| RXA-10.22.6 | Name of Alternate Coding System | | |
| RXA-10.22.7 | Coding System Version ID | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | |
| RXA-10.22.9 | Original Text | | |
| RXA-10.23 | Assigning Agency or Department | | |
| RXA-10.23.1 | Identifier | | |
| RXA-10.23.2 | Text | | |
| RXA-10.23.3 | Name of Coding System | | |
| RXA-10.23.4 | Alternate Identifier | | |
| RXA-10.23.5 | Alternate Text | | |
| RXA-10.23.6 | Name of Alternate Coding System | | |
| RXA-10.23.7 | Coding System Version ID | | |

| RXA-10.23.8 | Data Element Coding | Data | Categorization |
|--------------------|-------------------------------------|-------------|-----------------------|
| | System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |
| RXA-11.11 | City | | |
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| RXA-11.14 | Country | | |
| RXA-11.15 | Address Type | | |
| RXA-11.16 | Other Geographic Designation | | |
| RXA-12 | Administered Per (Time Unit) | | |
| RXA-13 | Administered Strength | | |
| RXA-14 | Administered Strength Units | | |
| RXA-14.1 | Identifier | | |
| RXA-14.2 | Text | | |
| RXA-14.3 | Name of Coding System | | |
| RXA-14.4 | Alternate Identifier | | |
| RXA-14.5 | Alternate Text | | |
| RXA-14.6 | Name of Alternate Coding System | | |
| RXA-15 | Substance Lot Number | | |
| RXA-16 | Substance Expiration Date | | |
| RXA-16.1 | Time | | |
| RXA-16.2 | Degree of Precision | | |
| RXA-17 | Substance Manufacturer Name | | |
| RXA-17.1 | Identifier | | |
| RXA-17.2 | Text | | |
| RXA-17.3 | Name of Coding System | | |
| RXA-17.4 | Alternate Identifier | | |

| RXA-17.5 | Location | Alternate Text | Data Element | Data | Categorization |
|-----------------|-----------------|--|---------------------|-------------|-----------------------|
| RXA-17.6 | | Name of Alternate Coding System | | | |
| RXA-18 | | Substance/Treatment Refusal Reason | | | |
| RXA-18.1 | | Identifier | | | |
| RXA-18.2 | | Text | | | |
| RXA-18.3 | | Name of Coding System | | | |
| RXA-18.4 | | Alternate Identifier | | | |
| RXA-18.5 | | Alternate Text | | | |
| RXA-18.6 | | Name of Alternate Coding System | | | |
| RXA-19 | | Indication | | | |
| RXA-19.1 | | Identifier | | | |
| RXA-19.2 | | Text | | | |
| RXA-19.3 | | Name of Coding System | | | |
| RXA-19.4 | | Alternate Identifier | | | |
| RXA-19.5 | | Alternate Text | | | |
| RXA-19.6 | | Name of Alternate Coding System | | | |
| RXA-20 | | Completion Status | CP | | |
| RXA-21 | | Action Code - RXA | | | |
| RXA-22 | | System Entry Date/Time | | | |
| RXA-22.1 | | Time | | | |
| RXA-22.2 | | Degree of Precision | | | |
| RXA-23 | | Administered Drug Strength Volume | | | |
| RXA-24 | | Administered Drug Strength Volume Units | | | |
| RXA-24.1 | | Identifier | | | |
| RXA-24.2 | | Text | | | |
| RXA-24.3 | | Name of Coding System | | | |
| RXA-24.4 | | Alternate Identifier | | | |
| RXA-24.5 | | Alternate Text | | | |
| RXA-24.6 | | Name of Alternate Coding System | | | |
| RXA-24.7 | | Coding System Version ID | | | |
| RXA-24.8 | | Alternate Coding System Version ID | | | |
| RXA-24.9 | | Original Text | | | |
| RXA-25 | | Administered Barcode Identifier | | | |
| RXA-25.1 | | Identifier | | | |
| RXA-25.2 | | Text | | | |
| RXA-25.3 | | Name of Coding System | | | |

| RXA-25.4 | Alternate Identifier | Data | Categorization |
|-----------------|------------------------------------|-------------|-----------------------|
| Location | Data Elementmt | | |
| RXA-25.5 | Alternate Text | | |
| RXA-25.6 | Name of Alternate Coding System | | |
| RXA-25.7 | Coding System Version ID | | |
| RXA-25.8 | Alternate Coding System Version ID | | |
| RXA-25.9 | Original Text | | |
| RXA-26 | Pharmacy Order Type | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categorization |
|-----------------|---------------------------------|--------------|-----------------------|
| OBX-1 | Set ID - OBX | 7 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 7 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 107 | |
| OBX-5.2 | Text | DTAP NOS | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result | F | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |

| OBX-Location | Universal ID Type | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System | | |

| Location | Version ID Alternate Coding | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.23.8 | System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |

| OBX-Location | Organization Identifier | Data Element | Data | Categorization |
|---------------|--|--------------|------|----------------|
| OBX-24 | Performing Organization Address | | | |
| OBX-24.1 | Street Address | | | |
| OBX-24.1.1 | Street or Mailing Address | | | |
| OBX-24.1.2 | Street Name | | | |
| OBX-24.1.3 | Dwelling Number | | | |
| OBX-24.2 | Other Designation | | | |
| OBX-24.3 | City | | | |
| OBX-24.4 | State or Province | | | |
| OBX-24.5 | Zip or Postal Code | | | |
| OBX-24.6 | Country | | | |
| OBX-24.7 | Address Type | | | |
| OBX-24.8 | Other Geographic Designation | | | |
| OBX-24.9 | County/Parish Code | | | |
| OBX-24.10 | Census Tract | | | |
| OBX-24.11 | Address Representation Code | | | |
| OBX-24.12 | Address Validity Range | | | |
| OBX-24.12.1 | Range Start Date/Time | | | |
| OBX-24.12.2 | Range End Date/Time | | | |
| OBX-24.13 | Effective Date | | | |
| OBX-24.13.1 | Time | | | |
| OBX-24.13.2 | Degree of Precision | | | |
| OBX-24.14 | Expiration Date | | | |
| OBX-24.14.1 | Time | | | |
| OBX-24.14.2 | Degree of Precision | | | |
| OBX-25 | Performing Organization Medical Director | | | |
| OBX-25.1 | ID Number | | | |
| OBX-25.2 | Family Name | | | |
| OBX-25.2.1 | Surname | | | |
| OBX-25.2.2 | Own Surname Prefix | | | |
| OBX-25.2.3 | Own Surname | | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | | |
| OBX-25.3 | Given Name | | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | | |
| OBX-25.6 | Prefix (e.g., DR) | | | |

| OBX-25.7 Location | Data Element | Data | Categorization |
|----------------------|---------------------------------|------|----------------|
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| | | | |

| OBX-25.23.8 | Data Element Coding | Data | Categorization |
|-------------|---------------------------------------|------|----------------|
| OBX-25.22.9 | System Version ID Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categorization |
|--------------|------------------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 8 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 7 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| | | | |

| OBX-Location | Name of Alternate Data Element | Data | Categorization |
|--------------|--|----------|----------------|
| | Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |

| OBX-Location | Universal ID Type | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |

| OBX-16.23.2 | Data Element | Data | Categorization |
|-----------------|---|------|----------------|
| Location | Name of Coding System | | |
| OBX-16.23.3 | System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |

| OBX-Location | Data Element Type | Data | Categorization |
|---------------|---|------|----------------|
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |

| Location | Data Element | Data | Categorization |
|-------------|--|------|----------------|
| OBX-25.2.5 | Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |

| Location | Data Element | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.22.3 | System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|----------|---------------------------------|---------------|----------------|
| OBX-1 | Set ID - OBX | 9 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 7 | |
| OBX-5 | Observation Value | Y | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |

| OBX-6.6 | Location | Name of Alternate Data Element | Data | Categorization |
|------------|----------|--|----------|----------------|
| | | Coding System | | |
| OBX-7 | | References Range | | |
| OBX-8 | | Abnormal Flags | | |
| OBX-9 | | Probability | | |
| OBX-10 | | Nature of Abnormal Test | | |
| OBX-11 | | Observation Result Status | F | |
| OBX-12 | | Effective Date of Reference Range Values | | |
| OBX-12.1 | | Time | | |
| OBX-12.2 | | Degree of Precision | | |
| OBX-13 | | User Defined Access Checks | | |
| OBX-14 | | Date/Time of the Observation | | |
| OBX-14.1 | | Time | 20150531 | |
| OBX-14.2 | | Degree of Precision | | |
| OBX-15 | | Producer's Reference | | |
| OBX-15.1 | | Identifier | | |
| OBX-15.2 | | Text | | |
| OBX-15.3 | | Name of Coding System | | |
| OBX-15.4 | | Alternate Identifier | | |
| OBX-15.5 | | Alternate Text | | |
| OBX-15.6 | | Name of Alternate Coding System | | |
| OBX-16 | | Responsible Observer | | |
| OBX-16.1 | | ID Number | | |
| OBX-16.2 | | Family Name | | |
| OBX-16.2.1 | | Surname | | |
| OBX-16.2.2 | | Own Surname Prefix | | |
| OBX-16.2.3 | | Own Surname | | |
| OBX-16.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | | Surname From Partner/Spouse | | |
| OBX-16.3 | | Given Name | | |
| OBX-16.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | | Suffix (e.g., JR or III) | | |
| OBX-16.6 | | Prefix (e.g., DR) | | |
| OBX-16.7 | | Degree (e.g., MD) | | |
| OBX-16.8 | | Source Table | | |
| OBX-16.9 | | Assigning Authority | | |
| OBX-16.9.1 | | Namespace ID | | |
| OBX-16.9.2 | | Universal ID | | |

| OBX-16.03 Location | Universal ID Type Data Element | Data | Categorization |
|-----------------------|------------------------------------|------|----------------|
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------------|---|-------------|-----------------------|
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |

| OBX-Location | Data Element Type | Data | Categorization |
|---------------|---|------|----------------|
| | | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| | Surname Prefix | | |

| OBX-25.2.4 Location | From Partner/Spouse Surname From | Data | Categorization |
|---------------------|--|------|----------------|
| OBX-25.2.5 | Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |

| Location | Name Of Coding System | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.22.3 | System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|--------------|----------------------------|--------|----------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 197027 | |
| ORC-3.2 | Namespace ID | DCS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |
| ORC-4.3 | Universal ID | | |
| ORC-4.4 | Universal ID Type | | |
| ORC-5 | Order Status | | |
| ORC-6 | Response Flag | | |
| ORC-7 | Quantity/Timing | | |
| ORC-7.1 | Quantity | | |

| ORC-7 Location | Quantity Element | Data | Categorization |
|----------------|--|------|----------------|
| ORC-7.1.2 | Units | | |
| ORC-7.2 | Interval | | |
| ORC-7.2.1 | Repeat Pattern | | |
| ORC-7.2.2 | Explicit Time Interval | | |
| ORC-7.3 | Duration | | |
| ORC-7.4 | Start Date/Time | | |
| ORC-7.4.1 | Time | | |
| ORC-7.4.2 | Degree of Precision | | |
| ORC-7.5 | End Date/Time | | |
| ORC-7.5.1 | Time | | |
| ORC-7.5.2 | Degree of Precision | | |
| ORC-7.6 | Priority | | |
| ORC-7.7 | Condition | | |
| ORC-7.8 | Text | | |
| ORC-7.9 | Conjunction | | |
| ORC-7.10 | Order Sequencing | | |
| ORC-7.10.1 | Sequence/Results Flag | | |
| ORC-7.10.2 | Placer Order Number: Entity Identifier | | |
| ORC-7.10.3 | Placer Order Number: Namespace ID | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | |
| ORC-7.10.6 | Sequence Condition Value | | |
| ORC-7.10.7 | Maximum Number of Repeats | | |
| ORC-7.10.8 | Placer Order Number: Universal ID | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |

| Location | Name Of Alternate Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-7.11.6 | Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| ORC-8.2 | Filler Assigned Identifier | | |
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |
| ORC-9.1 | Time | | |
| ORC-9.2 | Degree of Precision | | |
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | |
| ORC-10.3 | Given Name | | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |
| ORC-10.9 | Assigning Authority | | |
| ORC-10.9.1 | Namespace ID | | |
| ORC-10.9.2 | Universal ID | | |
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | | |
| ORC-10.11 | Identifier Check Digit | | |
| ORC-10.12 | Check Digit Scheme | | |
| ORC-10.13 | Identifier Type Code | | |
| ORC-10.14 | Assigning Facility | | |
| ORC-10.14.1 | Namespace ID | | |
| ORC-10.14.2 | Universal ID | | |

| ORC-10.13 | Universal ID Type | Data Element | Data | Categorization |
|-------------|------------------------------------|--------------|------|----------------|
| Location | Name Representation | | | |
| ORC-10.15 | Code | | | |
| ORC-10.16 | Name Context | | | |
| ORC-10.16.1 | Identifier | | | |
| ORC-10.16.2 | Text | | | |
| ORC-10.16.3 | Name of Coding System | | | |
| ORC-10.16.4 | Alternate Identifier | | | |
| ORC-10.16.5 | Alternate Text | | | |
| ORC-10.16.6 | Name of Alternate Coding System | | | |
| ORC-10.17 | Name Validity Range | | | |
| ORC-10.17.1 | Range Start Date/Time | | | |
| ORC-10.17.2 | Range End Date/Time | | | |
| ORC-10.18 | Name Assembly Order | | | |
| ORC-10.19 | Effective Date | | | |
| ORC-10.19.1 | Time | | | |
| ORC-10.19.2 | Degree of Precision | | | |
| ORC-10.20 | Expiration Date | | | |
| ORC-10.20.1 | Time | | | |
| ORC-10.20.2 | Degree of Precision | | | |
| ORC-10.21 | Professional Suffix | | | |
| ORC-10.22 | Assigning Jurisdiction | | | |
| ORC-10.22.1 | Identifier | | | |
| ORC-10.22.2 | Text | | | |
| ORC-10.22.3 | Name of Coding System | | | |
| ORC-10.22.4 | Alternate Identifier | | | |
| ORC-10.22.5 | Alternate Text | | | |
| ORC-10.22.6 | Name of Alternate Coding System | | | |
| ORC-10.22.7 | Coding System Version ID | | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | | |
| ORC-10.22.9 | Original Text | | | |
| ORC-10.23 | Assigning Agency or Department | | | |
| ORC-10.23.1 | Identifier | | | |
| ORC-10.23.2 | Text | | | |
| ORC-10.23.3 | Name of Coding System | | | |
| ORC-10.23.4 | Alternate Identifier | | | |
| ORC-10.23.5 | Alternate Text | | | |
| ORC-10.23.6 | Name of Alternate Coding System | | | |
| ORC-10.23.7 | Coding System | | | |

| Location | Version ID Elementmt Alternate Coding | Data | Categrization |
|---------------|--|------|---------------|
| ORC-10.23.8 | System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| ORC-11.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| | | | |

| ORC-Location | Name Assembly Order Effective Date | Data | Categorization |
|---------------|--|------|----------------|
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |
| ORC-11.23.6 | Name of Alternate Coding System | | |
| ORC-11.23.7 | Coding System Version ID | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | |
| ORC-11.23.9 | Original Text | | |
| ORC-12 | Ordering Provider | | |
| ORC-12.1 | ID Number | | |
| ORC-12.2 | Family Name | | |
| ORC-12.2.1 | Surname | | |
| ORC-12.2.2 | Own Surname Prefix | | |
| ORC-12.2.3 | Own Surname | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | |
| ORC-12.3 | Given Name | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | |

| ORC-12.5 Location | Suffix (Element ID) | Data | Categorization |
|-------------------|---------------------------------|------|----------------|
| ORC-12.6 | Prefix (e.g., DR) | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |
| ORC-12.10 | Name Type Code | | |
| ORC-12.11 | Identifier Check Digit | | |
| ORC-12.12 | Check Digit Scheme | | |
| ORC-12.13 | Identifier Type Code | | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |
| ORC-12.16 | Name Context | | |
| ORC-12.16.1 | Identifier | | |
| ORC-12.16.2 | Text | | |
| ORC-12.16.3 | Name of Coding System | | |
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| ORC-12.17.1 | Range Start Date/Time | | |
| ORC-12.17.2 | Range End Date/Time | | |
| ORC-12.18 | Name Assembly Order | | |
| ORC-12.19 | Effective Date | | |
| ORC-12.19.1 | Time | | |
| ORC-12.19.2 | Degree of Precision | | |
| ORC-12.20 | Expiration Date | | |
| ORC-12.20.1 | Time | | |
| ORC-12.20.2 | Degree of Precision | | |
| ORC-12.21 | Professional Suffix | | |
| ORC-12.22 | Assigning Jurisdiction | | |
| ORC-12.22.1 | Identifier | | |
| ORC-12.22.2 | Text | | |
| ORC-12.22.3 | Name of Coding System | | |
| ORC-12.22.4 | Alternate Identifier | | |
| ORC-12.22.5 | Alternate Text | | |
| ORC-12.22.6 | Name of Alternate Coding System | | |

| ORC-12.22.7 | Coding System | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-12.22.8 | Version ID | | |
| ORC-12.22.9 | Alternate Coding System Version ID | | |
| ORC-12.23 | Original Text | | |
| ORC-12.23.1 | Assigning Agency or Department | | |
| ORC-12.23.2 | Identifier | | |
| ORC-12.23.3 | Text | | |
| ORC-12.23.4 | Name of Coding System | | |
| ORC-12.23.5 | Alternate Identifier | | |
| ORC-12.23.6 | Alternate Text | | |
| ORC-12.23.7 | Name of Alternate Coding System | | |
| ORC-12.23.8 | Coding System Version ID | | |
| ORC-12.23.9 | Alternate Coding System Version ID | | |
| ORC-12.23.9 | Original Text | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication | | |

| Location | Equipment Type | Data | Categorization |
|------------|---------------------------------|-----------------------|----------------|
| ORC-14.4 | Country Code | | |
| ORC-14.5 | Area/City Code | | |
| ORC-14.6 | Local Number | | |
| ORC-14.7 | Extension | | |
| ORC-14.8 | Any Text | | |
| ORC-14.9 | Extension Prefix | | |
| ORC-14.10 | Speed Dial Code | | |
| ORC-14.11 | Unformatted Telephone number | | |
| ORC-14.12 | Order Effective Date/Time | | |
| ORC-15 | Time | | |
| ORC-15.1 | Degree of Precision | | |
| ORC-15.2 | Order Control Code Reason | | |
| ORC-16 | Identifier | | |
| ORC-16.1 | Text | | |
| ORC-16.2 | Name of Coding System | | |
| ORC-16.3 | Alternate Identifier | | |
| ORC-16.4 | Alternate Text | | |
| ORC-16.5 | Name of Alternate Coding System | | |
| ORC-16.6 | Entering Organization | | |
| ORC-17 | Identifier | DCS | |
| ORC-17.1 | Text | Dabig Clinical System | |
| ORC-17.2 | Name of Coding System | StateIIS | |
| ORC-17.3 | Alternate Identifier | | |
| ORC-17.4 | Alternate Text | | |
| ORC-17.5 | Name of Alternate Coding System | | |
| ORC-17.6 | Entering Device | | |
| ORC-18 | Identifier | | |
| ORC-18.1 | Text | | |
| ORC-18.2 | Name of Coding System | | |
| ORC-18.3 | Alternate Identifier | | |
| ORC-18.4 | Alternate Text | | |
| ORC-18.5 | Name of Alternate Coding System | | |
| ORC-18.6 | Action By | | |
| ORC-19 | ID Number | | |
| ORC-19.1 | Family Name | | |
| ORC-19.2 | Surname | | |
| ORC-19.2.1 | Own Surname Prefix | | |
| ORC-19.2.2 | Own Surname | | |
| ORC-19.2.3 | Surname Prefix | | |

| ORC-19.2.4 Location | From Data Element | Data | Categorization |
|---------------------|--|------|----------------|
| ORC-19.2.5 | Surname From Partner/Spouse | | |
| ORC-19.3 | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |
| ORC-19.6 | Prefix (e.g., DR) | | |
| ORC-19.7 | Degree (e.g., MD) | | |
| ORC-19.8 | Source Table | | |
| ORC-19.9 | Assigning Authority | | |
| ORC-19.9.1 | Namespace ID | | |
| ORC-19.9.2 | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | | |
| ORC-19.10 | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | | |
| ORC-19.12 | Check Digit Scheme | | |
| ORC-19.13 | Identifier Type Code | | |
| ORC-19.14 | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |

| ORC-19.22.3 | Data Element | Data | Categorization |
|--------------------|---|-------------|-----------------------|
| Location | Name of Coding System | | |
| ORC-19.22.3 | System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| | | | |

| ORC-21.8 Location | Signing Facility Namespace ID | Data | Categorization |
|-------------------|---------------------------------------|------|----------------|
| ORC-21.8.1 | Universal ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| | | | |

| ORC-23.8 | Location | Data Element | Data | Categorization |
|---------------|----------|------------------------------------|------|----------------|
| ORC-23.11 | | Speed Dial Code | | |
| ORC-23.12 | | Unformatted Telephone number | | |
| ORC-24 | | Ordering Provider Address | | |
| ORC-24.1 | | Street Address | | |
| ORC-24.1.1 | | Street or Mailing Address | | |
| ORC-24.1.2 | | Street Name | | |
| ORC-24.1.3 | | Dwelling Number | | |
| ORC-24.2 | | Other Designation | | |
| ORC-24.3 | | City | | |
| ORC-24.4 | | State or Province | | |
| ORC-24.5 | | Zip or Postal Code | | |
| ORC-24.6 | | Country | | |
| ORC-24.7 | | Address Type | | |
| ORC-24.8 | | Other Geographic Designation | | |
| ORC-24.9 | | County/Parish Code | | |
| ORC-24.10 | | Census Tract | | |
| ORC-24.11 | | Address Representation Code | | |
| ORC-24.12 | | Address Validity Range | | |
| ORC-24.12.1 | | Range Start Date/Time | | |
| ORC-24.12.2 | | Range End Date/Time | | |
| ORC-24.13 | | Effective Date | | |
| ORC-24.13.1 | | Time | | |
| ORC-24.13.2 | | Degree of Precision | | |
| ORC-24.14 | | Expiration Date | | |
| ORC-24.14.1 | | Time | | |
| ORC-24.14.2 | | Degree of Precision | | |
| ORC-25 | | Order Status Modifier | | |
| ORC-25.1 | | Identifier | | |
| ORC-25.2 | | Text | | |
| ORC-25.3 | | Name of Coding System | | |
| ORC-25.4 | | Alternate Identifier | | |
| ORC-25.5 | | Alternate Text | | |
| ORC-25.6 | | Name of Alternate Coding System | | |
| ORC-25.7 | | Coding System Version ID | | |
| ORC-25.8 | | Alternate Coding System Version ID | | |
| ORC-25.9 | | Original Text | | |
| | | | | |

| ORC-26 | Location | Advanced Beneficiary Data Element | Data | Categorization |
|---------------|----------|---|------|----------------|
| | | Notice Override Reason | | |
| ORC-26.1 | | Identifier | | |
| ORC-26.2 | | Text | | |
| ORC-26.3 | | Name of Coding System | | |
| ORC-26.4 | | Alternate Identifier | | |
| ORC-26.5 | | Alternate Text | | |
| ORC-26.6 | | Name of Alternate Coding System | | |
| ORC-26.7 | | Coding System Version ID | | |
| ORC-26.8 | | Alternate Coding System Version ID | | |
| ORC-26.9 | | Original Text | | |
| ORC-27 | | Filler's Expected Availability Date/Time | | |
| ORC-27.1 | | Time | | |
| ORC-27.2 | | Degree of Precision | | |
| ORC-28 | | Confidentiality Code | | |
| ORC-28.1 | | Identifier | | |
| ORC-28.2 | | Text | | |
| ORC-28.3 | | Name of Coding System | | |
| ORC-28.4 | | Alternate Identifier | | |
| ORC-28.5 | | Alternate Text | | |
| ORC-28.6 | | Name of Alternate Coding System | | |
| ORC-28.7 | | Coding System Version ID | | |
| ORC-28.8 | | Alternate Coding System Version ID | | |
| ORC-28.9 | | Original Text | | |
| ORC-29 | | Order Type | | |
| ORC-29.1 | | Identifier | | |
| ORC-29.2 | | Text | | |
| ORC-29.3 | | Name of Coding System | | |
| ORC-29.4 | | Alternate Identifier | | |
| ORC-29.5 | | Alternate Text | | |
| ORC-29.6 | | Name of Alternate Coding System | | |
| ORC-29.7 | | Coding System Version ID | | |
| ORC-29.8 | | Alternate Coding System Version ID | | |
| ORC-29.9 | | Original Text | | |
| ORC-30 | | Enterer Authorization Mode | | |
| ORC-30.1 | | Identifier | | |
| | | | | |

| Location | Data Element | Data | Categorization |
|-----------------|--|-------------|-----------------------|
| ORC-30 | Name of Coding System | | |
| ORC-30.3 | System | | |
| ORC-30.4 | Alternate Identifier | | |
| ORC-30.5 | Alternate Text | | |
| ORC-30.6 | Name of Alternate Coding System | | |
| ORC-30.7 | Coding System Version ID | | |
| ORC-30.8 | Alternate Coding System Version ID | | |
| ORC-30.9 | Original Text | | |
| ORC-31 | Parent Universal Service Identifier | | |
| ORC-31.1 | Identifier | | |
| ORC-31.2 | Text | | |
| ORC-31.3 | Name of Coding System | | |
| ORC-31.4 | Alternate Identifier | | |
| ORC-31.5 | Alternate Text | | |
| ORC-31.6 | Name of Alternate Coding System | | |
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|-----------------|--|-------------|-----------------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 19860415 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 19860415 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 01 | |
| RXA-5.2 | Text | DTP | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |

| RXA-6 Location | Administered Amount | 999 Data | Categorization |
|-----------------------|--|-------------------|-----------------------|
| RXA-7 | Administered Units | | |
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage Form | | |
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |
| RXA-8.6 | Name of Alternate Coding System | | |
| RXA-9 | Administration Notes | | |
| RXA-9.1 | Identifier | 01 | |
| RXA-9.2 | Text | historical record | |
| RXA-9.3 | Name of Coding System | NIP001 | |
| RXA-9.4 | Alternate Identifier | | |
| RXA-9.5 | Alternate Text | | |
| RXA-9.6 | Name of Alternate Coding System | | |
| RXA-10 | Administering Provider | | |
| RXA-10.1 | ID Number | | |
| RXA-10.2 | Family Name | | |
| RXA-10.2.1 | Surname | | |
| RXA-10.2.2 | Own Surname Prefix | | |
| RXA-10.2.3 | Own Surname | | |
| RXA-10.2.4 | Surname Prefix From Partner/Spouse | | |
| RXA-10.2.5 | Surname From Partner/Spouse | | |
| RXA-10.3 | Given Name | | |
| RXA-10.4 | Second and Further Given Names or Initials Thereof | | |
| RXA-10.5 | Suffix (e.g., JR or III) | | |
| RXA-10.6 | Prefix (e.g., DR) | | |
| RXA-10.7 | Degree (e.g., MD) | | |
| RXA-10.8 | Source Table | | |
| RXA-10.9 | Assigning Authority | | |
| RXA-10.9.1 | Namespace ID | | |

| RXA-10.9.2 Location | Universal ID Data Element | Data | Categorization |
|----------------------------|------------------------------------|-------------|-----------------------|
| RXA-10.9.3 | Universal ID Type | | |
| RXA-10.10 | Name Type Code | | |
| RXA-10.11 | Identifier Check Digit | | |
| RXA-10.12 | Check Digit Scheme | | |
| RXA-10.13 | Identifier Type Code | | |
| RXA-10.14 | Assigning Facility | | |
| RXA-10.14.1 | Namespace ID | | |
| RXA-10.14.2 | Universal ID | | |
| RXA-10.14.3 | Universal ID Type | | |
| RXA-10.15 | Name Representation Code | | |
| RXA-10.16 | Name Context | | |
| RXA-10.16.1 | Identifier | | |
| RXA-10.16.2 | Text | | |
| RXA-10.16.3 | Name of Coding System | | |
| RXA-10.16.4 | Alternate Identifier | | |
| RXA-10.16.5 | Alternate Text | | |
| RXA-10.16.6 | Name of Alternate Coding System | | |
| RXA-10.17 | Name Validity Range | | |
| RXA-10.17.1 | Range Start Date/Time | | |
| RXA-10.17.2 | Range End Date/Time | | |
| RXA-10.18 | Name Assembly Order | | |
| RXA-10.19 | Effective Date | | |
| RXA-10.19.1 | Time | | |
| RXA-10.19.2 | Degree of Precision | | |
| RXA-10.20 | Expiration Date | | |
| RXA-10.20.1 | Time | | |
| RXA-10.20.2 | Degree of Precision | | |
| RXA-10.21 | Professional Suffix | | |
| RXA-10.22 | Assigning Jurisdiction | | |
| RXA-10.22.1 | Identifier | | |
| RXA-10.22.2 | Text | | |
| RXA-10.22.3 | Name of Coding System | | |
| RXA-10.22.4 | Alternate Identifier | | |
| RXA-10.22.5 | Alternate Text | | |
| RXA-10.22.6 | Name of Alternate Coding System | | |
| RXA-10.22.7 | Coding System Version ID | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | |
| RXA-10.22.9 | Original Text | | |
| RXA-10.23 | Assigning Agency or Department | | |

| RXA-10.23.1 | Identifier | Data | Categorization |
|--------------------|-------------------------------------|-------------|-----------------------|
| RXA-10.23.2 | Text | | |
| RXA-10.23.3 | Name of Coding System | | |
| RXA-10.23.4 | Alternate Identifier | | |
| RXA-10.23.5 | Alternate Text | | |
| RXA-10.23.6 | Name of Alternate Coding System | | |
| RXA-10.23.7 | Coding System Version ID | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |
| RXA-11.11 | City | | |
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| RXA-11.14 | Country | | |
| RXA-11.15 | Address Type | | |
| RXA-11.16 | Other Geographic Designation | | |
| RXA-12 | Administered Per (Time Unit) | | |
| RXA-13 | Administered Strength | | |
| RXA-14 | Administered Strength Units | | |
| RXA-14.1 | Identifier | | |
| RXA-14.2 | Text | | |
| RXA-14.3 | Name of Coding System | | |
| RXA-14.4 | Alternate Identifier | | |
| RXA-14.5 | Alternate Text | | |
| RXA-14.6 | Name of Alternate Coding System | | |
| RXA-15 | Substance Lot Number | | |
| | | | |

| RXA-16 | Location | Substance/Element | Date/Expiration | Data | Categorization |
|---------------|-----------------|--|------------------------|-------------|-----------------------|
| | | Date | | | |
| | RXA-16.1 | Time | | | |
| | RXA-16.2 | Degree of Precision | | | |
| RXA-17 | | Substance Manufacturer Name | | | |
| | RXA-17.1 | Identifier | | | |
| | RXA-17.2 | Text | | | |
| | RXA-17.3 | Name of Coding System | | | |
| | RXA-17.4 | Alternate Identifier | | | |
| | RXA-17.5 | Alternate Text | | | |
| | RXA-17.6 | Name of Alternate Coding System | | | |
| RXA-18 | | Substance/Treatment Refusal Reason | | | |
| | RXA-18.1 | Identifier | | | |
| | RXA-18.2 | Text | | | |
| | RXA-18.3 | Name of Coding System | | | |
| | RXA-18.4 | Alternate Identifier | | | |
| | RXA-18.5 | Alternate Text | | | |
| | RXA-18.6 | Name of Alternate Coding System | | | |
| RXA-19 | | Indication | | | |
| | RXA-19.1 | Identifier | | | |
| | RXA-19.2 | Text | | | |
| | RXA-19.3 | Name of Coding System | | | |
| | RXA-19.4 | Alternate Identifier | | | |
| | RXA-19.5 | Alternate Text | | | |
| | RXA-19.6 | Name of Alternate Coding System | | | |
| RXA-20 | | Completion Status | CP | | |
| RXA-21 | | Action Code - RXA | | | |
| RXA-22 | | System Entry Date/Time | | | |
| | RXA-22.1 | Time | | | |
| | RXA-22.2 | Degree of Precision | | | |
| RXA-23 | | Administered Drug Strength Volume | | | |
| RXA-24 | | Administered Drug Strength Volume Units | | | |
| | RXA-24.1 | Identifier | | | |
| | RXA-24.2 | Text | | | |
| | RXA-24.3 | Name of Coding System | | | |
| | RXA-24.4 | Alternate Identifier | | | |
| | RXA-24.5 | Alternate Text | | | |
| | RXA-24.6 | Name of Alternate | | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| RXA-24.7 | Coding System Version ID | | |
| RXA-24.8 | Alternate Coding System Version ID | | |
| RXA-24.9 | Original Text | | |
| RXA-25 | Administered Barcode Identifier | | |
| RXA-25.1 | Identifier | | |
| RXA-25.2 | Text | | |
| RXA-25.3 | Name of Coding System | | |
| RXA-25.4 | Alternate Identifier | | |
| RXA-25.5 | Alternate Text | | |
| RXA-25.6 | Name of Alternate Coding System | | |
| RXA-25.7 | Coding System Version ID | | |
| RXA-25.8 | Alternate Coding System Version ID | | |
| RXA-25.9 | Original Text | | |
| RXA-26 | Pharmacy Order Type | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|--------------|---------------------------------|--------------|----------------|
| OBX-1 | Set ID - OBX | 7 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 8 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 107 | |
| OBX-5.2 | Text | DTAP NOS | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding | | |

| Location | System Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |

| OBX-Location | Assigning Authority Data Element | Data | Categorization |
|--------------|-------------------------------------|------|----------------|
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| | | | |

| OBX-16.23.9 Location | Original Text Assigning Agency or Department | Data | Categorization |
|-------------------------|---|------|----------------|
| OBX-16.23 | Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |

| OBX-23.5 Location | Check Digit Scheme Data Element | Data | Categorization |
|----------------------|---|------|----------------|
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |

| OBX-25.2.2 Location | Own Surname Prefix | Data | Categorization |
|---------------------|--|------|----------------|
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |

| OBX-25.22 Location | Assigning Jurisdiction Data Element | Data | Categorization |
|--------------------|-------------------------------------|------|----------------|
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|--------------|---------------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 8 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 8 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |

| OBX-Location | Alternate Element | Data | Categorization |
|---------------|---|----------|----------------|
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |

| Location | Segment and Further Data Element | Data | Categorization |
|-------------|----------------------------------|------|----------------|
| OBX-16.4 | Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |

| Location | Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.22.6 | Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| | | | |

| OBX-23 | Location | Performing Organization Name | Data | Categorization |
|-------------|----------|------------------------------------|------|----------------|
| | | Organization Name | | |
| OBX-23.1 | | Organization Name | | |
| OBX-23.2 | | Organization Name Type Code | | |
| OBX-23.3 | | ID Number | | |
| OBX-23.4 | | Check Digit | | |
| OBX-23.5 | | Check Digit Scheme | | |
| OBX-23.6 | | Assigning Authority | | |
| OBX-23.6.1 | | Namespace ID | | |
| OBX-23.6.2 | | Universal ID | | |
| OBX-23.6.3 | | Universal ID Type | | |
| OBX-23.7 | | Identifier Type Code | | |
| OBX-23.8 | | Assigning Facility | | |
| OBX-23.8.1 | | Namespace ID | | |
| OBX-23.8.2 | | Universal ID | | |
| OBX-23.8.3 | | Universal ID Type | | |
| OBX-23.9 | | Name Representation Code | | |
| OBX-23.10 | | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | |
| OBX-24.1 | | Street Address | | |
| OBX-24.1.1 | | Street or Mailing Address | | |
| OBX-24.1.2 | | Street Name | | |
| OBX-24.1.3 | | Dwelling Number | | |
| OBX-24.2 | | Other Designation | | |
| OBX-24.3 | | City | | |
| OBX-24.4 | | State or Province | | |
| OBX-24.5 | | Zip or Postal Code | | |
| OBX-24.6 | | Country | | |
| OBX-24.7 | | Address Type | | |
| OBX-24.8 | | Other Geographic Designation | | |
| OBX-24.9 | | County/Parish Code | | |
| OBX-24.10 | | Census Tract | | |
| OBX-24.11 | | Address Representation Code | | |
| OBX-24.12 | | Address Validity Range | | |
| OBX-24.12.1 | | Range Start Date/Time | | |
| OBX-24.12.2 | | Range End Date/Time | | |
| OBX-24.13 | | Effective Date | | |
| OBX-24.13.1 | | Time | | |
| OBX-24.13.2 | | Degree of Precision | | |
| OBX-24.14 | | Expiration Date | | |
| OBX-24.14.1 | | Time | | |

| OBX-24.1.1.2 | Degree of Precision | Data | Categorization |
|---------------|--|------|----------------|
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|----------|------------------------|---------------|----------------|
| OBX-1 | Set ID - OBX | 9 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| | Name of Alternate | | |

| OBX-Location | Coding System Element | Data | Categorization |
|---------------|---|----------|----------------|
| OBX-4 | Observation Sub-ID | 8 | |
| OBX-5 | Observation Value | Y | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |

| Location | Second Element | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-16.4 | Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |

| Location | Name Of Alternate Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.22.6 | Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| | | | |

| OBX-23 | Location | Performing Organization Name | Data | Categorization |
|---------------|-------------|--|------|----------------|
| | OBX-23.1 | Organization Name | | |
| | OBX-23.2 | Organization Name Type Code | | |
| | OBX-23.3 | ID Number | | |
| | OBX-23.4 | Check Digit | | |
| | OBX-23.5 | Check Digit Scheme | | |
| | OBX-23.6 | Assigning Authority | | |
| | OBX-23.6.1 | Namespace ID | | |
| | OBX-23.6.2 | Universal ID | | |
| | OBX-23.6.3 | Universal ID Type | | |
| | OBX-23.7 | Identifier Type Code | | |
| | OBX-23.8 | Assigning Facility | | |
| | OBX-23.8.1 | Namespace ID | | |
| | OBX-23.8.2 | Universal ID | | |
| | OBX-23.8.3 | Universal ID Type | | |
| | OBX-23.9 | Name Representation Code | | |
| | OBX-23.10 | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | |
| | OBX-24.1 | Street Address | | |
| | OBX-24.1.1 | Street or Mailing Address | | |
| | OBX-24.1.2 | Street Name | | |
| | OBX-24.1.3 | Dwelling Number | | |
| | OBX-24.2 | Other Designation | | |
| | OBX-24.3 | City | | |
| | OBX-24.4 | State or Province | | |
| | OBX-24.5 | Zip or Postal Code | | |
| | OBX-24.6 | Country | | |
| | OBX-24.7 | Address Type | | |
| | OBX-24.8 | Other Geographic Designation | | |
| | OBX-24.9 | County/Parish Code | | |
| | OBX-24.10 | Census Tract | | |
| | OBX-24.11 | Address Representation Code | | |
| | OBX-24.12 | Address Validity Range | | |
| | OBX-24.12.1 | Range Start Date/Time | | |
| | OBX-24.12.2 | Range End Date/Time | | |
| | OBX-24.13 | Effective Date | | |
| | OBX-24.13.1 | Time | | |
| | OBX-24.13.2 | Degree of Precision | | |
| | OBX-24.14 | Expiration Date | | |
| | OBX-24.14.1 | Time | | |
| | OBX-24.14.2 | Degree of Precision | | |

| Location | Performance Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-25 | Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------------|------------------------------------|-------------|-----------------------|
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|-----------------|----------------------------|-------------|-----------------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 197028 | |
| ORC-3.2 | Namespace ID | DCS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |

| ORC-4 Location | Placer Group Number | Data Element | Data | Categorization |
|----------------|--|--------------|------|----------------|
| ORC-4.1 | Entity Identifier | | | |
| ORC-4.2 | Namespace ID | | | |
| ORC-4.3 | Universal ID | | | |
| ORC-4.4 | Universal ID Type | | | |
| ORC-5 | Order Status | | | |
| ORC-6 | Response Flag | | | |
| ORC-7 | Quantity/Timing | | | |
| ORC-7.1 | Quantity | | | |
| ORC-7.1.1 | Quantity | | | |
| ORC-7.1.2 | Units | | | |
| ORC-7.2 | Interval | | | |
| ORC-7.2.1 | Repeat Pattern | | | |
| ORC-7.2.2 | Explicit Time Interval | | | |
| ORC-7.3 | Duration | | | |
| ORC-7.4 | Start Date/Time | | | |
| ORC-7.4.1 | Time | | | |
| ORC-7.4.2 | Degree of Precision | | | |
| ORC-7.5 | End Date/Time | | | |
| ORC-7.5.1 | Time | | | |
| ORC-7.5.2 | Degree of Precision | | | |
| ORC-7.6 | Priority | | | |
| ORC-7.7 | Condition | | | |
| ORC-7.8 | Text | | | |
| ORC-7.9 | Conjunction | | | |
| ORC-7.10 | Order Sequencing | | | |
| ORC-7.10.1 | Sequence/Results Flag | | | |
| ORC-7.10.2 | Placer Order Number: Entity Identifier | | | |
| ORC-7.10.3 | Placer Order Number: Namespace ID | | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | | |
| ORC-7.10.6 | Sequence Condition Value | | | |
| ORC-7.10.7 | Maximum Number of Repeats | | | |
| ORC-7.10.8 | Placer Order Number: Universal ID | | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | | |
| | | | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-7.10.11 | Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| ORC-8.2 | Filler Assigned Identifier | | |
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |
| ORC-9.1 | Time | | |
| ORC-9.2 | Degree of Precision | | |
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | |
| ORC-10.3 | Given Name | | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |
| ORC-10.9 | Assigning Authority | | |
| ORC-10.9.1 | Namespace ID | | |

| Location | Universal ID | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | | |
| ORC-10.11 | Identifier Check Digit | | |
| ORC-10.12 | Check Digit Scheme | | |
| ORC-10.13 | Identifier Type Code | | |
| ORC-10.14 | Assigning Facility | | |
| ORC-10.14.1 | Namespace ID | | |
| ORC-10.14.2 | Universal ID | | |
| ORC-10.14.3 | Universal ID Type | | |
| ORC-10.15 | Name Representation Code | | |
| ORC-10.16 | Name Context | | |
| ORC-10.16.1 | Identifier | | |
| ORC-10.16.2 | Text | | |
| ORC-10.16.3 | Name of Coding System | | |
| ORC-10.16.4 | Alternate Identifier | | |
| ORC-10.16.5 | Alternate Text | | |
| ORC-10.16.6 | Name of Alternate Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-10.23.1 | Text | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| ORC-11.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |

| Location | Data Element Identifier | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-11.16.4 | Alternate Text | | |
| ORC-11.16.5 | | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |
| ORC-11.23.6 | Name of Alternate Coding System | | |
| ORC-11.23.7 | Coding System Version ID | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | |
| ORC-11.23.9 | Original Text | | |
| ORC-12 | Ordering Provider | | |
| ORC-12.1 | ID Number | | |
| ORC-12.2 | Family Name | | |
| ORC-12.2.1 | Surname | | |
| | | | |

| ORC-Location | Data Element Prefix | Data | Categorization |
|--------------|--|------|----------------|
| ORC-12.2.3 | Own Surname | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | |
| ORC-12.3 | Given Name | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-12.5 | Suffix (e.g., JR or III) | | |
| ORC-12.6 | Prefix (e.g., DR) | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |
| ORC-12.10 | Name Type Code | | |
| ORC-12.11 | Identifier Check Digit | | |
| ORC-12.12 | Check Digit Scheme | | |
| ORC-12.13 | Identifier Type Code | | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |
| ORC-12.16 | Name Context | | |
| ORC-12.16.1 | Identifier | | |
| ORC-12.16.2 | Text | | |
| ORC-12.16.3 | Name of Coding System | | |
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| ORC-12.17.1 | Range Start Date/Time | | |
| ORC-12.17.2 | Range End Date/Time | | |
| ORC-12.18 | Name Assembly Order | | |
| ORC-12.19 | Effective Date | | |
| ORC-12.19.1 | Time | | |
| ORC-12.19.2 | Degree of Precision | | |
| ORC-12.20 | Expiration Date | | |
| ORC-12.20.1 | Time | | |
| ORC-12.20.2 | Degree of Precision | | |
| ORC-12.21 | Professional Suffix | | |

| ORC-12.22 | Assigning Jurisdiction | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-12.22.1 | Identifier | | |
| ORC-12.22.2 | Text | | |
| ORC-12.22.3 | Name of Coding System | | |
| ORC-12.22.4 | Alternate Identifier | | |
| ORC-12.22.5 | Alternate Text | | |
| ORC-12.22.6 | Name of Alternate Coding System | | |
| ORC-12.22.7 | Coding System Version ID | | |
| ORC-12.22.8 | Alternate Coding System Version ID | | |
| ORC-12.22.9 | Original Text | | |
| ORC-12.23 | Assigning Agency or Department | | |
| ORC-12.23.1 | Identifier | | |
| ORC-12.23.2 | Text | | |
| ORC-12.23.3 | Name of Coding System | | |
| ORC-12.23.4 | Alternate Identifier | | |
| ORC-12.23.5 | Alternate Text | | |
| ORC-12.23.6 | Name of Alternate Coding System | | |
| ORC-12.23.7 | Coding System Version ID | | |
| ORC-12.23.8 | Alternate Coding System Version ID | | |
| ORC-12.23.9 | Original Text | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority | | |

| Location | for Data Element | Data | Categorization |
|---------------|----------------------------------|-----------------------|----------------|
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication Equipment Type | | |
| ORC-14.4 | Email Address | | |
| ORC-14.5 | Country Code | | |
| ORC-14.6 | Area/City Code | | |
| ORC-14.7 | Local Number | | |
| ORC-14.8 | Extension | | |
| ORC-14.9 | Any Text | | |
| ORC-14.10 | Extension Prefix | | |
| ORC-14.11 | Speed Dial Code | | |
| ORC-14.12 | Unformatted Telephone number | | |
| ORC-15 | Order Effective Date/Time | | |
| ORC-15.1 | Time | | |
| ORC-15.2 | Degree of Precision | | |
| ORC-16 | Order Control Code Reason | | |
| ORC-16.1 | Identifier | | |
| ORC-16.2 | Text | | |
| ORC-16.3 | Name of Coding System | | |
| ORC-16.4 | Alternate Identifier | | |
| ORC-16.5 | Alternate Text | | |
| ORC-16.6 | Name of Alternate Coding System | | |
| ORC-17 | Entering Organization | | |
| ORC-17.1 | Identifier | DCS | |
| ORC-17.2 | Text | Dabig Clinical System | |
| ORC-17.3 | Name of Coding System | StateIIS | |
| ORC-17.4 | Alternate Identifier | | |
| ORC-17.5 | Alternate Text | | |
| ORC-17.6 | Name of Alternate Coding System | | |
| ORC-18 | Entering Device | | |
| ORC-18.1 | Identifier | | |
| ORC-18.2 | Text | | |
| ORC-18.3 | Name of Coding System | | |
| ORC-18.4 | Alternate Identifier | | |

| ORC-18.5 | Alternate Element | Data | Categorization |
|---------------|--|------|----------------|
| Location | Data Element | | |
| ORC-18.6 | Name of Alternate Coding System | | |
| ORC-19 | Action By | | |
| ORC-19.1 | ID Number | | |
| ORC-19.2 | Family Name | | |
| ORC-19.2.1 | Surname | | |
| ORC-19.2.2 | Own Surname Prefix | | |
| ORC-19.2.3 | Own Surname | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | |
| ORC-19.3 | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |
| ORC-19.6 | Prefix (e.g., DR) | | |
| ORC-19.7 | Degree (e.g., MD) | | |
| ORC-19.8 | Source Table | | |
| ORC-19.9 | Assigning Authority | | |
| ORC-19.9.1 | Namespace ID | | |
| ORC-19.9.2 | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | | |
| ORC-19.10 | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | | |
| ORC-19.12 | Check Digit Scheme | | |
| ORC-19.13 | Identifier Type Code | | |
| ORC-19.14 | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |

| Location | Effective Date | Data Element | Data | Categorization |
|---------------|---|--------------|------|----------------|
| ORC-19.19.1 | Time | | | |
| ORC-19.19.2 | Degree of Precision | | | |
| ORC-19.20 | Expiration Date | | | |
| ORC-19.20.1 | Time | | | |
| ORC-19.20.2 | Degree of Precision | | | |
| ORC-19.21 | Professional Suffix | | | |
| ORC-19.22 | Assigning Jurisdiction | | | |
| ORC-19.22.1 | Identifier | | | |
| ORC-19.22.2 | Text | | | |
| ORC-19.22.3 | Name of Coding System | | | |
| ORC-19.22.4 | Alternate Identifier | | | |
| ORC-19.22.5 | Alternate Text | | | |
| ORC-19.22.6 | Name of Alternate Coding System | | | |
| ORC-19.22.7 | Coding System Version ID | | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | | |
| ORC-19.22.9 | Original Text | | | |
| ORC-19.23 | Assigning Agency or Department | | | |
| ORC-19.23.1 | Identifier | | | |
| ORC-19.23.2 | Text | | | |
| ORC-19.23.3 | Name of Coding System | | | |
| ORC-19.23.4 | Alternate Identifier | | | |
| ORC-19.23.5 | Alternate Text | | | |
| ORC-19.23.6 | Name of Alternate Coding System | | | |
| ORC-19.23.7 | Coding System Version ID | | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | | |
| ORC-19.23.9 | Original Text | | | |
| ORC-20 | Advanced Beneficiary Notice Code | | | |
| ORC-20.1 | Identifier | | | |
| ORC-20.2 | Text | | | |
| ORC-20.3 | Name of Coding System | | | |
| ORC-20.4 | Alternate Identifier | | | |
| ORC-20.5 | Alternate Text | | | |
| ORC-20.6 | Name of Alternate Coding System | | | |
| ORC-21 | Ordering Facility Name | | | |
| ORC-21.1 | Organization Name | | | |
| ORC-21.2 | Organization Name Type Code | | | |

| ORC-Location | ID-Data Element | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |

| Location | Telecommunication Data Element | Data | Categorization |
|---------------|----------------------------------|------|----------------|
| ORC-23.2 | Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| ORC-23.9 | Any Text | | |
| ORC-23.10 | Extension Prefix | | |
| ORC-23.11 | Speed Dial Code | | |
| ORC-23.12 | Unformatted Telephone number | | |
| ORC-24 | Ordering Provider Address | | |
| ORC-24.1 | Street Address | | |
| ORC-24.1.1 | Street or Mailing Address | | |
| ORC-24.1.2 | Street Name | | |
| ORC-24.1.3 | Dwelling Number | | |
| ORC-24.2 | Other Designation | | |
| ORC-24.3 | City | | |
| ORC-24.4 | State or Province | | |
| ORC-24.5 | Zip or Postal Code | | |
| ORC-24.6 | Country | | |
| ORC-24.7 | Address Type | | |
| ORC-24.8 | Other Geographic Designation | | |
| ORC-24.9 | County/Parish Code | | |
| ORC-24.10 | Census Tract | | |
| ORC-24.11 | Address Representation Code | | |
| ORC-24.12 | Address Validity Range | | |
| ORC-24.12.1 | Range Start Date/Time | | |
| ORC-24.12.2 | Range End Date/Time | | |
| ORC-24.13 | Effective Date | | |
| ORC-24.13.1 | Time | | |
| ORC-24.13.2 | Degree of Precision | | |
| ORC-24.14 | Expiration Date | | |
| ORC-24.14.1 | Time | | |
| ORC-24.14.2 | Degree of Precision | | |
| ORC-25 | Order Status Modifier | | |
| ORC-25.1 | Identifier | | |
| ORC-25.2 | Text | | |
| ORC-25.3 | Name of Coding System | | |

| Location | Alternate Identifier | Data Element | Data | Categorization |
|---------------|--|----------------|------|----------------|
| ORC-25.4 | Alternate Identifier | Alternate Text | | |
| ORC-25.5 | | | | |
| ORC-25.6 | Name of Alternate Coding System | | | |
| ORC-25.7 | Coding System Version ID | | | |
| ORC-25.8 | Alternate Coding System Version ID | | | |
| ORC-25.9 | Original Text | | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | | |
| ORC-26.1 | Identifier | | | |
| ORC-26.2 | Text | | | |
| ORC-26.3 | Name of Coding System | | | |
| ORC-26.4 | Alternate Identifier | | | |
| ORC-26.5 | Alternate Text | | | |
| ORC-26.6 | Name of Alternate Coding System | | | |
| ORC-26.7 | Coding System Version ID | | | |
| ORC-26.8 | Alternate Coding System Version ID | | | |
| ORC-26.9 | Original Text | | | |
| ORC-27 | Filler's Expected Availability Date/Time | | | |
| ORC-27.1 | Time | | | |
| ORC-27.2 | Degree of Precision | | | |
| ORC-28 | Confidentiality Code | | | |
| ORC-28.1 | Identifier | | | |
| ORC-28.2 | Text | | | |
| ORC-28.3 | Name of Coding System | | | |
| ORC-28.4 | Alternate Identifier | | | |
| ORC-28.5 | Alternate Text | | | |
| ORC-28.6 | Name of Alternate Coding System | | | |
| ORC-28.7 | Coding System Version ID | | | |
| ORC-28.8 | Alternate Coding System Version ID | | | |
| ORC-28.9 | Original Text | | | |
| ORC-29 | Order Type | | | |
| ORC-29.1 | Identifier | | | |
| ORC-29.2 | Text | | | |
| ORC-29.3 | Name of Coding System | | | |
| ORC-29.4 | Alternate Identifier | | | |
| ORC-29.5 | Alternate Text | | | |
| | Name of Alternate | | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-29.6 | Coding System Version ID | | |
| ORC-29.7 | Coding System Version ID | | |
| ORC-29.8 | Alternate Coding System Version ID | | |
| ORC-29.9 | Original Text | | |
| ORC-30 | Enterer Authorization Mode | | |
| ORC-30.1 | Identifier | | |
| ORC-30.2 | Text | | |
| ORC-30.3 | Name of Coding System | | |
| ORC-30.4 | Alternate Identifier | | |
| ORC-30.5 | Alternate Text | | |
| ORC-30.6 | Name of Alternate Coding System | | |
| ORC-30.7 | Coding System Version ID | | |
| ORC-30.8 | Alternate Coding System Version ID | | |
| ORC-30.9 | Original Text | | |
| ORC-31 | Parent Universal Service Identifier | | |
| ORC-31.1 | Identifier | | |
| ORC-31.2 | Text | | |
| ORC-31.3 | Name of Coding System | | |
| ORC-31.4 | Alternate Identifier | | |
| ORC-31.5 | Alternate Text | | |
| ORC-31.6 | Name of Alternate Coding System | | |
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|----------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 19800415 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 19800415 | |
| RXA-4.2 | Degree of Precision | | |

| RXA-5 Location | Administered Code | Data | Categorization |
|-----------------------|------------------------------------|-------------------|-----------------------|
| RXA-5.1 | Identifier | 89 | |
| RXA-5.2 | Text | polio NOS | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |
| RXA-7 | Administered Units | | |
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage Form | | |
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |
| RXA-8.6 | Name of Alternate Coding System | | |
| RXA-9 | Administration Notes | | |
| RXA-9.1 | Identifier | 01 | |
| RXA-9.2 | Text | historical record | |
| RXA-9.3 | Name of Coding System | NIP001 | |
| RXA-9.4 | Alternate Identifier | | |
| RXA-9.5 | Alternate Text | | |
| RXA-9.6 | Name of Alternate Coding System | | |
| RXA-10 | Administering Provider | | |
| RXA-10.1 | ID Number | | |
| RXA-10.2 | Family Name | | |
| RXA-10.2.1 | Surname | | |
| RXA-10.2.2 | Own Surname Prefix | | |
| RXA-10.2.3 | Own Surname | | |
| RXA-10.2.4 | Surname Prefix From Partner/Spouse | | |
| RXA-10.2.5 | Surname From Partner/Spouse | | |
| RXA-10.3 | Given Name | | |

| Location | Second Element | Data | Categorization |
|-------------|---------------------------------|------|----------------|
| RXA-10.4 | Given Names or Initials Thereof | | |
| RXA-10.5 | Suffix (e.g., JR or III) | | |
| RXA-10.6 | Prefix (e.g., DR) | | |
| RXA-10.7 | Degree (e.g., MD) | | |
| RXA-10.8 | Source Table | | |
| RXA-10.9 | Assigning Authority | | |
| RXA-10.9.1 | Namespace ID | | |
| RXA-10.9.2 | Universal ID | | |
| RXA-10.9.3 | Universal ID Type | | |
| RXA-10.10 | Name Type Code | | |
| RXA-10.11 | Identifier Check Digit | | |
| RXA-10.12 | Check Digit Scheme | | |
| RXA-10.13 | Identifier Type Code | | |
| RXA-10.14 | Assigning Facility | | |
| RXA-10.14.1 | Namespace ID | | |
| RXA-10.14.2 | Universal ID | | |
| RXA-10.14.3 | Universal ID Type | | |
| RXA-10.15 | Name Representation Code | | |
| RXA-10.16 | Name Context | | |
| RXA-10.16.1 | Identifier | | |
| RXA-10.16.2 | Text | | |
| RXA-10.16.3 | Name of Coding System | | |
| RXA-10.16.4 | Alternate Identifier | | |
| RXA-10.16.5 | Alternate Text | | |
| RXA-10.16.6 | Name of Alternate Coding System | | |
| RXA-10.17 | Name Validity Range | | |
| RXA-10.17.1 | Range Start Date/Time | | |
| RXA-10.17.2 | Range End Date/Time | | |
| RXA-10.18 | Name Assembly Order | | |
| RXA-10.19 | Effective Date | | |
| RXA-10.19.1 | Time | | |
| RXA-10.19.2 | Degree of Precision | | |
| RXA-10.20 | Expiration Date | | |
| RXA-10.20.1 | Time | | |
| RXA-10.20.2 | Degree of Precision | | |
| RXA-10.21 | Professional Suffix | | |
| RXA-10.22 | Assigning Jurisdiction | | |
| RXA-10.22.1 | Identifier | | |
| RXA-10.22.2 | Text | | |
| RXA-10.22.3 | Name of Coding System | | |
| RXA-10.22.4 | Alternate Identifier | | |

| RXA-10.22.5 | Administered-at Location | Data Element | Data | Categorization |
|--------------------|-------------------------------------|---------------------------------|-------------|-----------------------|
| RXA-10.22.6 | Coding System | Name of Alternate Coding System | | |
| RXA-10.22.7 | Coding System Version ID | | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | | |
| RXA-10.22.9 | Original Text | | | |
| RXA-10.23 | Assigning Agency or Department | | | |
| RXA-10.23.1 | Identifier | | | |
| RXA-10.23.2 | Text | | | |
| RXA-10.23.3 | Name of Coding System | | | |
| RXA-10.23.4 | Alternate Identifier | | | |
| RXA-10.23.5 | Alternate Text | | | |
| RXA-10.23.6 | Name of Alternate Coding System | | | |
| RXA-10.23.7 | Coding System Version ID | | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | | |
| RXA-10.23.9 | Original Text | | | |
| RXA-11 | Administered-at Location | | | |
| RXA-11.1 | Point of Care | | | |
| RXA-11.2 | Room | | | |
| RXA-11.3 | Bed | | | |
| RXA-11.4 | Facility | | | |
| RXA-11.4.1 | Namespace ID | | | |
| RXA-11.4.2 | Universal ID | | | |
| RXA-11.4.3 | Universal ID Type | | | |
| RXA-11.5 | Location Status | | | |
| RXA-11.6 | Patient Location Type | | | |
| RXA-11.7 | Building | | | |
| RXA-11.8 | Floor | | | |
| RXA-11.9 | Street Address | | | |
| RXA-11.10 | Other Designation | | | |
| RXA-11.11 | City | | | |
| RXA-11.12 | State or Province | | | |
| RXA-11.13 | Zip or Postal Code | | | |
| RXA-11.14 | Country | | | |
| RXA-11.15 | Address Type | | | |
| RXA-11.16 | Other Geographic Designation | | | |
| RXA-12 | Administered Per (Time Unit) | | | |
| RXA-13 | Administered Strength | | | |
| RXA-14 | Administered Strength Units | | | |

| RXA-14.1 Location | Identifier | Data Element | Data | Categorization |
|--------------------------|---|---------------------|-------------|-----------------------|
| RXA-14.2 | Text | | | |
| RXA-14.3 | Name of Coding System | | | |
| RXA-14.4 | Alternate Identifier | | | |
| RXA-14.5 | Alternate Text | | | |
| RXA-14.6 | Name of Alternate Coding System | | | |
| RXA-15 | Substance Lot Number | | | |
| RXA-16 | Substance Expiration Date | | | |
| RXA-16.1 | Time | | | |
| RXA-16.2 | Degree of Precision | | | |
| RXA-17 | Substance Manufacturer Name | | | |
| RXA-17.1 | Identifier | | | |
| RXA-17.2 | Text | | | |
| RXA-17.3 | Name of Coding System | | | |
| RXA-17.4 | Alternate Identifier | | | |
| RXA-17.5 | Alternate Text | | | |
| RXA-17.6 | Name of Alternate Coding System | | | |
| RXA-18 | Substance/Treatment Refusal Reason | | | |
| RXA-18.1 | Identifier | | | |
| RXA-18.2 | Text | | | |
| RXA-18.3 | Name of Coding System | | | |
| RXA-18.4 | Alternate Identifier | | | |
| RXA-18.5 | Alternate Text | | | |
| RXA-18.6 | Name of Alternate Coding System | | | |
| RXA-19 | Indication | | | |
| RXA-19.1 | Identifier | | | |
| RXA-19.2 | Text | | | |
| RXA-19.3 | Name of Coding System | | | |
| RXA-19.4 | Alternate Identifier | | | |
| RXA-19.5 | Alternate Text | | | |
| RXA-19.6 | Name of Alternate Coding System | | | |
| RXA-20 | Completion Status | CP | | |
| RXA-21 | Action Code - RXA | | | |
| RXA-22 | System Entry Date/Time | | | |
| RXA-22.1 | Time | | | |
| RXA-22.2 | Degree of Precision | | | |
| RXA-23 | Administered Drug Strength Volume | | | |
| | | | | |

| RXA-24 | Location | Administered Drug Strength Volume Units Identifier | Data | Categorization |
|---------------|-----------------|---|-------------|-----------------------|
| | RXA-24.1 | | | |
| | RXA-24.2 | Text | | |
| | RXA-24.3 | Name of Coding System | | |
| | RXA-24.4 | Alternate Identifier | | |
| | RXA-24.5 | Alternate Text | | |
| | RXA-24.6 | Name of Alternate Coding System | | |
| | RXA-24.7 | Coding System Version ID | | |
| | RXA-24.8 | Alternate Coding System Version ID | | |
| | RXA-24.9 | Original Text | | |
| RXA-25 | | Administered Barcode Identifier | | |
| | RXA-25.1 | Identifier | | |
| | RXA-25.2 | Text | | |
| | RXA-25.3 | Name of Coding System | | |
| | RXA-25.4 | Alternate Identifier | | |
| | RXA-25.5 | Alternate Text | | |
| | RXA-25.6 | Name of Alternate Coding System | | |
| | RXA-25.7 | Coding System Version ID | | |
| | RXA-25.8 | Alternate Coding System Version ID | | |
| | RXA-25.9 | Original Text | | |
| RXA-26 | | Pharmacy Order Type | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|-----------------|------------------------------------|--------------|-----------------------|
| OBX-1 | Set ID - OBX | 10 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 9 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 89 | |
| OBX-5.2 | Text | polio NOS | |
| | Name of Coding | | |

| OBX-Location | System Data Element | CVX | Data | Categorization |
|---------------|---|-----|------|----------------|
| OBX-5.4 | Alternate Identifier | | | |
| OBX-5.5 | Alternate Text | | | |
| OBX-5.6 | Name of Alternate Coding System | | | |
| OBX-6 | Units | | | |
| OBX-6.1 | Identifier | | | |
| OBX-6.2 | Text | | | |
| OBX-6.3 | Name of Coding System | | | |
| OBX-6.4 | Alternate Identifier | | | |
| OBX-6.5 | Alternate Text | | | |
| OBX-6.6 | Name of Alternate Coding System | | | |
| OBX-7 | References Range | | | |
| OBX-8 | Abnormal Flags | | | |
| OBX-9 | Probability | | | |
| OBX-10 | Nature of Abnormal Test | | | |
| OBX-11 | Observation Result Status | F | | |
| OBX-12 | Effective Date of Reference Range Values | | | |
| OBX-12.1 | Time | | | |
| OBX-12.2 | Degree of Precision | | | |
| OBX-13 | User Defined Access Checks | | | |
| OBX-14 | Date/Time of the Observation | | | |
| OBX-14.1 | Time | | | |
| OBX-14.2 | Degree of Precision | | | |
| OBX-15 | Producer's Reference | | | |
| OBX-15.1 | Identifier | | | |
| OBX-15.2 | Text | | | |
| OBX-15.3 | Name of Coding System | | | |
| OBX-15.4 | Alternate Identifier | | | |
| OBX-15.5 | Alternate Text | | | |
| OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | Responsible Observer | | | |
| OBX-16.1 | ID Number | | | |
| OBX-16.2 | Family Name | | | |
| OBX-16.2.1 | Surname | | | |
| OBX-16.2.2 | Own Surname Prefix | | | |
| OBX-16.2.3 | Own Surname | | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | | |
| | Surname From | | | |

| OBX-16.2.5 Location | Part of Supplemental Data Element | Data | Categorization |
|---------------------|--|------|----------------|
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding | | |

| Location | System Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.22.1 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| | Reserved for | | |

| OBX-21 | Location | Organization with Data Element | Data | Categorization |
|-------------|----------|------------------------------------|------|----------------|
| | | V2.6 | | |
| OBX-23 | | Performing Organization Name | | |
| OBX-23.1 | | Organization Name | | |
| OBX-23.2 | | Organization Name Type Code | | |
| OBX-23.3 | | ID Number | | |
| OBX-23.4 | | Check Digit | | |
| OBX-23.5 | | Check Digit Scheme | | |
| OBX-23.6 | | Assigning Authority | | |
| OBX-23.6.1 | | Namespace ID | | |
| OBX-23.6.2 | | Universal ID | | |
| OBX-23.6.3 | | Universal ID Type | | |
| OBX-23.7 | | Identifier Type Code | | |
| OBX-23.8 | | Assigning Facility | | |
| OBX-23.8.1 | | Namespace ID | | |
| OBX-23.8.2 | | Universal ID | | |
| OBX-23.8.3 | | Universal ID Type | | |
| OBX-23.9 | | Name Representation Code | | |
| OBX-23.10 | | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | |
| OBX-24.1 | | Street Address | | |
| OBX-24.1.1 | | Street or Mailing Address | | |
| OBX-24.1.2 | | Street Name | | |
| OBX-24.1.3 | | Dwelling Number | | |
| OBX-24.2 | | Other Designation | | |
| OBX-24.3 | | City | | |
| OBX-24.4 | | State or Province | | |
| OBX-24.5 | | Zip or Postal Code | | |
| OBX-24.6 | | Country | | |
| OBX-24.7 | | Address Type | | |
| OBX-24.8 | | Other Geographic Designation | | |
| OBX-24.9 | | County/Parish Code | | |
| OBX-24.10 | | Census Tract | | |
| OBX-24.11 | | Address Representation Code | | |
| OBX-24.12 | | Address Validity Range | | |
| OBX-24.12.1 | | Range Start Date/Time | | |
| OBX-24.12.2 | | Range End Date/Time | | |
| OBX-24.13 | | Effective Date | | |
| OBX-24.13.1 | | Time | | |
| OBX-24.13.2 | | Degree of Precision | | |

| OBX-Location | Ex Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| | Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|----------|------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 11 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |

| OBX-Location | Alternate Element | Data | Categorization |
|---------------|---|-----------|----------------|
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 9 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |

| OBX-Location | ID Number | Element | Data | Categorization |
|--------------|-----------|--|------|----------------|
| OBX-16.2 | | Family Name | | |
| OBX-16.2.1 | | Surname | | |
| OBX-16.2.2 | | Own Surname Prefix | | |
| OBX-16.2.3 | | Own Surname | | |
| OBX-16.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | | Surname From Partner/Spouse | | |
| OBX-16.3 | | Given Name | | |
| OBX-16.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | | Suffix (e.g., JR or III) | | |
| OBX-16.6 | | Prefix (e.g., DR) | | |
| OBX-16.7 | | Degree (e.g., MD) | | |
| OBX-16.8 | | Source Table | | |
| OBX-16.9 | | Assigning Authority | | |
| OBX-16.9.1 | | Namespace ID | | |
| OBX-16.9.2 | | Universal ID | | |
| OBX-16.9.3 | | Universal ID Type | | |
| OBX-16.10 | | Name Type Code | | |
| OBX-16.11 | | Identifier Check Digit | | |
| OBX-16.12 | | Check Digit Scheme | | |
| OBX-16.13 | | Identifier Type Code | | |
| OBX-16.14 | | Assigning Facility | | |
| OBX-16.14.1 | | Namespace ID | | |
| OBX-16.14.2 | | Universal ID | | |
| OBX-16.14.3 | | Universal ID Type | | |
| OBX-16.15 | | Name Representation Code | | |
| OBX-16.16 | | Name Context | | |
| OBX-16.16.1 | | Identifier | | |
| OBX-16.16.2 | | Text | | |
| OBX-16.16.3 | | Name of Coding System | | |
| OBX-16.16.4 | | Alternate Identifier | | |
| OBX-16.16.5 | | Alternate Text | | |
| OBX-16.16.6 | | Name of Alternate Coding System | | |
| OBX-16.17 | | Name Validity Range | | |
| OBX-16.17.1 | | Range Start Date/Time | | |
| OBX-16.17.2 | | Range End Date/Time | | |
| OBX-16.18 | | Name Assembly Order | | |
| OBX-16.19 | | Effective Date | | |
| OBX-16.19.1 | | Time | | |
| OBX-16.19.2 | | Degree of Precision | | |
| OBX-16.20 | | Expiration Date | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|--------------------------------------|------|----------------|
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |

| OBX-Location | Data Element Identifier | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.16.4 | Alternate Text | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categorization |
|----------|----------------|------|----------------|
| | | | |

| OBX-1 Location | Set ID | OBX Data Element | 12 Data | Categorization |
|----------------|--|------------------|---------|----------------|
| OBX-2 | Value Type | ID | | |
| OBX-3 | Observation Identifier | | | |
| OBX-3.1 | Identifier | 59781-5 | | |
| OBX-3.2 | Text | dose validity | | |
| OBX-3.3 | Name of Coding System | LN | | |
| OBX-3.4 | Alternate Identifier | | | |
| OBX-3.5 | Alternate Text | | | |
| OBX-3.6 | Name of Alternate Coding System | | | |
| OBX-4 | Observation Sub-ID | 9 | | |
| OBX-5 | Observation Value | Y | | |
| OBX-6 | Units | | | |
| OBX-6.1 | Identifier | | | |
| OBX-6.2 | Text | | | |
| OBX-6.3 | Name of Coding System | | | |
| OBX-6.4 | Alternate Identifier | | | |
| OBX-6.5 | Alternate Text | | | |
| OBX-6.6 | Name of Alternate Coding System | | | |
| OBX-7 | References Range | | | |
| OBX-8 | Abnormal Flags | | | |
| OBX-9 | Probability | | | |
| OBX-10 | Nature of Abnormal Test | | | |
| OBX-11 | Observation Result Status | F | | |
| OBX-12 | Effective Date of Reference Range Values | | | |
| OBX-12.1 | Time | | | |
| OBX-12.2 | Degree of Precision | | | |
| OBX-13 | User Defined Access Checks | | | |
| OBX-14 | Date/Time of the Observation | | | |
| OBX-14.1 | Time | 20150531 | | |
| OBX-14.2 | Degree of Precision | | | |
| OBX-15 | Producer's Reference | | | |
| OBX-15.1 | Identifier | | | |
| OBX-15.2 | Text | | | |
| OBX-15.3 | Name of Coding System | | | |
| OBX-15.4 | Alternate Identifier | | | |
| OBX-15.5 | Alternate Text | | | |
| OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | Responsible Observer | | | |

| OBX-Location | ID Number | Item Name | Data | Categorization |
|--------------|-----------|--|------|----------------|
| OBX-16.2 | | Family Name | | |
| OBX-16.2.1 | | Surname | | |
| OBX-16.2.2 | | Own Surname Prefix | | |
| OBX-16.2.3 | | Own Surname | | |
| OBX-16.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | | Surname From Partner/Spouse | | |
| OBX-16.3 | | Given Name | | |
| OBX-16.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | | Suffix (e.g., JR or III) | | |
| OBX-16.6 | | Prefix (e.g., DR) | | |
| OBX-16.7 | | Degree (e.g., MD) | | |
| OBX-16.8 | | Source Table | | |
| OBX-16.9 | | Assigning Authority | | |
| OBX-16.9.1 | | Namespace ID | | |
| OBX-16.9.2 | | Universal ID | | |
| OBX-16.9.3 | | Universal ID Type | | |
| OBX-16.10 | | Name Type Code | | |
| OBX-16.11 | | Identifier Check Digit | | |
| OBX-16.12 | | Check Digit Scheme | | |
| OBX-16.13 | | Identifier Type Code | | |
| OBX-16.14 | | Assigning Facility | | |
| OBX-16.14.1 | | Namespace ID | | |
| OBX-16.14.2 | | Universal ID | | |
| OBX-16.14.3 | | Universal ID Type | | |
| OBX-16.15 | | Name Representation Code | | |
| OBX-16.16 | | Name Context | | |
| OBX-16.16.1 | | Identifier | | |
| OBX-16.16.2 | | Text | | |
| OBX-16.16.3 | | Name of Coding System | | |
| OBX-16.16.4 | | Alternate Identifier | | |
| OBX-16.16.5 | | Alternate Text | | |
| OBX-16.16.6 | | Name of Alternate Coding System | | |
| OBX-16.17 | | Name Validity Range | | |
| OBX-16.17.1 | | Range Start Date/Time | | |
| OBX-16.17.2 | | Range End Date/Time | | |
| OBX-16.18 | | Name Assembly Order | | |
| OBX-16.19 | | Effective Date | | |
| OBX-16.19.1 | | Time | | |
| OBX-16.19.2 | | Degree of Precision | | |
| | | | | |

| OBX-16.20 | Examination Date | Data | Categorization |
|---------------|--------------------------------------|------|----------------|
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| | | | |

| OBX-Location | Data Element Degree of Precision | Data | Categorization |
|---------------|---|------|----------------|
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| | Address Validity | | |

| OBX-24.12 Location | Range Data Element | Data | Categorization |
|--------------------|--|------|----------------|
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |

| OBX-25.16.4 | Alternate Identifier | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|----------|---------------|------|----------------|
| ORC-1 | Order Control | RE | |

| ORC-2 Location | Placer Order Number | Data Element | Data | Categorization |
|----------------|--|--------------|------|----------------|
| ORC-2.1 | Entity Identifier | | | |
| ORC-2.2 | Namespace ID | | | |
| ORC-2.3 | Universal ID | | | |
| ORC-2.4 | Universal ID Type | | | |
| ORC-3 | Filler Order Number | | | |
| ORC-3.1 | Entity Identifier | 197029 | | |
| ORC-3.2 | Namespace ID | DCS | | |
| ORC-3.3 | Universal ID | | | |
| ORC-3.4 | Universal ID Type | | | |
| ORC-4 | Placer Group Number | | | |
| ORC-4.1 | Entity Identifier | | | |
| ORC-4.2 | Namespace ID | | | |
| ORC-4.3 | Universal ID | | | |
| ORC-4.4 | Universal ID Type | | | |
| ORC-5 | Order Status | | | |
| ORC-6 | Response Flag | | | |
| ORC-7 | Quantity/Timing | | | |
| ORC-7.1 | Quantity | | | |
| ORC-7.1.1 | Quantity | | | |
| ORC-7.1.2 | Units | | | |
| ORC-7.2 | Interval | | | |
| ORC-7.2.1 | Repeat Pattern | | | |
| ORC-7.2.2 | Explicit Time Interval | | | |
| ORC-7.3 | Duration | | | |
| ORC-7.4 | Start Date/Time | | | |
| ORC-7.4.1 | Time | | | |
| ORC-7.4.2 | Degree of Precision | | | |
| ORC-7.5 | End Date/Time | | | |
| ORC-7.5.1 | Time | | | |
| ORC-7.5.2 | Degree of Precision | | | |
| ORC-7.6 | Priority | | | |
| ORC-7.7 | Condition | | | |
| ORC-7.8 | Text | | | |
| ORC-7.9 | Conjunction | | | |
| ORC-7.10 | Order Sequencing | | | |
| ORC-7.10.1 | Sequence/Results Flag | | | |
| ORC-7.10.2 | Placer Order Number: Entity Identifier | | | |
| ORC-7.10.3 | Placer Order Number: Namespace ID | | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | | |
| | Sequence Condition | | | |

| Location | Data Element | Data | Categorization |
|---------------|--|-------|----------------|
| ORC-7.10.6 | Maximum Number of Repeats | | |
| ORC-7.10.7 | Placer Order Number: Universal ID | | |
| ORC-7.10.8 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.9 | Placer Order Number: Universal ID | | |
| ORC-7.10.10 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.11 | Placer Order Number: Universal ID | | |
| ORC-7.10.12 | Placer Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| ORC-8.2 | Filler Assigned Identifier | | |
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |
| ORC-9.1 | Time | | |
| ORC-9.2 | Degree of Precision | | |
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | Clerk | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | |

| ORC-10.3 Location | Given Name Element | Myron Data | Categorization |
|-------------------|--|------------|----------------|
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |
| ORC-10.9 | Assigning Authority | | |
| ORC-10.9.1 | Namespace ID | | |
| ORC-10.9.2 | Universal ID | | |
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | | |
| ORC-10.11 | Identifier Check Digit | | |
| ORC-10.12 | Check Digit Scheme | | |
| ORC-10.13 | Identifier Type Code | | |
| ORC-10.14 | Assigning Facility | | |
| ORC-10.14.1 | Namespace ID | | |
| ORC-10.14.2 | Universal ID | | |
| ORC-10.14.3 | Universal ID Type | | |
| ORC-10.15 | Name Representation Code | | |
| ORC-10.16 | Name Context | | |
| ORC-10.16.1 | Identifier | | |
| ORC-10.16.2 | Text | | |
| ORC-10.16.3 | Name of Coding System | | |
| ORC-10.16.4 | Alternate Identifier | | |
| ORC-10.16.5 | Alternate Text | | |
| ORC-10.16.6 | Name of Alternate Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| ORC-11.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| | | | |

| ORC Location | Assignment | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |
| | Name of Alternate | | |

| ORC-11.23.6 | Coding System Version ID | Data | Categorization |
|---------------|--|------|----------------|
| ORC-11.23.7 | Coding System Version ID | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | |
| ORC-11.23.9 | Original Text | | |
| ORC-12 | Ordering Provider | | |
| ORC-12.1 | ID Number | | |
| ORC-12.2 | Family Name | | |
| ORC-12.2.1 | Surname | | |
| ORC-12.2.2 | Own Surname Prefix | | |
| ORC-12.2.3 | Own Surname | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | |
| ORC-12.3 | Given Name | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-12.5 | Suffix (e.g., JR or III) | | |
| ORC-12.6 | Prefix (e.g., DR) | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |
| ORC-12.10 | Name Type Code | | |
| ORC-12.11 | Identifier Check Digit | | |
| ORC-12.12 | Check Digit Scheme | | |
| ORC-12.13 | Identifier Type Code | | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |
| ORC-12.16 | Name Context | | |
| ORC-12.16.1 | Identifier | | |
| ORC-12.16.2 | Text | | |
| ORC-12.16.3 | Name of Coding System | | |
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| ORC-12.17.1 | Range Start Date/Time | | |

| Location | Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-12.17.2 | Date/Time | | |
| ORC-12.18 | Name Assembly Order | | |
| ORC-12.19 | Effective Date | | |
| ORC-12.19.1 | Time | | |
| ORC-12.19.2 | Degree of Precision | | |
| ORC-12.20 | Expiration Date | | |
| ORC-12.20.1 | Time | | |
| ORC-12.20.2 | Degree of Precision | | |
| ORC-12.21 | Professional Suffix | | |
| ORC-12.22 | Assigning Jurisdiction | | |
| ORC-12.22.1 | Identifier | | |
| ORC-12.22.2 | Text | | |
| ORC-12.22.3 | Name of Coding System | | |
| ORC-12.22.4 | Alternate Identifier | | |
| ORC-12.22.5 | Alternate Text | | |
| ORC-12.22.6 | Name of Alternate Coding System | | |
| ORC-12.22.7 | Coding System Version ID | | |
| ORC-12.22.8 | Alternate Coding System Version ID | | |
| ORC-12.22.9 | Original Text | | |
| ORC-12.23 | Assigning Agency or Department | | |
| ORC-12.23.1 | Identifier | | |
| ORC-12.23.2 | Text | | |
| ORC-12.23.3 | Name of Coding System | | |
| ORC-12.23.4 | Alternate Identifier | | |
| ORC-12.23.5 | Alternate Text | | |
| ORC-12.23.6 | Name of Alternate Coding System | | |
| ORC-12.23.7 | Coding System Version ID | | |
| ORC-12.23.8 | Alternate Coding System Version ID | | |
| ORC-12.23.9 | Original Text | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| | | | |

| ORC-13.8 | Location | Building Element | Data | Categorization |
|---------------|----------|-----------------------------------|-----------------------|----------------|
| ORC-13.9 | | Location Description | | |
| ORC-13.10 | | Comprehensive Location Identifier | | |
| ORC-13.10.1 | | Entity Identifier | | |
| ORC-13.10.2 | | Namespace ID | | |
| ORC-13.10.3 | | Universal ID | | |
| ORC-13.10.4 | | Universal ID Type | | |
| ORC-13.11 | | Assigning Authority for Location | | |
| ORC-13.11.1 | | Namespace ID | | |
| ORC-13.11.2 | | Universal ID | | |
| ORC-13.11.3 | | Universal ID Type | | |
| ORC-14 | | Call Back Phone Number | | |
| ORC-14.1 | | Telephone Number | | |
| ORC-14.2 | | Telecommunication Use Code | | |
| ORC-14.3 | | Telecommunication Equipment Type | | |
| ORC-14.4 | | Email Address | | |
| ORC-14.5 | | Country Code | | |
| ORC-14.6 | | Area/City Code | | |
| ORC-14.7 | | Local Number | | |
| ORC-14.8 | | Extension | | |
| ORC-14.9 | | Any Text | | |
| ORC-14.10 | | Extension Prefix | | |
| ORC-14.11 | | Speed Dial Code | | |
| ORC-14.12 | | Unformatted Telephone number | | |
| ORC-15 | | Order Effective Date/Time | | |
| ORC-15.1 | | Time | | |
| ORC-15.2 | | Degree of Precision | | |
| ORC-16 | | Order Control Code Reason | | |
| ORC-16.1 | | Identifier | | |
| ORC-16.2 | | Text | | |
| ORC-16.3 | | Name of Coding System | | |
| ORC-16.4 | | Alternate Identifier | | |
| ORC-16.5 | | Alternate Text | | |
| ORC-16.6 | | Name of Alternate Coding System | | |
| ORC-17 | | Entering Organization | | |
| ORC-17.1 | | Identifier | DCS | |
| ORC-17.2 | | Text | Dabig Clinical System | |
| ORC-17.3 | | Name of Coding System | StateIIS | |
| | | | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-17.4 | Alternate Identifier | | |
| ORC-17.5 | Alternate Text | | |
| ORC-17.6 | Name of Alternate Coding System | | |
| ORC-18 | Entering Device | | |
| ORC-18.1 | Identifier | | |
| ORC-18.2 | Text | | |
| ORC-18.3 | Name of Coding System | | |
| ORC-18.4 | Alternate Identifier | | |
| ORC-18.5 | Alternate Text | | |
| ORC-18.6 | Name of Alternate Coding System | | |
| ORC-19 | Action By | | |
| ORC-19.1 | ID Number | | |
| ORC-19.2 | Family Name | | |
| ORC-19.2.1 | Surname | | |
| ORC-19.2.2 | Own Surname Prefix | | |
| ORC-19.2.3 | Own Surname | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | |
| ORC-19.3 | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |
| ORC-19.6 | Prefix (e.g., DR) | | |
| ORC-19.7 | Degree (e.g., MD) | | |
| ORC-19.8 | Source Table | | |
| ORC-19.9 | Assigning Authority | | |
| ORC-19.9.1 | Namespace ID | | |
| ORC-19.9.2 | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | | |
| ORC-19.10 | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | | |
| ORC-19.12 | Check Digit Scheme | | |
| ORC-19.13 | Identifier Type Code | | |
| ORC-19.14 | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |

| Location | Element Identifier | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| ORC-19.22.3 | Name of Coding System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |

| Location | Data Element | Data | Categorization |
|---------------|----------------------------------|------|----------------|
| ORC-20.3 | System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| | Range End | | |

| ORC-22.12.1 | Date/Time | Data Element | Data | Categorization |
|---------------|---------------------------------------|--------------|------|----------------|
| ORC-22.13 | Effective Date | | | |
| ORC-22.13.1 | Time | | | |
| ORC-22.13.2 | Degree of Precision | | | |
| ORC-22.14 | Expiration Date | | | |
| ORC-22.14.1 | Time | | | |
| ORC-22.14.2 | Degree of Precision | | | |
| ORC-23 | Ordering Facility Phone Number | | | |
| ORC-23.1 | Telephone Number | | | |
| ORC-23.2 | Telecommunication Use Code | | | |
| ORC-23.3 | Telecommunication Equipment Type | | | |
| ORC-23.4 | Email Address | | | |
| ORC-23.5 | Country Code | | | |
| ORC-23.6 | Area/City Code | | | |
| ORC-23.7 | Local Number | | | |
| ORC-23.8 | Extension | | | |
| ORC-23.9 | Any Text | | | |
| ORC-23.10 | Extension Prefix | | | |
| ORC-23.11 | Speed Dial Code | | | |
| ORC-23.12 | Unformatted Telephone number | | | |
| ORC-24 | Ordering Provider Address | | | |
| ORC-24.1 | Street Address | | | |
| ORC-24.1.1 | Street or Mailing Address | | | |
| ORC-24.1.2 | Street Name | | | |
| ORC-24.1.3 | Dwelling Number | | | |
| ORC-24.2 | Other Designation | | | |
| ORC-24.3 | City | | | |
| ORC-24.4 | State or Province | | | |
| ORC-24.5 | Zip or Postal Code | | | |
| ORC-24.6 | Country | | | |
| ORC-24.7 | Address Type | | | |
| ORC-24.8 | Other Geographic Designation | | | |
| ORC-24.9 | County/Parish Code | | | |
| ORC-24.10 | Census Tract | | | |
| ORC-24.11 | Address Representation Code | | | |
| ORC-24.12 | Address Validity Range | | | |
| ORC-24.12.1 | Range Start Date/Time | | | |
| ORC-24.12.2 | Range End Date/Time | | | |
| | | | | |

| ORC-24.13 | Effective Date | Data | Categorization |
|---------------|--|------|----------------|
| ORC-24.13.2 | Degree of Precision | | |
| ORC-24.14 | Expiration Date | | |
| ORC-24.14.1 | Time | | |
| ORC-24.14.2 | Degree of Precision | | |
| ORC-25 | Order Status Modifier | | |
| ORC-25.1 | Identifier | | |
| ORC-25.2 | Text | | |
| ORC-25.3 | Name of Coding System | | |
| ORC-25.4 | Alternate Identifier | | |
| ORC-25.5 | Alternate Text | | |
| ORC-25.6 | Name of Alternate Coding System | | |
| ORC-25.7 | Coding System Version ID | | |
| ORC-25.8 | Alternate Coding System Version ID | | |
| ORC-25.9 | Original Text | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | |
| ORC-26.1 | Identifier | | |
| ORC-26.2 | Text | | |
| ORC-26.3 | Name of Coding System | | |
| ORC-26.4 | Alternate Identifier | | |
| ORC-26.5 | Alternate Text | | |
| ORC-26.6 | Name of Alternate Coding System | | |
| ORC-26.7 | Coding System Version ID | | |
| ORC-26.8 | Alternate Coding System Version ID | | |
| ORC-26.9 | Original Text | | |
| ORC-27 | Filler's Expected Availability Date/Time | | |
| ORC-27.1 | Time | | |
| ORC-27.2 | Degree of Precision | | |
| ORC-28 | Confidentiality Code | | |
| ORC-28.1 | Identifier | | |
| ORC-28.2 | Text | | |
| ORC-28.3 | Name of Coding System | | |
| ORC-28.4 | Alternate Identifier | | |
| ORC-28.5 | Alternate Text | | |
| ORC-28.6 | Name of Alternate Coding System | | |
| ORC-28.7 | Coding System | | |

| Location | Version ID | Data Element | Data | Categorization |
|---------------|------------|--|------|----------------|
| ORC-28.8 | | Alternate Coding System Version ID | | |
| ORC-28.9 | | Original Text | | |
| ORC-29 | | Order Type | | |
| ORC-29.1 | | Identifier | | |
| ORC-29.2 | | Text | | |
| ORC-29.3 | | Name of Coding System | | |
| ORC-29.4 | | Alternate Identifier | | |
| ORC-29.5 | | Alternate Text | | |
| ORC-29.6 | | Name of Alternate Coding System | | |
| ORC-29.7 | | Coding System Version ID | | |
| ORC-29.8 | | Alternate Coding System Version ID | | |
| ORC-29.9 | | Original Text | | |
| ORC-30 | | Enterer Authorization Mode | | |
| ORC-30.1 | | Identifier | | |
| ORC-30.2 | | Text | | |
| ORC-30.3 | | Name of Coding System | | |
| ORC-30.4 | | Alternate Identifier | | |
| ORC-30.5 | | Alternate Text | | |
| ORC-30.6 | | Name of Alternate Coding System | | |
| ORC-30.7 | | Coding System Version ID | | |
| ORC-30.8 | | Alternate Coding System Version ID | | |
| ORC-30.9 | | Original Text | | |
| ORC-31 | | Parent Universal Service Identifier | | |
| ORC-31.1 | | Identifier | | |
| ORC-31.2 | | Text | | |
| ORC-31.3 | | Name of Coding System | | |
| ORC-31.4 | | Alternate Identifier | | |
| ORC-31.5 | | Alternate Text | | |
| ORC-31.6 | | Name of Alternate Coding System | | |
| ORC-31.7 | | Coding System Version ID | | |
| ORC-31.8 | | Alternate Coding System Version ID | | |
| ORC-31.9 | | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|-------------------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 19800615 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 19800615 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 89 | |
| RXA-5.2 | Text | polio NOS | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |
| RXA-7 | Administered Units | | |
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage Form | | |
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |
| RXA-8.6 | Name of Alternate Coding System | | |
| RXA-9 | Administration Notes | | |
| RXA-9.1 | Identifier | 01 | |
| RXA-9.2 | Text | historical record | |
| RXA-9.3 | Name of Coding System | NIP001 | |
| RXA-9.4 | Alternate Identifier | | |
| RXA-9.5 | Alternate Text | | |
| | | | |

| RXA-10.6 | Location | Name of Alternate Coding System | Data Element | Data | Categorization |
|---------------|----------|--|--------------|------|----------------|
| RXA-10 | | Administering Provider | | | |
| RXA-10.1 | | ID Number | | | |
| RXA-10.2 | | Family Name | | | |
| RXA-10.2.1 | | Surname | | | |
| RXA-10.2.2 | | Own Surname Prefix | | | |
| RXA-10.2.3 | | Own Surname | | | |
| RXA-10.2.4 | | Surname Prefix From Partner/Spouse | | | |
| RXA-10.2.5 | | Surname From Partner/Spouse | | | |
| RXA-10.3 | | Given Name | | | |
| RXA-10.4 | | Second and Further Given Names or Initials Thereof | | | |
| RXA-10.5 | | Suffix (e.g., JR or III) | | | |
| RXA-10.6 | | Prefix (e.g., DR) | | | |
| RXA-10.7 | | Degree (e.g., MD) | | | |
| RXA-10.8 | | Source Table | | | |
| RXA-10.9 | | Assigning Authority | | | |
| RXA-10.9.1 | | Namespace ID | | | |
| RXA-10.9.2 | | Universal ID | | | |
| RXA-10.9.3 | | Universal ID Type | | | |
| RXA-10.10 | | Name Type Code | | | |
| RXA-10.11 | | Identifier Check Digit | | | |
| RXA-10.12 | | Check Digit Scheme | | | |
| RXA-10.13 | | Identifier Type Code | | | |
| RXA-10.14 | | Assigning Facility | | | |
| RXA-10.14.1 | | Namespace ID | | | |
| RXA-10.14.2 | | Universal ID | | | |
| RXA-10.14.3 | | Universal ID Type | | | |
| RXA-10.15 | | Name Representation Code | | | |
| RXA-10.16 | | Name Context | | | |
| RXA-10.16.1 | | Identifier | | | |
| RXA-10.16.2 | | Text | | | |
| RXA-10.16.3 | | Name of Coding System | | | |
| RXA-10.16.4 | | Alternate Identifier | | | |
| RXA-10.16.5 | | Alternate Text | | | |
| RXA-10.16.6 | | Name of Alternate Coding System | | | |
| RXA-10.17 | | Name Validity Range | | | |
| RXA-10.17.1 | | Range Start Date/Time | | | |
| RXA-10.17.2 | | Range End Date/Time | | | |
| RXA-10.18 | | Name Assembly Order | | | |
| RXA-10.19 | | Effective Date | | | |

| RXA-Location | Data Element | Data | Categorization |
|---------------------|------------------------------------|-------------|-----------------------|
| RXA-10.19.2 | Degree of Precision | | |
| RXA-10.20 | Expiration Date | | |
| RXA-10.20.1 | Time | | |
| RXA-10.20.2 | Degree of Precision | | |
| RXA-10.21 | Professional Suffix | | |
| RXA-10.22 | Assigning Jurisdiction | | |
| RXA-10.22.1 | Identifier | | |
| RXA-10.22.2 | Text | | |
| RXA-10.22.3 | Name of Coding System | | |
| RXA-10.22.4 | Alternate Identifier | | |
| RXA-10.22.5 | Alternate Text | | |
| RXA-10.22.6 | Name of Alternate Coding System | | |
| RXA-10.22.7 | Coding System Version ID | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | |
| RXA-10.22.9 | Original Text | | |
| RXA-10.23 | Assigning Agency or Department | | |
| RXA-10.23.1 | Identifier | | |
| RXA-10.23.2 | Text | | |
| RXA-10.23.3 | Name of Coding System | | |
| RXA-10.23.4 | Alternate Identifier | | |
| RXA-10.23.5 | Alternate Text | | |
| RXA-10.23.6 | Name of Alternate Coding System | | |
| RXA-10.23.7 | Coding System Version ID | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |

| RXA-Location | CD Data Element | Data | Categorization |
|---------------------|---|-------------|-----------------------|
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| RXA-11.14 | Country | | |
| RXA-11.15 | Address Type | | |
| RXA-11.16 | Other Geographic Designation | | |
| RXA-12 | Administered Per (Time Unit) | | |
| RXA-13 | Administered Strength | | |
| RXA-14 | Administered Strength Units | | |
| RXA-14.1 | Identifier | | |
| RXA-14.2 | Text | | |
| RXA-14.3 | Name of Coding System | | |
| RXA-14.4 | Alternate Identifier | | |
| RXA-14.5 | Alternate Text | | |
| RXA-14.6 | Name of Alternate Coding System | | |
| RXA-15 | Substance Lot Number | | |
| RXA-16 | Substance Expiration Date | | |
| RXA-16.1 | Time | | |
| RXA-16.2 | Degree of Precision | | |
| RXA-17 | Substance Manufacturer Name | | |
| RXA-17.1 | Identifier | | |
| RXA-17.2 | Text | | |
| RXA-17.3 | Name of Coding System | | |
| RXA-17.4 | Alternate Identifier | | |
| RXA-17.5 | Alternate Text | | |
| RXA-17.6 | Name of Alternate Coding System | | |
| RXA-18 | Substance/Treatment Refusal Reason | | |
| RXA-18.1 | Identifier | | |
| RXA-18.2 | Text | | |
| RXA-18.3 | Name of Coding System | | |
| RXA-18.4 | Alternate Identifier | | |
| RXA-18.5 | Alternate Text | | |
| RXA-18.6 | Name of Alternate Coding System | | |
| RXA-19 | Indication | | |
| RXA-19.1 | Identifier | | |
| RXA-19.2 | Text | | |
| RXA-19.3 | Name of Coding System | | |

| RXA-19.4 | Location | Alternate Identifier | Data | Categorization |
|-----------------|--|-----------------------------|-------------|-----------------------|
| RXA-19.5 | Alternate Text | | | |
| RXA-19.6 | Name of Alternate Coding System | | | |
| RXA-20 | Completion Status | CP | | |
| RXA-21 | Action Code - RXA | | | |
| RXA-22 | System Entry Date/Time | | | |
| RXA-22.1 | Time | | | |
| RXA-22.2 | Degree of Precision | | | |
| RXA-23 | Administered Drug Strength Volume | | | |
| RXA-24 | Administered Drug Strength Volume Units | | | |
| RXA-24.1 | Identifier | | | |
| RXA-24.2 | Text | | | |
| RXA-24.3 | Name of Coding System | | | |
| RXA-24.4 | Alternate Identifier | | | |
| RXA-24.5 | Alternate Text | | | |
| RXA-24.6 | Name of Alternate Coding System | | | |
| RXA-24.7 | Coding System Version ID | | | |
| RXA-24.8 | Alternate Coding System Version ID | | | |
| RXA-24.9 | Original Text | | | |
| RXA-25 | Administered Barcode Identifier | | | |
| RXA-25.1 | Identifier | | | |
| RXA-25.2 | Text | | | |
| RXA-25.3 | Name of Coding System | | | |
| RXA-25.4 | Alternate Identifier | | | |
| RXA-25.5 | Alternate Text | | | |
| RXA-25.6 | Name of Alternate Coding System | | | |
| RXA-25.7 | Coding System Version ID | | | |
| RXA-25.8 | Alternate Coding System Version ID | | | |
| RXA-25.9 | Original Text | | | |
| RXA-26 | Pharmacy Order Type | | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categorization |
|-----------------|-------------------------------|-------------|-----------------------|
| OBX-1 | Set ID - OBX | 13 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |

| OBX-Location | Data Element | vaccine typeData | Categorization |
|---------------|---|------------------|----------------|
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 10 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 89 | |
| OBX-5.2 | Text | polio NOS | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |

| OBX-15.5 Location | Alternate Text | Data | Categorization |
|-------------------|--|------|----------------|
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |

| OBX-16.19 | Location | Effective Date | Element | Data | Categorization |
|---------------|----------|--------------------------------------|---------|------|----------------|
| OBX-16.19.1 | | Time | | | |
| OBX-16.19.2 | | Degree of Precision | | | |
| OBX-16.20 | | Expiration Date | | | |
| OBX-16.20.1 | | Time | | | |
| OBX-16.20.2 | | Degree of Precision | | | |
| OBX-16.21 | | Professional Suffix | | | |
| OBX-16.22 | | Assigning Jurisdiction | | | |
| OBX-16.22.1 | | Identifier | | | |
| OBX-16.22.2 | | Text | | | |
| OBX-16.22.3 | | Name of Coding System | | | |
| OBX-16.22.4 | | Alternate Identifier | | | |
| OBX-16.22.5 | | Alternate Text | | | |
| OBX-16.22.6 | | Name of Alternate Coding System | | | |
| OBX-16.22.7 | | Coding System Version ID | | | |
| OBX-16.22.8 | | Alternate Coding System Version ID | | | |
| OBX-16.22.9 | | Original Text | | | |
| OBX-16.23 | | Assigning Agency or Department | | | |
| OBX-16.23.1 | | Identifier | | | |
| OBX-16.23.2 | | Text | | | |
| OBX-16.23.3 | | Name of Coding System | | | |
| OBX-16.23.4 | | Alternate Identifier | | | |
| OBX-16.23.5 | | Alternate Text | | | |
| OBX-16.23.6 | | Name of Alternate Coding System | | | |
| OBX-16.23.7 | | Coding System Version ID | | | |
| OBX-16.23.8 | | Alternate Coding System Version ID | | | |
| OBX-16.23.9 | | Original Text | | | |
| OBX-17 | | Observation Method | | | |
| OBX-17.1 | | Identifier | | | |
| OBX-17.2 | | Text | | | |
| OBX-17.3 | | Name of Coding System | | | |
| OBX-17.4 | | Alternate Identifier | | | |
| OBX-17.5 | | Alternate Text | | | |
| OBX-17.6 | | Name of Alternate Coding System | | | |
| OBX-18 | | Equipment Instance Identifier | | | |
| OBX-18.1 | | Entity Identifier | | | |
| OBX-18.2 | | Namespace ID | | | |
| OBX-18.3 | | Universal ID | | | |

| OBX-18.4 Location | Universal ID Type | Data | Categorization |
|-------------------|---|------|----------------|
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |

| OBX-24.10: Location | Co-Data Element Address | Data | Categorization |
|---------------------|--|------|----------------|
| OBX-24.11 | Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |

| OBX-25.16.1 Location | Data Element | Data | Categorization |
|-------------------------|------------------------------------|------|----------------|
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|---------------|---|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 14 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 10 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| | | | |

| OBX-16.16.6 | Name of Alternate Coding System | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| | Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |

| OBX-17.5 Location | Alternate Name of Alternate Data Element | Data | Categorization |
|-------------------|---|------|----------------|
| OBX-17.6 | Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |

| OBX-Location | Standard Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |

| OBX-Location | Assigning Facility Data Element | Data | Categorization |
|--------------|---------------------------------------|------|----------------|
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |

| Location | Name Of Alternate Data Element | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.23.6 | Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|---------------|---|---------------|----------------|
| OBX-1 | Set ID - OBX | 15 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 10 | |
| OBX-5 | Observation Value | Y | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| | | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| | Name of Alternate | | |

| OBX-16.16.6 | Code System Element | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |

| Location | Data Element Name | Data | Categorization |
|---------------|---|------|----------------|
| OBX-17.6 | Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |

| OBX-24.4 Location | Standard Element | Data | Categorization |
|-------------------|--|------|----------------|
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |

| OBX-Location | Assigning Facility Data Element | Data | Categorization |
|--------------|---------------------------------------|------|----------------|
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |

| OBX-Location | Name Of Alternate Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| | Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|--------------|----------------------------|--------|----------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 197123 | |
| ORC-3.2 | Namespace ID | DCS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |
| ORC-4.3 | Universal ID | | |
| ORC-4.4 | Universal ID Type | | |
| ORC-5 | Order Status | | |
| ORC-6 | Response Flag | | |
| ORC-7 | Quantity/Timing | | |
| ORC-7.1 | Quantity | | |
| ORC-7.1.1 | Quantity | | |
| ORC-7.1.2 | Units | | |
| ORC-7.2 | Interval | | |
| ORC-7.2.1 | Repeat Pattern | | |
| ORC-7.2.2 | Explicit Time Interval | | |
| ORC-7.3 | Duration | | |
| ORC-7.4 | Start Date/Time | | |
| ORC-7.4.1 | Time | | |
| ORC-7.4.2 | Degree of Precision | | |
| ORC-7.5 | End Date/Time | | |
| ORC-7.5.1 | Time | | |
| ORC-7.5.2 | Degree of Precision | | |
| ORC-7.6 | Priority | | |
| ORC-7.7 | Condition | | |
| ORC-7.8 | Text | | |
| ORC-7.9 | Conjunction | | |
| ORC-7.10 | Order Sequencing | | |
| | Sequence/Results | | |

| ORC-7.10.1 | Location | Flag | Data Element | mt | Data | Categorization |
|--------------|----------|------|--|----|------|----------------|
| ORC-7.10.2 | | | Placer Order Number: Entity Identifier | | | |
| ORC-7.10.3 | | | Placer Order Number: Namespace ID | | | |
| ORC-7.10.4 | | | Filler Order Number: Entity Identifier | | | |
| ORC-7.10.5 | | | Filler Order Number: Namespace ID | | | |
| ORC-7.10.6 | | | Sequence Condition Value | | | |
| ORC-7.10.7 | | | Maximum Number of Repeats | | | |
| ORC-7.10.8 | | | Placer Order Number: Universal ID | | | |
| ORC-7.10.9 | | | Placer Order Number: Universal ID Type | | | |
| ORC-7.10.10 | | | Filler Order Number: Universal ID | | | |
| ORC-7.10.11 | | | Filler Order Number: Universal ID Type | | | |
| ORC-7.11 | | | Occurrence Duration | | | |
| ORC-7.11.1 | | | Identifier | | | |
| ORC-7.11.2 | | | Text | | | |
| ORC-7.11.3 | | | Name of Coding System | | | |
| ORC-7.11.4 | | | Alternate Identifier | | | |
| ORC-7.11.5 | | | Alternate Text | | | |
| ORC-7.11.6 | | | Name of Alternate Coding System | | | |
| ORC-7.12 | | | Total Occurrences | | | |
| ORC-8 | | | Parent | | | |
| ORC-8.1 | | | Placer Assigned Identifier | | | |
| ORC-8.1.1 | | | Entity Identifier | | | |
| ORC-8.1.2 | | | Namespace ID | | | |
| ORC-8.1.3 | | | Universal ID | | | |
| ORC-8.1.4 | | | Universal ID Type | | | |
| ORC-8.2 | | | Filler Assigned Identifier | | | |
| ORC-8.2.1 | | | Entity Identifier | | | |
| ORC-8.2.2 | | | Namespace ID | | | |
| ORC-8.2.3 | | | Universal ID | | | |
| ORC-8.2.4 | | | Universal ID Type | | | |
| ORC-9 | | | Date/Time of Transaction | | | |
| ORC-9.1 | | | Time | | | |

| ORC-10 Location | Data Element | Data | Categorization |
|-----------------|--|-------|----------------|
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | Clerk | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | |
| ORC-10.3 | Given Name | Myron | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |
| ORC-10.9 | Assigning Authority | | |
| ORC-10.9.1 | Namespace ID | | |
| ORC-10.9.2 | Universal ID | | |
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | | |
| ORC-10.11 | Identifier Check Digit | | |
| ORC-10.12 | Check Digit Scheme | | |
| ORC-10.13 | Identifier Type Code | | |
| ORC-10.14 | Assigning Facility | | |
| ORC-10.14.1 | Namespace ID | | |
| ORC-10.14.2 | Universal ID | | |
| ORC-10.14.3 | Universal ID Type | | |
| ORC-10.15 | Name Representation Code | | |
| ORC-10.16 | Name Context | | |
| ORC-10.16.1 | Identifier | | |
| ORC-10.16.2 | Text | | |
| ORC-10.16.3 | Name of Coding System | | |
| ORC-10.16.4 | Alternate Identifier | | |
| ORC-10.16.5 | Alternate Text | | |
| ORC-10.16.6 | Name of Alternate Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| ORC-11.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |

| ORC-Location | Designation (Element ID) | Data | Categorization |
|--------------|---------------------------------|------|----------------|
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| | Alternate Coding | | |

| ORC-11.22.8 | System Version ID | Data Element | Data | Categorization |
|---------------|--|--------------|------|----------------|
| ORC-11.22.9 | Original Text | | | |
| ORC-11.23 | Assigning Agency or Department | | | |
| ORC-11.23.1 | Identifier | | | |
| ORC-11.23.2 | Text | | | |
| ORC-11.23.3 | Name of Coding System | | | |
| ORC-11.23.4 | Alternate Identifier | | | |
| ORC-11.23.5 | Alternate Text | | | |
| ORC-11.23.6 | Name of Alternate Coding System | | | |
| ORC-11.23.7 | Coding System Version ID | | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | | |
| ORC-11.23.9 | Original Text | | | |
| ORC-12 | Ordering Provider | | | |
| ORC-12.1 | ID Number | | | |
| ORC-12.2 | Family Name | | | |
| ORC-12.2.1 | Surname | | | |
| ORC-12.2.2 | Own Surname Prefix | | | |
| ORC-12.2.3 | Own Surname | | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | | |
| ORC-12.3 | Given Name | | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | | |
| ORC-12.5 | Suffix (e.g., JR or III) | | | |
| ORC-12.6 | Prefix (e.g., DR) | | | |
| ORC-12.7 | Degree (e.g., MD) | | | |
| ORC-12.8 | Source Table | | | |
| ORC-12.9 | Assigning Authority | | | |
| ORC-12.9.1 | Namespace ID | | | |
| ORC-12.9.2 | Universal ID | | | |
| ORC-12.9.3 | Universal ID Type | | | |
| ORC-12.10 | Name Type Code | | | |
| ORC-12.11 | Identifier Check Digit | | | |
| ORC-12.12 | Check Digit Scheme | | | |
| ORC-12.13 | Identifier Type Code | | | |
| ORC-12.14 | Assigning Facility | | | |
| ORC-12.14.1 | Namespace ID | | | |
| ORC-12.14.2 | Universal ID | | | |
| ORC-12.14.3 | Universal ID Type | | | |
| ORC-12.15 | Name Representation Code | | | |

| Location | Name | Content | Unit | Data | Categorization |
|-----------|-------------|------------------------------------|------|------|----------------|
| ORC-12.16 | ORC-12.16.1 | Identifier | | | |
| | ORC-12.16.2 | Text | | | |
| | ORC-12.16.3 | Name of Coding System | | | |
| | ORC-12.16.4 | Alternate Identifier | | | |
| | ORC-12.16.5 | Alternate Text | | | |
| | ORC-12.16.6 | Name of Alternate Coding System | | | |
| | ORC-12.17 | Name Validity Range | | | |
| | ORC-12.17.1 | Range Start Date/Time | | | |
| | ORC-12.17.2 | Range End Date/Time | | | |
| | ORC-12.18 | Name Assembly Order | | | |
| | ORC-12.19 | Effective Date | | | |
| | ORC-12.19.1 | Time | | | |
| | ORC-12.19.2 | Degree of Precision | | | |
| | ORC-12.20 | Expiration Date | | | |
| | ORC-12.20.1 | Time | | | |
| | ORC-12.20.2 | Degree of Precision | | | |
| | ORC-12.21 | Professional Suffix | | | |
| | ORC-12.22 | Assigning Jurisdiction | | | |
| | ORC-12.22.1 | Identifier | | | |
| | ORC-12.22.2 | Text | | | |
| | ORC-12.22.3 | Name of Coding System | | | |
| | ORC-12.22.4 | Alternate Identifier | | | |
| | ORC-12.22.5 | Alternate Text | | | |
| | ORC-12.22.6 | Name of Alternate Coding System | | | |
| | ORC-12.22.7 | Coding System Version ID | | | |
| | ORC-12.22.8 | Alternate Coding System Version ID | | | |
| | ORC-12.22.9 | Original Text | | | |
| | ORC-12.23 | Assigning Agency or Department | | | |
| | ORC-12.23.1 | Identifier | | | |
| | ORC-12.23.2 | Text | | | |
| | ORC-12.23.3 | Name of Coding System | | | |
| | ORC-12.23.4 | Alternate Identifier | | | |
| | ORC-12.23.5 | Alternate Text | | | |
| | ORC-12.23.6 | Name of Alternate Coding System | | | |
| | ORC-12.23.7 | Coding System Version ID | | | |
| | ORC-12.23.8 | Alternate Coding System Version ID | | | |
| | ORC-12.23.9 | Original Text | | | |

| ORC-13 | Location | Entity Location | Data | Categorization |
|---------------|-----------------|-----------------------------------|-------------|-----------------------|
| | ORC-13.1 | Point of Care | | |
| | ORC-13.2 | Room | | |
| | ORC-13.3 | Bed | | |
| | ORC-13.4 | Facility | | |
| | ORC-13.4.1 | Namespace ID | | |
| | ORC-13.4.2 | Universal ID | | |
| | ORC-13.4.3 | Universal ID Type | | |
| | ORC-13.5 | Location Status | | |
| | ORC-13.6 | Person Location Type | | |
| | ORC-13.7 | Building | | |
| | ORC-13.8 | Floor | | |
| | ORC-13.9 | Location Description | | |
| | ORC-13.10 | Comprehensive Location Identifier | | |
| | ORC-13.10.1 | Entity Identifier | | |
| | ORC-13.10.2 | Namespace ID | | |
| | ORC-13.10.3 | Universal ID | | |
| | ORC-13.10.4 | Universal ID Type | | |
| | ORC-13.11 | Assigning Authority for Location | | |
| | ORC-13.11.1 | Namespace ID | | |
| | ORC-13.11.2 | Universal ID | | |
| | ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | | Call Back Phone Number | | |
| | ORC-14.1 | Telephone Number | | |
| | ORC-14.2 | Telecommunication Use Code | | |
| | ORC-14.3 | Telecommunication Equipment Type | | |
| | ORC-14.4 | Email Address | | |
| | ORC-14.5 | Country Code | | |
| | ORC-14.6 | Area/City Code | | |
| | ORC-14.7 | Local Number | | |
| | ORC-14.8 | Extension | | |
| | ORC-14.9 | Any Text | | |
| | ORC-14.10 | Extension Prefix | | |
| | ORC-14.11 | Speed Dial Code | | |
| | ORC-14.12 | Unformatted Telephone number | | |
| ORC-15 | | Order Effective Date/Time | | |
| | ORC-15.1 | Time | | |
| | ORC-15.2 | Degree of Precision | | |
| ORC-16 | | Order Control Code Reason | | |
| | ORC-16.1 | Identifier | | |
| | ORC-16.2 | Text | | |

| ORC-16.3 Location | Name of Coding System | Data Element | Data | Categorization |
|-------------------|--|-----------------------|------|----------------|
| ORC-16.4 | Alternate Identifier | | | |
| ORC-16.5 | Alternate Text | | | |
| ORC-16.6 | Name of Alternate Coding System | | | |
| ORC-17 | Entering Organization | | | |
| ORC-17.1 | Identifier | DCS | | |
| ORC-17.2 | Text | Dabig Clinical System | | |
| ORC-17.3 | Name of Coding System | StateIIS | | |
| ORC-17.4 | Alternate Identifier | | | |
| ORC-17.5 | Alternate Text | | | |
| ORC-17.6 | Name of Alternate Coding System | | | |
| ORC-18 | Entering Device | | | |
| ORC-18.1 | Identifier | | | |
| ORC-18.2 | Text | | | |
| ORC-18.3 | Name of Coding System | | | |
| ORC-18.4 | Alternate Identifier | | | |
| ORC-18.5 | Alternate Text | | | |
| ORC-18.6 | Name of Alternate Coding System | | | |
| ORC-19 | Action By | | | |
| ORC-19.1 | ID Number | | | |
| ORC-19.2 | Family Name | | | |
| ORC-19.2.1 | Surname | | | |
| ORC-19.2.2 | Own Surname Prefix | | | |
| ORC-19.2.3 | Own Surname | | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | | |
| ORC-19.3 | Given Name | | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | | |
| ORC-19.6 | Prefix (e.g., DR) | | | |
| ORC-19.7 | Degree (e.g., MD) | | | |
| ORC-19.8 | Source Table | | | |
| ORC-19.9 | Assigning Authority | | | |
| ORC-19.9.1 | Namespace ID | | | |
| ORC-19.9.2 | Universal ID | | | |
| ORC-19.9.3 | Universal ID Type | | | |
| ORC-19.10 | Name Type Code | | | |
| ORC-19.11 | Identifier Check Digit | | | |
| ORC-19.12 | Check Digit Scheme | | | |
| ORC-19.13 | Identifier Type Code | | | |

| ORC-19.14 | Assigning Facility | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| ORC-19.22.3 | Name of Coding System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |

| Location | Name Of Alternate Data Element | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.23.6 | Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| | | | |

| Location | Address/Geographic | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| ORC-22.8 | Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| ORC-23.9 | Any Text | | |
| ORC-23.10 | Extension Prefix | | |
| ORC-23.11 | Speed Dial Code | | |
| ORC-23.12 | Unformatted Telephone number | | |
| ORC-24 | Ordering Provider Address | | |
| ORC-24.1 | Street Address | | |
| ORC-24.1.1 | Street or Mailing Address | | |
| ORC-24.1.2 | Street Name | | |
| ORC-24.1.3 | Dwelling Number | | |
| ORC-24.2 | Other Designation | | |
| ORC-24.3 | City | | |
| ORC-24.4 | State or Province | | |
| ORC-24.5 | Zip or Postal Code | | |
| ORC-24.6 | Country | | |
| ORC-24.7 | Address Type | | |
| ORC-24.8 | Other Geographic Designation | | |

| ORC-24.9 | Location | County/Parish Code | Data | Categorization |
|---------------|--|--------------------|------|----------------|
| ORC-24.10 | Census Tract | | | |
| ORC-24.11 | Address Representation Code | | | |
| ORC-24.12 | Address Validity Range | | | |
| ORC-24.12.1 | Range Start Date/Time | | | |
| ORC-24.12.2 | Range End Date/Time | | | |
| ORC-24.13 | Effective Date | | | |
| ORC-24.13.1 | Time | | | |
| ORC-24.13.2 | Degree of Precision | | | |
| ORC-24.14 | Expiration Date | | | |
| ORC-24.14.1 | Time | | | |
| ORC-24.14.2 | Degree of Precision | | | |
| ORC-25 | Order Status Modifier | | | |
| ORC-25.1 | Identifier | | | |
| ORC-25.2 | Text | | | |
| ORC-25.3 | Name of Coding System | | | |
| ORC-25.4 | Alternate Identifier | | | |
| ORC-25.5 | Alternate Text | | | |
| ORC-25.6 | Name of Alternate Coding System | | | |
| ORC-25.7 | Coding System Version ID | | | |
| ORC-25.8 | Alternate Coding System Version ID | | | |
| ORC-25.9 | Original Text | | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | | |
| ORC-26.1 | Identifier | | | |
| ORC-26.2 | Text | | | |
| ORC-26.3 | Name of Coding System | | | |
| ORC-26.4 | Alternate Identifier | | | |
| ORC-26.5 | Alternate Text | | | |
| ORC-26.6 | Name of Alternate Coding System | | | |
| ORC-26.7 | Coding System Version ID | | | |
| ORC-26.8 | Alternate Coding System Version ID | | | |
| ORC-26.9 | Original Text | | | |
| ORC-27 | Filler's Expected Availability Date/Time | | | |
| ORC-27.1 | Time | | | |
| ORC-27.2 | Degree of Precision | | | |
| | | | | |

| ORC-28 | Location | Confidentiality Code | Data | Categorization |
|---------------|--|-----------------------------|-------------|-----------------------|
| ORC-28.1 | Identifier | | | |
| ORC-28.2 | Text | | | |
| ORC-28.3 | Name of Coding System | | | |
| ORC-28.4 | Alternate Identifier | | | |
| ORC-28.5 | Alternate Text | | | |
| ORC-28.6 | Name of Alternate Coding System | | | |
| ORC-28.7 | Coding System Version ID | | | |
| ORC-28.8 | Alternate Coding System Version ID | | | |
| ORC-28.9 | Original Text | | | |
| ORC-29 | Order Type | | | |
| ORC-29.1 | Identifier | | | |
| ORC-29.2 | Text | | | |
| ORC-29.3 | Name of Coding System | | | |
| ORC-29.4 | Alternate Identifier | | | |
| ORC-29.5 | Alternate Text | | | |
| ORC-29.6 | Name of Alternate Coding System | | | |
| ORC-29.7 | Coding System Version ID | | | |
| ORC-29.8 | Alternate Coding System Version ID | | | |
| ORC-29.9 | Original Text | | | |
| ORC-30 | Enterer Authorization Mode | | | |
| ORC-30.1 | Identifier | | | |
| ORC-30.2 | Text | | | |
| ORC-30.3 | Name of Coding System | | | |
| ORC-30.4 | Alternate Identifier | | | |
| ORC-30.5 | Alternate Text | | | |
| ORC-30.6 | Name of Alternate Coding System | | | |
| ORC-30.7 | Coding System Version ID | | | |
| ORC-30.8 | Alternate Coding System Version ID | | | |
| ORC-30.9 | Original Text | | | |
| ORC-31 | Parent Universal Service Identifier | | | |
| ORC-31.1 | Identifier | | | |
| ORC-31.2 | Text | | | |
| ORC-31.3 | Name of Coding System | | | |
| ORC-31.4 | Alternate Identifier | | | |
| ORC-31.5 | Alternate Text | | | |

| ORC-Location | Name of Alternate Coding System | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|-----------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 19800910 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 19800910 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 89 | |
| RXA-5.2 | Text | polio NOS | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |
| RXA-7 | Administered Units | | |
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage Form | | |
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |
| RXA-8.6 | Name of Alternate Coding System | | |

| RXA-9 Location | Administration Notes | Data | Categorization |
|-----------------------|--|-------------------|-----------------------|
| RXA-9.1 | Identifier | 01 | |
| RXA-9.2 | Text | historical record | |
| RXA-9.3 | Name of Coding System | NIP001 | |
| RXA-9.4 | Alternate Identifier | | |
| RXA-9.5 | Alternate Text | | |
| RXA-9.6 | Name of Alternate Coding System | | |
| RXA-10 | Administering Provider | | |
| RXA-10.1 | ID Number | | |
| RXA-10.2 | Family Name | | |
| RXA-10.2.1 | Surname | | |
| RXA-10.2.2 | Own Surname Prefix | | |
| RXA-10.2.3 | Own Surname | | |
| RXA-10.2.4 | Surname Prefix From Partner/Spouse | | |
| RXA-10.2.5 | Surname From Partner/Spouse | | |
| RXA-10.3 | Given Name | | |
| RXA-10.4 | Second and Further Given Names or Initials Thereof | | |
| RXA-10.5 | Suffix (e.g., JR or III) | | |
| RXA-10.6 | Prefix (e.g., DR) | | |
| RXA-10.7 | Degree (e.g., MD) | | |
| RXA-10.8 | Source Table | | |
| RXA-10.9 | Assigning Authority | | |
| RXA-10.9.1 | Namespace ID | | |
| RXA-10.9.2 | Universal ID | | |
| RXA-10.9.3 | Universal ID Type | | |
| RXA-10.10 | Name Type Code | | |
| RXA-10.11 | Identifier Check Digit | | |
| RXA-10.12 | Check Digit Scheme | | |
| RXA-10.13 | Identifier Type Code | | |
| RXA-10.14 | Assigning Facility | | |
| RXA-10.14.1 | Namespace ID | | |
| RXA-10.14.2 | Universal ID | | |
| RXA-10.14.3 | Universal ID Type | | |
| RXA-10.15 | Name Representation Code | | |
| RXA-10.16 | Name Context | | |
| RXA-10.16.1 | Identifier | | |
| RXA-10.16.2 | Text | | |
| RXA-10.16.3 | Name of Coding System | | |
| RXA-10.16.4 | Alternate Identifier | | |
| RXA-10.16.5 | Alternate Text | | |
| | Name of Alternate | | |

| RXA-10.16.6 | Coding System | Data Element | Data | Categorization |
|--------------------|------------------------------------|---------------------|-------------|-----------------------|
| RXA-10.17 | Name Validity Range | | | |
| RXA-10.17.1 | Range Start Date/Time | | | |
| RXA-10.17.2 | Range End Date/Time | | | |
| RXA-10.18 | Name Assembly Order | | | |
| RXA-10.19 | Effective Date | | | |
| RXA-10.19.1 | Time | | | |
| RXA-10.19.2 | Degree of Precision | | | |
| RXA-10.20 | Expiration Date | | | |
| RXA-10.20.1 | Time | | | |
| RXA-10.20.2 | Degree of Precision | | | |
| RXA-10.21 | Professional Suffix | | | |
| RXA-10.22 | Assigning Jurisdiction | | | |
| RXA-10.22.1 | Identifier | | | |
| RXA-10.22.2 | Text | | | |
| RXA-10.22.3 | Name of Coding System | | | |
| RXA-10.22.4 | Alternate Identifier | | | |
| RXA-10.22.5 | Alternate Text | | | |
| RXA-10.22.6 | Name of Alternate Coding System | | | |
| RXA-10.22.7 | Coding System Version ID | | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | | |
| RXA-10.22.9 | Original Text | | | |
| RXA-10.23 | Assigning Agency or Department | | | |
| RXA-10.23.1 | Identifier | | | |
| RXA-10.23.2 | Text | | | |
| RXA-10.23.3 | Name of Coding System | | | |
| RXA-10.23.4 | Alternate Identifier | | | |
| RXA-10.23.5 | Alternate Text | | | |
| RXA-10.23.6 | Name of Alternate Coding System | | | |
| RXA-10.23.7 | Coding System Version ID | | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | | |
| RXA-10.23.9 | Original Text | | | |
| RXA-11 | Administered-at Location | | | |
| RXA-11.1 | Point of Care | | | |
| RXA-11.2 | Room | | | |
| RXA-11.3 | Bed | | | |
| RXA-11.4 | Facility | | | |
| RXA-11.4.1 | Namespace ID | | | |

| RXA-11.4.2 | Universal ID | Data Element | Data | Categorization |
|-------------------|---|---------------------|-------------|-----------------------|
| RXA-11.4.3 | Universal ID Type | | | |
| RXA-11.5 | Location Status | | | |
| RXA-11.6 | Patient Location Type | | | |
| RXA-11.7 | Building | | | |
| RXA-11.8 | Floor | | | |
| RXA-11.9 | Street Address | | | |
| RXA-11.10 | Other Designation | | | |
| RXA-11.11 | City | | | |
| RXA-11.12 | State or Province | | | |
| RXA-11.13 | Zip or Postal Code | | | |
| RXA-11.14 | Country | | | |
| RXA-11.15 | Address Type | | | |
| RXA-11.16 | Other Geographic Designation | | | |
| RXA-12 | Administered Per (Time Unit) | | | |
| RXA-13 | Administered Strength | | | |
| RXA-14 | Administered Strength Units | | | |
| RXA-14.1 | Identifier | | | |
| RXA-14.2 | Text | | | |
| RXA-14.3 | Name of Coding System | | | |
| RXA-14.4 | Alternate Identifier | | | |
| RXA-14.5 | Alternate Text | | | |
| RXA-14.6 | Name of Alternate Coding System | | | |
| RXA-15 | Substance Lot Number | | | |
| RXA-16 | Substance Expiration Date | | | |
| RXA-16.1 | Time | | | |
| RXA-16.2 | Degree of Precision | | | |
| RXA-17 | Substance Manufacturer Name | | | |
| RXA-17.1 | Identifier | | | |
| RXA-17.2 | Text | | | |
| RXA-17.3 | Name of Coding System | | | |
| RXA-17.4 | Alternate Identifier | | | |
| RXA-17.5 | Alternate Text | | | |
| RXA-17.6 | Name of Alternate Coding System | | | |
| RXA-18 | Substance/Treatment Refusal Reason | | | |
| RXA-18.1 | Identifier | | | |
| RXA-18.2 | Text | | | |
| RXA-18.3 | Name of Coding System | | | |
| | | | | |

| RXA-18.4 | Location | Alternate Identifier | Data | Categorization |
|-----------------|-----------------|--|-------------|-----------------------|
| RXA-18.5 | | Alternate Text | | |
| RXA-18.6 | | Name of Alternate Coding System | | |
| RXA-19 | | Indication | | |
| RXA-19.1 | | Identifier | | |
| RXA-19.2 | | Text | | |
| RXA-19.3 | | Name of Coding System | | |
| RXA-19.4 | | Alternate Identifier | | |
| RXA-19.5 | | Alternate Text | | |
| RXA-19.6 | | Name of Alternate Coding System | | |
| RXA-20 | | Completion Status | CP | |
| RXA-21 | | Action Code - RXA | | |
| RXA-22 | | System Entry Date/Time | | |
| RXA-22.1 | | Time | | |
| RXA-22.2 | | Degree of Precision | | |
| RXA-23 | | Administered Drug Strength Volume | | |
| RXA-24 | | Administered Drug Strength Volume Units | | |
| RXA-24.1 | | Identifier | | |
| RXA-24.2 | | Text | | |
| RXA-24.3 | | Name of Coding System | | |
| RXA-24.4 | | Alternate Identifier | | |
| RXA-24.5 | | Alternate Text | | |
| RXA-24.6 | | Name of Alternate Coding System | | |
| RXA-24.7 | | Coding System Version ID | | |
| RXA-24.8 | | Alternate Coding System Version ID | | |
| RXA-24.9 | | Original Text | | |
| RXA-25 | | Administered Barcode Identifier | | |
| RXA-25.1 | | Identifier | | |
| RXA-25.2 | | Text | | |
| RXA-25.3 | | Name of Coding System | | |
| RXA-25.4 | | Alternate Identifier | | |
| RXA-25.5 | | Alternate Text | | |
| RXA-25.6 | | Name of Alternate Coding System | | |
| RXA-25.7 | | Coding System Version ID | | |
| RXA-25.8 | | Alternate Coding System Version ID | | |
| RXA-25.9 | | Original Text | | |
| | | | | |

| RXA-26 | Location | Pharmacy Order Type | Data Element | Data | Categorization |
|---------------|-----------------|----------------------------|---------------------|-------------|-----------------------|
|---------------|-----------------|----------------------------|---------------------|-------------|-----------------------|

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|-----------------|---|--------------|-----------------------|
| OBX-1 | Set ID - OBX | 16 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 11 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 89 | |
| OBX-5.2 | Text | polio NOS | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |

| OBX-14.1 Location | Data Element | Data | Categorization |
|-------------------|--|------|----------------|
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |

| Location | Data Element Name | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| OBX-16.16.6 | Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |

| OBX-17.5 Location | Alternate Coding System | Data | Categorization |
|----------------------|---|------|----------------|
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |

| OBX-24.3 | Location | City | Data Element | Data | Categorization |
|---------------|----------|--|--------------|------|----------------|
| OBX-24.4 | | State or Province | | | |
| OBX-24.5 | | Zip or Postal Code | | | |
| OBX-24.6 | | Country | | | |
| OBX-24.7 | | Address Type | | | |
| OBX-24.8 | | Other Geographic Designation | | | |
| OBX-24.9 | | County/Parish Code | | | |
| OBX-24.10 | | Census Tract | | | |
| OBX-24.11 | | Address Representation Code | | | |
| OBX-24.12 | | Address Validity Range | | | |
| OBX-24.12.1 | | Range Start Date/Time | | | |
| OBX-24.12.2 | | Range End Date/Time | | | |
| OBX-24.13 | | Effective Date | | | |
| OBX-24.13.1 | | Time | | | |
| OBX-24.13.2 | | Degree of Precision | | | |
| OBX-24.14 | | Expiration Date | | | |
| OBX-24.14.1 | | Time | | | |
| OBX-24.14.2 | | Degree of Precision | | | |
| OBX-25 | | Performing Organization Medical Director | | | |
| OBX-25.1 | | ID Number | | | |
| OBX-25.2 | | Family Name | | | |
| OBX-25.2.1 | | Surname | | | |
| OBX-25.2.2 | | Own Surname Prefix | | | |
| OBX-25.2.3 | | Own Surname | | | |
| OBX-25.2.4 | | Surname Prefix From Partner/Spouse | | | |
| OBX-25.2.5 | | Surname From Partner/Spouse | | | |
| OBX-25.3 | | Given Name | | | |
| OBX-25.4 | | Second and Further Given Names or Initials Thereof | | | |
| OBX-25.5 | | Suffix (e.g., JR or III) | | | |
| OBX-25.6 | | Prefix (e.g., DR) | | | |
| OBX-25.7 | | Degree (e.g., MD) | | | |
| OBX-25.8 | | Source Table | | | |
| OBX-25.9 | | Assigning Authority | | | |
| OBX-25.9.1 | | Namespace ID | | | |
| OBX-25.9.2 | | Universal ID | | | |
| OBX-25.9.3 | | Universal ID Type | | | |
| OBX-25.10 | | Name Type Code | | | |
| OBX-25.11 | | Identifier Check Digit | | | |
| OBX-25.12 | | Check Digit Scheme | | | |

| OBX-Location | Identifier Code | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|---------------|----------------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 17 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 11 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| | Effective Date of | | |

| OBX-12 | Location | Reference Range | Data Element | Data | Categorization |
|--------|-------------|--|--------------|------|----------------|
| | | | Values | | |
| | OBX-12.1 | Time | | | |
| | OBX-12.2 | Degree of Precision | | | |
| OBX-13 | | User Defined Access Checks | | | |
| OBX-14 | | Date/Time of the Observation | | | |
| | OBX-14.1 | Time | 20150531 | | |
| | OBX-14.2 | Degree of Precision | | | |
| OBX-15 | | Producer's Reference | | | |
| | OBX-15.1 | Identifier | | | |
| | OBX-15.2 | Text | | | |
| | OBX-15.3 | Name of Coding System | | | |
| | OBX-15.4 | Alternate Identifier | | | |
| | OBX-15.5 | Alternate Text | | | |
| | OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | | Responsible Observer | | | |
| | OBX-16.1 | ID Number | | | |
| | OBX-16.2 | Family Name | | | |
| | OBX-16.2.1 | Surname | | | |
| | OBX-16.2.2 | Own Surname Prefix | | | |
| | OBX-16.2.3 | Own Surname | | | |
| | OBX-16.2.4 | Surname Prefix From Partner/Spouse | | | |
| | OBX-16.2.5 | Surname From Partner/Spouse | | | |
| | OBX-16.3 | Given Name | | | |
| | OBX-16.4 | Second and Further Given Names or Initials Thereof | | | |
| | OBX-16.5 | Suffix (e.g., JR or III) | | | |
| | OBX-16.6 | Prefix (e.g., DR) | | | |
| | OBX-16.7 | Degree (e.g., MD) | | | |
| | OBX-16.8 | Source Table | | | |
| | OBX-16.9 | Assigning Authority | | | |
| | OBX-16.9.1 | Namespace ID | | | |
| | OBX-16.9.2 | Universal ID | | | |
| | OBX-16.9.3 | Universal ID Type | | | |
| | OBX-16.10 | Name Type Code | | | |
| | OBX-16.11 | Identifier Check Digit | | | |
| | OBX-16.12 | Check Digit Scheme | | | |
| | OBX-16.13 | Identifier Type Code | | | |
| | OBX-16.14 | Assigning Facility | | | |
| | OBX-16.14.1 | Namespace ID | | | |
| | OBX-16.14.2 | Universal ID | | | |
| | OBX-16.14.3 | Universal ID Type | | | |
| | | Name Representation | | | |

| OBX-Location | Code Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.15 | Name Context | | |
| OBX-16.16 | Identifier | | |
| OBX-16.16.1 | Text | | |
| OBX-16.16.2 | Name of Coding System | | |
| OBX-16.16.3 | Alternate Identifier | | |
| OBX-16.16.4 | Alternate Text | | |
| OBX-16.16.5 | Name of Alternate Coding System | | |
| OBX-16.16.6 | Name Validity Range | | |
| OBX-16.17 | Range Start Date/Time | | |
| OBX-16.17.1 | Range End Date/Time | | |
| OBX-16.17.2 | Name Assembly Order | | |
| OBX-16.18 | Effective Date | | |
| OBX-16.19 | Time | | |
| OBX-16.19.1 | Degree of Precision | | |
| OBX-16.19.2 | Expiration Date | | |
| OBX-16.20 | Time | | |
| OBX-16.20.1 | Degree of Precision | | |
| OBX-16.20.2 | Professional Suffix | | |
| OBX-16.21 | Assigning Jurisdiction | | |
| OBX-16.22 | Identifier | | |
| OBX-16.22.1 | Text | | |
| OBX-16.22.2 | Name of Coding System | | |
| OBX-16.22.3 | Alternate Identifier | | |
| OBX-16.22.4 | Alternate Text | | |
| OBX-16.22.5 | Name of Alternate Coding System | | |
| OBX-16.22.6 | Coding System Version ID | | |
| OBX-16.22.7 | Alternate Coding System Version ID | | |
| OBX-16.22.8 | Original Text | | |
| OBX-16.22.9 | Assigning Agency or Department | | |
| OBX-16.23 | Identifier | | |
| OBX-16.23.1 | Text | | |
| OBX-16.23.2 | Name of Coding System | | |
| OBX-16.23.3 | Alternate Identifier | | |
| OBX-16.23.4 | Alternate Text | | |
| OBX-16.23.5 | Name of Alternate Coding System | | |
| OBX-16.23.6 | Coding System Version ID | | |
| OBX-16.23.7 | Alternate Coding | | |

| OBX-16.23.8 Location | System Version ID Data Element | Data | Categorization |
|-------------------------|---|------|----------------|
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| | | | |

| OBX-24 | Location | Performing Organization | Data | Categorization |
|---------------|-------------|--|------|----------------|
| | | Organization Address | | |
| | OBX-24.1 | Street Address | | |
| | OBX-24.1.1 | Street or Mailing Address | | |
| | OBX-24.1.2 | Street Name | | |
| | OBX-24.1.3 | Dwelling Number | | |
| | OBX-24.2 | Other Designation | | |
| | OBX-24.3 | City | | |
| | OBX-24.4 | State or Province | | |
| | OBX-24.5 | Zip or Postal Code | | |
| | OBX-24.6 | Country | | |
| | OBX-24.7 | Address Type | | |
| | OBX-24.8 | Other Geographic Designation | | |
| | OBX-24.9 | County/Parish Code | | |
| | OBX-24.10 | Census Tract | | |
| | OBX-24.11 | Address Representation Code | | |
| | OBX-24.12 | Address Validity Range | | |
| | OBX-24.12.1 | Range Start Date/Time | | |
| | OBX-24.12.2 | Range End Date/Time | | |
| | OBX-24.13 | Effective Date | | |
| | OBX-24.13.1 | Time | | |
| | OBX-24.13.2 | Degree of Precision | | |
| | OBX-24.14 | Expiration Date | | |
| | OBX-24.14.1 | Time | | |
| | OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | | Performing Organization Medical Director | | |
| | OBX-25.1 | ID Number | | |
| | OBX-25.2 | Family Name | | |
| | OBX-25.2.1 | Surname | | |
| | OBX-25.2.2 | Own Surname Prefix | | |
| | OBX-25.2.3 | Own Surname | | |
| | OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| | OBX-25.2.5 | Surname From Partner/Spouse | | |
| | OBX-25.3 | Given Name | | |
| | OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| | OBX-25.5 | Suffix (e.g., JR or III) | | |
| | OBX-25.6 | Prefix (e.g., DR) | | |
| | OBX-25.7 | Degree (e.g., MD) | | |
| | | | | |

| OBX-Location | Source Table Name | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.8 | Assigning Authority | | |
| OBX-25.9 | | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|---------------|----------------------------------|---------------|----------------|
| OBX-1 | Set ID - OBX | 18 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 11 | |
| OBX-5 | Observation Value | Y | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| | Effective Date of | | |

| OBX-12 | Location | Reference Range | Data Element | Data | Categorization |
|--------|-------------|--|--------------|------|----------------|
| | | | Values | | |
| | OBX-12.1 | Time | | | |
| | OBX-12.2 | Degree of Precision | | | |
| OBX-13 | | User Defined Access Checks | | | |
| OBX-14 | | Date/Time of the Observation | | | |
| | OBX-14.1 | Time | 20150531 | | |
| | OBX-14.2 | Degree of Precision | | | |
| OBX-15 | | Producer's Reference | | | |
| | OBX-15.1 | Identifier | | | |
| | OBX-15.2 | Text | | | |
| | OBX-15.3 | Name of Coding System | | | |
| | OBX-15.4 | Alternate Identifier | | | |
| | OBX-15.5 | Alternate Text | | | |
| | OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | | Responsible Observer | | | |
| | OBX-16.1 | ID Number | | | |
| | OBX-16.2 | Family Name | | | |
| | OBX-16.2.1 | Surname | | | |
| | OBX-16.2.2 | Own Surname Prefix | | | |
| | OBX-16.2.3 | Own Surname | | | |
| | OBX-16.2.4 | Surname Prefix From Partner/Spouse | | | |
| | OBX-16.2.5 | Surname From Partner/Spouse | | | |
| | OBX-16.3 | Given Name | | | |
| | OBX-16.4 | Second and Further Given Names or Initials Thereof | | | |
| | OBX-16.5 | Suffix (e.g., JR or III) | | | |
| | OBX-16.6 | Prefix (e.g., DR) | | | |
| | OBX-16.7 | Degree (e.g., MD) | | | |
| | OBX-16.8 | Source Table | | | |
| | OBX-16.9 | Assigning Authority | | | |
| | OBX-16.9.1 | Namespace ID | | | |
| | OBX-16.9.2 | Universal ID | | | |
| | OBX-16.9.3 | Universal ID Type | | | |
| | OBX-16.10 | Name Type Code | | | |
| | OBX-16.11 | Identifier Check Digit | | | |
| | OBX-16.12 | Check Digit Scheme | | | |
| | OBX-16.13 | Identifier Type Code | | | |
| | OBX-16.14 | Assigning Facility | | | |
| | OBX-16.14.1 | Namespace ID | | | |
| | OBX-16.14.2 | Universal ID | | | |
| | OBX-16.14.3 | Universal ID Type | | | |
| | | Name Representation | | | |

| OBX-Location | Code Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| | Alternate Coding | | |

| OBX-16.23.8 Location | System Data Element ID | Data | Categorization |
|----------------------|---|------|----------------|
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |

| OBX-24 | Location | Performing Organization | Data Element | Data | Categorization |
|-------------|----------|-------------------------|--|------|----------------|
| | | | Organization Address | | |
| OBX-24.1 | | | Street Address | | |
| OBX-24.1.1 | | | Street or Mailing Address | | |
| OBX-24.1.2 | | | Street Name | | |
| OBX-24.1.3 | | | Dwelling Number | | |
| OBX-24.2 | | | Other Designation | | |
| OBX-24.3 | | | City | | |
| OBX-24.4 | | | State or Province | | |
| OBX-24.5 | | | Zip or Postal Code | | |
| OBX-24.6 | | | Country | | |
| OBX-24.7 | | | Address Type | | |
| OBX-24.8 | | | Other Geographic Designation | | |
| OBX-24.9 | | | County/Parish Code | | |
| OBX-24.10 | | | Census Tract | | |
| OBX-24.11 | | | Address Representation Code | | |
| OBX-24.12 | | | Address Validity Range | | |
| OBX-24.12.1 | | | Range Start Date/Time | | |
| OBX-24.12.2 | | | Range End Date/Time | | |
| OBX-24.13 | | | Effective Date | | |
| OBX-24.13.1 | | | Time | | |
| OBX-24.13.2 | | | Degree of Precision | | |
| OBX-24.14 | | | Expiration Date | | |
| OBX-24.14.1 | | | Time | | |
| OBX-24.14.2 | | | Degree of Precision | | |
| OBX-25 | | | Performing Organization Medical Director | | |
| OBX-25.1 | | | ID Number | | |
| OBX-25.2 | | | Family Name | | |
| OBX-25.2.1 | | | Surname | | |
| OBX-25.2.2 | | | Own Surname Prefix | | |
| OBX-25.2.3 | | | Own Surname | | |
| OBX-25.2.4 | | | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | | | Surname From Partner/Spouse | | |
| OBX-25.3 | | | Given Name | | |
| OBX-25.4 | | | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | | | Suffix (e.g., JR or III) | | |
| OBX-25.6 | | | Prefix (e.g., DR) | | |
| OBX-25.7 | | | Degree (e.g., MD) | | |

| OBX-25.8 Location | Source Table Element | Data | Categorization |
|-------------------|------------------------------------|------|----------------|
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |

| OBX-25.23.0 | Original Text | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|--------------|----------------------------|--------|----------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 197223 | |
| ORC-3.2 | Namespace ID | DCS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |
| ORC-4.3 | Universal ID | | |
| ORC-4.4 | Universal ID Type | | |
| ORC-5 | Order Status | | |
| ORC-6 | Response Flag | | |
| ORC-7 | Quantity/Timing | | |
| ORC-7.1 | Quantity | | |
| ORC-7.1.1 | Quantity | | |
| ORC-7.1.2 | Units | | |
| ORC-7.2 | Interval | | |
| ORC-7.2.1 | Repeat Pattern | | |
| ORC-7.2.2 | Explicit Time Interval | | |
| ORC-7.3 | Duration | | |
| ORC-7.4 | Start Date/Time | | |
| ORC-7.4.1 | Time | | |

| ORC-7.4.6 Location | Degree of Precision | Data | Categorization |
|--------------------|--|------|----------------|
| ORC-7.5 | End Date/Time | | |
| ORC-7.5.1 | Time | | |
| ORC-7.5.2 | Degree of Precision | | |
| ORC-7.6 | Priority | | |
| ORC-7.7 | Condition | | |
| ORC-7.8 | Text | | |
| ORC-7.9 | Conjunction | | |
| ORC-7.10 | Order Sequencing | | |
| ORC-7.10.1 | Sequence/Results Flag | | |
| ORC-7.10.2 | Placer Order Number: Entity Identifier | | |
| ORC-7.10.3 | Placer Order Number: Namespace ID | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | |
| ORC-7.10.6 | Sequence Condition Value | | |
| ORC-7.10.7 | Maximum Number of Repeats | | |
| ORC-7.10.8 | Placer Order Number: Universal ID | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |

| ORC-8.1.4 Location | Universal ID Type | Data Element | Data | Categorization |
|--------------------|--|--------------|------|----------------|
| ORC-8.2 | Filler Assigned Identifier | | | |
| ORC-8.2.1 | Entity Identifier | | | |
| ORC-8.2.2 | Namespace ID | | | |
| ORC-8.2.3 | Universal ID | | | |
| ORC-8.2.4 | Universal ID Type | | | |
| ORC-9 | Date/Time of Transaction | | | |
| ORC-9.1 | Time | | | |
| ORC-9.2 | Degree of Precision | | | |
| ORC-10 | Entered By | | | |
| ORC-10.1 | ID Number | | | |
| ORC-10.2 | Family Name | | | |
| ORC-10.2.1 | Surname | Clerk | | |
| ORC-10.2.2 | Own Surname Prefix | | | |
| ORC-10.2.3 | Own Surname | | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | | |
| ORC-10.3 | Given Name | Myron | | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | | |
| ORC-10.6 | Prefix (e.g., DR) | | | |
| ORC-10.7 | Degree (e.g., MD) | | | |
| ORC-10.8 | Source Table | | | |
| ORC-10.9 | Assigning Authority | | | |
| ORC-10.9.1 | Namespace ID | | | |
| ORC-10.9.2 | Universal ID | | | |
| ORC-10.9.3 | Universal ID Type | | | |
| ORC-10.10 | Name Type Code | | | |
| ORC-10.11 | Identifier Check Digit | | | |
| ORC-10.12 | Check Digit Scheme | | | |
| ORC-10.13 | Identifier Type Code | | | |
| ORC-10.14 | Assigning Facility | | | |
| ORC-10.14.1 | Namespace ID | | | |
| ORC-10.14.2 | Universal ID | | | |
| ORC-10.14.3 | Universal ID Type | | | |
| ORC-10.15 | Name Representation Code | | | |
| ORC-10.16 | Name Context | | | |
| ORC-10.16.1 | Identifier | | | |
| ORC-10.16.2 | Text | | | |
| ORC-10.16.3 | Name of Coding System | | | |
| ORC-10.16.4 | Alternate Identifier | | | |

| Location | Data Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-10.16.5 | Alternate Text | | |
| ORC-10.16.6 | Name of Alternate Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |

| Location | Data Element | Data | Categorization |
|-------------|--|------|----------------|
| ORC-11.2.3 | Surname Prefix | | |
| ORC-11.2.4 | From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-11.22.1 | Text | | |
| ORC-11.22.2 | | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |
| ORC-11.23.6 | Name of Alternate Coding System | | |
| ORC-11.23.7 | Coding System Version ID | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | |
| ORC-11.23.9 | Original Text | | |
| ORC-12 | Ordering Provider | | |
| ORC-12.1 | ID Number | | |
| ORC-12.2 | Family Name | | |
| ORC-12.2.1 | Surname | | |
| ORC-12.2.2 | Own Surname Prefix | | |
| ORC-12.2.3 | Own Surname | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | |
| ORC-12.3 | Given Name | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-12.5 | Suffix (e.g., JR or III) | | |
| ORC-12.6 | Prefix (e.g., DR) | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |

| ORC-12.10 Location | Name Data Element Code | Data | Categorization |
|--------------------|------------------------------------|------|----------------|
| ORC-12.11 | Identifier Check Digit | | |
| ORC-12.12 | Check Digit Scheme | | |
| ORC-12.13 | Identifier Type Code | | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |
| ORC-12.16 | Name Context | | |
| ORC-12.16.1 | Identifier | | |
| ORC-12.16.2 | Text | | |
| ORC-12.16.3 | Name of Coding System | | |
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| ORC-12.17.1 | Range Start Date/Time | | |
| ORC-12.17.2 | Range End Date/Time | | |
| ORC-12.18 | Name Assembly Order | | |
| ORC-12.19 | Effective Date | | |
| ORC-12.19.1 | Time | | |
| ORC-12.19.2 | Degree of Precision | | |
| ORC-12.20 | Expiration Date | | |
| ORC-12.20.1 | Time | | |
| ORC-12.20.2 | Degree of Precision | | |
| ORC-12.21 | Professional Suffix | | |
| ORC-12.22 | Assigning Jurisdiction | | |
| ORC-12.22.1 | Identifier | | |
| ORC-12.22.2 | Text | | |
| ORC-12.22.3 | Name of Coding System | | |
| ORC-12.22.4 | Alternate Identifier | | |
| ORC-12.22.5 | Alternate Text | | |
| ORC-12.22.6 | Name of Alternate Coding System | | |
| ORC-12.22.7 | Coding System Version ID | | |
| ORC-12.22.8 | Alternate Coding System Version ID | | |
| ORC-12.22.9 | Original Text | | |
| ORC-12.23 | Assigning Agency or Department | | |
| ORC-12.23.1 | Identifier | | |
| ORC-12.23.2 | Text | | |

| Location | Data Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-12.23.3 | System | | |
| ORC-12.23.4 | Alternate Identifier | | |
| ORC-12.23.5 | Alternate Text | | |
| ORC-12.23.6 | Name of Alternate Coding System | | |
| ORC-12.23.7 | Coding System Version ID | | |
| ORC-12.23.8 | Alternate Coding System Version ID | | |
| ORC-12.23.9 | Original Text | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication Equipment Type | | |
| ORC-14.4 | Email Address | | |
| ORC-14.5 | Country Code | | |
| ORC-14.6 | Area/City Code | | |
| ORC-14.7 | Local Number | | |
| ORC-14.8 | Extension | | |
| ORC-14.9 | Any Text | | |
| ORC-14.10 | Extension Prefix | | |

| ORC-14 Location | Special Data Element Code | Data | Categorization |
|-----------------|--|-----------------------|----------------|
| ORC-14.12 | Unformatted Telephone number | | |
| ORC-15 | Order Effective Date/Time | | |
| ORC-15.1 | Time | | |
| ORC-15.2 | Degree of Precision | | |
| ORC-16 | Order Control Code Reason | | |
| ORC-16.1 | Identifier | | |
| ORC-16.2 | Text | | |
| ORC-16.3 | Name of Coding System | | |
| ORC-16.4 | Alternate Identifier | | |
| ORC-16.5 | Alternate Text | | |
| ORC-16.6 | Name of Alternate Coding System | | |
| ORC-17 | Entering Organization | | |
| ORC-17.1 | Identifier | DCS | |
| ORC-17.2 | Text | Dabig Clinical System | |
| ORC-17.3 | Name of Coding System | StateIIS | |
| ORC-17.4 | Alternate Identifier | | |
| ORC-17.5 | Alternate Text | | |
| ORC-17.6 | Name of Alternate Coding System | | |
| ORC-18 | Entering Device | | |
| ORC-18.1 | Identifier | | |
| ORC-18.2 | Text | | |
| ORC-18.3 | Name of Coding System | | |
| ORC-18.4 | Alternate Identifier | | |
| ORC-18.5 | Alternate Text | | |
| ORC-18.6 | Name of Alternate Coding System | | |
| ORC-19 | Action By | | |
| ORC-19.1 | ID Number | | |
| ORC-19.2 | Family Name | | |
| ORC-19.2.1 | Surname | | |
| ORC-19.2.2 | Own Surname Prefix | | |
| ORC-19.2.3 | Own Surname | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | |
| ORC-19.3 | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |

| Location | Pr Data Element | Data | Categorization |
|-------------|---------------------------------|------|----------------|
| ORC-19.6 | Degree (e.g., MD) | | |
| ORC-19.7 | Source Table | | |
| ORC-19.8 | Assigning Authority | | |
| ORC-19.9 | Namespace ID | | |
| ORC-19.9.1 | Universal ID | | |
| ORC-19.9.2 | Universal ID Type | | |
| ORC-19.9.3 | Name Type Code | | |
| ORC-19.10 | Identifier Check Digit | | |
| ORC-19.11 | Check Digit Scheme | | |
| ORC-19.12 | Identifier Type Code | | |
| ORC-19.13 | Assigning Facility | | |
| ORC-19.14 | Namespace ID | | |
| ORC-19.14.1 | Universal ID | | |
| ORC-19.14.2 | Universal ID Type | | |
| ORC-19.14.3 | Name Representation Code | | |
| ORC-19.15 | Name Context | | |
| ORC-19.16 | Identifier | | |
| ORC-19.16.1 | Text | | |
| ORC-19.16.2 | Name of Coding System | | |
| ORC-19.16.3 | Alternate Identifier | | |
| ORC-19.16.4 | Alternate Text | | |
| ORC-19.16.5 | Name of Alternate Coding System | | |
| ORC-19.16.6 | Name Validity Range | | |
| ORC-19.17 | Range Start Date/Time | | |
| ORC-19.17.1 | Range End Date/Time | | |
| ORC-19.17.2 | Name Assembly Order | | |
| ORC-19.18 | Effective Date | | |
| ORC-19.19 | Time | | |
| ORC-19.19.1 | Degree of Precision | | |
| ORC-19.19.2 | Expiration Date | | |
| ORC-19.20 | Time | | |
| ORC-19.20.1 | Degree of Precision | | |
| ORC-19.20.2 | Professional Suffix | | |
| ORC-19.21 | Assigning Jurisdiction | | |
| ORC-19.22 | Identifier | | |
| ORC-19.22.1 | Text | | |
| ORC-19.22.2 | Name of Coding System | | |
| ORC-19.22.3 | Alternate Identifier | | |
| ORC-19.22.4 | Alternate Text | | |
| ORC-19.22.5 | Name of Alternate Coding System | | |
| ORC-19.22.6 | Coding System Version ID | | |
| ORC-19.22.7 | | | |

| Location | Data Element Coding | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.22.8 | System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| | | | |

| ORC-22 Location | Street Address Data | Data | Categorization |
|------------------------|---------------------------------------|-------------|-----------------------|
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| ORC-23.9 | Any Text | | |
| ORC-23.10 | Extension Prefix | | |
| ORC-23.11 | Speed Dial Code | | |
| ORC-23.12 | Unformatted Telephone number | | |
| ORC-24 | Ordering Provider Address | | |
| ORC-24.1 | Street Address | | |
| ORC-24.1.1 | Street or Mailing | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-24.1.2 | Address Name | | |
| ORC-24.1.3 | Dwelling Number | | |
| ORC-24.2 | Other Designation | | |
| ORC-24.3 | City | | |
| ORC-24.4 | State or Province | | |
| ORC-24.5 | Zip or Postal Code | | |
| ORC-24.6 | Country | | |
| ORC-24.7 | Address Type | | |
| ORC-24.8 | Other Geographic Designation | | |
| ORC-24.9 | County/Parish Code | | |
| ORC-24.10 | Census Tract | | |
| ORC-24.11 | Address Representation Code | | |
| ORC-24.12 | Address Validity Range | | |
| ORC-24.12.1 | Range Start Date/Time | | |
| ORC-24.12.2 | Range End Date/Time | | |
| ORC-24.13 | Effective Date | | |
| ORC-24.13.1 | Time | | |
| ORC-24.13.2 | Degree of Precision | | |
| ORC-24.14 | Expiration Date | | |
| ORC-24.14.1 | Time | | |
| ORC-24.14.2 | Degree of Precision | | |
| ORC-25 | Order Status Modifier | | |
| ORC-25.1 | Identifier | | |
| ORC-25.2 | Text | | |
| ORC-25.3 | Name of Coding System | | |
| ORC-25.4 | Alternate Identifier | | |
| ORC-25.5 | Alternate Text | | |
| ORC-25.6 | Name of Alternate Coding System | | |
| ORC-25.7 | Coding System Version ID | | |
| ORC-25.8 | Alternate Coding System Version ID | | |
| ORC-25.9 | Original Text | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | |
| ORC-26.1 | Identifier | | |
| ORC-26.2 | Text | | |
| ORC-26.3 | Name of Coding System | | |
| ORC-26.4 | Alternate Identifier | | |
| ORC-26.5 | Alternate Text | | |
| | | | |

| ORC-26.6 | Location | Name of Alternate Coding System | Data Element | Data | Categorization |
|---------------|----------|---|--------------|------|----------------|
| ORC-26.7 | | Coding System Version ID | | | |
| ORC-26.8 | | Alternate Coding System Version ID | | | |
| ORC-26.9 | | Original Text | | | |
| ORC-27 | | Filler's Expected Availability Date/Time | | | |
| ORC-27.1 | | Time | | | |
| ORC-27.2 | | Degree of Precision | | | |
| ORC-28 | | Confidentiality Code | | | |
| ORC-28.1 | | Identifier | | | |
| ORC-28.2 | | Text | | | |
| ORC-28.3 | | Name of Coding System | | | |
| ORC-28.4 | | Alternate Identifier | | | |
| ORC-28.5 | | Alternate Text | | | |
| ORC-28.6 | | Name of Alternate Coding System | | | |
| ORC-28.7 | | Coding System Version ID | | | |
| ORC-28.8 | | Alternate Coding System Version ID | | | |
| ORC-28.9 | | Original Text | | | |
| ORC-29 | | Order Type | | | |
| ORC-29.1 | | Identifier | | | |
| ORC-29.2 | | Text | | | |
| ORC-29.3 | | Name of Coding System | | | |
| ORC-29.4 | | Alternate Identifier | | | |
| ORC-29.5 | | Alternate Text | | | |
| ORC-29.6 | | Name of Alternate Coding System | | | |
| ORC-29.7 | | Coding System Version ID | | | |
| ORC-29.8 | | Alternate Coding System Version ID | | | |
| ORC-29.9 | | Original Text | | | |
| ORC-30 | | Enterer Authorization Mode | | | |
| ORC-30.1 | | Identifier | | | |
| ORC-30.2 | | Text | | | |
| ORC-30.3 | | Name of Coding System | | | |
| ORC-30.4 | | Alternate Identifier | | | |
| ORC-30.5 | | Alternate Text | | | |
| ORC-30.6 | | Name of Alternate Coding System | | | |
| ORC-30.7 | | Coding System Version ID | | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-30.8 | System Version ID | | |
| ORC-30.9 | Original Text | | |
| ORC-31 | Parent Universal Service Identifier | | |
| ORC-31.1 | Identifier | | |
| ORC-31.2 | Text | | |
| ORC-31.3 | Name of Coding System | | |
| ORC-31.4 | Alternate Identifier | | |
| ORC-31.5 | Alternate Text | | |
| ORC-31.6 | Name of Alternate Coding System | | |
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|-----------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 19860415 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 19860415 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 89 | |
| RXA-5.2 | Text | polio NOS | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |
| RXA-7 | Administered Units | | |
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |

| RXA-7 | Location | Name of Alternate Data Element | Data | Categorization |
|---------------|----------|--|-------------------|----------------|
| | | Coding System | | |
| RXA-8 | | Administered Dosage Form | | |
| RXA-8.1 | | Identifier | | |
| RXA-8.2 | | Text | | |
| RXA-8.3 | | Name of Coding System | | |
| RXA-8.4 | | Alternate Identifier | | |
| RXA-8.5 | | Alternate Text | | |
| RXA-8.6 | | Name of Alternate Coding System | | |
| RXA-9 | | Administration Notes | | |
| RXA-9.1 | | Identifier | 01 | |
| RXA-9.2 | | Text | historical record | |
| RXA-9.3 | | Name of Coding System | NIP001 | |
| RXA-9.4 | | Alternate Identifier | | |
| RXA-9.5 | | Alternate Text | | |
| RXA-9.6 | | Name of Alternate Coding System | | |
| RXA-10 | | Administering Provider | | |
| RXA-10.1 | | ID Number | | |
| RXA-10.2 | | Family Name | | |
| RXA-10.2.1 | | Surname | | |
| RXA-10.2.2 | | Own Surname Prefix | | |
| RXA-10.2.3 | | Own Surname | | |
| RXA-10.2.4 | | Surname Prefix From Partner/Spouse | | |
| RXA-10.2.5 | | Surname From Partner/Spouse | | |
| RXA-10.3 | | Given Name | | |
| RXA-10.4 | | Second and Further Given Names or Initials Thereof | | |
| RXA-10.5 | | Suffix (e.g., JR or III) | | |
| RXA-10.6 | | Prefix (e.g., DR) | | |
| RXA-10.7 | | Degree (e.g., MD) | | |
| RXA-10.8 | | Source Table | | |
| RXA-10.9 | | Assigning Authority | | |
| RXA-10.9.1 | | Namespace ID | | |
| RXA-10.9.2 | | Universal ID | | |
| RXA-10.9.3 | | Universal ID Type | | |
| RXA-10.10 | | Name Type Code | | |
| RXA-10.11 | | Identifier Check Digit | | |
| RXA-10.12 | | Check Digit Scheme | | |
| RXA-10.13 | | Identifier Type Code | | |
| RXA-10.14 | | Assigning Facility | | |
| RXA-10.14.1 | | Namespace ID | | |

| RXA-10.14.3 | Universal ID | Data | Categorization |
|--------------------|------------------------------------|-------------|-----------------------|
| RXA-10.14.3 | Universal ID Type | | |
| RXA-10.15 | Name Representation Code | | |
| RXA-10.16 | Name Context | | |
| RXA-10.16.1 | Identifier | | |
| RXA-10.16.2 | Text | | |
| RXA-10.16.3 | Name of Coding System | | |
| RXA-10.16.4 | Alternate Identifier | | |
| RXA-10.16.5 | Alternate Text | | |
| RXA-10.16.6 | Name of Alternate Coding System | | |
| RXA-10.17 | Name Validity Range | | |
| RXA-10.17.1 | Range Start Date/Time | | |
| RXA-10.17.2 | Range End Date/Time | | |
| RXA-10.18 | Name Assembly Order | | |
| RXA-10.19 | Effective Date | | |
| RXA-10.19.1 | Time | | |
| RXA-10.19.2 | Degree of Precision | | |
| RXA-10.20 | Expiration Date | | |
| RXA-10.20.1 | Time | | |
| RXA-10.20.2 | Degree of Precision | | |
| RXA-10.21 | Professional Suffix | | |
| RXA-10.22 | Assigning Jurisdiction | | |
| RXA-10.22.1 | Identifier | | |
| RXA-10.22.2 | Text | | |
| RXA-10.22.3 | Name of Coding System | | |
| RXA-10.22.4 | Alternate Identifier | | |
| RXA-10.22.5 | Alternate Text | | |
| RXA-10.22.6 | Name of Alternate Coding System | | |
| RXA-10.22.7 | Coding System Version ID | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | |
| RXA-10.22.9 | Original Text | | |
| RXA-10.23 | Assigning Agency or Department | | |
| RXA-10.23.1 | Identifier | | |
| RXA-10.23.2 | Text | | |
| RXA-10.23.3 | Name of Coding System | | |
| RXA-10.23.4 | Alternate Identifier | | |
| RXA-10.23.5 | Alternate Text | | |
| RXA-10.23.6 | Name of Alternate Coding System | | |

| RXA-10.23.7 | Coding System | Data | Categorization |
|--------------------|-------------------------------------|-------------|-----------------------|
| | Version ID | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |
| RXA-11.11 | City | | |
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| RXA-11.14 | Country | | |
| RXA-11.15 | Address Type | | |
| RXA-11.16 | Other Geographic Designation | | |
| RXA-12 | Administered Per (Time Unit) | | |
| RXA-13 | Administered Strength | | |
| RXA-14 | Administered Strength Units | | |
| RXA-14.1 | Identifier | | |
| RXA-14.2 | Text | | |
| RXA-14.3 | Name of Coding System | | |
| RXA-14.4 | Alternate Identifier | | |
| RXA-14.5 | Alternate Text | | |
| RXA-14.6 | Name of Alternate Coding System | | |
| RXA-15 | Substance Lot Number | | |
| RXA-16 | Substance Expiration Date | | |
| RXA-16.1 | Time | | |
| RXA-16.2 | Degree of Precision | | |
| RXA-17 | Substance Manufacturer Name | | |
| RXA-17.1 | Identifier | | |
| RXA-17.2 | Text | | |
| | Name of Coding | | |

| RXA-17.3 Location | System Data Element | Data | Categorization |
|--------------------------|--|-------------|-----------------------|
| RXA-17.4 | Alternate Identifier | | |
| RXA-17.5 | Alternate Text | | |
| RXA-17.6 | Name of Alternate Coding System | | |
| RXA-18 | Substance/Treatment Refusal Reason | | |
| RXA-18.1 | Identifier | | |
| RXA-18.2 | Text | | |
| RXA-18.3 | Name of Coding System | | |
| RXA-18.4 | Alternate Identifier | | |
| RXA-18.5 | Alternate Text | | |
| RXA-18.6 | Name of Alternate Coding System | | |
| RXA-19 | Indication | | |
| RXA-19.1 | Identifier | | |
| RXA-19.2 | Text | | |
| RXA-19.3 | Name of Coding System | | |
| RXA-19.4 | Alternate Identifier | | |
| RXA-19.5 | Alternate Text | | |
| RXA-19.6 | Name of Alternate Coding System | | |
| RXA-20 | Completion Status | CP | |
| RXA-21 | Action Code - RXA | | |
| RXA-22 | System Entry Date/Time | | |
| RXA-22.1 | Time | | |
| RXA-22.2 | Degree of Precision | | |
| RXA-23 | Administered Drug Strength Volume | | |
| RXA-24 | Administered Drug Strength Volume Units | | |
| RXA-24.1 | Identifier | | |
| RXA-24.2 | Text | | |
| RXA-24.3 | Name of Coding System | | |
| RXA-24.4 | Alternate Identifier | | |
| RXA-24.5 | Alternate Text | | |
| RXA-24.6 | Name of Alternate Coding System | | |
| RXA-24.7 | Coding System Version ID | | |
| RXA-24.8 | Alternate Coding System Version ID | | |
| RXA-24.9 | Original Text | | |
| RXA-25 | Administered Barcode Identifier | | |
| RXA-25.1 | Identifier | | |

| RXA-25.2 | Location | Data Elementmt | Data | Categrization |
|-----------------|-----------------|------------------------------------|-------------|----------------------|
| RXA-25.3 | | Name of Coding System | | |
| RXA-25.4 | | Alternate Identifier | | |
| RXA-25.5 | | Alternate Text | | |
| RXA-25.6 | | Name of Alternate Coding System | | |
| RXA-25.7 | | Coding System Version ID | | |
| RXA-25.8 | | Alternate Coding System Version ID | | |
| RXA-25.9 | | Original Text | | |
| RXA-26 | | Pharmacy Order Type | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categrization |
|-----------------|---------------------------------|--------------|----------------------|
| OBX-1 | Set ID - OBX | 19 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 12 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 89 | |
| OBX-5.2 | Text | polio NOS | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| | | | |

| OBX-10 | Location | Nature of Abnormal Data Element | Data | Categorization |
|--------|------------|--|------|----------------|
| | | Test | | |
| OBX-11 | | Observation Result Status | F | |
| OBX-12 | | Effective Date of Reference Range Values | | |
| | OBX-12.1 | Time | | |
| | OBX-12.2 | Degree of Precision | | |
| OBX-13 | | User Defined Access Checks | | |
| OBX-14 | | Date/Time of the Observation | | |
| | OBX-14.1 | Time | | |
| | OBX-14.2 | Degree of Precision | | |
| OBX-15 | | Producer's Reference | | |
| | OBX-15.1 | Identifier | | |
| | OBX-15.2 | Text | | |
| | OBX-15.3 | Name of Coding System | | |
| | OBX-15.4 | Alternate Identifier | | |
| | OBX-15.5 | Alternate Text | | |
| | OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | | Responsible Observer | | |
| | OBX-16.1 | ID Number | | |
| | OBX-16.2 | Family Name | | |
| | OBX-16.2.1 | Surname | | |
| | OBX-16.2.2 | Own Surname Prefix | | |
| | OBX-16.2.3 | Own Surname | | |
| | OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| | OBX-16.2.5 | Surname From Partner/Spouse | | |
| | OBX-16.3 | Given Name | | |
| | OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| | OBX-16.5 | Suffix (e.g., JR or III) | | |
| | OBX-16.6 | Prefix (e.g., DR) | | |
| | OBX-16.7 | Degree (e.g., MD) | | |
| | OBX-16.8 | Source Table | | |
| | OBX-16.9 | Assigning Authority | | |
| | OBX-16.9.1 | Namespace ID | | |
| | OBX-16.9.2 | Universal ID | | |
| | OBX-16.9.3 | Universal ID Type | | |
| | OBX-16.10 | Name Type Code | | |
| | OBX-16.11 | Identifier Check Digit | | |
| | OBX-16.12 | Check Digit Scheme | | |
| | OBX-16.13 | Identifier Type Code | | |

| OBX-16.14 | Assigning Facility | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| | | | |

| OBX-16.23.6 Location | Name Of Alternate Data Element | Data | Categorization |
|-------------------------|---|------|----------------|
| | Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |

| OBX-Location | Universal ID Type | Data | Categorization |
|---------------|--|------|----------------|
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |

| OBX-Location | Sub-Data Element (II) | Data | Categorization |
|--------------|---------------------------------|------|----------------|
| | | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |

| Location | Data Element | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.22.7 | Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|--------------|---------------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 20 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 12 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |

| OBX-Location | Alternate Identifier Data Element | Data | Categorization |
|--------------|--|----------|----------------|
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |

| OBX-Location | Name Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.9.1 | Universal ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or | | |

| Location | Dependent Element Identifier | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.23.1 | Text | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-23.6.1 | Universal ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| | | | |

| OBX-25.2.4 Location | Data Element | Data | Categorization |
|---------------------|--|------|----------------|
| OBX-25.2.5 | From Partner/Spouse Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |

| OBX-25.22.2 Location | Data Elementmt Name of Coding System | Data | Categrization |
|-------------------------|---|------|---------------|
| OBX-25.22.3 | System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categrization |
|--------------|---------------------------------|---------------|---------------|
| OBX-1 | Set ID - OBX | 21 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 12 | |
| OBX-5 | Observation Value | Y | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |

| OBX-6 | Location | Name of Alternate Data Element | Data | Categorization |
|--------|------------|--|----------|----------------|
| | | Coding System | | |
| OBX-7 | | References Range | | |
| OBX-8 | | Abnormal Flags | | |
| OBX-9 | | Probability | | |
| OBX-10 | | Nature of Abnormal Test | | |
| OBX-11 | | Observation Result Status | F | |
| OBX-12 | | Effective Date of Reference Range Values | | |
| | OBX-12.1 | Time | | |
| | OBX-12.2 | Degree of Precision | | |
| OBX-13 | | User Defined Access Checks | | |
| OBX-14 | | Date/Time of the Observation | | |
| | OBX-14.1 | Time | 20150531 | |
| | OBX-14.2 | Degree of Precision | | |
| OBX-15 | | Producer's Reference | | |
| | OBX-15.1 | Identifier | | |
| | OBX-15.2 | Text | | |
| | OBX-15.3 | Name of Coding System | | |
| | OBX-15.4 | Alternate Identifier | | |
| | OBX-15.5 | Alternate Text | | |
| | OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | | Responsible Observer | | |
| | OBX-16.1 | ID Number | | |
| | OBX-16.2 | Family Name | | |
| | OBX-16.2.1 | Surname | | |
| | OBX-16.2.2 | Own Surname Prefix | | |
| | OBX-16.2.3 | Own Surname | | |
| | OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| | OBX-16.2.5 | Surname From Partner/Spouse | | |
| | OBX-16.3 | Given Name | | |
| | OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| | OBX-16.5 | Suffix (e.g., JR or III) | | |
| | OBX-16.6 | Prefix (e.g., DR) | | |
| | OBX-16.7 | Degree (e.g., MD) | | |
| | OBX-16.8 | Source Table | | |
| | OBX-16.9 | Assigning Authority | | |
| | OBX-16.9.1 | Namespace ID | | |
| | OBX-16.9.2 | Universal ID | | |

| OBX-Location | Universal ID Type | Data Element | Data | Categorization |
|--------------|------------------------------------|--------------|------|----------------|
| OBX-16.10 | Name Type Code | | | |
| OBX-16.11 | Identifier Check Digit | | | |
| OBX-16.12 | Check Digit Scheme | | | |
| OBX-16.13 | Identifier Type Code | | | |
| OBX-16.14 | Assigning Facility | | | |
| OBX-16.14.1 | Namespace ID | | | |
| OBX-16.14.2 | Universal ID | | | |
| OBX-16.14.3 | Universal ID Type | | | |
| OBX-16.15 | Name Representation Code | | | |
| OBX-16.16 | Name Context | | | |
| OBX-16.16.1 | Identifier | | | |
| OBX-16.16.2 | Text | | | |
| OBX-16.16.3 | Name of Coding System | | | |
| OBX-16.16.4 | Alternate Identifier | | | |
| OBX-16.16.5 | Alternate Text | | | |
| OBX-16.16.6 | Name of Alternate Coding System | | | |
| OBX-16.17 | Name Validity Range | | | |
| OBX-16.17.1 | Range Start Date/Time | | | |
| OBX-16.17.2 | Range End Date/Time | | | |
| OBX-16.18 | Name Assembly Order | | | |
| OBX-16.19 | Effective Date | | | |
| OBX-16.19.1 | Time | | | |
| OBX-16.19.2 | Degree of Precision | | | |
| OBX-16.20 | Expiration Date | | | |
| OBX-16.20.1 | Time | | | |
| OBX-16.20.2 | Degree of Precision | | | |
| OBX-16.21 | Professional Suffix | | | |
| OBX-16.22 | Assigning Jurisdiction | | | |
| OBX-16.22.1 | Identifier | | | |
| OBX-16.22.2 | Text | | | |
| OBX-16.22.3 | Name of Coding System | | | |
| OBX-16.22.4 | Alternate Identifier | | | |
| OBX-16.22.5 | Alternate Text | | | |
| OBX-16.22.6 | Name of Alternate Coding System | | | |
| OBX-16.22.7 | Coding System Version ID | | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | | |
| OBX-16.22.9 | Original Text | | | |
| OBX-16.23 | Assigning Agency or Department | | | |
| OBX-16.23.1 | Identifier | | | |

| OBX-16.23.2 | Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |

| OBX-Location | Data Element Type | Data | Categorization |
|---------------|---|------|----------------|
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|--|------|----------------|
| | Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| | | | |

| OBX-25.22.3 Location | Name Of Coding System | Data | Categorization |
|-------------------------|---------------------------------------|------|----------------|
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Elementmt | Data | Categorization |
|--------------|----------------------------|--------|----------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 197323 | |
| ORC-3.2 | Namespace ID | DCS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |
| ORC-4.3 | Universal ID | | |
| ORC-4.4 | Universal ID Type | | |
| ORC-5 | Order Status | | |
| ORC-6 | Response Flag | | |
| ORC-7 | Quantity/Timing | | |
| ORC-7.1 | Quantity | | |
| ORC-7.1.1 | Quantity | | |

| ORC Location | Data Element | Data | Categorization |
|--------------|--|------|----------------|
| ORC-7.2 | Interval | | |
| ORC-7.2.1 | Repeat Pattern | | |
| ORC-7.2.2 | Explicit Time Interval | | |
| ORC-7.3 | Duration | | |
| ORC-7.4 | Start Date/Time | | |
| ORC-7.4.1 | Time | | |
| ORC-7.4.2 | Degree of Precision | | |
| ORC-7.5 | End Date/Time | | |
| ORC-7.5.1 | Time | | |
| ORC-7.5.2 | Degree of Precision | | |
| ORC-7.6 | Priority | | |
| ORC-7.7 | Condition | | |
| ORC-7.8 | Text | | |
| ORC-7.9 | Conjunction | | |
| ORC-7.10 | Order Sequencing | | |
| ORC-7.10.1 | Sequence/Results Flag | | |
| ORC-7.10.2 | Placer Order Number: Entity Identifier | | |
| ORC-7.10.3 | Placer Order Number: Namespace ID | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | |
| ORC-7.10.6 | Sequence Condition Value | | |
| ORC-7.10.7 | Maximum Number of Repeats | | |
| ORC-7.10.8 | Placer Order Number: Universal ID | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate | | |

| Location | Code/Element | Data | Categorization |
|---------------|--|-------|----------------|
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| ORC-8.2 | Filler Assigned Identifier | | |
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |
| ORC-9.1 | Time | | |
| ORC-9.2 | Degree of Precision | | |
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | Clerk | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | |
| ORC-10.3 | Given Name | Myron | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |
| ORC-10.9 | Assigning Authority | | |
| ORC-10.9.1 | Namespace ID | | |
| ORC-10.9.2 | Universal ID | | |
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | | |
| ORC-10.11 | Identifier Check Digit | | |
| ORC-10.12 | Check Digit Scheme | | |
| ORC-10.13 | Identifier Type Code | | |
| ORC-10.14 | Assigning Facility | | |
| ORC-10.14.1 | Namespace ID | | |
| ORC-10.14.2 | Universal ID | | |
| ORC-10.14.3 | Universal ID Type | | |
| | | | |

| ORC-10.15 | Name Representation | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| Location | Code | | |
| ORC-10.16 | Name Context | | |
| ORC-10.16.1 | Identifier | | |
| ORC-10.16.2 | Text | | |
| ORC-10.16.3 | Name of Coding System | | |
| ORC-10.16.4 | Alternate Identifier | | |
| ORC-10.16.5 | Alternate Text | | |
| ORC-10.16.6 | Name of Alternate Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| | Alternate Coding | | |

| ORC-10.23.8 | System ID | Data Element | Data | Categorization |
|---------------|--------------------|--|------|----------------|
| ORC-10.23.9 | | Original Text | | |
| ORC-11 | Verified By | | | |
| ORC-11.1 | | ID Number | | |
| ORC-11.2 | | Family Name | | |
| ORC-11.2.1 | | Surname | | |
| ORC-11.2.2 | | Own Surname Prefix | | |
| ORC-11.2.3 | | Own Surname | | |
| ORC-11.2.4 | | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | | Surname From Partner/Spouse | | |
| ORC-11.3 | | Given Name | | |
| ORC-11.4 | | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | | Suffix (e.g., JR or III) | | |
| ORC-11.6 | | Prefix (e.g., DR) | | |
| ORC-11.7 | | Degree (e.g., MD) | | |
| ORC-11.8 | | Source Table | | |
| ORC-11.9 | | Assigning Authority | | |
| ORC-11.9.1 | | Namespace ID | | |
| ORC-11.9.2 | | Universal ID | | |
| ORC-11.9.3 | | Universal ID Type | | |
| ORC-11.10 | | Name Type Code | | |
| ORC-11.11 | | Identifier Check Digit | | |
| ORC-11.12 | | Check Digit Scheme | | |
| ORC-11.13 | | Identifier Type Code | | |
| ORC-11.14 | | Assigning Facility | | |
| ORC-11.14.1 | | Namespace ID | | |
| ORC-11.14.2 | | Universal ID | | |
| ORC-11.14.3 | | Universal ID Type | | |
| ORC-11.15 | | Name Representation Code | | |
| ORC-11.16 | | Name Context | | |
| ORC-11.16.1 | | Identifier | | |
| ORC-11.16.2 | | Text | | |
| ORC-11.16.3 | | Name of Coding System | | |
| ORC-11.16.4 | | Alternate Identifier | | |
| ORC-11.16.5 | | Alternate Text | | |
| ORC-11.16.6 | | Name of Alternate Coding System | | |
| ORC-11.17 | | Name Validity Range | | |
| ORC-11.17.1 | | Range Start Date/Time | | |
| ORC-11.17.2 | | Range End Date/Time | | |
| ORC-11.18 | | Name Assembly Order | | |

| ORC-11.19.1 | Effective Date | Data Element | Data | Categorization |
|---------------|--|--------------|------|----------------|
| ORC-11.19.1 | Time | | | |
| ORC-11.19.2 | Degree of Precision | | | |
| ORC-11.20 | Expiration Date | | | |
| ORC-11.20.1 | Time | | | |
| ORC-11.20.2 | Degree of Precision | | | |
| ORC-11.21 | Professional Suffix | | | |
| ORC-11.22 | Assigning Jurisdiction | | | |
| ORC-11.22.1 | Identifier | | | |
| ORC-11.22.2 | Text | | | |
| ORC-11.22.3 | Name of Coding System | | | |
| ORC-11.22.4 | Alternate Identifier | | | |
| ORC-11.22.5 | Alternate Text | | | |
| ORC-11.22.6 | Name of Alternate Coding System | | | |
| ORC-11.22.7 | Coding System Version ID | | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | | |
| ORC-11.22.9 | Original Text | | | |
| ORC-11.23 | Assigning Agency or Department | | | |
| ORC-11.23.1 | Identifier | | | |
| ORC-11.23.2 | Text | | | |
| ORC-11.23.3 | Name of Coding System | | | |
| ORC-11.23.4 | Alternate Identifier | | | |
| ORC-11.23.5 | Alternate Text | | | |
| ORC-11.23.6 | Name of Alternate Coding System | | | |
| ORC-11.23.7 | Coding System Version ID | | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | | |
| ORC-11.23.9 | Original Text | | | |
| ORC-12 | Ordering Provider | | | |
| ORC-12.1 | ID Number | | | |
| ORC-12.2 | Family Name | | | |
| ORC-12.2.1 | Surname | | | |
| ORC-12.2.2 | Own Surname Prefix | | | |
| ORC-12.2.3 | Own Surname | | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | | |
| ORC-12.3 | Given Name | | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | | |

| Location | Prefix (e.g., DR) | Data | Categorization |
|-------------|---------------------------------|------|----------------|
| ORC-12.5 | Suffix (e.g., JR or IH) | | |
| ORC-12.6 | Prefix (e.g., DR) | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |
| ORC-12.10 | Name Type Code | | |
| ORC-12.11 | Identifier Check Digit | | |
| ORC-12.12 | Check Digit Scheme | | |
| ORC-12.13 | Identifier Type Code | | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |
| ORC-12.16 | Name Context | | |
| ORC-12.16.1 | Identifier | | |
| ORC-12.16.2 | Text | | |
| ORC-12.16.3 | Name of Coding System | | |
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| ORC-12.17.1 | Range Start Date/Time | | |
| ORC-12.17.2 | Range End Date/Time | | |
| ORC-12.18 | Name Assembly Order | | |
| ORC-12.19 | Effective Date | | |
| ORC-12.19.1 | Time | | |
| ORC-12.19.2 | Degree of Precision | | |
| ORC-12.20 | Expiration Date | | |
| ORC-12.20.1 | Time | | |
| ORC-12.20.2 | Degree of Precision | | |
| ORC-12.21 | Professional Suffix | | |
| ORC-12.22 | Assigning Jurisdiction | | |
| ORC-12.22.1 | Identifier | | |
| ORC-12.22.2 | Text | | |
| ORC-12.22.3 | Name of Coding System | | |
| ORC-12.22.4 | Alternate Identifier | | |
| ORC-12.22.5 | Alternate Text | | |
| ORC-12.22.6 | Name of Alternate Coding System | | |
| | Coding System | | |

| ORC-12.22.7 | Version ID Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-12.22.8 | Alternate Coding System Version ID | | |
| ORC-12.22.9 | Original Text | | |
| ORC-12.23 | Assigning Agency or Department | | |
| ORC-12.23.1 | Identifier | | |
| ORC-12.23.2 | Text | | |
| ORC-12.23.3 | Name of Coding System | | |
| ORC-12.23.4 | Alternate Identifier | | |
| ORC-12.23.5 | Alternate Text | | |
| ORC-12.23.6 | Name of Alternate Coding System | | |
| ORC-12.23.7 | Coding System Version ID | | |
| ORC-12.23.8 | Alternate Coding System Version ID | | |
| ORC-12.23.9 | Original Text | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication Equipment Type | | |

| Location | Entity Address | Data Element | Data | Categorization |
|-----------------|------------------------------------|-----------------------|-------------|-----------------------|
| ORC-14.4 | Country Code | | | |
| ORC-14.5 | Area/City Code | | | |
| ORC-14.6 | Local Number | | | |
| ORC-14.7 | Extension | | | |
| ORC-14.8 | Any Text | | | |
| ORC-14.9 | Extension Prefix | | | |
| ORC-14.10 | Speed Dial Code | | | |
| ORC-14.11 | Unformatted Telephone number | | | |
| ORC-14.12 | | | | |
| ORC-15 | Order Effective Date/Time | | | |
| ORC-15.1 | Time | | | |
| ORC-15.2 | Degree of Precision | | | |
| ORC-16 | Order Control Code Reason | | | |
| ORC-16.1 | Identifier | | | |
| ORC-16.2 | Text | | | |
| ORC-16.3 | Name of Coding System | | | |
| ORC-16.4 | Alternate Identifier | | | |
| ORC-16.5 | Alternate Text | | | |
| ORC-16.6 | Name of Alternate Coding System | | | |
| ORC-17 | Entering Organization | | | |
| ORC-17.1 | Identifier | DCS | | |
| ORC-17.2 | Text | Dabig Clinical System | | |
| ORC-17.3 | Name of Coding System | StateIIS | | |
| ORC-17.4 | Alternate Identifier | | | |
| ORC-17.5 | Alternate Text | | | |
| ORC-17.6 | Name of Alternate Coding System | | | |
| ORC-18 | Entering Device | | | |
| ORC-18.1 | Identifier | | | |
| ORC-18.2 | Text | | | |
| ORC-18.3 | Name of Coding System | | | |
| ORC-18.4 | Alternate Identifier | | | |
| ORC-18.5 | Alternate Text | | | |
| ORC-18.6 | Name of Alternate Coding System | | | |
| ORC-19 | Action By | | | |
| ORC-19.1 | ID Number | | | |
| ORC-19.2 | Family Name | | | |
| ORC-19.2.1 | Surname | | | |
| ORC-19.2.2 | Own Surname Prefix | | | |
| ORC-19.2.3 | Own Surname | | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | | |

| ORC-Location | Data Element | Data | Categorization |
|--------------|--|------|----------------|
| | Partner/Spouse | | |
| ORC-19.3 | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |
| ORC-19.6 | Prefix (e.g., DR) | | |
| ORC-19.7 | Degree (e.g., MD) | | |
| ORC-19.8 | Source Table | | |
| ORC-19.9 | Assigning Authority | | |
| ORC-19.9.1 | Namespace ID | | |
| ORC-19.9.2 | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | | |
| ORC-19.10 | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | | |
| ORC-19.12 | Check Digit Scheme | | |
| ORC-19.13 | Identifier Type Code | | |
| ORC-19.14 | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| | | | |

| Location | Name Of Coding System | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.22.3 | System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |

| ORC-21.8.2 | Universal ID | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| ORC-23.9 | Any Text | | |
| | | | |

| ORC-23.11 | Extended Element | Data | Categorization |
|---------------|---|------|----------------|
| ORC-23.12 | Unformatted Telephone number | | |
| ORC-24 | Ordering Provider Address | | |
| ORC-24.1 | Street Address | | |
| ORC-24.1.1 | Street or Mailing Address | | |
| ORC-24.1.2 | Street Name | | |
| ORC-24.1.3 | Dwelling Number | | |
| ORC-24.2 | Other Designation | | |
| ORC-24.3 | City | | |
| ORC-24.4 | State or Province | | |
| ORC-24.5 | Zip or Postal Code | | |
| ORC-24.6 | Country | | |
| ORC-24.7 | Address Type | | |
| ORC-24.8 | Other Geographic Designation | | |
| ORC-24.9 | County/Parish Code | | |
| ORC-24.10 | Census Tract | | |
| ORC-24.11 | Address Representation Code | | |
| ORC-24.12 | Address Validity Range | | |
| ORC-24.12.1 | Range Start Date/Time | | |
| ORC-24.12.2 | Range End Date/Time | | |
| ORC-24.13 | Effective Date | | |
| ORC-24.13.1 | Time | | |
| ORC-24.13.2 | Degree of Precision | | |
| ORC-24.14 | Expiration Date | | |
| ORC-24.14.1 | Time | | |
| ORC-24.14.2 | Degree of Precision | | |
| ORC-25 | Order Status Modifier | | |
| ORC-25.1 | Identifier | | |
| ORC-25.2 | Text | | |
| ORC-25.3 | Name of Coding System | | |
| ORC-25.4 | Alternate Identifier | | |
| ORC-25.5 | Alternate Text | | |
| ORC-25.6 | Name of Alternate Coding System | | |
| ORC-25.7 | Coding System Version ID | | |
| ORC-25.8 | Alternate Coding System Version ID | | |
| ORC-25.9 | Original Text | | |
| ORC-26 | Advanced Beneficiary Notice Override | | |

| Location | Data Element | Data | Categorization |
|---------------|---|------|----------------|
| ORC-26.1 | Identifier | | |
| ORC-26.2 | Text | | |
| ORC-26.3 | Name of Coding System | | |
| ORC-26.4 | Alternate Identifier | | |
| ORC-26.5 | Alternate Text | | |
| ORC-26.6 | Name of Alternate Coding System | | |
| ORC-26.7 | Coding System Version ID | | |
| ORC-26.8 | Alternate Coding System Version ID | | |
| ORC-26.9 | Original Text | | |
| ORC-27 | Filler's Expected Availability Date/Time | | |
| ORC-27.1 | Time | | |
| ORC-27.2 | Degree of Precision | | |
| ORC-28 | Confidentiality Code | | |
| ORC-28.1 | Identifier | | |
| ORC-28.2 | Text | | |
| ORC-28.3 | Name of Coding System | | |
| ORC-28.4 | Alternate Identifier | | |
| ORC-28.5 | Alternate Text | | |
| ORC-28.6 | Name of Alternate Coding System | | |
| ORC-28.7 | Coding System Version ID | | |
| ORC-28.8 | Alternate Coding System Version ID | | |
| ORC-28.9 | Original Text | | |
| ORC-29 | Order Type | | |
| ORC-29.1 | Identifier | | |
| ORC-29.2 | Text | | |
| ORC-29.3 | Name of Coding System | | |
| ORC-29.4 | Alternate Identifier | | |
| ORC-29.5 | Alternate Text | | |
| ORC-29.6 | Name of Alternate Coding System | | |
| ORC-29.7 | Coding System Version ID | | |
| ORC-29.8 | Alternate Coding System Version ID | | |
| ORC-29.9 | Original Text | | |
| ORC-30 | Enterer Authorization Mode | | |
| ORC-30.1 | Identifier | | |
| ORC-30.2 | Text | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-30.3 | System | | |
| ORC-30.4 | Alternate Identifier | | |
| ORC-30.5 | Alternate Text | | |
| ORC-30.6 | Name of Alternate Coding System | | |
| ORC-30.7 | Coding System Version ID | | |
| ORC-30.8 | Alternate Coding System Version ID | | |
| ORC-30.9 | Original Text | | |
| ORC-31 | Parent Universal Service Identifier | | |
| ORC-31.1 | Identifier | | |
| ORC-31.2 | Text | | |
| ORC-31.3 | Name of Coding System | | |
| ORC-31.4 | Alternate Identifier | | |
| ORC-31.5 | Alternate Text | | |
| ORC-31.6 | Name of Alternate Coding System | | |
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|----------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 20100415 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 20100415 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 100 | |
| RXA-5.2 | Text | PCV7 | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |

| RXA-7 Location | Administered Unit | Data | Categorization |
|-----------------------|--|-------------------|-----------------------|
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage Form | | |
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |
| RXA-8.6 | Name of Alternate Coding System | | |
| RXA-9 | Administration Notes | | |
| RXA-9.1 | Identifier | 01 | |
| RXA-9.2 | Text | historical record | |
| RXA-9.3 | Name of Coding System | NIP001 | |
| RXA-9.4 | Alternate Identifier | | |
| RXA-9.5 | Alternate Text | | |
| RXA-9.6 | Name of Alternate Coding System | | |
| RXA-10 | Administering Provider | | |
| RXA-10.1 | ID Number | | |
| RXA-10.2 | Family Name | | |
| RXA-10.2.1 | Surname | | |
| RXA-10.2.2 | Own Surname Prefix | | |
| RXA-10.2.3 | Own Surname | | |
| RXA-10.2.4 | Surname Prefix From Partner/Spouse | | |
| RXA-10.2.5 | Surname From Partner/Spouse | | |
| RXA-10.3 | Given Name | | |
| RXA-10.4 | Second and Further Given Names or Initials Thereof | | |
| RXA-10.5 | Suffix (e.g., JR or III) | | |
| RXA-10.6 | Prefix (e.g., DR) | | |
| RXA-10.7 | Degree (e.g., MD) | | |
| RXA-10.8 | Source Table | | |
| RXA-10.9 | Assigning Authority | | |
| RXA-10.9.1 | Namespace ID | | |
| RXA-10.9.2 | Universal ID | | |

| RXA-10.9.3 Location | Universal ID Type Data Element | Data | Categorization |
|----------------------------|---------------------------------------|-------------|-----------------------|
| RXA-10.10 | Name Type Code | | |
| RXA-10.11 | Identifier Check Digit | | |
| RXA-10.12 | Check Digit Scheme | | |
| RXA-10.13 | Identifier Type Code | | |
| RXA-10.14 | Assigning Facility | | |
| RXA-10.14.1 | Namespace ID | | |
| RXA-10.14.2 | Universal ID | | |
| RXA-10.14.3 | Universal ID Type | | |
| RXA-10.15 | Name Representation Code | | |
| RXA-10.16 | Name Context | | |
| RXA-10.16.1 | Identifier | | |
| RXA-10.16.2 | Text | | |
| RXA-10.16.3 | Name of Coding System | | |
| RXA-10.16.4 | Alternate Identifier | | |
| RXA-10.16.5 | Alternate Text | | |
| RXA-10.16.6 | Name of Alternate Coding System | | |
| RXA-10.17 | Name Validity Range | | |
| RXA-10.17.1 | Range Start Date/Time | | |
| RXA-10.17.2 | Range End Date/Time | | |
| RXA-10.18 | Name Assembly Order | | |
| RXA-10.19 | Effective Date | | |
| RXA-10.19.1 | Time | | |
| RXA-10.19.2 | Degree of Precision | | |
| RXA-10.20 | Expiration Date | | |
| RXA-10.20.1 | Time | | |
| RXA-10.20.2 | Degree of Precision | | |
| RXA-10.21 | Professional Suffix | | |
| RXA-10.22 | Assigning Jurisdiction | | |
| RXA-10.22.1 | Identifier | | |
| RXA-10.22.2 | Text | | |
| RXA-10.22.3 | Name of Coding System | | |
| RXA-10.22.4 | Alternate Identifier | | |
| RXA-10.22.5 | Alternate Text | | |
| RXA-10.22.6 | Name of Alternate Coding System | | |
| RXA-10.22.7 | Coding System Version ID | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | |
| RXA-10.22.9 | Original Text | | |
| RXA-10.23 | Assigning Agency or Department | | |
| RXA-10.23.1 | Identifier | | |

| RXA-10.23.2 | Data Element | Data | Categorization |
|--------------------|-------------------------------------|-------------|-----------------------|
| | | | |
| RXA-10.23.3 | Name of Coding System | | |
| RXA-10.23.4 | Alternate Identifier | | |
| RXA-10.23.5 | Alternate Text | | |
| RXA-10.23.6 | Name of Alternate Coding System | | |
| RXA-10.23.7 | Coding System Version ID | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |
| RXA-11.11 | City | | |
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| RXA-11.14 | Country | | |
| RXA-11.15 | Address Type | | |
| RXA-11.16 | Other Geographic Designation | | |
| RXA-12 | Administered Per (Time Unit) | | |
| RXA-13 | Administered Strength | | |
| RXA-14 | Administered Strength Units | | |
| RXA-14.1 | Identifier | | |
| RXA-14.2 | Text | | |
| RXA-14.3 | Name of Coding System | | |
| RXA-14.4 | Alternate Identifier | | |
| RXA-14.5 | Alternate Text | | |
| RXA-14.6 | Name of Alternate Coding System | | |
| RXA-15 | Substance Lot Number | | |
| RXA-16 | Substance Expiration | | |

| RXA-16 | Location | Data Element | Data | Categorization |
|---------------|-----------------|--|-------------|-----------------------|
| | | | | |
| RXA-16.2 | | Degree of Precision | | |
| RXA-17 | | Substance Manufacturer Name | | |
| RXA-17.1 | | Identifier | | |
| RXA-17.2 | | Text | | |
| RXA-17.3 | | Name of Coding System | | |
| RXA-17.4 | | Alternate Identifier | | |
| RXA-17.5 | | Alternate Text | | |
| RXA-17.6 | | Name of Alternate Coding System | | |
| RXA-18 | | Substance/Treatment Refusal Reason | | |
| RXA-18.1 | | Identifier | | |
| RXA-18.2 | | Text | | |
| RXA-18.3 | | Name of Coding System | | |
| RXA-18.4 | | Alternate Identifier | | |
| RXA-18.5 | | Alternate Text | | |
| RXA-18.6 | | Name of Alternate Coding System | | |
| RXA-19 | | Indication | | |
| RXA-19.1 | | Identifier | | |
| RXA-19.2 | | Text | | |
| RXA-19.3 | | Name of Coding System | | |
| RXA-19.4 | | Alternate Identifier | | |
| RXA-19.5 | | Alternate Text | | |
| RXA-19.6 | | Name of Alternate Coding System | | |
| RXA-20 | | Completion Status | CP | |
| RXA-21 | | Action Code - RXA | | |
| RXA-22 | | System Entry Date/Time | | |
| RXA-22.1 | | Time | | |
| RXA-22.2 | | Degree of Precision | | |
| RXA-23 | | Administered Drug Strength Volume | | |
| RXA-24 | | Administered Drug Strength Volume Units | | |
| RXA-24.1 | | Identifier | | |
| RXA-24.2 | | Text | | |
| RXA-24.3 | | Name of Coding System | | |
| RXA-24.4 | | Alternate Identifier | | |
| RXA-24.5 | | Alternate Text | | |
| RXA-24.6 | | Name of Alternate Coding System | | |
| | | | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| RXA-24.7 | Coding System Version ID | | |
| RXA-24.8 | Alternate Coding System Version ID | | |
| RXA-24.9 | Original Text | | |
| RXA-25 | Administered Barcode Identifier | | |
| RXA-25.1 | Identifier | | |
| RXA-25.2 | Text | | |
| RXA-25.3 | Name of Coding System | | |
| RXA-25.4 | Alternate Identifier | | |
| RXA-25.5 | Alternate Text | | |
| RXA-25.6 | Name of Alternate Coding System | | |
| RXA-25.7 | Coding System Version ID | | |
| RXA-25.8 | Alternate Coding System Version ID | | |
| RXA-25.9 | Original Text | | |
| RXA-26 | Pharmacy Order Type | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|--------------|---------------------------------|------------------------|----------------|
| OBX-1 | Set ID - OBX | 22 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 13 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 109 | |
| OBX-5.2 | Text | pneumococcal conjugate | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |

| OBX-Location | Alternate Identifier | Data Element | Data | Categorization |
|---------------|--|--------------|------|----------------|
| OBX-6.5 | Alternate Text | | | |
| OBX-6.6 | Name of Alternate Coding System | | | |
| OBX-7 | References Range | | | |
| OBX-8 | Abnormal Flags | | | |
| OBX-9 | Probability | | | |
| OBX-10 | Nature of Abnormal Test | | | |
| OBX-11 | Observation Result Status | F | | |
| OBX-12 | Effective Date of Reference Range Values | | | |
| OBX-12.1 | Time | | | |
| OBX-12.2 | Degree of Precision | | | |
| OBX-13 | User Defined Access Checks | | | |
| OBX-14 | Date/Time of the Observation | | | |
| OBX-14.1 | Time | | | |
| OBX-14.2 | Degree of Precision | | | |
| OBX-15 | Producer's Reference | | | |
| OBX-15.1 | Identifier | | | |
| OBX-15.2 | Text | | | |
| OBX-15.3 | Name of Coding System | | | |
| OBX-15.4 | Alternate Identifier | | | |
| OBX-15.5 | Alternate Text | | | |
| OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | Responsible Observer | | | |
| OBX-16.1 | ID Number | | | |
| OBX-16.2 | Family Name | | | |
| OBX-16.2.1 | Surname | | | |
| OBX-16.2.2 | Own Surname Prefix | | | |
| OBX-16.2.3 | Own Surname | | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | | |
| OBX-16.3 | Given Name | | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | | |
| OBX-16.6 | Prefix (e.g., DR) | | | |
| OBX-16.7 | Degree (e.g., MD) | | | |
| OBX-16.8 | Source Table | | | |
| OBX-16.9 | Assigning Authority | | | |

| OBX-16.9.1 Location | Name Element Data Element | Data | Categorization |
|------------------------|------------------------------------|------|----------------|
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| | Assigning Agency or | | |

| OBX-16.23 Location | Dependent Element | Data | Categorization |
|--------------------|---|------|----------------|
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |

| OBX-23-6 Location | Assigning Authority Namespace ID | Data | Categorization |
|-------------------|---|------|----------------|
| OBX-23.6.1 | Universal ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |

| OBX-25.2.3 | OBX-25.2.3 | OBX-25.2.3 | OBX-25.2.3 |
|-------------|--|------------|----------------|
| Location | Data Element | Data | Categorization |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| | | | |

| OBX-25.22.1 Location | Assigning Jurisdiction Identifier | Data | Categorization |
|-------------------------|--------------------------------------|------|----------------|
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categorization |
|--------------|---------------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 23 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 13 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |

| OBX-Location | Alternate Element | Data | Categorization |
|---------------|---|----------|----------------|
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |

| Location | Second Element | Data | Categorization |
|-------------|---------------------------------|------|----------------|
| OBX-16.4 | Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |

| Location | Data Element Name | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.22.6 | Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| | Performing | | |

| OBX-23 | Location | Organization Name | Data Element Name | Data | Categorization |
|---------------|-------------|--|---------------------------------|------|----------------|
| | OBX-23.1 | | Organization Name | | |
| | OBX-23.2 | | Organization Name Type Code | | |
| | OBX-23.3 | | ID Number | | |
| | OBX-23.4 | | Check Digit | | |
| | OBX-23.5 | | Check Digit Scheme | | |
| | OBX-23.6 | | Assigning Authority | | |
| | OBX-23.6.1 | | Namespace ID | | |
| | OBX-23.6.2 | | Universal ID | | |
| | OBX-23.6.3 | | Universal ID Type | | |
| | OBX-23.7 | | Identifier Type Code | | |
| | OBX-23.8 | | Assigning Facility | | |
| | OBX-23.8.1 | | Namespace ID | | |
| | OBX-23.8.2 | | Universal ID | | |
| | OBX-23.8.3 | | Universal ID Type | | |
| | OBX-23.9 | | Name Representation Code | | |
| | OBX-23.10 | | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | | |
| | OBX-24.1 | | Street Address | | |
| | OBX-24.1.1 | | Street or Mailing Address | | |
| | OBX-24.1.2 | | Street Name | | |
| | OBX-24.1.3 | | Dwelling Number | | |
| | OBX-24.2 | | Other Designation | | |
| | OBX-24.3 | | City | | |
| | OBX-24.4 | | State or Province | | |
| | OBX-24.5 | | Zip or Postal Code | | |
| | OBX-24.6 | | Country | | |
| | OBX-24.7 | | Address Type | | |
| | OBX-24.8 | | Other Geographic Designation | | |
| | OBX-24.9 | | County/Parish Code | | |
| | OBX-24.10 | | Census Tract | | |
| | OBX-24.11 | | Address Representation Code | | |
| | OBX-24.12 | | Address Validity Range | | |
| | OBX-24.12.1 | | Range Start Date/Time | | |
| | OBX-24.12.2 | | Range End Date/Time | | |
| | OBX-24.13 | | Effective Date | | |
| | OBX-24.13.1 | | Time | | |
| | OBX-24.13.2 | | Degree of Precision | | |
| | OBX-24.14 | | Expiration Date | | |
| | OBX-24.14.1 | | Time | | |

| OBX-24.1.2 Location | Degree of Precision Performing Organization Medical Director | Data | Categorization |
|------------------------|---|------|----------------|
| OBX-25 | | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |

| OBX-25.19 | Effective Date | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|----------|------------------------|---------------|----------------|
| OBX-1 | Set ID - OBX | 24 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate | | |

| Location | Coding System Element | Data | Categorization |
|---------------|---|----------|----------------|
| OBX-4 | Observation Sub-ID | 13 | |
| OBX-5 | Observation Value | Y | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |

| Location | Segment and Further Data Element | Data | Categorization |
|-------------|----------------------------------|------|----------------|
| OBX-16.4 | Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| | | | |

| OBX-16.22.5 Location | Alternate Text Name of Alternate | Data | Categorization |
|-------------------------|---|------|----------------|
| OBX-16.22.6 | Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| | | | |

| OBX-23 | Location | Performing Organization | Data Element | Data | Categorization |
|--------|-------------|----------------------------|------------------------------------|------|----------------|
| | | | Organization Name | | |
| | OBX-23.1 | | Organization Name | | |
| | OBX-23.2 | | Organization Name Type Code | | |
| | OBX-23.3 | | ID Number | | |
| | OBX-23.4 | | Check Digit | | |
| | OBX-23.5 | | Check Digit Scheme | | |
| | OBX-23.6 | | Assigning Authority | | |
| | OBX-23.6.1 | | Namespace ID | | |
| | OBX-23.6.2 | | Universal ID | | |
| | OBX-23.6.3 | | Universal ID Type | | |
| | OBX-23.7 | | Identifier Type Code | | |
| | OBX-23.8 | | Assigning Facility | | |
| | OBX-23.8.1 | | Namespace ID | | |
| | OBX-23.8.2 | | Universal ID | | |
| | OBX-23.8.3 | | Universal ID Type | | |
| | OBX-23.9 | | Name Representation Code | | |
| | OBX-23.10 | | Organization Identifier | | |
| OBX-24 | | | Performing Organization Address | | |
| | OBX-24.1 | | Street Address | | |
| | OBX-24.1.1 | | Street or Mailing Address | | |
| | OBX-24.1.2 | | Street Name | | |
| | OBX-24.1.3 | | Dwelling Number | | |
| | OBX-24.2 | | Other Designation | | |
| | OBX-24.3 | | City | | |
| | OBX-24.4 | | State or Province | | |
| | OBX-24.5 | | Zip or Postal Code | | |
| | OBX-24.6 | | Country | | |
| | OBX-24.7 | | Address Type | | |
| | OBX-24.8 | | Other Geographic Designation | | |
| | OBX-24.9 | | County/Parish Code | | |
| | OBX-24.10 | | Census Tract | | |
| | OBX-24.11 | | Address Representation Code | | |
| | OBX-24.12 | | Address Validity Range | | |
| | OBX-24.12.1 | | Range Start Date/Time | | |
| | OBX-24.12.2 | | Range End Date/Time | | |
| | OBX-24.13 | | Effective Date | | |
| | OBX-24.13.1 | | Time | | |
| | OBX-24.13.2 | | Degree of Precision | | |
| | OBX-24.14 | | Expiration Date | | |
| | OBX-24.14.1 | | Time | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |

| OBX-25.18 Location | Data Elementmt | Data | Categrization |
|-----------------------|------------------------------------|------|---------------|
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Elementmt | Data | Categrization |
|--------------|----------------------------|--------|---------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 197423 | |
| ORC-3.2 | Namespace ID | DCS | |
| | | | |

| ORC-3 | Location | Universal ID | Data Element | mt | Data | Categorization |
|-------|--------------|--------------|--|----|------|----------------|
| | ORC-3.4 | | Universal ID Type | | | |
| | ORC-4 | | Placer Group Number | | | |
| | ORC-4.1 | | Entity Identifier | | | |
| | ORC-4.2 | | Namespace ID | | | |
| | ORC-4.3 | | Universal ID | | | |
| | ORC-4.4 | | Universal ID Type | | | |
| | ORC-5 | | Order Status | | | |
| | ORC-6 | | Response Flag | | | |
| | ORC-7 | | Quantity/Timing | | | |
| | ORC-7.1 | | Quantity | | | |
| | ORC-7.1.1 | | Quantity | | | |
| | ORC-7.1.2 | | Units | | | |
| | ORC-7.2 | | Interval | | | |
| | ORC-7.2.1 | | Repeat Pattern | | | |
| | ORC-7.2.2 | | Explicit Time Interval | | | |
| | ORC-7.3 | | Duration | | | |
| | ORC-7.4 | | Start Date/Time | | | |
| | ORC-7.4.1 | | Time | | | |
| | ORC-7.4.2 | | Degree of Precision | | | |
| | ORC-7.5 | | End Date/Time | | | |
| | ORC-7.5.1 | | Time | | | |
| | ORC-7.5.2 | | Degree of Precision | | | |
| | ORC-7.6 | | Priority | | | |
| | ORC-7.7 | | Condition | | | |
| | ORC-7.8 | | Text | | | |
| | ORC-7.9 | | Conjunction | | | |
| | ORC-7.10 | | Order Sequencing | | | |
| | ORC-7.10.1 | | Sequence/Results Flag | | | |
| | ORC-7.10.2 | | Placer Order Number: Entity Identifier | | | |
| | ORC-7.10.3 | | Placer Order Number: Namespace ID | | | |
| | ORC-7.10.4 | | Filler Order Number: Entity Identifier | | | |
| | ORC-7.10.5 | | Filler Order Number: Namespace ID | | | |
| | ORC-7.10.6 | | Sequence Condition Value | | | |
| | ORC-7.10.7 | | Maximum Number of Repeats | | | |
| | ORC-7.10.8 | | Placer Order Number: Universal ID | | | |
| | ORC-7.10.9 | | Placer Order Number: Universal ID Type | | | |

| ORC-Location | Data Element | Data | Categorization |
|---------------|--|-------|----------------|
| | Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| ORC-8.2 | Filler Assigned Identifier | | |
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |
| ORC-9.1 | Time | | |
| ORC-9.2 | Degree of Precision | | |
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | Clerk | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | |
| ORC-10.3 | Given Name | Myron | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |

| Location | Assigning Authority | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| ORC-10.9.1 | Namespace ID | | |
| ORC-10.9.2 | Universal ID | | |
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | | |
| ORC-10.11 | Identifier Check Digit | | |
| ORC-10.12 | Check Digit Scheme | | |
| ORC-10.13 | Identifier Type Code | | |
| ORC-10.14 | Assigning Facility | | |
| ORC-10.14.1 | Namespace ID | | |
| ORC-10.14.2 | Universal ID | | |
| ORC-10.14.3 | Universal ID Type | | |
| ORC-10.15 | Name Representation Code | | |
| ORC-10.16 | Name Context | | |
| ORC-10.16.1 | Identifier | | |
| ORC-10.16.2 | Text | | |
| ORC-10.16.3 | Name of Coding System | | |
| ORC-10.16.4 | Alternate Identifier | | |
| ORC-10.16.5 | Alternate Text | | |
| ORC-10.16.6 | Name of Alternate Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |

| Location | Data Element or Assigning Agency | Data | Categorization |
|---------------|--|------|----------------|
| ORC-10.23 | Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| ORC-11.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |

| ORC-Location | Text Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |
| ORC-11.23.6 | Name of Alternate Coding System | | |
| ORC-11.23.7 | Coding System Version ID | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | |
| ORC-11.23.9 | Original Text | | |
| ORC-12 | Ordering Provider | | |
| | | | |

| ORC-12.2 Location | Family Name | Data | Categorization |
|-------------------|--|------|----------------|
| ORC-12.2.1 | Surname | | |
| ORC-12.2.2 | Own Surname Prefix | | |
| ORC-12.2.3 | Own Surname | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | |
| ORC-12.3 | Given Name | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-12.5 | Suffix (e.g., JR or III) | | |
| ORC-12.6 | Prefix (e.g., DR) | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |
| ORC-12.10 | Name Type Code | | |
| ORC-12.11 | Identifier Check Digit | | |
| ORC-12.12 | Check Digit Scheme | | |
| ORC-12.13 | Identifier Type Code | | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |
| ORC-12.16 | Name Context | | |
| ORC-12.16.1 | Identifier | | |
| ORC-12.16.2 | Text | | |
| ORC-12.16.3 | Name of Coding System | | |
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| ORC-12.17.1 | Range Start Date/Time | | |
| ORC-12.17.2 | Range End Date/Time | | |
| ORC-12.18 | Name Assembly Order | | |
| ORC-12.19 | Effective Date | | |
| ORC-12.19.1 | Time | | |
| ORC-12.19.2 | Degree of Precision | | |
| ORC-12.20 | Expiration Date | | |
| | | | |

| Location | Data Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-12.20.1 | Degree of Precision | | |
| ORC-12.20.2 | | | |
| ORC-12.21 | Professional Suffix | | |
| ORC-12.22 | Assigning Jurisdiction | | |
| ORC-12.22.1 | Identifier | | |
| ORC-12.22.2 | Text | | |
| ORC-12.22.3 | Name of Coding System | | |
| ORC-12.22.4 | Alternate Identifier | | |
| ORC-12.22.5 | Alternate Text | | |
| ORC-12.22.6 | Name of Alternate Coding System | | |
| ORC-12.22.7 | Coding System Version ID | | |
| ORC-12.22.8 | Alternate Coding System Version ID | | |
| ORC-12.22.9 | Original Text | | |
| ORC-12.23 | Assigning Agency or Department | | |
| ORC-12.23.1 | Identifier | | |
| ORC-12.23.2 | Text | | |
| ORC-12.23.3 | Name of Coding System | | |
| ORC-12.23.4 | Alternate Identifier | | |
| ORC-12.23.5 | Alternate Text | | |
| ORC-12.23.6 | Name of Alternate Coding System | | |
| ORC-12.23.7 | Coding System Version ID | | |
| ORC-12.23.8 | Alternate Coding System Version ID | | |
| ORC-12.23.9 | Original Text | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |

| ORC-13.10.4 Location | Universal ID Type Assigning Authority | Data | Categorization |
|-------------------------|--|-----------------------|----------------|
| ORC-13.11 | for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication Equipment Type | | |
| ORC-14.4 | Email Address | | |
| ORC-14.5 | Country Code | | |
| ORC-14.6 | Area/City Code | | |
| ORC-14.7 | Local Number | | |
| ORC-14.8 | Extension | | |
| ORC-14.9 | Any Text | | |
| ORC-14.10 | Extension Prefix | | |
| ORC-14.11 | Speed Dial Code | | |
| ORC-14.12 | Unformatted Telephone number | | |
| ORC-15 | Order Effective Date/Time | | |
| ORC-15.1 | Time | | |
| ORC-15.2 | Degree of Precision | | |
| ORC-16 | Order Control Code Reason | | |
| ORC-16.1 | Identifier | | |
| ORC-16.2 | Text | | |
| ORC-16.3 | Name of Coding System | | |
| ORC-16.4 | Alternate Identifier | | |
| ORC-16.5 | Alternate Text | | |
| ORC-16.6 | Name of Alternate Coding System | | |
| ORC-17 | Entering Organization | | |
| ORC-17.1 | Identifier | DCS | |
| ORC-17.2 | Text | Dabig Clinical System | |
| ORC-17.3 | Name of Coding System | StateIIS | |
| ORC-17.4 | Alternate Identifier | | |
| ORC-17.5 | Alternate Text | | |
| ORC-17.6 | Name of Alternate Coding System | | |
| ORC-18 | Entering Device | | |
| ORC-18.1 | Identifier | | |
| ORC-18.2 | Text | | |
| ORC-18.3 | Name of Coding | | |

| Location | System Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-18.4 | Alternate Identifier | | |
| ORC-18.5 | Alternate Text | | |
| ORC-18.6 | Name of Alternate Coding System | | |
| ORC-19 | Action By | | |
| ORC-19.1 | ID Number | | |
| ORC-19.2 | Family Name | | |
| ORC-19.2.1 | Surname | | |
| ORC-19.2.2 | Own Surname Prefix | | |
| ORC-19.2.3 | Own Surname | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | |
| ORC-19.3 | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |
| ORC-19.6 | Prefix (e.g., DR) | | |
| ORC-19.7 | Degree (e.g., MD) | | |
| ORC-19.8 | Source Table | | |
| ORC-19.9 | Assigning Authority | | |
| ORC-19.9.1 | Namespace ID | | |
| ORC-19.9.2 | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | | |
| ORC-19.10 | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | | |
| ORC-19.12 | Check Digit Scheme | | |
| ORC-19.13 | Identifier Type Code | | |
| ORC-19.14 | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| | Range End | | |

| ORC-19.17.2 Location | Data Element | Data | Categorization |
|-------------------------|---|------|----------------|
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| ORC-19.22.3 | Name of Coding System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility | | |

| ORC-Location | Data Element Name | Data | Categorization |
|---------------|----------------------------------|------|----------------|
| ORC-21.2 | Organization Name | | |
| ORC-21.3 | Type Code | | |
| ORC-21.4 | ID Number | | |
| ORC-21.5 | Check Digit | | |
| ORC-21.6 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |

| ORC-23 | Location | Ordering Facility | Data | Categorization |
|-------------|----------|----------------------------------|------|----------------|
| | | Phone Number | | |
| ORC-23.1 | | Telephone Number | | |
| ORC-23.2 | | Telecommunication Use Code | | |
| ORC-23.3 | | Telecommunication Equipment Type | | |
| ORC-23.4 | | Email Address | | |
| ORC-23.5 | | Country Code | | |
| ORC-23.6 | | Area/City Code | | |
| ORC-23.7 | | Local Number | | |
| ORC-23.8 | | Extension | | |
| ORC-23.9 | | Any Text | | |
| ORC-23.10 | | Extension Prefix | | |
| ORC-23.11 | | Speed Dial Code | | |
| ORC-23.12 | | Unformatted Telephone number | | |
| ORC-24 | | Ordering Provider Address | | |
| ORC-24.1 | | Street Address | | |
| ORC-24.1.1 | | Street or Mailing Address | | |
| ORC-24.1.2 | | Street Name | | |
| ORC-24.1.3 | | Dwelling Number | | |
| ORC-24.2 | | Other Designation | | |
| ORC-24.3 | | City | | |
| ORC-24.4 | | State or Province | | |
| ORC-24.5 | | Zip or Postal Code | | |
| ORC-24.6 | | Country | | |
| ORC-24.7 | | Address Type | | |
| ORC-24.8 | | Other Geographic Designation | | |
| ORC-24.9 | | County/Parish Code | | |
| ORC-24.10 | | Census Tract | | |
| ORC-24.11 | | Address Representation Code | | |
| ORC-24.12 | | Address Validity Range | | |
| ORC-24.12.1 | | Range Start Date/Time | | |
| ORC-24.12.2 | | Range End Date/Time | | |
| ORC-24.13 | | Effective Date | | |
| ORC-24.13.1 | | Time | | |
| ORC-24.13.2 | | Degree of Precision | | |
| ORC-24.14 | | Expiration Date | | |
| ORC-24.14.1 | | Time | | |
| ORC-24.14.2 | | Degree of Precision | | |
| ORC-25 | | Order Status Modifier | | |
| ORC-25.1 | | Identifier | | |

| ORC-25.2 Location | Text Data Element | Data | Categorization |
|-------------------|--|------|----------------|
| ORC-25.3 | Name of Coding System | | |
| ORC-25.4 | Alternate Identifier | | |
| ORC-25.5 | Alternate Text | | |
| ORC-25.6 | Name of Alternate Coding System | | |
| ORC-25.7 | Coding System Version ID | | |
| ORC-25.8 | Alternate Coding System Version ID | | |
| ORC-25.9 | Original Text | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | |
| ORC-26.1 | Identifier | | |
| ORC-26.2 | Text | | |
| ORC-26.3 | Name of Coding System | | |
| ORC-26.4 | Alternate Identifier | | |
| ORC-26.5 | Alternate Text | | |
| ORC-26.6 | Name of Alternate Coding System | | |
| ORC-26.7 | Coding System Version ID | | |
| ORC-26.8 | Alternate Coding System Version ID | | |
| ORC-26.9 | Original Text | | |
| ORC-27 | Filler's Expected Availability Date/Time | | |
| ORC-27.1 | Time | | |
| ORC-27.2 | Degree of Precision | | |
| ORC-28 | Confidentiality Code | | |
| ORC-28.1 | Identifier | | |
| ORC-28.2 | Text | | |
| ORC-28.3 | Name of Coding System | | |
| ORC-28.4 | Alternate Identifier | | |
| ORC-28.5 | Alternate Text | | |
| ORC-28.6 | Name of Alternate Coding System | | |
| ORC-28.7 | Coding System Version ID | | |
| ORC-28.8 | Alternate Coding System Version ID | | |
| ORC-28.9 | Original Text | | |
| ORC-29 | Order Type | | |
| ORC-29.1 | Identifier | | |
| ORC-29.2 | Text | | |
| ORC-29.3 | Name of Coding | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-29.4 | Alternate Identifier | | |
| ORC-29.5 | Alternate Text | | |
| ORC-29.6 | Name of Alternate Coding System | | |
| ORC-29.7 | Coding System Version ID | | |
| ORC-29.8 | Alternate Coding System Version ID | | |
| ORC-29.9 | Original Text | | |
| ORC-30 | Enterer Authorization Mode | | |
| ORC-30.1 | Identifier | | |
| ORC-30.2 | Text | | |
| ORC-30.3 | Name of Coding System | | |
| ORC-30.4 | Alternate Identifier | | |
| ORC-30.5 | Alternate Text | | |
| ORC-30.6 | Name of Alternate Coding System | | |
| ORC-30.7 | Coding System Version ID | | |
| ORC-30.8 | Alternate Coding System Version ID | | |
| ORC-30.9 | Original Text | | |
| ORC-31 | Parent Universal Service Identifier | | |
| ORC-31.1 | Identifier | | |
| ORC-31.2 | Text | | |
| ORC-31.3 | Name of Coding System | | |
| ORC-31.4 | Alternate Identifier | | |
| ORC-31.5 | Alternate Text | | |
| ORC-31.6 | Name of Alternate Coding System | | |
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|----------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 20100415 | |
| RXA-3.2 | Degree of Precision | | |

| RXA-4 | Location | Date/Time/End of Administration | Data | Categorization |
|---------------|---------------------------------|--|-------------------|-----------------------|
| | | | | |
| | RXA-4.1 | Time | 20100415 | |
| | RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | | |
| | RXA-5.1 | Identifier | 139 | |
| | RXA-5.2 | Text | Td NOS | |
| | RXA-5.3 | Name of Coding System | CVX | |
| | RXA-5.4 | Alternate Identifier | | |
| | RXA-5.5 | Alternate Text | | |
| | RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | | |
| RXA-7 | Administered Units | | | |
| | RXA-7.1 | Identifier | | |
| | RXA-7.2 | Text | | |
| | RXA-7.3 | Name of Coding System | | |
| | RXA-7.4 | Alternate Identifier | | |
| | RXA-7.5 | Alternate Text | | |
| | RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage Form | | | |
| | RXA-8.1 | Identifier | | |
| | RXA-8.2 | Text | | |
| | RXA-8.3 | Name of Coding System | | |
| | RXA-8.4 | Alternate Identifier | | |
| | RXA-8.5 | Alternate Text | | |
| | RXA-8.6 | Name of Alternate Coding System | | |
| RXA-9 | Administration Notes | | | |
| | RXA-9.1 | Identifier | 01 | |
| | RXA-9.2 | Text | historical record | |
| | RXA-9.3 | Name of Coding System | NIP001 | |
| | RXA-9.4 | Alternate Identifier | | |
| | RXA-9.5 | Alternate Text | | |
| | RXA-9.6 | Name of Alternate Coding System | | |
| RXA-10 | Administering Provider | | | |
| | RXA-10.1 | ID Number | | |
| | RXA-10.2 | Family Name | | |
| | RXA-10.2.1 | Surname | | |
| | RXA-10.2.2 | Own Surname Prefix | | |
| | RXA-10.2.3 | Own Surname | | |
| | | Surname Prefix | | |

| RXA-10.2.4 Location | From Data Element/Surname | Data | Categorization |
|--------------------------------------|--|-------------|-----------------------|
| RXA-10.2.5 | Surname From Partner/Spouse | | |
| RXA-10.3 | Given Name | | |
| RXA-10.4 | Second and Further Given Names or Initials Thereof | | |
| RXA-10.5 | Suffix (e.g., JR or III) | | |
| RXA-10.6 | Prefix (e.g., DR) | | |
| RXA-10.7 | Degree (e.g., MD) | | |
| RXA-10.8 | Source Table | | |
| RXA-10.9 | Assigning Authority | | |
| RXA-10.9.1 | Namespace ID | | |
| RXA-10.9.2 | Universal ID | | |
| RXA-10.9.3 | Universal ID Type | | |
| RXA-10.10 | Name Type Code | | |
| RXA-10.11 | Identifier Check Digit | | |
| RXA-10.12 | Check Digit Scheme | | |
| RXA-10.13 | Identifier Type Code | | |
| RXA-10.14 | Assigning Facility | | |
| RXA-10.14.1 | Namespace ID | | |
| RXA-10.14.2 | Universal ID | | |
| RXA-10.14.3 | Universal ID Type | | |
| RXA-10.15 | Name Representation Code | | |
| RXA-10.16 | Name Context | | |
| RXA-10.16.1 | Identifier | | |
| RXA-10.16.2 | Text | | |
| RXA-10.16.3 | Name of Coding System | | |
| RXA-10.16.4 | Alternate Identifier | | |
| RXA-10.16.5 | Alternate Text | | |
| RXA-10.16.6 | Name of Alternate Coding System | | |
| RXA-10.17 | Name Validity Range | | |
| RXA-10.17.1 | Range Start Date/Time | | |
| RXA-10.17.2 | Range End Date/Time | | |
| RXA-10.18 | Name Assembly Order | | |
| RXA-10.19 | Effective Date | | |
| RXA-10.19.1 | Time | | |
| RXA-10.19.2 | Degree of Precision | | |
| RXA-10.20 | Expiration Date | | |
| RXA-10.20.1 | Time | | |
| RXA-10.20.2 | Degree of Precision | | |
| RXA-10.21 | Professional Suffix | | |
| RXA-10.22 | Assigning Jurisdiction | | |
| RXA-10.22.1 | Identifier | | |
| | | | |

| RXA-10.22.3 | Data Element Name of Coding System | Data | Categorization |
|--------------------|---|-------------|-----------------------|
| RXA-10.22.3 | System | | |
| RXA-10.22.4 | Alternate Identifier | | |
| RXA-10.22.5 | Alternate Text | | |
| RXA-10.22.6 | Name of Alternate Coding System | | |
| RXA-10.22.7 | Coding System Version ID | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | |
| RXA-10.22.9 | Original Text | | |
| RXA-10.23 | Assigning Agency or Department | | |
| RXA-10.23.1 | Identifier | | |
| RXA-10.23.2 | Text | | |
| RXA-10.23.3 | Name of Coding System | | |
| RXA-10.23.4 | Alternate Identifier | | |
| RXA-10.23.5 | Alternate Text | | |
| RXA-10.23.6 | Name of Alternate Coding System | | |
| RXA-10.23.7 | Coding System Version ID | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |
| RXA-11.11 | City | | |
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| RXA-11.14 | Country | | |
| RXA-11.15 | Address Type | | |
| RXA-11.16 | Other Geographic Designation | | |
| RXA-12 | Administered Per (Time Unit) | | |

| RXA-13 | Location | Administered Strength | Data | Categorization |
|---------------|---|------------------------------|-------------|-----------------------|
| | | | | |
| RXA-14 | Administered Strength Units | | | |
| RXA-14.1 | Identifier | | | |
| RXA-14.2 | Text | | | |
| RXA-14.3 | Name of Coding System | | | |
| RXA-14.4 | Alternate Identifier | | | |
| RXA-14.5 | Alternate Text | | | |
| RXA-14.6 | Name of Alternate Coding System | | | |
| RXA-15 | Substance Lot Number | | | |
| RXA-16 | Substance Expiration Date | | | |
| RXA-16.1 | Time | | | |
| RXA-16.2 | Degree of Precision | | | |
| RXA-17 | Substance Manufacturer Name | | | |
| RXA-17.1 | Identifier | | | |
| RXA-17.2 | Text | | | |
| RXA-17.3 | Name of Coding System | | | |
| RXA-17.4 | Alternate Identifier | | | |
| RXA-17.5 | Alternate Text | | | |
| RXA-17.6 | Name of Alternate Coding System | | | |
| RXA-18 | Substance/Treatment Refusal Reason | | | |
| RXA-18.1 | Identifier | | | |
| RXA-18.2 | Text | | | |
| RXA-18.3 | Name of Coding System | | | |
| RXA-18.4 | Alternate Identifier | | | |
| RXA-18.5 | Alternate Text | | | |
| RXA-18.6 | Name of Alternate Coding System | | | |
| RXA-19 | Indication | | | |
| RXA-19.1 | Identifier | | | |
| RXA-19.2 | Text | | | |
| RXA-19.3 | Name of Coding System | | | |
| RXA-19.4 | Alternate Identifier | | | |
| RXA-19.5 | Alternate Text | | | |
| RXA-19.6 | Name of Alternate Coding System | | | |
| RXA-20 | Completion Status | CP | | |
| RXA-21 | Action Code - RXA | | | |
| RXA-22 | System Entry Date/Time | | | |
| RXA-22.1 | Time | | | |

| RXA-23 | Location | Data Elementmt | Data | Categrization |
|---------------|-----------------|--|-------------|----------------------|
| RXA-23 | | Administered Drug Strength Volume | | |
| RXA-24 | | Administered Drug Strength Volume Units | | |
| RXA-24.1 | | Identifier | | |
| RXA-24.2 | | Text | | |
| RXA-24.3 | | Name of Coding System | | |
| RXA-24.4 | | Alternate Identifier | | |
| RXA-24.5 | | Alternate Text | | |
| RXA-24.6 | | Name of Alternate Coding System | | |
| RXA-24.7 | | Coding System Version ID | | |
| RXA-24.8 | | Alternate Coding System Version ID | | |
| RXA-24.9 | | Original Text | | |
| RXA-25 | | Administered Barcode Identifier | | |
| RXA-25.1 | | Identifier | | |
| RXA-25.2 | | Text | | |
| RXA-25.3 | | Name of Coding System | | |
| RXA-25.4 | | Alternate Identifier | | |
| RXA-25.5 | | Alternate Text | | |
| RXA-25.6 | | Name of Alternate Coding System | | |
| RXA-25.7 | | Coding System Version ID | | |
| RXA-25.8 | | Alternate Coding System Version ID | | |
| RXA-25.9 | | Original Text | | |
| RXA-26 | | Pharmacy Order Type | | |

OBX : Observation/Result

| OBX-1 | Location | Data Elementmt | Data | Categrization |
|--------------|-----------------|---------------------------------|--------------|----------------------|
| OBX-1 | | Set ID - OBX | 24 | |
| OBX-2 | | Value Type | CE | |
| OBX-3 | | Observation Identifier | | |
| OBX-3.1 | | Identifier | 30956-7 | |
| OBX-3.2 | | Text | vaccine type | |
| OBX-3.3 | | Name of Coding System | LN | |
| OBX-3.4 | | Alternate Identifier | | |
| OBX-3.5 | | Alternate Text | | |
| OBX-3.6 | | Name of Alternate Coding System | | |
| OBX-4 | | Observation Sub-ID | 14 | |
| | | | | |

| OBX-5 Location | Observation Value | Data Element | Data | Categorization |
|----------------|---|--------------|--------|----------------|
| OBX-5.1 | Identifier | | 139 | |
| OBX-5.2 | Text | | Td NOS | |
| OBX-5.3 | Name of Coding System | | CVX | |
| OBX-5.4 | Alternate Identifier | | | |
| OBX-5.5 | Alternate Text | | | |
| OBX-5.6 | Name of Alternate Coding System | | | |
| OBX-6 | Units | | | |
| OBX-6.1 | Identifier | | | |
| OBX-6.2 | Text | | | |
| OBX-6.3 | Name of Coding System | | | |
| OBX-6.4 | Alternate Identifier | | | |
| OBX-6.5 | Alternate Text | | | |
| OBX-6.6 | Name of Alternate Coding System | | | |
| OBX-7 | References Range | | | |
| OBX-8 | Abnormal Flags | | | |
| OBX-9 | Probability | | | |
| OBX-10 | Nature of Abnormal Test | | | |
| OBX-11 | Observation Result Status | | F | |
| OBX-12 | Effective Date of Reference Range Values | | | |
| OBX-12.1 | Time | | | |
| OBX-12.2 | Degree of Precision | | | |
| OBX-13 | User Defined Access Checks | | | |
| OBX-14 | Date/Time of the Observation | | | |
| OBX-14.1 | Time | | | |
| OBX-14.2 | Degree of Precision | | | |
| OBX-15 | Producer's Reference | | | |
| OBX-15.1 | Identifier | | | |
| OBX-15.2 | Text | | | |
| OBX-15.3 | Name of Coding System | | | |
| OBX-15.4 | Alternate Identifier | | | |
| OBX-15.5 | Alternate Text | | | |
| OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | Responsible Observer | | | |
| OBX-16.1 | ID Number | | | |
| OBX-16.2 | Family Name | | | |
| OBX-16.2.1 | Surname | | | |
| OBX-16.2.2 | Own Surname Prefix | | | |

| OBX-16.2.3 Location | Data Element Surname Prefix | Data | Categorization |
|------------------------|--|------|----------------|
| OBX-16.2.4 | From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |

| OBX-16.22.1 Location | Identifer | Data | Categrization |
|-------------------------|---|------|---------------|
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| | Reserved for | | |

| OBX-21 | Location | harmonization with | Data | Categorization |
|-------------|----------|--------------------------------------|------|----------------|
| | | V2.6 | | |
| OBX-22 | | Reserved for harmonization with V2.6 | | |
| OBX-23 | | Performing Organization Name | | |
| OBX-23.1 | | Organization Name | | |
| OBX-23.2 | | Organization Name Type Code | | |
| OBX-23.3 | | ID Number | | |
| OBX-23.4 | | Check Digit | | |
| OBX-23.5 | | Check Digit Scheme | | |
| OBX-23.6 | | Assigning Authority | | |
| OBX-23.6.1 | | Namespace ID | | |
| OBX-23.6.2 | | Universal ID | | |
| OBX-23.6.3 | | Universal ID Type | | |
| OBX-23.7 | | Identifier Type Code | | |
| OBX-23.8 | | Assigning Facility | | |
| OBX-23.8.1 | | Namespace ID | | |
| OBX-23.8.2 | | Universal ID | | |
| OBX-23.8.3 | | Universal ID Type | | |
| OBX-23.9 | | Name Representation Code | | |
| OBX-23.10 | | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | |
| OBX-24.1 | | Street Address | | |
| OBX-24.1.1 | | Street or Mailing Address | | |
| OBX-24.1.2 | | Street Name | | |
| OBX-24.1.3 | | Dwelling Number | | |
| OBX-24.2 | | Other Designation | | |
| OBX-24.3 | | City | | |
| OBX-24.4 | | State or Province | | |
| OBX-24.5 | | Zip or Postal Code | | |
| OBX-24.6 | | Country | | |
| OBX-24.7 | | Address Type | | |
| OBX-24.8 | | Other Geographic Designation | | |
| OBX-24.9 | | County/Parish Code | | |
| OBX-24.10 | | Census Tract | | |
| OBX-24.11 | | Address Representation Code | | |
| OBX-24.12 | | Address Validity Range | | |
| OBX-24.12.1 | | Range Start Date/Time | | |
| OBX-24.12.2 | | Range End Date/Time | | |
| | | | | |

| OBX-24.13.1 | Effective Date | Data | Categorization |
|---------------|--|------|----------------|
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |

| Location | Data Element | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.17.1 | Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|----------|------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 25 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |

| OBX-Location | Name of Coding System | LN | Data | Categorization |
|---------------|---|-----------|------|----------------|
| | System | | | |
| OBX-3.4 | Alternate Identifier | | | |
| OBX-3.5 | Alternate Text | | | |
| OBX-3.6 | Name of Alternate Coding System | | | |
| OBX-4 | Observation Sub-ID | 14 | | |
| OBX-5 | Observation Value | | | |
| OBX-5.1 | Identifier | VXC16 | | |
| OBX-5.2 | Text | ACIP | | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | | |
| OBX-5.4 | Alternate Identifier | | | |
| OBX-5.5 | Alternate Text | | | |
| OBX-5.6 | Name of Alternate Coding System | | | |
| OBX-6 | Units | | | |
| OBX-6.1 | Identifier | | | |
| OBX-6.2 | Text | | | |
| OBX-6.3 | Name of Coding System | | | |
| OBX-6.4 | Alternate Identifier | | | |
| OBX-6.5 | Alternate Text | | | |
| OBX-6.6 | Name of Alternate Coding System | | | |
| OBX-7 | References Range | | | |
| OBX-8 | Abnormal Flags | | | |
| OBX-9 | Probability | | | |
| OBX-10 | Nature of Abnormal Test | | | |
| OBX-11 | Observation Result Status | F | | |
| OBX-12 | Effective Date of Reference Range Values | | | |
| OBX-12.1 | Time | | | |
| OBX-12.2 | Degree of Precision | | | |
| OBX-13 | User Defined Access Checks | | | |
| OBX-14 | Date/Time of the Observation | | | |
| OBX-14.1 | Time | 20150531 | | |
| OBX-14.2 | Degree of Precision | | | |
| OBX-15 | Producer's Reference | | | |
| OBX-15.1 | Identifier | | | |
| OBX-15.2 | Text | | | |
| OBX-15.3 | Name of Coding System | | | |
| OBX-15.4 | Alternate Identifier | | | |
| OBX-15.5 | Alternate Text | | | |

| OBX-15.6 Location | Name of Alternate Data Element | Data | Categorization |
|-------------------|--|------|----------------|
| | Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| | | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|--------------------------------------|------|----------------|
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| | Date/Time of the | | |

| OBX-19 | Location | Analysis Element | Data | Categorization |
|---------------|------------|---|------|----------------|
| | OBX-19.1 | Time | | |
| | OBX-19.2 | Degree of Precision | | |
| OBX-20 | | Reserved for harmonization with V2.6 | | |
| OBX-21 | | Reserved for harmonization with V2.6 | | |
| OBX-22 | | Reserved for harmonization with V2.6 | | |
| OBX-23 | | Performing Organization Name | | |
| | OBX-23.1 | Organization Name | | |
| | OBX-23.2 | Organization Name Type Code | | |
| | OBX-23.3 | ID Number | | |
| | OBX-23.4 | Check Digit | | |
| | OBX-23.5 | Check Digit Scheme | | |
| | OBX-23.6 | Assigning Authority | | |
| | OBX-23.6.1 | Namespace ID | | |
| | OBX-23.6.2 | Universal ID | | |
| | OBX-23.6.3 | Universal ID Type | | |
| | OBX-23.7 | Identifier Type Code | | |
| | OBX-23.8 | Assigning Facility | | |
| | OBX-23.8.1 | Namespace ID | | |
| | OBX-23.8.2 | Universal ID | | |
| | OBX-23.8.3 | Universal ID Type | | |
| | OBX-23.9 | Name Representation Code | | |
| | OBX-23.10 | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | |
| | OBX-24.1 | Street Address | | |
| | OBX-24.1.1 | Street or Mailing Address | | |
| | OBX-24.1.2 | Street Name | | |
| | OBX-24.1.3 | Dwelling Number | | |
| | OBX-24.2 | Other Designation | | |
| | OBX-24.3 | City | | |
| | OBX-24.4 | State or Province | | |
| | OBX-24.5 | Zip or Postal Code | | |
| | OBX-24.6 | Country | | |
| | OBX-24.7 | Address Type | | |
| | OBX-24.8 | Other Geographic Designation | | |
| | OBX-24.9 | County/Parish Code | | |
| | OBX-24.10 | Census Tract | | |
| | | Address | | |

| OBX-Location | Report Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| | System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

| Location | Data Element | Data | Categorization |
|---------------|---|---------------|----------------|
| OBX-1 | Set ID - OBX | 26 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 14 | |
| OBX-5 | Observation Value | Y | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |

| OBX-16 | Location | Responsible Observer | Data | Categorization |
|--------|-------------|--|------|----------------|
| | OBX-16.1 | ID Number | | |
| | OBX-16.2 | Family Name | | |
| | OBX-16.2.1 | Surname | | |
| | OBX-16.2.2 | Own Surname Prefix | | |
| | OBX-16.2.3 | Own Surname | | |
| | OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| | OBX-16.2.5 | Surname From Partner/Spouse | | |
| | OBX-16.3 | Given Name | | |
| | OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| | OBX-16.5 | Suffix (e.g., JR or III) | | |
| | OBX-16.6 | Prefix (e.g., DR) | | |
| | OBX-16.7 | Degree (e.g., MD) | | |
| | OBX-16.8 | Source Table | | |
| | OBX-16.9 | Assigning Authority | | |
| | OBX-16.9.1 | Namespace ID | | |
| | OBX-16.9.2 | Universal ID | | |
| | OBX-16.9.3 | Universal ID Type | | |
| | OBX-16.10 | Name Type Code | | |
| | OBX-16.11 | Identifier Check Digit | | |
| | OBX-16.12 | Check Digit Scheme | | |
| | OBX-16.13 | Identifier Type Code | | |
| | OBX-16.14 | Assigning Facility | | |
| | OBX-16.14.1 | Namespace ID | | |
| | OBX-16.14.2 | Universal ID | | |
| | OBX-16.14.3 | Universal ID Type | | |
| | OBX-16.15 | Name Representation Code | | |
| | OBX-16.16 | Name Context | | |
| | OBX-16.16.1 | Identifier | | |
| | OBX-16.16.2 | Text | | |
| | OBX-16.16.3 | Name of Coding System | | |
| | OBX-16.16.4 | Alternate Identifier | | |
| | OBX-16.16.5 | Alternate Text | | |
| | OBX-16.16.6 | Name of Alternate Coding System | | |
| | OBX-16.17 | Name Validity Range | | |
| | OBX-16.17.1 | Range Start Date/Time | | |
| | OBX-16.17.2 | Range End Date/Time | | |
| | OBX-16.18 | Name Assembly Order | | |
| | OBX-16.19 | Effective Date | | |
| | OBX-16.19.1 | Time | | |
| | OBX-16.19.2 | Degree of Precision | | |

| OBX-Location | Expected Element | Data | Categorization |
|---------------|--------------------------------------|------|----------------|
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |

| OBX-24.12 Location | Address Validity Data Element | Data | Categorization |
|--------------------|--|------|----------------|
| | Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding | | |

| Location | Data Element Identifier | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.16.4 | Alternate Text | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element Identifier | Data | Categorization |
|----------|-------------------------|------|----------------|
|----------|-------------------------|------|----------------|

| ORC-1 | Location | Order Control Element | RE | Data | Categorization |
|--------------|----------|--|--------|------|----------------|
| ORC-2 | | Placer Order Number | | | |
| ORC-2.1 | | Entity Identifier | | | |
| ORC-2.2 | | Namespace ID | | | |
| ORC-2.3 | | Universal ID | | | |
| ORC-2.4 | | Universal ID Type | | | |
| ORC-3 | | Filler Order Number | | | |
| ORC-3.1 | | Entity Identifier | 197523 | | |
| ORC-3.2 | | Namespace ID | DCS | | |
| ORC-3.3 | | Universal ID | | | |
| ORC-3.4 | | Universal ID Type | | | |
| ORC-4 | | Placer Group Number | | | |
| ORC-4.1 | | Entity Identifier | | | |
| ORC-4.2 | | Namespace ID | | | |
| ORC-4.3 | | Universal ID | | | |
| ORC-4.4 | | Universal ID Type | | | |
| ORC-5 | | Order Status | | | |
| ORC-6 | | Response Flag | | | |
| ORC-7 | | Quantity/Timing | | | |
| ORC-7.1 | | Quantity | | | |
| ORC-7.1.1 | | Quantity | | | |
| ORC-7.1.2 | | Units | | | |
| ORC-7.2 | | Interval | | | |
| ORC-7.2.1 | | Repeat Pattern | | | |
| ORC-7.2.2 | | Explicit Time Interval | | | |
| ORC-7.3 | | Duration | | | |
| ORC-7.4 | | Start Date/Time | | | |
| ORC-7.4.1 | | Time | | | |
| ORC-7.4.2 | | Degree of Precision | | | |
| ORC-7.5 | | End Date/Time | | | |
| ORC-7.5.1 | | Time | | | |
| ORC-7.5.2 | | Degree of Precision | | | |
| ORC-7.6 | | Priority | | | |
| ORC-7.7 | | Condition | | | |
| ORC-7.8 | | Text | | | |
| ORC-7.9 | | Conjunction | | | |
| ORC-7.10 | | Order Sequencing | | | |
| ORC-7.10.1 | | Sequence/Results Flag | | | |
| ORC-7.10.2 | | Placer Order Number: Entity Identifier | | | |
| ORC-7.10.3 | | Placer Order Number: Namespace ID | | | |
| ORC-7.10.4 | | Filler Order Number: Entity Identifier | | | |
| ORC-7.10.5 | | Filler Order Number: Namespace ID | | | |

| Location | Data Element Condition | Data | Categorization |
|---------------|--|-------|----------------|
| ORC-7.10.6 | Value | | |
| ORC-7.10.7 | Maximum Number of Repeats | | |
| ORC-7.10.8 | Placer Order Number: Universal ID | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| ORC-8.2 | Filler Assigned Identifier | | |
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |
| ORC-9.1 | Time | | |
| ORC-9.2 | Degree of Precision | | |
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | Clerk | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From | | |

| Location | Part of System Data Element | Data | Categorization |
|-------------|--|-------|----------------|
| ORC-10.3 | Given Name | Myron | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |
| ORC-10.9 | Assigning Authority | | |
| ORC-10.9.1 | Namespace ID | | |
| ORC-10.9.2 | Universal ID | | |
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | | |
| ORC-10.11 | Identifier Check Digit | | |
| ORC-10.12 | Check Digit Scheme | | |
| ORC-10.13 | Identifier Type Code | | |
| ORC-10.14 | Assigning Facility | | |
| ORC-10.14.1 | Namespace ID | | |
| ORC-10.14.2 | Universal ID | | |
| ORC-10.14.3 | Universal ID Type | | |
| ORC-10.15 | Name Representation Code | | |
| ORC-10.16 | Name Context | | |
| ORC-10.16.1 | Identifier | | |
| ORC-10.16.2 | Text | | |
| ORC-10.16.3 | Name of Coding System | | |
| ORC-10.16.4 | Alternate Identifier | | |
| ORC-10.16.5 | Alternate Text | | |
| ORC-10.16.6 | Name of Alternate Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |

| Location | Data Element Identifier | Data | Categorization |
|---------------|--|------|----------------|
| ORC-10.22.4 | Alternate Text | | |
| ORC-10.22.5 | Name of Alternate Coding System | | |
| ORC-10.22.6 | Coding System Version ID | | |
| ORC-10.22.7 | Alternate Coding System Version ID | | |
| ORC-10.22.8 | Original Text | | |
| ORC-10.22.9 | Assigning Agency or Department | | |
| ORC-10.23 | Identifier | | |
| ORC-10.23.1 | Text | | |
| ORC-10.23.2 | Name of Coding System | | |
| ORC-10.23.3 | Alternate Identifier | | |
| ORC-10.23.4 | Alternate Text | | |
| ORC-10.23.5 | Name of Alternate Coding System | | |
| ORC-10.23.6 | Coding System Version ID | | |
| ORC-10.23.7 | Alternate Coding System Version ID | | |
| ORC-10.23.8 | Original Text | | |
| ORC-10.23.9 | Assigning Agency or Department | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| ORC-11.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |

| ORC-Location | Assigning Facility Data Element | Data | Categorization |
|--------------|---------------------------------------|------|----------------|
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |

| Location | Name Of Alternate Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-11.23.6 | Coding System | | |
| ORC-11.23.7 | Coding System Version ID | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | |
| ORC-11.23.9 | Original Text | | |
| ORC-12 | Ordering Provider | | |
| ORC-12.1 | ID Number | | |
| ORC-12.2 | Family Name | | |
| ORC-12.2.1 | Surname | | |
| ORC-12.2.2 | Own Surname Prefix | | |
| ORC-12.2.3 | Own Surname | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | |
| ORC-12.3 | Given Name | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-12.5 | Suffix (e.g., JR or III) | | |
| ORC-12.6 | Prefix (e.g., DR) | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |
| ORC-12.10 | Name Type Code | | |
| ORC-12.11 | Identifier Check Digit | | |
| ORC-12.12 | Check Digit Scheme | | |
| ORC-12.13 | Identifier Type Code | | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |
| ORC-12.16 | Name Context | | |
| ORC-12.16.1 | Identifier | | |
| ORC-12.16.2 | Text | | |
| ORC-12.16.3 | Name of Coding System | | |
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| | | | |

| ORC-12.17.1 | Location | Range Start Date/Time | Range End Date/Time | Data | Categorization |
|---------------|---------------------------|------------------------------------|------------------------|------|----------------|
| ORC-12.17.2 | | | | | |
| ORC-12.18 | | Name | Assembly Order | | |
| ORC-12.19 | | Effective Date | | | |
| ORC-12.19.1 | | Time | | | |
| ORC-12.19.2 | | Degree of Precision | | | |
| ORC-12.20 | | Expiration Date | | | |
| ORC-12.20.1 | | Time | | | |
| ORC-12.20.2 | | Degree of Precision | | | |
| ORC-12.21 | | Professional Suffix | | | |
| ORC-12.22 | | Assigning Jurisdiction | | | |
| ORC-12.22.1 | | Identifier | | | |
| ORC-12.22.2 | | Text | | | |
| ORC-12.22.3 | | Name of Coding System | | | |
| ORC-12.22.4 | | Alternate Identifier | | | |
| ORC-12.22.5 | | Alternate Text | | | |
| ORC-12.22.6 | | Name of Alternate Coding System | | | |
| ORC-12.22.7 | | Coding System Version ID | | | |
| ORC-12.22.8 | | Alternate Coding System Version ID | | | |
| ORC-12.22.9 | | Original Text | | | |
| ORC-12.23 | | Assigning Agency or Department | | | |
| ORC-12.23.1 | | Identifier | | | |
| ORC-12.23.2 | | Text | | | |
| ORC-12.23.3 | | Name of Coding System | | | |
| ORC-12.23.4 | | Alternate Identifier | | | |
| ORC-12.23.5 | | Alternate Text | | | |
| ORC-12.23.6 | | Name of Alternate Coding System | | | |
| ORC-12.23.7 | | Coding System Version ID | | | |
| ORC-12.23.8 | | Alternate Coding System Version ID | | | |
| ORC-12.23.9 | | Original Text | | | |
| ORC-13 | Enterer's Location | | | | |
| ORC-13.1 | | Point of Care | | | |
| ORC-13.2 | | Room | | | |
| ORC-13.3 | | Bed | | | |
| ORC-13.4 | | Facility | | | |
| ORC-13.4.1 | | Namespace ID | | | |
| ORC-13.4.2 | | Universal ID | | | |
| ORC-13.4.3 | | Universal ID Type | | | |
| ORC-13.5 | | Location Status | | | |

| Location | Person Location Type | Data Element | Data | Categorization |
|---------------|-----------------------------------|-----------------------|------|----------------|
| ORC-13.6 | Building | | | |
| ORC-13.7 | | | | |
| ORC-13.8 | Floor | | | |
| ORC-13.9 | Location Description | | | |
| ORC-13.10 | Comprehensive Location Identifier | | | |
| ORC-13.10.1 | Entity Identifier | | | |
| ORC-13.10.2 | Namespace ID | | | |
| ORC-13.10.3 | Universal ID | | | |
| ORC-13.10.4 | Universal ID Type | | | |
| ORC-13.11 | Assigning Authority for Location | | | |
| ORC-13.11.1 | Namespace ID | | | |
| ORC-13.11.2 | Universal ID | | | |
| ORC-13.11.3 | Universal ID Type | | | |
| ORC-14 | Call Back Phone Number | | | |
| ORC-14.1 | Telephone Number | | | |
| ORC-14.2 | Telecommunication Use Code | | | |
| ORC-14.3 | Telecommunication Equipment Type | | | |
| ORC-14.4 | Email Address | | | |
| ORC-14.5 | Country Code | | | |
| ORC-14.6 | Area/City Code | | | |
| ORC-14.7 | Local Number | | | |
| ORC-14.8 | Extension | | | |
| ORC-14.9 | Any Text | | | |
| ORC-14.10 | Extension Prefix | | | |
| ORC-14.11 | Speed Dial Code | | | |
| ORC-14.12 | Unformatted Telephone number | | | |
| ORC-15 | Order Effective Date/Time | | | |
| ORC-15.1 | Time | | | |
| ORC-15.2 | Degree of Precision | | | |
| ORC-16 | Order Control Code Reason | | | |
| ORC-16.1 | Identifier | | | |
| ORC-16.2 | Text | | | |
| ORC-16.3 | Name of Coding System | | | |
| ORC-16.4 | Alternate Identifier | | | |
| ORC-16.5 | Alternate Text | | | |
| ORC-16.6 | Name of Alternate Coding System | | | |
| ORC-17 | Entering Organization | | | |
| ORC-17.1 | Identifier | DCS | | |
| ORC-17.2 | Text | Dabig Clinical System | | |
| | Name of Coding | | | |

| ORC-17.3 Location | System Data Element | State/IS | Data | Categorization |
|-------------------|--|----------|------|----------------|
| ORC-17.4 | Alternate Identifier | | | |
| ORC-17.5 | Alternate Text | | | |
| ORC-17.6 | Name of Alternate Coding System | | | |
| ORC-18 | Entering Device | | | |
| ORC-18.1 | Identifier | | | |
| ORC-18.2 | Text | | | |
| ORC-18.3 | Name of Coding System | | | |
| ORC-18.4 | Alternate Identifier | | | |
| ORC-18.5 | Alternate Text | | | |
| ORC-18.6 | Name of Alternate Coding System | | | |
| ORC-19 | Action By | | | |
| ORC-19.1 | ID Number | | | |
| ORC-19.2 | Family Name | | | |
| ORC-19.2.1 | Surname | | | |
| ORC-19.2.2 | Own Surname Prefix | | | |
| ORC-19.2.3 | Own Surname | | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | | |
| ORC-19.3 | Given Name | | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | | |
| ORC-19.6 | Prefix (e.g., DR) | | | |
| ORC-19.7 | Degree (e.g., MD) | | | |
| ORC-19.8 | Source Table | | | |
| ORC-19.9 | Assigning Authority | | | |
| ORC-19.9.1 | Namespace ID | | | |
| ORC-19.9.2 | Universal ID | | | |
| ORC-19.9.3 | Universal ID Type | | | |
| ORC-19.10 | Name Type Code | | | |
| ORC-19.11 | Identifier Check Digit | | | |
| ORC-19.12 | Check Digit Scheme | | | |
| ORC-19.13 | Identifier Type Code | | | |
| ORC-19.14 | Assigning Facility | | | |
| ORC-19.14.1 | Namespace ID | | | |
| ORC-19.14.2 | Universal ID | | | |
| ORC-19.14.3 | Universal ID Type | | | |
| ORC-19.15 | Name Representation Code | | | |
| ORC-19.16 | Name Context | | | |
| ORC-19.16.1 | Identifier | | | |
| ORC-19.16.2 | Text | | | |
| | Name of Coding | | | |

| Location | System Element | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.16.3 | Alternate Identifier | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| ORC-19.22.3 | Name of Coding System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |

| Location | Data Element Name of Coding System | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-20.3 | System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |

| Location | Element | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| ORC-22.12.2 | Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| ORC-23.9 | Any Text | | |
| ORC-23.10 | Extension Prefix | | |
| ORC-23.11 | Speed Dial Code | | |
| ORC-23.12 | Unformatted Telephone number | | |
| ORC-24 | Ordering Provider Address | | |
| ORC-24.1 | Street Address | | |
| ORC-24.1.1 | Street or Mailing Address | | |
| ORC-24.1.2 | Street Name | | |
| ORC-24.1.3 | Dwelling Number | | |
| ORC-24.2 | Other Designation | | |
| ORC-24.3 | City | | |
| ORC-24.4 | State or Province | | |
| ORC-24.5 | Zip or Postal Code | | |
| ORC-24.6 | Country | | |
| ORC-24.7 | Address Type | | |
| ORC-24.8 | Other Geographic Designation | | |
| ORC-24.9 | County/Parish Code | | |
| ORC-24.10 | Census Tract | | |
| ORC-24.11 | Address Representation Code | | |
| ORC-24.12 | Address Validity Range | | |
| ORC-24.12.1 | Range Start Date/Time | | |
| ORC-24.12.2 | Range End Date/Time | | |

| ORC-Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-24.13.1 | Time | | |
| ORC-24.13.2 | Degree of Precision | | |
| ORC-24.14 | Expiration Date | | |
| ORC-24.14.1 | Time | | |
| ORC-24.14.2 | Degree of Precision | | |
| ORC-25 | Order Status Modifier | | |
| ORC-25.1 | Identifier | | |
| ORC-25.2 | Text | | |
| ORC-25.3 | Name of Coding System | | |
| ORC-25.4 | Alternate Identifier | | |
| ORC-25.5 | Alternate Text | | |
| ORC-25.6 | Name of Alternate Coding System | | |
| ORC-25.7 | Coding System Version ID | | |
| ORC-25.8 | Alternate Coding System Version ID | | |
| ORC-25.9 | Original Text | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | |
| ORC-26.1 | Identifier | | |
| ORC-26.2 | Text | | |
| ORC-26.3 | Name of Coding System | | |
| ORC-26.4 | Alternate Identifier | | |
| ORC-26.5 | Alternate Text | | |
| ORC-26.6 | Name of Alternate Coding System | | |
| ORC-26.7 | Coding System Version ID | | |
| ORC-26.8 | Alternate Coding System Version ID | | |
| ORC-26.9 | Original Text | | |
| ORC-27 | Filler's Expected Availability Date/Time | | |
| ORC-27.1 | Time | | |
| ORC-27.2 | Degree of Precision | | |
| ORC-28 | Confidentiality Code | | |
| ORC-28.1 | Identifier | | |
| ORC-28.2 | Text | | |
| ORC-28.3 | Name of Coding System | | |
| ORC-28.4 | Alternate Identifier | | |
| ORC-28.5 | Alternate Text | | |
| ORC-28.6 | Name of Alternate Coding System | | |
| ORC-28.7 | Coding System | | |

| Location | Version ID | Data Element | Data | Categorization |
|---------------|------------------|--|------|----------------|
| ORC-28.8 | Alternate Coding | System Version ID | | |
| ORC-28.9 | | Original Text | | |
| ORC-29 | | Order Type | | |
| ORC-29.1 | | Identifier | | |
| ORC-29.2 | | Text | | |
| ORC-29.3 | | Name of Coding System | | |
| ORC-29.4 | | Alternate Identifier | | |
| ORC-29.5 | | Alternate Text | | |
| ORC-29.6 | | Name of Alternate Coding System | | |
| ORC-29.7 | | Coding System Version ID | | |
| ORC-29.8 | | Alternate Coding System Version ID | | |
| ORC-29.9 | | Original Text | | |
| ORC-30 | | Enterer Authorization Mode | | |
| ORC-30.1 | | Identifier | | |
| ORC-30.2 | | Text | | |
| ORC-30.3 | | Name of Coding System | | |
| ORC-30.4 | | Alternate Identifier | | |
| ORC-30.5 | | Alternate Text | | |
| ORC-30.6 | | Name of Alternate Coding System | | |
| ORC-30.7 | | Coding System Version ID | | |
| ORC-30.8 | | Alternate Coding System Version ID | | |
| ORC-30.9 | | Original Text | | |
| ORC-31 | | Parent Universal Service Identifier | | |
| ORC-31.1 | | Identifier | | |
| ORC-31.2 | | Text | | |
| ORC-31.3 | | Name of Coding System | | |
| ORC-31.4 | | Alternate Identifier | | |
| ORC-31.5 | | Alternate Text | | |
| ORC-31.6 | | Name of Alternate Coding System | | |
| ORC-31.7 | | Coding System Version ID | | |
| ORC-31.8 | | Alternate Coding System Version ID | | |
| ORC-31.9 | | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|-------------------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 20091015 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 20091015 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 88 | |
| RXA-5.2 | Text | influenza NOS | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |
| RXA-7 | Administered Units | | |
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage Form | | |
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |
| RXA-8.6 | Name of Alternate Coding System | | |
| RXA-9 | Administration Notes | | |
| RXA-9.1 | Identifier | 01 | |
| RXA-9.2 | Text | historical record | |
| RXA-9.3 | Name of Coding System | NIP001 | |
| RXA-9.4 | Alternate Identifier | | |
| RXA-9.5 | Alternate Text | | |

| RXA-Location | Name of Alternate Coding System | Data Element | Data | Categorization |
|---------------|--|--------------|------|----------------|
| RXA-10 | Administering Provider | | | |
| RXA-10.1 | ID Number | | | |
| RXA-10.2 | Family Name | | | |
| RXA-10.2.1 | Surname | | | |
| RXA-10.2.2 | Own Surname Prefix | | | |
| RXA-10.2.3 | Own Surname | | | |
| RXA-10.2.4 | Surname Prefix From Partner/Spouse | | | |
| RXA-10.2.5 | Surname From Partner/Spouse | | | |
| RXA-10.3 | Given Name | | | |
| RXA-10.4 | Second and Further Given Names or Initials Thereof | | | |
| RXA-10.5 | Suffix (e.g., JR or III) | | | |
| RXA-10.6 | Prefix (e.g., DR) | | | |
| RXA-10.7 | Degree (e.g., MD) | | | |
| RXA-10.8 | Source Table | | | |
| RXA-10.9 | Assigning Authority | | | |
| RXA-10.9.1 | Namespace ID | | | |
| RXA-10.9.2 | Universal ID | | | |
| RXA-10.9.3 | Universal ID Type | | | |
| RXA-10.10 | Name Type Code | | | |
| RXA-10.11 | Identifier Check Digit | | | |
| RXA-10.12 | Check Digit Scheme | | | |
| RXA-10.13 | Identifier Type Code | | | |
| RXA-10.14 | Assigning Facility | | | |
| RXA-10.14.1 | Namespace ID | | | |
| RXA-10.14.2 | Universal ID | | | |
| RXA-10.14.3 | Universal ID Type | | | |
| RXA-10.15 | Name Representation Code | | | |
| RXA-10.16 | Name Context | | | |
| RXA-10.16.1 | Identifier | | | |
| RXA-10.16.2 | Text | | | |
| RXA-10.16.3 | Name of Coding System | | | |
| RXA-10.16.4 | Alternate Identifier | | | |
| RXA-10.16.5 | Alternate Text | | | |
| RXA-10.16.6 | Name of Alternate Coding System | | | |
| RXA-10.17 | Name Validity Range | | | |
| RXA-10.17.1 | Range Start Date/Time | | | |
| RXA-10.17.2 | Range End Date/Time | | | |
| RXA-10.18 | Name Assembly Order | | | |

| RXA-10.19.1 | Effective Date and Time | Data | Categorization |
|--------------------|------------------------------------|-------------|-----------------------|
| RXA-10.19.2 | Degree of Precision | | |
| RXA-10.20 | Expiration Date | | |
| RXA-10.20.1 | Time | | |
| RXA-10.20.2 | Degree of Precision | | |
| RXA-10.21 | Professional Suffix | | |
| RXA-10.22 | Assigning Jurisdiction | | |
| RXA-10.22.1 | Identifier | | |
| RXA-10.22.2 | Text | | |
| RXA-10.22.3 | Name of Coding System | | |
| RXA-10.22.4 | Alternate Identifier | | |
| RXA-10.22.5 | Alternate Text | | |
| RXA-10.22.6 | Name of Alternate Coding System | | |
| RXA-10.22.7 | Coding System Version ID | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | |
| RXA-10.22.9 | Original Text | | |
| RXA-10.23 | Assigning Agency or Department | | |
| RXA-10.23.1 | Identifier | | |
| RXA-10.23.2 | Text | | |
| RXA-10.23.3 | Name of Coding System | | |
| RXA-10.23.4 | Alternate Identifier | | |
| RXA-10.23.5 | Alternate Text | | |
| RXA-10.23.6 | Name of Alternate Coding System | | |
| RXA-10.23.7 | Coding System Version ID | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |

| RXA-11.10 | Location | Other Designation | Data | Categorization |
|------------------|---|--------------------------|-------------|-----------------------|
| RXA-11.11 | City | | | |
| RXA-11.12 | State or Province | | | |
| RXA-11.13 | Zip or Postal Code | | | |
| RXA-11.14 | Country | | | |
| RXA-11.15 | Address Type | | | |
| RXA-11.16 | Other Geographic Designation | | | |
| RXA-12 | Administered Per (Time Unit) | | | |
| RXA-13 | Administered Strength | | | |
| RXA-14 | Administered Strength Units | | | |
| RXA-14.1 | Identifier | | | |
| RXA-14.2 | Text | | | |
| RXA-14.3 | Name of Coding System | | | |
| RXA-14.4 | Alternate Identifier | | | |
| RXA-14.5 | Alternate Text | | | |
| RXA-14.6 | Name of Alternate Coding System | | | |
| RXA-15 | Substance Lot Number | | | |
| RXA-16 | Substance Expiration Date | | | |
| RXA-16.1 | Time | | | |
| RXA-16.2 | Degree of Precision | | | |
| RXA-17 | Substance Manufacturer Name | | | |
| RXA-17.1 | Identifier | | | |
| RXA-17.2 | Text | | | |
| RXA-17.3 | Name of Coding System | | | |
| RXA-17.4 | Alternate Identifier | | | |
| RXA-17.5 | Alternate Text | | | |
| RXA-17.6 | Name of Alternate Coding System | | | |
| RXA-18 | Substance/Treatment Refusal Reason | | | |
| RXA-18.1 | Identifier | | | |
| RXA-18.2 | Text | | | |
| RXA-18.3 | Name of Coding System | | | |
| RXA-18.4 | Alternate Identifier | | | |
| RXA-18.5 | Alternate Text | | | |
| RXA-18.6 | Name of Alternate Coding System | | | |
| RXA-19 | Indication | | | |
| RXA-19.1 | Identifier | | | |
| RXA-19.2 | Text | | | |
| RXA-19.3 | Name of Coding | | | |

| Location | Data Elementmt | Data | Categrization |
|---------------|--|------|---------------|
| RXA-19.4 | Alternate Identifier | | |
| RXA-19.5 | Alternate Text | | |
| RXA-19.6 | Name of Alternate Coding System | | |
| RXA-20 | Completion Status | CP | |
| RXA-21 | Action Code - RXA | | |
| RXA-22 | System Entry Date/Time | | |
| RXA-22.1 | Time | | |
| RXA-22.2 | Degree of Precision | | |
| RXA-23 | Administered Drug Strength Volume | | |
| RXA-24 | Administered Drug Strength Volume Units | | |
| RXA-24.1 | Identifier | | |
| RXA-24.2 | Text | | |
| RXA-24.3 | Name of Coding System | | |
| RXA-24.4 | Alternate Identifier | | |
| RXA-24.5 | Alternate Text | | |
| RXA-24.6 | Name of Alternate Coding System | | |
| RXA-24.7 | Coding System Version ID | | |
| RXA-24.8 | Alternate Coding System Version ID | | |
| RXA-24.9 | Original Text | | |
| RXA-25 | Administered Barcode Identifier | | |
| RXA-25.1 | Identifier | | |
| RXA-25.2 | Text | | |
| RXA-25.3 | Name of Coding System | | |
| RXA-25.4 | Alternate Identifier | | |
| RXA-25.5 | Alternate Text | | |
| RXA-25.6 | Name of Alternate Coding System | | |
| RXA-25.7 | Coding System Version ID | | |
| RXA-25.8 | Alternate Coding System Version ID | | |
| RXA-25.9 | Original Text | | |
| RXA-26 | Pharmacy Order Type | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categrization |
|--------------|-------------------------------|------|---------------|
| OBX-1 | Set ID - OBX | 27 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |

| OBX-Location | Identifier | Data Element | 30956-7 Data | Categorization |
|---------------|---|--------------|---------------|----------------|
| OBX-3.2 | Text | | vaccine type | |
| OBX-3.3 | Name of Coding System | | LN | |
| OBX-3.4 | Alternate Identifier | | | |
| OBX-3.5 | Alternate Text | | | |
| OBX-3.6 | Name of Alternate Coding System | | | |
| OBX-4 | Observation Sub-ID | | 15 | |
| OBX-5 | Observation Value | | | |
| OBX-5.1 | Identifier | | 88 | |
| OBX-5.2 | Text | | influenza NOS | |
| OBX-5.3 | Name of Coding System | | CVX | |
| OBX-5.4 | Alternate Identifier | | | |
| OBX-5.5 | Alternate Text | | | |
| OBX-5.6 | Name of Alternate Coding System | | | |
| OBX-6 | Units | | | |
| OBX-6.1 | Identifier | | | |
| OBX-6.2 | Text | | | |
| OBX-6.3 | Name of Coding System | | | |
| OBX-6.4 | Alternate Identifier | | | |
| OBX-6.5 | Alternate Text | | | |
| OBX-6.6 | Name of Alternate Coding System | | | |
| OBX-7 | References Range | | | |
| OBX-8 | Abnormal Flags | | | |
| OBX-9 | Probability | | | |
| OBX-10 | Nature of Abnormal Test | | | |
| OBX-11 | Observation Result Status | | F | |
| OBX-12 | Effective Date of Reference Range Values | | | |
| OBX-12.1 | Time | | | |
| OBX-12.2 | Degree of Precision | | | |
| OBX-13 | User Defined Access Checks | | | |
| OBX-14 | Date/Time of the Observation | | | |
| OBX-14.1 | Time | | | |
| OBX-14.2 | Degree of Precision | | | |
| OBX-15 | Producer's Reference | | | |
| OBX-15.1 | Identifier | | | |
| OBX-15.2 | Text | | | |
| OBX-15.3 | Name of Coding System | | | |

| OBX-15.4 OBX-15.5 | Alternate Identifier Alternate Text | Data | Categorization |
|----------------------|--|------|----------------|
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| | | | |

| OBX-16.18 OBX-16.19 | Location Name Assembly Order Effective Date | Data | Categorization |
|------------------------|---|------|----------------|
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |

| OBX-18.4 Location | Universal ID Type | Data | Categorization |
|-------------------|---|------|----------------|
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |

| OBX-24.10 Location | OBX-24.10 Data Element | Data | Categorization |
|--------------------|--|------|----------------|
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |

| OBX-25.16.1 Location | Data Element | Data | Categorization |
|-------------------------|------------------------------------|------|----------------|
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categrization |
|---------------|---|----------------------------|---------------|
| OBX-1 | Set ID - OBX | 28 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 15 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |

| OBX-14.2 Location | Data Element | Data | Categorization |
|-------------------|--|------|----------------|
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| | Name of Alternate | | |

| OBX-Location | Code/Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |

| Location | Name of Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-17.6 | Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |

| OBX-24.4 | Location | Standard Element | Data | Categorization |
|---------------|----------|--|------|----------------|
| OBX-24.5 | | Zip or Postal Code | | |
| OBX-24.6 | | Country | | |
| OBX-24.7 | | Address Type | | |
| OBX-24.8 | | Other Geographic Designation | | |
| OBX-24.9 | | County/Parish Code | | |
| OBX-24.10 | | Census Tract | | |
| OBX-24.11 | | Address Representation Code | | |
| OBX-24.12 | | Address Validity Range | | |
| OBX-24.12.1 | | Range Start Date/Time | | |
| OBX-24.12.2 | | Range End Date/Time | | |
| OBX-24.13 | | Effective Date | | |
| OBX-24.13.1 | | Time | | |
| OBX-24.13.2 | | Degree of Precision | | |
| OBX-24.14 | | Expiration Date | | |
| OBX-24.14.1 | | Time | | |
| OBX-24.14.2 | | Degree of Precision | | |
| OBX-25 | | Performing Organization Medical Director | | |
| OBX-25.1 | | ID Number | | |
| OBX-25.2 | | Family Name | | |
| OBX-25.2.1 | | Surname | | |
| OBX-25.2.2 | | Own Surname Prefix | | |
| OBX-25.2.3 | | Own Surname | | |
| OBX-25.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | | Surname From Partner/Spouse | | |
| OBX-25.3 | | Given Name | | |
| OBX-25.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | | Suffix (e.g., JR or III) | | |
| OBX-25.6 | | Prefix (e.g., DR) | | |
| OBX-25.7 | | Degree (e.g., MD) | | |
| OBX-25.8 | | Source Table | | |
| OBX-25.9 | | Assigning Authority | | |
| OBX-25.9.1 | | Namespace ID | | |
| OBX-25.9.2 | | Universal ID | | |
| OBX-25.9.3 | | Universal ID Type | | |
| OBX-25.10 | | Name Type Code | | |
| OBX-25.11 | | Identifier Check Digit | | |
| OBX-25.12 | | Check Digit Scheme | | |
| OBX-25.13 | | Identifier Type Code | | |

| OBX-Location | Assigning Facility | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| | | | |

| OBX-25.23.5 Location | OBX-25.23.5 Data Elementmt Name of Alternate | Data | Categrization |
|-------------------------|--|------|---------------|
| OBX-25.23.6 | Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categrization |
|---------------|---|---------------|---------------|
| OBX-1 | Set ID - OBX | 29 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 15 | |
| OBX-5 | Observation Value | Y | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| | Name of Alternate | | |

| OBX-16.16.6 | Code | Data Element | Data | Categorization |
|---------------|------|---------------------------------------|------|----------------|
| OBX-16.17 | | Name Validity Range | | |
| OBX-16.17.1 | | Range Start Date/Time | | |
| OBX-16.17.2 | | Range End Date/Time | | |
| OBX-16.18 | | Name Assembly Order | | |
| OBX-16.19 | | Effective Date | | |
| OBX-16.19.1 | | Time | | |
| OBX-16.19.2 | | Degree of Precision | | |
| OBX-16.20 | | Expiration Date | | |
| OBX-16.20.1 | | Time | | |
| OBX-16.20.2 | | Degree of Precision | | |
| OBX-16.21 | | Professional Suffix | | |
| OBX-16.22 | | Assigning Jurisdiction | | |
| OBX-16.22.1 | | Identifier | | |
| OBX-16.22.2 | | Text | | |
| OBX-16.22.3 | | Name of Coding System | | |
| OBX-16.22.4 | | Alternate Identifier | | |
| OBX-16.22.5 | | Alternate Text | | |
| OBX-16.22.6 | | Name of Alternate Coding System | | |
| OBX-16.22.7 | | Coding System Version ID | | |
| OBX-16.22.8 | | Alternate Coding System Version ID | | |
| OBX-16.22.9 | | Original Text | | |
| OBX-16.23 | | Assigning Agency or Department | | |
| OBX-16.23.1 | | Identifier | | |
| OBX-16.23.2 | | Text | | |
| OBX-16.23.3 | | Name of Coding System | | |
| OBX-16.23.4 | | Alternate Identifier | | |
| OBX-16.23.5 | | Alternate Text | | |
| OBX-16.23.6 | | Name of Alternate Coding System | | |
| OBX-16.23.7 | | Coding System Version ID | | |
| OBX-16.23.8 | | Alternate Coding System Version ID | | |
| OBX-16.23.9 | | Original Text | | |
| OBX-17 | | Observation Method | | |
| OBX-17.1 | | Identifier | | |
| OBX-17.2 | | Text | | |
| OBX-17.3 | | Name of Coding System | | |
| OBX-17.4 | | Alternate Identifier | | |
| OBX-17.5 | | Alternate Text | | |

| Location | Data Element Name | Data | Categorization |
|---------------|---|------|----------------|
| OBX-17.6 | Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |

| OBX-24.4 | Location | Standard Element | Data | Categorization |
|---------------|----------|--|------|----------------|
| OBX-24.5 | | Zip or Postal Code | | |
| OBX-24.6 | | Country | | |
| OBX-24.7 | | Address Type | | |
| OBX-24.8 | | Other Geographic Designation | | |
| OBX-24.9 | | County/Parish Code | | |
| OBX-24.10 | | Census Tract | | |
| OBX-24.11 | | Address Representation Code | | |
| OBX-24.12 | | Address Validity Range | | |
| OBX-24.12.1 | | Range Start Date/Time | | |
| OBX-24.12.2 | | Range End Date/Time | | |
| OBX-24.13 | | Effective Date | | |
| OBX-24.13.1 | | Time | | |
| OBX-24.13.2 | | Degree of Precision | | |
| OBX-24.14 | | Expiration Date | | |
| OBX-24.14.1 | | Time | | |
| OBX-24.14.2 | | Degree of Precision | | |
| OBX-25 | | Performing Organization Medical Director | | |
| OBX-25.1 | | ID Number | | |
| OBX-25.2 | | Family Name | | |
| OBX-25.2.1 | | Surname | | |
| OBX-25.2.2 | | Own Surname Prefix | | |
| OBX-25.2.3 | | Own Surname | | |
| OBX-25.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | | Surname From Partner/Spouse | | |
| OBX-25.3 | | Given Name | | |
| OBX-25.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | | Suffix (e.g., JR or III) | | |
| OBX-25.6 | | Prefix (e.g., DR) | | |
| OBX-25.7 | | Degree (e.g., MD) | | |
| OBX-25.8 | | Source Table | | |
| OBX-25.9 | | Assigning Authority | | |
| OBX-25.9.1 | | Namespace ID | | |
| OBX-25.9.2 | | Universal ID | | |
| OBX-25.9.3 | | Universal ID Type | | |
| OBX-25.10 | | Name Type Code | | |
| OBX-25.11 | | Identifier Check Digit | | |
| OBX-25.12 | | Check Digit Scheme | | |
| OBX-25.13 | | Identifier Type Code | | |

| OBX-Location | Assigning Facility Data Element | Data | Categorization |
|--------------|---------------------------------------|------|----------------|
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |

| OBX-Location | Name Of Alternate Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| | Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|--------------|----------------------------|--------|----------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 197623 | |
| ORC-3.2 | Namespace ID | DCS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |
| ORC-4.3 | Universal ID | | |
| ORC-4.4 | Universal ID Type | | |
| ORC-5 | Order Status | | |
| ORC-6 | Response Flag | | |
| ORC-7 | Quantity/Timing | | |
| ORC-7.1 | Quantity | | |
| ORC-7.1.1 | Quantity | | |
| ORC-7.1.2 | Units | | |
| ORC-7.2 | Interval | | |
| ORC-7.2.1 | Repeat Pattern | | |
| ORC-7.2.2 | Explicit Time Interval | | |
| ORC-7.3 | Duration | | |
| ORC-7.4 | Start Date/Time | | |
| ORC-7.4.1 | Time | | |
| ORC-7.4.2 | Degree of Precision | | |
| ORC-7.5 | End Date/Time | | |
| ORC-7.5.1 | Time | | |
| ORC-7.5.2 | Degree of Precision | | |
| ORC-7.6 | Priority | | |
| ORC-7.7 | Condition | | |
| ORC-7.8 | Text | | |
| ORC-7.9 | Conjunction | | |
| ORC-7.10 | Order Sequencing | | |
| | Sequence/Results | | |

| ORC-7.10.1 | Location | Flag | Data Element | mt | Data | Categrization |
|--------------|----------|------|--|----|------|---------------|
| ORC-7.10.2 | | | Placer Order Number: Entity Identifier | | | |
| ORC-7.10.3 | | | Placer Order Number: Namespace ID | | | |
| ORC-7.10.4 | | | Filler Order Number: Entity Identifier | | | |
| ORC-7.10.5 | | | Filler Order Number: Namespace ID | | | |
| ORC-7.10.6 | | | Sequence Condition Value | | | |
| ORC-7.10.7 | | | Maximum Number of Repeats | | | |
| ORC-7.10.8 | | | Placer Order Number: Universal ID | | | |
| ORC-7.10.9 | | | Placer Order Number: Universal ID Type | | | |
| ORC-7.10.10 | | | Filler Order Number: Universal ID | | | |
| ORC-7.10.11 | | | Filler Order Number: Universal ID Type | | | |
| ORC-7.11 | | | Occurrence Duration | | | |
| ORC-7.11.1 | | | Identifier | | | |
| ORC-7.11.2 | | | Text | | | |
| ORC-7.11.3 | | | Name of Coding System | | | |
| ORC-7.11.4 | | | Alternate Identifier | | | |
| ORC-7.11.5 | | | Alternate Text | | | |
| ORC-7.11.6 | | | Name of Alternate Coding System | | | |
| ORC-7.12 | | | Total Occurrences | | | |
| ORC-8 | | | Parent | | | |
| ORC-8.1 | | | Placer Assigned Identifier | | | |
| ORC-8.1.1 | | | Entity Identifier | | | |
| ORC-8.1.2 | | | Namespace ID | | | |
| ORC-8.1.3 | | | Universal ID | | | |
| ORC-8.1.4 | | | Universal ID Type | | | |
| ORC-8.2 | | | Filler Assigned Identifier | | | |
| ORC-8.2.1 | | | Entity Identifier | | | |
| ORC-8.2.2 | | | Namespace ID | | | |
| ORC-8.2.3 | | | Universal ID | | | |
| ORC-8.2.4 | | | Universal ID Type | | | |
| ORC-9 | | | Date/Time of Transaction | | | |
| ORC-9.1 | | | Time | | | |

| ORC-10 Location | Data Element | Data | Categorization |
|-----------------|--|-------|----------------|
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | Clerk | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | |
| ORC-10.3 | Given Name | Myron | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |
| ORC-10.9 | Assigning Authority | | |
| ORC-10.9.1 | Namespace ID | | |
| ORC-10.9.2 | Universal ID | | |
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | | |
| ORC-10.11 | Identifier Check Digit | | |
| ORC-10.12 | Check Digit Scheme | | |
| ORC-10.13 | Identifier Type Code | | |
| ORC-10.14 | Assigning Facility | | |
| ORC-10.14.1 | Namespace ID | | |
| ORC-10.14.2 | Universal ID | | |
| ORC-10.14.3 | Universal ID Type | | |
| ORC-10.15 | Name Representation Code | | |
| ORC-10.16 | Name Context | | |
| ORC-10.16.1 | Identifier | | |
| ORC-10.16.2 | Text | | |
| ORC-10.16.3 | Name of Coding System | | |
| ORC-10.16.4 | Alternate Identifier | | |
| ORC-10.16.5 | Alternate Text | | |
| ORC-10.16.6 | Name of Alternate Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |

| ORCID iD Location | Data Element Precision | Data | Categorization |
|-------------------|--|------|----------------|
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| ORC-11.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |

| ORC-Location | Degree Element | Data | Categorization |
|--------------|---------------------------------|------|----------------|
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| | Alternate Coding | | |

| ORC-11.22.8 | System Version ID | Data | Categorization |
|---------------|--|------|----------------|
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |
| ORC-11.23.6 | Name of Alternate Coding System | | |
| ORC-11.23.7 | Coding System Version ID | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | |
| ORC-11.23.9 | Original Text | | |
| ORC-12 | Ordering Provider | | |
| ORC-12.1 | ID Number | | |
| ORC-12.2 | Family Name | | |
| ORC-12.2.1 | Surname | | |
| ORC-12.2.2 | Own Surname Prefix | | |
| ORC-12.2.3 | Own Surname | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | |
| ORC-12.3 | Given Name | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-12.5 | Suffix (e.g., JR or III) | | |
| ORC-12.6 | Prefix (e.g., DR) | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |
| ORC-12.10 | Name Type Code | | |
| ORC-12.11 | Identifier Check Digit | | |
| ORC-12.12 | Check Digit Scheme | | |
| ORC-12.13 | Identifier Type Code | | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |

| Location | Name Context Identifier | Data Element | Data | Categorization |
|-----------|-------------------------|------------------------------------|------|----------------|
| ORC-12.16 | ORC-12.16.1 | Text | | |
| | ORC-12.16.2 | Text | | |
| | ORC-12.16.3 | Name of Coding System | | |
| | ORC-12.16.4 | Alternate Identifier | | |
| | ORC-12.16.5 | Alternate Text | | |
| | ORC-12.16.6 | Name of Alternate Coding System | | |
| | ORC-12.17 | Name Validity Range | | |
| | ORC-12.17.1 | Range Start Date/Time | | |
| | ORC-12.17.2 | Range End Date/Time | | |
| | ORC-12.18 | Name Assembly Order | | |
| | ORC-12.19 | Effective Date | | |
| | ORC-12.19.1 | Time | | |
| | ORC-12.19.2 | Degree of Precision | | |
| | ORC-12.20 | Expiration Date | | |
| | ORC-12.20.1 | Time | | |
| | ORC-12.20.2 | Degree of Precision | | |
| | ORC-12.21 | Professional Suffix | | |
| | ORC-12.22 | Assigning Jurisdiction | | |
| | ORC-12.22.1 | Identifier | | |
| | ORC-12.22.2 | Text | | |
| | ORC-12.22.3 | Name of Coding System | | |
| | ORC-12.22.4 | Alternate Identifier | | |
| | ORC-12.22.5 | Alternate Text | | |
| | ORC-12.22.6 | Name of Alternate Coding System | | |
| | ORC-12.22.7 | Coding System Version ID | | |
| | ORC-12.22.8 | Alternate Coding System Version ID | | |
| | ORC-12.22.9 | Original Text | | |
| | ORC-12.23 | Assigning Agency or Department | | |
| | ORC-12.23.1 | Identifier | | |
| | ORC-12.23.2 | Text | | |
| | ORC-12.23.3 | Name of Coding System | | |
| | ORC-12.23.4 | Alternate Identifier | | |
| | ORC-12.23.5 | Alternate Text | | |
| | ORC-12.23.6 | Name of Alternate Coding System | | |
| | ORC-12.23.7 | Coding System Version ID | | |
| | ORC-12.23.8 | Alternate Coding System Version ID | | |
| | ORC-12.23.9 | Original Text | | |

| ORC-13 | Location | Entity Location | Data | Categorization |
|---------------|-----------------|-----------------------------------|-------------|-----------------------|
| | ORC-13.1 | Point of Care | | |
| | ORC-13.2 | Room | | |
| | ORC-13.3 | Bed | | |
| | ORC-13.4 | Facility | | |
| | ORC-13.4.1 | Namespace ID | | |
| | ORC-13.4.2 | Universal ID | | |
| | ORC-13.4.3 | Universal ID Type | | |
| | ORC-13.5 | Location Status | | |
| | ORC-13.6 | Person Location Type | | |
| | ORC-13.7 | Building | | |
| | ORC-13.8 | Floor | | |
| | ORC-13.9 | Location Description | | |
| | ORC-13.10 | Comprehensive Location Identifier | | |
| | ORC-13.10.1 | Entity Identifier | | |
| | ORC-13.10.2 | Namespace ID | | |
| | ORC-13.10.3 | Universal ID | | |
| | ORC-13.10.4 | Universal ID Type | | |
| | ORC-13.11 | Assigning Authority for Location | | |
| | ORC-13.11.1 | Namespace ID | | |
| | ORC-13.11.2 | Universal ID | | |
| | ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | | Call Back Phone Number | | |
| | ORC-14.1 | Telephone Number | | |
| | ORC-14.2 | Telecommunication Use Code | | |
| | ORC-14.3 | Telecommunication Equipment Type | | |
| | ORC-14.4 | Email Address | | |
| | ORC-14.5 | Country Code | | |
| | ORC-14.6 | Area/City Code | | |
| | ORC-14.7 | Local Number | | |
| | ORC-14.8 | Extension | | |
| | ORC-14.9 | Any Text | | |
| | ORC-14.10 | Extension Prefix | | |
| | ORC-14.11 | Speed Dial Code | | |
| | ORC-14.12 | Unformatted Telephone number | | |
| ORC-15 | | Order Effective Date/Time | | |
| | ORC-15.1 | Time | | |
| | ORC-15.2 | Degree of Precision | | |
| ORC-16 | | Order Control Code Reason | | |
| | ORC-16.1 | Identifier | | |
| | ORC-16.2 | Text | | |

| ORC-16.3 Location | Name of Coding System | Data Element | Data | Categorization |
|-------------------|--|-----------------------|------|----------------|
| ORC-16.4 | Alternate Identifier | | | |
| ORC-16.5 | Alternate Text | | | |
| ORC-16.6 | Name of Alternate Coding System | | | |
| ORC-17 | Entering Organization | | | |
| ORC-17.1 | Identifier | DCS | | |
| ORC-17.2 | Text | Dabig Clinical System | | |
| ORC-17.3 | Name of Coding System | StateIIS | | |
| ORC-17.4 | Alternate Identifier | | | |
| ORC-17.5 | Alternate Text | | | |
| ORC-17.6 | Name of Alternate Coding System | | | |
| ORC-18 | Entering Device | | | |
| ORC-18.1 | Identifier | | | |
| ORC-18.2 | Text | | | |
| ORC-18.3 | Name of Coding System | | | |
| ORC-18.4 | Alternate Identifier | | | |
| ORC-18.5 | Alternate Text | | | |
| ORC-18.6 | Name of Alternate Coding System | | | |
| ORC-19 | Action By | | | |
| ORC-19.1 | ID Number | | | |
| ORC-19.2 | Family Name | | | |
| ORC-19.2.1 | Surname | | | |
| ORC-19.2.2 | Own Surname Prefix | | | |
| ORC-19.2.3 | Own Surname | | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | | |
| ORC-19.3 | Given Name | | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | | |
| ORC-19.6 | Prefix (e.g., DR) | | | |
| ORC-19.7 | Degree (e.g., MD) | | | |
| ORC-19.8 | Source Table | | | |
| ORC-19.9 | Assigning Authority | | | |
| ORC-19.9.1 | Namespace ID | | | |
| ORC-19.9.2 | Universal ID | | | |
| ORC-19.9.3 | Universal ID Type | | | |
| ORC-19.10 | Name Type Code | | | |
| ORC-19.11 | Identifier Check Digit | | | |
| ORC-19.12 | Check Digit Scheme | | | |
| ORC-19.13 | Identifier Type Code | | | |

| ORC-19.14 | Assigning Facility | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| ORC-19.22.3 | Name of Coding System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |

| Location | Name Of Alternate Data Element | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.23.6 | Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| | | | |

| Location | Address Element | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| ORC-22.8 | Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| ORC-23.9 | Any Text | | |
| ORC-23.10 | Extension Prefix | | |
| ORC-23.11 | Speed Dial Code | | |
| ORC-23.12 | Unformatted Telephone number | | |
| ORC-24 | Ordering Provider Address | | |
| ORC-24.1 | Street Address | | |
| ORC-24.1.1 | Street or Mailing Address | | |
| ORC-24.1.2 | Street Name | | |
| ORC-24.1.3 | Dwelling Number | | |
| ORC-24.2 | Other Designation | | |
| ORC-24.3 | City | | |
| ORC-24.4 | State or Province | | |
| ORC-24.5 | Zip or Postal Code | | |
| ORC-24.6 | Country | | |
| ORC-24.7 | Address Type | | |
| ORC-24.8 | Other Geographic Designation | | |

| ORC-24.9 | Location | County/Parish Code | Data | Categorization |
|---------------|--|--------------------|------|----------------|
| ORC-24.10 | Census Tract | | | |
| ORC-24.11 | Address Representation Code | | | |
| ORC-24.12 | Address Validity Range | | | |
| ORC-24.12.1 | Range Start Date/Time | | | |
| ORC-24.12.2 | Range End Date/Time | | | |
| ORC-24.13 | Effective Date | | | |
| ORC-24.13.1 | Time | | | |
| ORC-24.13.2 | Degree of Precision | | | |
| ORC-24.14 | Expiration Date | | | |
| ORC-24.14.1 | Time | | | |
| ORC-24.14.2 | Degree of Precision | | | |
| ORC-25 | Order Status Modifier | | | |
| ORC-25.1 | Identifier | | | |
| ORC-25.2 | Text | | | |
| ORC-25.3 | Name of Coding System | | | |
| ORC-25.4 | Alternate Identifier | | | |
| ORC-25.5 | Alternate Text | | | |
| ORC-25.6 | Name of Alternate Coding System | | | |
| ORC-25.7 | Coding System Version ID | | | |
| ORC-25.8 | Alternate Coding System Version ID | | | |
| ORC-25.9 | Original Text | | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | | |
| ORC-26.1 | Identifier | | | |
| ORC-26.2 | Text | | | |
| ORC-26.3 | Name of Coding System | | | |
| ORC-26.4 | Alternate Identifier | | | |
| ORC-26.5 | Alternate Text | | | |
| ORC-26.6 | Name of Alternate Coding System | | | |
| ORC-26.7 | Coding System Version ID | | | |
| ORC-26.8 | Alternate Coding System Version ID | | | |
| ORC-26.9 | Original Text | | | |
| ORC-27 | Filler's Expected Availability Date/Time | | | |
| ORC-27.1 | Time | | | |
| ORC-27.2 | Degree of Precision | | | |
| | | | | |

| ORC-28 | Location | Confidentiality Code | Data | Categorization |
|---------------|--|-----------------------------|-------------|-----------------------|
| ORC-28.1 | Identifier | | | |
| ORC-28.2 | Text | | | |
| ORC-28.3 | Name of Coding System | | | |
| ORC-28.4 | Alternate Identifier | | | |
| ORC-28.5 | Alternate Text | | | |
| ORC-28.6 | Name of Alternate Coding System | | | |
| ORC-28.7 | Coding System Version ID | | | |
| ORC-28.8 | Alternate Coding System Version ID | | | |
| ORC-28.9 | Original Text | | | |
| ORC-29 | Order Type | | | |
| ORC-29.1 | Identifier | | | |
| ORC-29.2 | Text | | | |
| ORC-29.3 | Name of Coding System | | | |
| ORC-29.4 | Alternate Identifier | | | |
| ORC-29.5 | Alternate Text | | | |
| ORC-29.6 | Name of Alternate Coding System | | | |
| ORC-29.7 | Coding System Version ID | | | |
| ORC-29.8 | Alternate Coding System Version ID | | | |
| ORC-29.9 | Original Text | | | |
| ORC-30 | Enterer Authorization Mode | | | |
| ORC-30.1 | Identifier | | | |
| ORC-30.2 | Text | | | |
| ORC-30.3 | Name of Coding System | | | |
| ORC-30.4 | Alternate Identifier | | | |
| ORC-30.5 | Alternate Text | | | |
| ORC-30.6 | Name of Alternate Coding System | | | |
| ORC-30.7 | Coding System Version ID | | | |
| ORC-30.8 | Alternate Coding System Version ID | | | |
| ORC-30.9 | Original Text | | | |
| ORC-31 | Parent Universal Service Identifier | | | |
| ORC-31.1 | Identifier | | | |
| ORC-31.2 | Text | | | |
| ORC-31.3 | Name of Coding System | | | |
| ORC-31.4 | Alternate Identifier | | | |
| ORC-31.5 | Alternate Text | | | |

| ORC-Location | Name of Alternate Coding System | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|--------------------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 20101015 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 20101015 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 141 | |
| RXA-5.2 | Text | influenza seasonal | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |
| RXA-7 | Administered Units | | |
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage Form | | |
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |
| RXA-8.6 | Name of Alternate Coding System | | |

| RXA-9 Location | Administration Notes | Data | Categorization |
|----------------|--|-------------------|----------------|
| RXA-9.1 | Identifier | 01 | |
| RXA-9.2 | Text | historical record | |
| RXA-9.3 | Name of Coding System | NIP001 | |
| RXA-9.4 | Alternate Identifier | | |
| RXA-9.5 | Alternate Text | | |
| RXA-9.6 | Name of Alternate Coding System | | |
| RXA-10 | Administering Provider | | |
| RXA-10.1 | ID Number | | |
| RXA-10.2 | Family Name | | |
| RXA-10.2.1 | Surname | | |
| RXA-10.2.2 | Own Surname Prefix | | |
| RXA-10.2.3 | Own Surname | | |
| RXA-10.2.4 | Surname Prefix From Partner/Spouse | | |
| RXA-10.2.5 | Surname From Partner/Spouse | | |
| RXA-10.3 | Given Name | | |
| RXA-10.4 | Second and Further Given Names or Initials Thereof | | |
| RXA-10.5 | Suffix (e.g., JR or III) | | |
| RXA-10.6 | Prefix (e.g., DR) | | |
| RXA-10.7 | Degree (e.g., MD) | | |
| RXA-10.8 | Source Table | | |
| RXA-10.9 | Assigning Authority | | |
| RXA-10.9.1 | Namespace ID | | |
| RXA-10.9.2 | Universal ID | | |
| RXA-10.9.3 | Universal ID Type | | |
| RXA-10.10 | Name Type Code | | |
| RXA-10.11 | Identifier Check Digit | | |
| RXA-10.12 | Check Digit Scheme | | |
| RXA-10.13 | Identifier Type Code | | |
| RXA-10.14 | Assigning Facility | | |
| RXA-10.14.1 | Namespace ID | | |
| RXA-10.14.2 | Universal ID | | |
| RXA-10.14.3 | Universal ID Type | | |
| RXA-10.15 | Name Representation Code | | |
| RXA-10.16 | Name Context | | |
| RXA-10.16.1 | Identifier | | |
| RXA-10.16.2 | Text | | |
| RXA-10.16.3 | Name of Coding System | | |
| RXA-10.16.4 | Alternate Identifier | | |
| RXA-10.16.5 | Alternate Text | | |
| | Name of Alternate | | |

| RXA-10.16.6 Location | Coding System Data Element | Data | Categorization |
|-------------------------|---------------------------------------|------|----------------|
| RXA-10.17 | Name Validity Range | | |
| RXA-10.17.1 | Range Start Date/Time | | |
| RXA-10.17.2 | Range End Date/Time | | |
| RXA-10.18 | Name Assembly Order | | |
| RXA-10.19 | Effective Date | | |
| RXA-10.19.1 | Time | | |
| RXA-10.19.2 | Degree of Precision | | |
| RXA-10.20 | Expiration Date | | |
| RXA-10.20.1 | Time | | |
| RXA-10.20.2 | Degree of Precision | | |
| RXA-10.21 | Professional Suffix | | |
| RXA-10.22 | Assigning Jurisdiction | | |
| RXA-10.22.1 | Identifier | | |
| RXA-10.22.2 | Text | | |
| RXA-10.22.3 | Name of Coding System | | |
| RXA-10.22.4 | Alternate Identifier | | |
| RXA-10.22.5 | Alternate Text | | |
| RXA-10.22.6 | Name of Alternate Coding System | | |
| RXA-10.22.7 | Coding System Version ID | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | |
| RXA-10.22.9 | Original Text | | |
| RXA-10.23 | Assigning Agency or Department | | |
| RXA-10.23.1 | Identifier | | |
| RXA-10.23.2 | Text | | |
| RXA-10.23.3 | Name of Coding System | | |
| RXA-10.23.4 | Alternate Identifier | | |
| RXA-10.23.5 | Alternate Text | | |
| RXA-10.23.6 | Name of Alternate Coding System | | |
| RXA-10.23.7 | Coding System Version ID | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |

| RXA-11.4.2 Location | Universal ID | Data Element | Data | Categorization |
|--------------------------------|---|---------------------|-------------|-----------------------|
| RXA-11.4.3 | Universal ID Type | | | |
| RXA-11.5 | Location Status | | | |
| RXA-11.6 | Patient Location Type | | | |
| RXA-11.7 | Building | | | |
| RXA-11.8 | Floor | | | |
| RXA-11.9 | Street Address | | | |
| RXA-11.10 | Other Designation | | | |
| RXA-11.11 | City | | | |
| RXA-11.12 | State or Province | | | |
| RXA-11.13 | Zip or Postal Code | | | |
| RXA-11.14 | Country | | | |
| RXA-11.15 | Address Type | | | |
| RXA-11.16 | Other Geographic Designation | | | |
| RXA-12 | Administered Per (Time Unit) | | | |
| RXA-13 | Administered Strength | | | |
| RXA-14 | Administered Strength Units | | | |
| RXA-14.1 | Identifier | | | |
| RXA-14.2 | Text | | | |
| RXA-14.3 | Name of Coding System | | | |
| RXA-14.4 | Alternate Identifier | | | |
| RXA-14.5 | Alternate Text | | | |
| RXA-14.6 | Name of Alternate Coding System | | | |
| RXA-15 | Substance Lot Number | | | |
| RXA-16 | Substance Expiration Date | | | |
| RXA-16.1 | Time | | | |
| RXA-16.2 | Degree of Precision | | | |
| RXA-17 | Substance Manufacturer Name | | | |
| RXA-17.1 | Identifier | | | |
| RXA-17.2 | Text | | | |
| RXA-17.3 | Name of Coding System | | | |
| RXA-17.4 | Alternate Identifier | | | |
| RXA-17.5 | Alternate Text | | | |
| RXA-17.6 | Name of Alternate Coding System | | | |
| RXA-18 | Substance/Treatment Refusal Reason | | | |
| RXA-18.1 | Identifier | | | |
| RXA-18.2 | Text | | | |
| RXA-18.3 | Name of Coding System | | | |
| | | | | |

| RXA-18.4 | Location | Alternate Identifier | Data | Categorization |
|-----------------|-----------------|--|-------------|-----------------------|
| RXA-18.5 | | Alternate Text | | |
| RXA-18.6 | | Name of Alternate Coding System | | |
| RXA-19 | | Indication | | |
| RXA-19.1 | | Identifier | | |
| RXA-19.2 | | Text | | |
| RXA-19.3 | | Name of Coding System | | |
| RXA-19.4 | | Alternate Identifier | | |
| RXA-19.5 | | Alternate Text | | |
| RXA-19.6 | | Name of Alternate Coding System | | |
| RXA-20 | | Completion Status | CP | |
| RXA-21 | | Action Code - RXA | | |
| RXA-22 | | System Entry Date/Time | | |
| RXA-22.1 | | Time | | |
| RXA-22.2 | | Degree of Precision | | |
| RXA-23 | | Administered Drug Strength Volume | | |
| RXA-24 | | Administered Drug Strength Volume Units | | |
| RXA-24.1 | | Identifier | | |
| RXA-24.2 | | Text | | |
| RXA-24.3 | | Name of Coding System | | |
| RXA-24.4 | | Alternate Identifier | | |
| RXA-24.5 | | Alternate Text | | |
| RXA-24.6 | | Name of Alternate Coding System | | |
| RXA-24.7 | | Coding System Version ID | | |
| RXA-24.8 | | Alternate Coding System Version ID | | |
| RXA-24.9 | | Original Text | | |
| RXA-25 | | Administered Barcode Identifier | | |
| RXA-25.1 | | Identifier | | |
| RXA-25.2 | | Text | | |
| RXA-25.3 | | Name of Coding System | | |
| RXA-25.4 | | Alternate Identifier | | |
| RXA-25.5 | | Alternate Text | | |
| RXA-25.6 | | Name of Alternate Coding System | | |
| RXA-25.7 | | Coding System Version ID | | |
| RXA-25.8 | | Alternate Coding System Version ID | | |
| RXA-25.9 | | Original Text | | |
| | | | | |

| RXA-26 | Location | Pharmacy Order Type | Data Element | Data | Categorization |
|---------------|-----------------|----------------------------|---------------------|-------------|-----------------------|
|---------------|-----------------|----------------------------|---------------------|-------------|-----------------------|

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|-----------------|---|---------------|-----------------------|
| OBX-1 | Set ID - OBX | 30 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 16 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 88 | |
| OBX-5.2 | Text | influenza NOS | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |

| OBX-14.1 | Location | Data Element | Data | Categorization |
|---------------|----------|--|------|----------------|
| OBX-14.2 | | Degree of Precision | | |
| OBX-15 | | Producer's Reference | | |
| OBX-15.1 | | Identifier | | |
| OBX-15.2 | | Text | | |
| OBX-15.3 | | Name of Coding System | | |
| OBX-15.4 | | Alternate Identifier | | |
| OBX-15.5 | | Alternate Text | | |
| OBX-15.6 | | Name of Alternate Coding System | | |
| OBX-16 | | Responsible Observer | | |
| OBX-16.1 | | ID Number | | |
| OBX-16.2 | | Family Name | | |
| OBX-16.2.1 | | Surname | | |
| OBX-16.2.2 | | Own Surname Prefix | | |
| OBX-16.2.3 | | Own Surname | | |
| OBX-16.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | | Surname From Partner/Spouse | | |
| OBX-16.3 | | Given Name | | |
| OBX-16.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | | Suffix (e.g., JR or III) | | |
| OBX-16.6 | | Prefix (e.g., DR) | | |
| OBX-16.7 | | Degree (e.g., MD) | | |
| OBX-16.8 | | Source Table | | |
| OBX-16.9 | | Assigning Authority | | |
| OBX-16.9.1 | | Namespace ID | | |
| OBX-16.9.2 | | Universal ID | | |
| OBX-16.9.3 | | Universal ID Type | | |
| OBX-16.10 | | Name Type Code | | |
| OBX-16.11 | | Identifier Check Digit | | |
| OBX-16.12 | | Check Digit Scheme | | |
| OBX-16.13 | | Identifier Type Code | | |
| OBX-16.14 | | Assigning Facility | | |
| OBX-16.14.1 | | Namespace ID | | |
| OBX-16.14.2 | | Universal ID | | |
| OBX-16.14.3 | | Universal ID Type | | |
| OBX-16.15 | | Name Representation Code | | |
| OBX-16.16 | | Name Context | | |
| OBX-16.16.1 | | Identifier | | |
| OBX-16.16.2 | | Text | | |
| OBX-16.16.3 | | Name of Coding System | | |
| OBX-16.16.4 | | Alternate Identifier | | |
| OBX-16.16.5 | | Alternate Text | | |

| Location | Data Element Name | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| OBX-16.16.6 | Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |

| OBX-17.5 Location | Alternate Coding System | Data Element | Data | Categorization |
|----------------------|---|--------------|------|----------------|
| OBX-17.6 | Name of Alternate Coding System | | | |
| OBX-18 | Equipment Instance Identifier | | | |
| OBX-18.1 | Entity Identifier | | | |
| OBX-18.2 | Namespace ID | | | |
| OBX-18.3 | Universal ID | | | |
| OBX-18.4 | Universal ID Type | | | |
| OBX-19 | Date/Time of the Analysis | | | |
| OBX-19.1 | Time | | | |
| OBX-19.2 | Degree of Precision | | | |
| OBX-20 | Reserved for harmonization with V2.6 | | | |
| OBX-21 | Reserved for harmonization with V2.6 | | | |
| OBX-22 | Reserved for harmonization with V2.6 | | | |
| OBX-23 | Performing Organization Name | | | |
| OBX-23.1 | Organization Name | | | |
| OBX-23.2 | Organization Name Type Code | | | |
| OBX-23.3 | ID Number | | | |
| OBX-23.4 | Check Digit | | | |
| OBX-23.5 | Check Digit Scheme | | | |
| OBX-23.6 | Assigning Authority | | | |
| OBX-23.6.1 | Namespace ID | | | |
| OBX-23.6.2 | Universal ID | | | |
| OBX-23.6.3 | Universal ID Type | | | |
| OBX-23.7 | Identifier Type Code | | | |
| OBX-23.8 | Assigning Facility | | | |
| OBX-23.8.1 | Namespace ID | | | |
| OBX-23.8.2 | Universal ID | | | |
| OBX-23.8.3 | Universal ID Type | | | |
| OBX-23.9 | Name Representation Code | | | |
| OBX-23.10 | Organization Identifier | | | |
| OBX-24 | Performing Organization Address | | | |
| OBX-24.1 | Street Address | | | |
| OBX-24.1.1 | Street or Mailing Address | | | |
| OBX-24.1.2 | Street Name | | | |
| OBX-24.1.3 | Dwelling Number | | | |
| OBX-24.2 | Other Designation | | | |

| OBX-24.3 | Location | Data Element | Data | Categorization |
|---------------|----------|--|------|----------------|
| OBX-24.4 | | State or Province | | |
| OBX-24.5 | | Zip or Postal Code | | |
| OBX-24.6 | | Country | | |
| OBX-24.7 | | Address Type | | |
| OBX-24.8 | | Other Geographic Designation | | |
| OBX-24.9 | | County/Parish Code | | |
| OBX-24.10 | | Census Tract | | |
| OBX-24.11 | | Address Representation Code | | |
| OBX-24.12 | | Address Validity Range | | |
| OBX-24.12.1 | | Range Start Date/Time | | |
| OBX-24.12.2 | | Range End Date/Time | | |
| OBX-24.13 | | Effective Date | | |
| OBX-24.13.1 | | Time | | |
| OBX-24.13.2 | | Degree of Precision | | |
| OBX-24.14 | | Expiration Date | | |
| OBX-24.14.1 | | Time | | |
| OBX-24.14.2 | | Degree of Precision | | |
| OBX-25 | | Performing Organization Medical Director | | |
| OBX-25.1 | | ID Number | | |
| OBX-25.2 | | Family Name | | |
| OBX-25.2.1 | | Surname | | |
| OBX-25.2.2 | | Own Surname Prefix | | |
| OBX-25.2.3 | | Own Surname | | |
| OBX-25.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | | Surname From Partner/Spouse | | |
| OBX-25.3 | | Given Name | | |
| OBX-25.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | | Suffix (e.g., JR or III) | | |
| OBX-25.6 | | Prefix (e.g., DR) | | |
| OBX-25.7 | | Degree (e.g., MD) | | |
| OBX-25.8 | | Source Table | | |
| OBX-25.9 | | Assigning Authority | | |
| OBX-25.9.1 | | Namespace ID | | |
| OBX-25.9.2 | | Universal ID | | |
| OBX-25.9.3 | | Universal ID Type | | |
| OBX-25.10 | | Name Type Code | | |
| OBX-25.11 | | Identifier Check Digit | | |
| OBX-25.12 | | Check Digit Scheme | | |

| OBX-Location | Identifier Code | Data Element | Data | Categorization |
|--------------|-----------------|------------------------------------|------|----------------|
| OBX-25.13 | OBX-25.14 | Assigning Facility | | |
| | OBX-25.14.1 | Namespace ID | | |
| | OBX-25.14.2 | Universal ID | | |
| | OBX-25.14.3 | Universal ID Type | | |
| | OBX-25.15 | Name Representation Code | | |
| | OBX-25.16 | Name Context | | |
| | OBX-25.16.1 | Identifier | | |
| | OBX-25.16.2 | Text | | |
| | OBX-25.16.3 | Name of Coding System | | |
| | OBX-25.16.4 | Alternate Identifier | | |
| | OBX-25.16.5 | Alternate Text | | |
| | OBX-25.16.6 | Name of Alternate Coding System | | |
| | OBX-25.17 | Name Validity Range | | |
| | OBX-25.17.1 | Range Start Date/Time | | |
| | OBX-25.17.2 | Range End Date/Time | | |
| | OBX-25.18 | Name Assembly Order | | |
| | OBX-25.19 | Effective Date | | |
| | OBX-25.19.1 | Time | | |
| | OBX-25.19.2 | Degree of Precision | | |
| | OBX-25.20 | Expiration Date | | |
| | OBX-25.20.1 | Time | | |
| | OBX-25.20.2 | Degree of Precision | | |
| | OBX-25.21 | Professional Suffix | | |
| | OBX-25.22 | Assigning Jurisdiction | | |
| | OBX-25.22.1 | Identifier | | |
| | OBX-25.22.2 | Text | | |
| | OBX-25.22.3 | Name of Coding System | | |
| | OBX-25.22.4 | Alternate Identifier | | |
| | OBX-25.22.5 | Alternate Text | | |
| | OBX-25.22.6 | Name of Alternate Coding System | | |
| | OBX-25.22.7 | Coding System Version ID | | |
| | OBX-25.22.8 | Alternate Coding System Version ID | | |
| | OBX-25.22.9 | Original Text | | |
| | OBX-25.23 | Assigning Agency or Department | | |
| | OBX-25.23.1 | Identifier | | |
| | OBX-25.23.2 | Text | | |
| | OBX-25.23.3 | Name of Coding System | | |
| | OBX-25.23.4 | Alternate Identifier | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|---------------|----------------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 31 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 16 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| | Effective Date of | | |

| OBX-12 | Location | Reference Range | Data Element | Data | Categorization |
|--------|-------------|--|--------------|------|----------------|
| | | | Values | | |
| | OBX-12.1 | Time | | | |
| | OBX-12.2 | Degree of Precision | | | |
| OBX-13 | | User Defined Access Checks | | | |
| OBX-14 | | Date/Time of the Observation | | | |
| | OBX-14.1 | Time | 20150531 | | |
| | OBX-14.2 | Degree of Precision | | | |
| OBX-15 | | Producer's Reference | | | |
| | OBX-15.1 | Identifier | | | |
| | OBX-15.2 | Text | | | |
| | OBX-15.3 | Name of Coding System | | | |
| | OBX-15.4 | Alternate Identifier | | | |
| | OBX-15.5 | Alternate Text | | | |
| | OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | | Responsible Observer | | | |
| | OBX-16.1 | ID Number | | | |
| | OBX-16.2 | Family Name | | | |
| | OBX-16.2.1 | Surname | | | |
| | OBX-16.2.2 | Own Surname Prefix | | | |
| | OBX-16.2.3 | Own Surname | | | |
| | OBX-16.2.4 | Surname Prefix From Partner/Spouse | | | |
| | OBX-16.2.5 | Surname From Partner/Spouse | | | |
| | OBX-16.3 | Given Name | | | |
| | OBX-16.4 | Second and Further Given Names or Initials Thereof | | | |
| | OBX-16.5 | Suffix (e.g., JR or III) | | | |
| | OBX-16.6 | Prefix (e.g., DR) | | | |
| | OBX-16.7 | Degree (e.g., MD) | | | |
| | OBX-16.8 | Source Table | | | |
| | OBX-16.9 | Assigning Authority | | | |
| | OBX-16.9.1 | Namespace ID | | | |
| | OBX-16.9.2 | Universal ID | | | |
| | OBX-16.9.3 | Universal ID Type | | | |
| | OBX-16.10 | Name Type Code | | | |
| | OBX-16.11 | Identifier Check Digit | | | |
| | OBX-16.12 | Check Digit Scheme | | | |
| | OBX-16.13 | Identifier Type Code | | | |
| | OBX-16.14 | Assigning Facility | | | |
| | OBX-16.14.1 | Namespace ID | | | |
| | OBX-16.14.2 | Universal ID | | | |
| | OBX-16.14.3 | Universal ID Type | | | |
| | | Name Representation | | | |

| OBX-Location | Code Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.15 | Name Context | | |
| OBX-16.16 | Identifier | | |
| OBX-16.16.1 | Text | | |
| OBX-16.16.2 | Name of Coding System | | |
| OBX-16.16.3 | Alternate Identifier | | |
| OBX-16.16.4 | Alternate Text | | |
| OBX-16.16.5 | Name of Alternate Coding System | | |
| OBX-16.16.6 | Name Validity Range | | |
| OBX-16.17 | Range Start Date/Time | | |
| OBX-16.17.1 | Range End Date/Time | | |
| OBX-16.17.2 | Name Assembly Order | | |
| OBX-16.18 | Effective Date | | |
| OBX-16.19 | Time | | |
| OBX-16.19.1 | Degree of Precision | | |
| OBX-16.19.2 | Expiration Date | | |
| OBX-16.20 | Time | | |
| OBX-16.20.1 | Degree of Precision | | |
| OBX-16.20.2 | Professional Suffix | | |
| OBX-16.21 | Assigning Jurisdiction | | |
| OBX-16.22 | Identifier | | |
| OBX-16.22.1 | Text | | |
| OBX-16.22.2 | Name of Coding System | | |
| OBX-16.22.3 | Alternate Identifier | | |
| OBX-16.22.4 | Alternate Text | | |
| OBX-16.22.5 | Name of Alternate Coding System | | |
| OBX-16.22.6 | Coding System Version ID | | |
| OBX-16.22.7 | Alternate Coding System Version ID | | |
| OBX-16.22.8 | Original Text | | |
| OBX-16.22.9 | Assigning Agency or Department | | |
| OBX-16.23 | Identifier | | |
| OBX-16.23.1 | Text | | |
| OBX-16.23.2 | Name of Coding System | | |
| OBX-16.23.3 | Alternate Identifier | | |
| OBX-16.23.4 | Alternate Text | | |
| OBX-16.23.5 | Name of Alternate Coding System | | |
| OBX-16.23.6 | Coding System Version ID | | |
| OBX-16.23.7 | Alternate Coding | | |

| OBX-16.23.8 Location | System Version ID Data Element | Data | Categorization |
|-------------------------|---|------|----------------|
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| | | | |

| OBX-24 | Location | Performing Organization | Data | Categorization |
|---------------|-------------|--|------|----------------|
| | | Organization Address | | |
| | OBX-24.1 | Street Address | | |
| | OBX-24.1.1 | Street or Mailing Address | | |
| | OBX-24.1.2 | Street Name | | |
| | OBX-24.1.3 | Dwelling Number | | |
| | OBX-24.2 | Other Designation | | |
| | OBX-24.3 | City | | |
| | OBX-24.4 | State or Province | | |
| | OBX-24.5 | Zip or Postal Code | | |
| | OBX-24.6 | Country | | |
| | OBX-24.7 | Address Type | | |
| | OBX-24.8 | Other Geographic Designation | | |
| | OBX-24.9 | County/Parish Code | | |
| | OBX-24.10 | Census Tract | | |
| | OBX-24.11 | Address Representation Code | | |
| | OBX-24.12 | Address Validity Range | | |
| | OBX-24.12.1 | Range Start Date/Time | | |
| | OBX-24.12.2 | Range End Date/Time | | |
| | OBX-24.13 | Effective Date | | |
| | OBX-24.13.1 | Time | | |
| | OBX-24.13.2 | Degree of Precision | | |
| | OBX-24.14 | Expiration Date | | |
| | OBX-24.14.1 | Time | | |
| | OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | | Performing Organization Medical Director | | |
| | OBX-25.1 | ID Number | | |
| | OBX-25.2 | Family Name | | |
| | OBX-25.2.1 | Surname | | |
| | OBX-25.2.2 | Own Surname Prefix | | |
| | OBX-25.2.3 | Own Surname | | |
| | OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| | OBX-25.2.5 | Surname From Partner/Spouse | | |
| | OBX-25.3 | Given Name | | |
| | OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| | OBX-25.5 | Suffix (e.g., JR or III) | | |
| | OBX-25.6 | Prefix (e.g., DR) | | |
| | OBX-25.7 | Degree (e.g., MD) | | |
| | | | | |

| OBX-Location | Source Table Name | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.8 | Assigning Authority | | |
| OBX-25.9 | | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|---------------|----------------------------------|---------------|----------------|
| OBX-1 | Set ID - OBX | 32 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 16 | |
| OBX-5 | Observation Value | Y | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| | Effective Date of | | |

| OBX-12 | Location | Reference Range | Data Element | Data | Categorization |
|--------|-------------|--|--------------|------|----------------|
| | | | Values | | |
| | OBX-12.1 | Time | | | |
| | OBX-12.2 | Degree of Precision | | | |
| OBX-13 | | User Defined Access Checks | | | |
| OBX-14 | | Date/Time of the Observation | | | |
| | OBX-14.1 | Time | 20150531 | | |
| | OBX-14.2 | Degree of Precision | | | |
| OBX-15 | | Producer's Reference | | | |
| | OBX-15.1 | Identifier | | | |
| | OBX-15.2 | Text | | | |
| | OBX-15.3 | Name of Coding System | | | |
| | OBX-15.4 | Alternate Identifier | | | |
| | OBX-15.5 | Alternate Text | | | |
| | OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | | Responsible Observer | | | |
| | OBX-16.1 | ID Number | | | |
| | OBX-16.2 | Family Name | | | |
| | OBX-16.2.1 | Surname | | | |
| | OBX-16.2.2 | Own Surname Prefix | | | |
| | OBX-16.2.3 | Own Surname | | | |
| | OBX-16.2.4 | Surname Prefix From Partner/Spouse | | | |
| | OBX-16.2.5 | Surname From Partner/Spouse | | | |
| | OBX-16.3 | Given Name | | | |
| | OBX-16.4 | Second and Further Given Names or Initials Thereof | | | |
| | OBX-16.5 | Suffix (e.g., JR or III) | | | |
| | OBX-16.6 | Prefix (e.g., DR) | | | |
| | OBX-16.7 | Degree (e.g., MD) | | | |
| | OBX-16.8 | Source Table | | | |
| | OBX-16.9 | Assigning Authority | | | |
| | OBX-16.9.1 | Namespace ID | | | |
| | OBX-16.9.2 | Universal ID | | | |
| | OBX-16.9.3 | Universal ID Type | | | |
| | OBX-16.10 | Name Type Code | | | |
| | OBX-16.11 | Identifier Check Digit | | | |
| | OBX-16.12 | Check Digit Scheme | | | |
| | OBX-16.13 | Identifier Type Code | | | |
| | OBX-16.14 | Assigning Facility | | | |
| | OBX-16.14.1 | Namespace ID | | | |
| | OBX-16.14.2 | Universal ID | | | |
| | OBX-16.14.3 | Universal ID Type | | | |
| | | Name Representation | | | |

| OBX-Location | Code Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| | Alternate Coding | | |

| OBX-16.23.8 Location | System Data Element ID | Data | Categorization |
|----------------------|---|------|----------------|
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |

| OBX-24 | Location | Performing Organization | Data | Categorization |
|-------------|----------|--|------|----------------|
| | | Organization Address | | |
| OBX-24.1 | | Street Address | | |
| OBX-24.1.1 | | Street or Mailing Address | | |
| OBX-24.1.2 | | Street Name | | |
| OBX-24.1.3 | | Dwelling Number | | |
| OBX-24.2 | | Other Designation | | |
| OBX-24.3 | | City | | |
| OBX-24.4 | | State or Province | | |
| OBX-24.5 | | Zip or Postal Code | | |
| OBX-24.6 | | Country | | |
| OBX-24.7 | | Address Type | | |
| OBX-24.8 | | Other Geographic Designation | | |
| OBX-24.9 | | County/Parish Code | | |
| OBX-24.10 | | Census Tract | | |
| OBX-24.11 | | Address Representation Code | | |
| OBX-24.12 | | Address Validity Range | | |
| OBX-24.12.1 | | Range Start Date/Time | | |
| OBX-24.12.2 | | Range End Date/Time | | |
| OBX-24.13 | | Effective Date | | |
| OBX-24.13.1 | | Time | | |
| OBX-24.13.2 | | Degree of Precision | | |
| OBX-24.14 | | Expiration Date | | |
| OBX-24.14.1 | | Time | | |
| OBX-24.14.2 | | Degree of Precision | | |
| OBX-25 | | Performing Organization Medical Director | | |
| OBX-25.1 | | ID Number | | |
| OBX-25.2 | | Family Name | | |
| OBX-25.2.1 | | Surname | | |
| OBX-25.2.2 | | Own Surname Prefix | | |
| OBX-25.2.3 | | Own Surname | | |
| OBX-25.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | | Surname From Partner/Spouse | | |
| OBX-25.3 | | Given Name | | |
| OBX-25.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | | Suffix (e.g., JR or III) | | |
| OBX-25.6 | | Prefix (e.g., DR) | | |
| OBX-25.7 | | Degree (e.g., MD) | | |

| OBX-25.8 Location | Source Element | Data | Categorization |
|-------------------|------------------------------------|------|----------------|
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |

| OBX-25.23.0 | Original Text | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|--------------|----------------------------|--------|----------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | | |
| ORC-2.2 | Namespace ID | | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 197027 | |
| ORC-3.2 | Namespace ID | DCS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |
| ORC-4.3 | Universal ID | | |
| ORC-4.4 | Universal ID Type | | |
| ORC-5 | Order Status | | |
| ORC-6 | Response Flag | | |
| ORC-7 | Quantity/Timing | | |
| ORC-7.1 | Quantity | | |
| ORC-7.1.1 | Quantity | | |
| ORC-7.1.2 | Units | | |
| ORC-7.2 | Interval | | |
| ORC-7.2.1 | Repeat Pattern | | |
| ORC-7.2.2 | Explicit Time Interval | | |
| ORC-7.3 | Duration | | |
| ORC-7.4 | Start Date/Time | | |
| ORC-7.4.1 | Time | | |

| ORC-7.4.6 Location | Degree of Precision | Data | Categorization |
|--------------------|--|------|----------------|
| ORC-7.5 | End Date/Time | | |
| ORC-7.5.1 | Time | | |
| ORC-7.5.2 | Degree of Precision | | |
| ORC-7.6 | Priority | | |
| ORC-7.7 | Condition | | |
| ORC-7.8 | Text | | |
| ORC-7.9 | Conjunction | | |
| ORC-7.10 | Order Sequencing | | |
| ORC-7.10.1 | Sequence/Results Flag | | |
| ORC-7.10.2 | Placer Order Number: Entity Identifier | | |
| ORC-7.10.3 | Placer Order Number: Namespace ID | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | |
| ORC-7.10.6 | Sequence Condition Value | | |
| ORC-7.10.7 | Maximum Number of Repeats | | |
| ORC-7.10.8 | Placer Order Number: Universal ID | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |

| ORC-8.1.4 Location | Universal ID Type | Data Element | Data | Categorization |
|--------------------|--|--------------|------|----------------|
| ORC-8.2 | Filler Assigned Identifier | | | |
| ORC-8.2.1 | Entity Identifier | | | |
| ORC-8.2.2 | Namespace ID | | | |
| ORC-8.2.3 | Universal ID | | | |
| ORC-8.2.4 | Universal ID Type | | | |
| ORC-9 | Date/Time of Transaction | | | |
| ORC-9.1 | Time | | | |
| ORC-9.2 | Degree of Precision | | | |
| ORC-10 | Entered By | | | |
| ORC-10.1 | ID Number | | | |
| ORC-10.2 | Family Name | | | |
| ORC-10.2.1 | Surname | Clerk | | |
| ORC-10.2.2 | Own Surname Prefix | | | |
| ORC-10.2.3 | Own Surname | | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | | |
| ORC-10.3 | Given Name | Myron | | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | | |
| ORC-10.6 | Prefix (e.g., DR) | | | |
| ORC-10.7 | Degree (e.g., MD) | | | |
| ORC-10.8 | Source Table | | | |
| ORC-10.9 | Assigning Authority | | | |
| ORC-10.9.1 | Namespace ID | | | |
| ORC-10.9.2 | Universal ID | | | |
| ORC-10.9.3 | Universal ID Type | | | |
| ORC-10.10 | Name Type Code | | | |
| ORC-10.11 | Identifier Check Digit | | | |
| ORC-10.12 | Check Digit Scheme | | | |
| ORC-10.13 | Identifier Type Code | | | |
| ORC-10.14 | Assigning Facility | | | |
| ORC-10.14.1 | Namespace ID | | | |
| ORC-10.14.2 | Universal ID | | | |
| ORC-10.14.3 | Universal ID Type | | | |
| ORC-10.15 | Name Representation Code | | | |
| ORC-10.16 | Name Context | | | |
| ORC-10.16.1 | Identifier | | | |
| ORC-10.16.2 | Text | | | |
| ORC-10.16.3 | Name of Coding System | | | |
| ORC-10.16.4 | Alternate Identifier | | | |

| Location | Data Element | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| ORC-10.16.5 | Name of Alternate Coding System | | |
| ORC-10.16.6 | Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |

| Location | Data Element | Data | Categorization |
|-------------|--|------|----------------|
| ORC-11.2.3 | Surname Prefix | | |
| ORC-11.2.4 | From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |
| ORC-11.17 | Name Validity Range | | |
| ORC-11.17.1 | Range Start Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |

| ORC-11.22.1 Location | Identifying Data Element | Data | Categorization |
|-------------------------|--|-----------|----------------|
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |
| ORC-11.23.6 | Name of Alternate Coding System | | |
| ORC-11.23.7 | Coding System Version ID | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | |
| ORC-11.23.9 | Original Text | | |
| ORC-12 | Ordering Provider | | |
| ORC-12.1 | ID Number | | |
| ORC-12.2 | Family Name | | |
| ORC-12.2.1 | Surname | Pediatric | |
| ORC-12.2.2 | Own Surname Prefix | | |
| ORC-12.2.3 | Own Surname | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | |
| ORC-12.3 | Given Name | MARY | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-12.5 | Suffix (e.g., JR or III) | | |
| ORC-12.6 | Prefix (e.g., DR) | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |

| ORC-12.10 Location | Name Data Element | Data Type Code | Data | Categorization |
|--------------------|------------------------------------|----------------|------|----------------|
| ORC-12.11 | Identifier Check Digit | | | |
| ORC-12.12 | Check Digit Scheme | | | |
| ORC-12.13 | Identifier Type Code | | | |
| ORC-12.14 | Assigning Facility | | | |
| ORC-12.14.1 | Namespace ID | | | |
| ORC-12.14.2 | Universal ID | | | |
| ORC-12.14.3 | Universal ID Type | | | |
| ORC-12.15 | Name Representation Code | | | |
| ORC-12.16 | Name Context | | | |
| ORC-12.16.1 | Identifier | | | |
| ORC-12.16.2 | Text | | | |
| ORC-12.16.3 | Name of Coding System | | | |
| ORC-12.16.4 | Alternate Identifier | | | |
| ORC-12.16.5 | Alternate Text | | | |
| ORC-12.16.6 | Name of Alternate Coding System | | | |
| ORC-12.17 | Name Validity Range | | | |
| ORC-12.17.1 | Range Start Date/Time | | | |
| ORC-12.17.2 | Range End Date/Time | | | |
| ORC-12.18 | Name Assembly Order | | | |
| ORC-12.19 | Effective Date | | | |
| ORC-12.19.1 | Time | | | |
| ORC-12.19.2 | Degree of Precision | | | |
| ORC-12.20 | Expiration Date | | | |
| ORC-12.20.1 | Time | | | |
| ORC-12.20.2 | Degree of Precision | | | |
| ORC-12.21 | Professional Suffix | MD | | |
| ORC-12.22 | Assigning Jurisdiction | | | |
| ORC-12.22.1 | Identifier | | | |
| ORC-12.22.2 | Text | | | |
| ORC-12.22.3 | Name of Coding System | | | |
| ORC-12.22.4 | Alternate Identifier | | | |
| ORC-12.22.5 | Alternate Text | | | |
| ORC-12.22.6 | Name of Alternate Coding System | | | |
| ORC-12.22.7 | Coding System Version ID | | | |
| ORC-12.22.8 | Alternate Coding System Version ID | | | |
| ORC-12.22.9 | Original Text | | | |
| ORC-12.23 | Assigning Agency or Department | | | |
| ORC-12.23.1 | Identifier | | | |
| ORC-12.23.2 | Text | | | |

| Location | Data Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-12.23.3 | System | | |
| ORC-12.23.4 | Alternate Identifier | | |
| ORC-12.23.5 | Alternate Text | | |
| ORC-12.23.6 | Name of Alternate Coding System | | |
| ORC-12.23.7 | Coding System Version ID | | |
| ORC-12.23.8 | Alternate Coding System Version ID | | |
| ORC-12.23.9 | Original Text | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication Equipment Type | | |
| ORC-14.4 | Email Address | | |
| ORC-14.5 | Country Code | | |
| ORC-14.6 | Area/City Code | | |
| ORC-14.7 | Local Number | | |
| ORC-14.8 | Extension | | |
| ORC-14.9 | Any Text | | |
| ORC-14.10 | Extension Prefix | | |

| ORC-14 Location | Special Data Element Code | Data | Categorization |
|-----------------|--|------|----------------|
| ORC-14.12 | Unformatted Telephone number | | |
| ORC-15 | Order Effective Date/Time | | |
| ORC-15.1 | Time | | |
| ORC-15.2 | Degree of Precision | | |
| ORC-16 | Order Control Code Reason | | |
| ORC-16.1 | Identifier | | |
| ORC-16.2 | Text | | |
| ORC-16.3 | Name of Coding System | | |
| ORC-16.4 | Alternate Identifier | | |
| ORC-16.5 | Alternate Text | | |
| ORC-16.6 | Name of Alternate Coding System | | |
| ORC-17 | Entering Organization | | |
| ORC-17.1 | Identifier | | |
| ORC-17.2 | Text | | |
| ORC-17.3 | Name of Coding System | | |
| ORC-17.4 | Alternate Identifier | | |
| ORC-17.5 | Alternate Text | | |
| ORC-17.6 | Name of Alternate Coding System | | |
| ORC-18 | Entering Device | | |
| ORC-18.1 | Identifier | | |
| ORC-18.2 | Text | | |
| ORC-18.3 | Name of Coding System | | |
| ORC-18.4 | Alternate Identifier | | |
| ORC-18.5 | Alternate Text | | |
| ORC-18.6 | Name of Alternate Coding System | | |
| ORC-19 | Action By | | |
| ORC-19.1 | ID Number | | |
| ORC-19.2 | Family Name | | |
| ORC-19.2.1 | Surname | | |
| ORC-19.2.2 | Own Surname Prefix | | |
| ORC-19.2.3 | Own Surname | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-19.2.5 | Surname From Partner/Spouse | | |
| ORC-19.3 | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |

| ORC-19.6 Location | Pr Data Element | Data | Categorization |
|-------------------|---------------------------------|------|----------------|
| ORC-19.7 | Degree (e.g., MD) | | |
| ORC-19.8 | Source Table | | |
| ORC-19.9 | Assigning Authority | | |
| ORC-19.9.1 | Namespace ID | | |
| ORC-19.9.2 | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | | |
| ORC-19.10 | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | | |
| ORC-19.12 | Check Digit Scheme | | |
| ORC-19.13 | Identifier Type Code | | |
| ORC-19.14 | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| ORC-19.22.3 | Name of Coding System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |

| Location | Data Element Coding | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.22.8 | System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| | | | |

| ORC-22 Location | Street Address Data | Data | Categorization |
|------------------------|---------------------------------------|-------------|-----------------------|
| ORC-22.1 | Street or Mailing Address | | |
| ORC-22.1.1 | Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| ORC-23.9 | Any Text | | |
| ORC-23.10 | Extension Prefix | | |
| ORC-23.11 | Speed Dial Code | | |
| ORC-23.12 | Unformatted Telephone number | | |
| ORC-24 | Ordering Provider Address | | |
| ORC-24.1 | Street Address | | |
| ORC-24.1.1 | Street or Mailing | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-24.1.2 | Address Name | | |
| ORC-24.1.3 | Dwelling Number | | |
| ORC-24.2 | Other Designation | | |
| ORC-24.3 | City | | |
| ORC-24.4 | State or Province | | |
| ORC-24.5 | Zip or Postal Code | | |
| ORC-24.6 | Country | | |
| ORC-24.7 | Address Type | | |
| ORC-24.8 | Other Geographic Designation | | |
| ORC-24.9 | County/Parish Code | | |
| ORC-24.10 | Census Tract | | |
| ORC-24.11 | Address Representation Code | | |
| ORC-24.12 | Address Validity Range | | |
| ORC-24.12.1 | Range Start Date/Time | | |
| ORC-24.12.2 | Range End Date/Time | | |
| ORC-24.13 | Effective Date | | |
| ORC-24.13.1 | Time | | |
| ORC-24.13.2 | Degree of Precision | | |
| ORC-24.14 | Expiration Date | | |
| ORC-24.14.1 | Time | | |
| ORC-24.14.2 | Degree of Precision | | |
| ORC-25 | Order Status Modifier | | |
| ORC-25.1 | Identifier | | |
| ORC-25.2 | Text | | |
| ORC-25.3 | Name of Coding System | | |
| ORC-25.4 | Alternate Identifier | | |
| ORC-25.5 | Alternate Text | | |
| ORC-25.6 | Name of Alternate Coding System | | |
| ORC-25.7 | Coding System Version ID | | |
| ORC-25.8 | Alternate Coding System Version ID | | |
| ORC-25.9 | Original Text | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | |
| ORC-26.1 | Identifier | | |
| ORC-26.2 | Text | | |
| ORC-26.3 | Name of Coding System | | |
| ORC-26.4 | Alternate Identifier | | |
| ORC-26.5 | Alternate Text | | |

| ORC-26.6 | Location | Name of Alternate Coding System | Data Element | Data | Categorization |
|---------------|----------|---|--------------|------|----------------|
| ORC-26.7 | | Coding System Version ID | | | |
| ORC-26.8 | | Alternate Coding System Version ID | | | |
| ORC-26.9 | | Original Text | | | |
| ORC-27 | | Filler's Expected Availability Date/Time | | | |
| ORC-27.1 | | Time | | | |
| ORC-27.2 | | Degree of Precision | | | |
| ORC-28 | | Confidentiality Code | | | |
| ORC-28.1 | | Identifier | | | |
| ORC-28.2 | | Text | | | |
| ORC-28.3 | | Name of Coding System | | | |
| ORC-28.4 | | Alternate Identifier | | | |
| ORC-28.5 | | Alternate Text | | | |
| ORC-28.6 | | Name of Alternate Coding System | | | |
| ORC-28.7 | | Coding System Version ID | | | |
| ORC-28.8 | | Alternate Coding System Version ID | | | |
| ORC-28.9 | | Original Text | | | |
| ORC-29 | | Order Type | | | |
| ORC-29.1 | | Identifier | | | |
| ORC-29.2 | | Text | | | |
| ORC-29.3 | | Name of Coding System | | | |
| ORC-29.4 | | Alternate Identifier | | | |
| ORC-29.5 | | Alternate Text | | | |
| ORC-29.6 | | Name of Alternate Coding System | | | |
| ORC-29.7 | | Coding System Version ID | | | |
| ORC-29.8 | | Alternate Coding System Version ID | | | |
| ORC-29.9 | | Original Text | | | |
| ORC-30 | | Enterer Authorization Mode | | | |
| ORC-30.1 | | Identifier | | | |
| ORC-30.2 | | Text | | | |
| ORC-30.3 | | Name of Coding System | | | |
| ORC-30.4 | | Alternate Identifier | | | |
| ORC-30.5 | | Alternate Text | | | |
| ORC-30.6 | | Name of Alternate Coding System | | | |
| ORC-30.7 | | Coding System Version ID | | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-30.8 | System Version ID | | |
| ORC-30.9 | Original Text | | |
| ORC-31 | Parent Universal Service Identifier | | |
| ORC-31.1 | Identifier | | |
| ORC-31.2 | Text | | |
| ORC-31.3 | Name of Coding System | | |
| ORC-31.4 | Alternate Identifier | | |
| ORC-31.5 | Alternate Text | | |
| ORC-31.6 | Name of Alternate Coding System | | |
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|--------------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 20110901 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | 20110901 | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 140 | |
| RXA-5.2 | Text | seasonal flu | |
| RXA-5.3 | Name of Coding System | CVX | |
| RXA-5.4 | Alternate Identifier | | |
| RXA-5.5 | Alternate Text | | |
| RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | Administered Amount | 999 | |
| RXA-7 | Administered Units | | |
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |

| RXA-7 | Location | Name of Alternate Coding System | Data Element | Data | Categorization |
|---------------|----------|---------------------------------|--|-------------------|----------------|
| | | | Coding System | | |
| RXA-8 | | | Administered Dosage Form | | |
| RXA-8.1 | | | Identifier | | |
| RXA-8.2 | | | Text | | |
| RXA-8.3 | | | Name of Coding System | | |
| RXA-8.4 | | | Alternate Identifier | | |
| RXA-8.5 | | | Alternate Text | | |
| RXA-8.6 | | | Name of Alternate Coding System | | |
| RXA-9 | | | Administration Notes | | |
| RXA-9.1 | | | Identifier | 01 | |
| RXA-9.2 | | | Text | historical record | |
| RXA-9.3 | | | Name of Coding System | NIP001 | |
| RXA-9.4 | | | Alternate Identifier | | |
| RXA-9.5 | | | Alternate Text | | |
| RXA-9.6 | | | Name of Alternate Coding System | | |
| RXA-10 | | | Administering Provider | | |
| RXA-10.1 | | | ID Number | | |
| RXA-10.2 | | | Family Name | | |
| RXA-10.2.1 | | | Surname | | |
| RXA-10.2.2 | | | Own Surname Prefix | | |
| RXA-10.2.3 | | | Own Surname | | |
| RXA-10.2.4 | | | Surname Prefix From Partner/Spouse | | |
| RXA-10.2.5 | | | Surname From Partner/Spouse | | |
| RXA-10.3 | | | Given Name | | |
| RXA-10.4 | | | Second and Further Given Names or Initials Thereof | | |
| RXA-10.5 | | | Suffix (e.g., JR or III) | | |
| RXA-10.6 | | | Prefix (e.g., DR) | | |
| RXA-10.7 | | | Degree (e.g., MD) | | |
| RXA-10.8 | | | Source Table | | |
| RXA-10.9 | | | Assigning Authority | | |
| RXA-10.9.1 | | | Namespace ID | | |
| RXA-10.9.2 | | | Universal ID | | |
| RXA-10.9.3 | | | Universal ID Type | | |
| RXA-10.10 | | | Name Type Code | | |
| RXA-10.11 | | | Identifier Check Digit | | |
| RXA-10.12 | | | Check Digit Scheme | | |
| RXA-10.13 | | | Identifier Type Code | | |
| RXA-10.14 | | | Assigning Facility | | |
| RXA-10.14.1 | | | Namespace ID | | |

| RXA-10.14.2 | Universal ID | Data Element | Data | Categorization |
|--------------------|------------------------------------|---------------------|-------------|-----------------------|
| RXA-10.14.3 | Universal ID Type | | | |
| RXA-10.15 | Name Representation Code | | | |
| RXA-10.16 | Name Context | | | |
| RXA-10.16.1 | Identifier | | | |
| RXA-10.16.2 | Text | | | |
| RXA-10.16.3 | Name of Coding System | | | |
| RXA-10.16.4 | Alternate Identifier | | | |
| RXA-10.16.5 | Alternate Text | | | |
| RXA-10.16.6 | Name of Alternate Coding System | | | |
| RXA-10.17 | Name Validity Range | | | |
| RXA-10.17.1 | Range Start Date/Time | | | |
| RXA-10.17.2 | Range End Date/Time | | | |
| RXA-10.18 | Name Assembly Order | | | |
| RXA-10.19 | Effective Date | | | |
| RXA-10.19.1 | Time | | | |
| RXA-10.19.2 | Degree of Precision | | | |
| RXA-10.20 | Expiration Date | | | |
| RXA-10.20.1 | Time | | | |
| RXA-10.20.2 | Degree of Precision | | | |
| RXA-10.21 | Professional Suffix | | | |
| RXA-10.22 | Assigning Jurisdiction | | | |
| RXA-10.22.1 | Identifier | | | |
| RXA-10.22.2 | Text | | | |
| RXA-10.22.3 | Name of Coding System | | | |
| RXA-10.22.4 | Alternate Identifier | | | |
| RXA-10.22.5 | Alternate Text | | | |
| RXA-10.22.6 | Name of Alternate Coding System | | | |
| RXA-10.22.7 | Coding System Version ID | | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | | |
| RXA-10.22.9 | Original Text | | | |
| RXA-10.23 | Assigning Agency or Department | | | |
| RXA-10.23.1 | Identifier | | | |
| RXA-10.23.2 | Text | | | |
| RXA-10.23.3 | Name of Coding System | | | |
| RXA-10.23.4 | Alternate Identifier | | | |
| RXA-10.23.5 | Alternate Text | | | |
| RXA-10.23.6 | Name of Alternate Coding System | | | |

| RXA-10.23.7 | Coding System | Data | Categorization |
|--------------------|-------------------------------------|-------------|-----------------------|
| | Version ID | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |
| RXA-11.11 | City | | |
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| RXA-11.14 | Country | | |
| RXA-11.15 | Address Type | | |
| RXA-11.16 | Other Geographic Designation | | |
| RXA-12 | Administered Per (Time Unit) | | |
| RXA-13 | Administered Strength | | |
| RXA-14 | Administered Strength Units | | |
| RXA-14.1 | Identifier | | |
| RXA-14.2 | Text | | |
| RXA-14.3 | Name of Coding System | | |
| RXA-14.4 | Alternate Identifier | | |
| RXA-14.5 | Alternate Text | | |
| RXA-14.6 | Name of Alternate Coding System | | |
| RXA-15 | Substance Lot Number | | |
| RXA-16 | Substance Expiration Date | | |
| RXA-16.1 | Time | | |
| RXA-16.2 | Degree of Precision | | |
| RXA-17 | Substance Manufacturer Name | | |
| RXA-17.1 | Identifier | | |
| RXA-17.2 | Text | | |
| | Name of Coding | | |

| RXA-17.3 Location | System Data Element | Data | Categorization |
|--------------------------|--|-------------|-----------------------|
| RXA-17.4 | Alternate Identifier | | |
| RXA-17.5 | Alternate Text | | |
| RXA-17.6 | Name of Alternate Coding System | | |
| RXA-18 | Substance/Treatment Refusal Reason | | |
| RXA-18.1 | Identifier | | |
| RXA-18.2 | Text | | |
| RXA-18.3 | Name of Coding System | | |
| RXA-18.4 | Alternate Identifier | | |
| RXA-18.5 | Alternate Text | | |
| RXA-18.6 | Name of Alternate Coding System | | |
| RXA-19 | Indication | | |
| RXA-19.1 | Identifier | | |
| RXA-19.2 | Text | | |
| RXA-19.3 | Name of Coding System | | |
| RXA-19.4 | Alternate Identifier | | |
| RXA-19.5 | Alternate Text | | |
| RXA-19.6 | Name of Alternate Coding System | | |
| RXA-20 | Completion Status | CP | |
| RXA-21 | Action Code - RXA | | |
| RXA-22 | System Entry Date/Time | | |
| RXA-22.1 | Time | | |
| RXA-22.2 | Degree of Precision | | |
| RXA-23 | Administered Drug Strength Volume | | |
| RXA-24 | Administered Drug Strength Volume Units | | |
| RXA-24.1 | Identifier | | |
| RXA-24.2 | Text | | |
| RXA-24.3 | Name of Coding System | | |
| RXA-24.4 | Alternate Identifier | | |
| RXA-24.5 | Alternate Text | | |
| RXA-24.6 | Name of Alternate Coding System | | |
| RXA-24.7 | Coding System Version ID | | |
| RXA-24.8 | Alternate Coding System Version ID | | |
| RXA-24.9 | Original Text | | |
| RXA-25 | Administered Barcode Identifier | | |
| RXA-25.1 | Identifier | | |

| RXA-25.2 | Location | Data Elementmt | Data | Categrization |
|-----------------|-----------------|------------------------------------|-------------|----------------------|
| RXA-25.3 | | Name of Coding System | | |
| RXA-25.4 | | Alternate Identifier | | |
| RXA-25.5 | | Alternate Text | | |
| RXA-25.6 | | Name of Alternate Coding System | | |
| RXA-25.7 | | Coding System Version ID | | |
| RXA-25.8 | | Alternate Coding System Version ID | | |
| RXA-25.9 | | Original Text | | |
| RXA-26 | | Pharmacy Order Type | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categrization |
|-----------------|---------------------------------|---------------|----------------------|
| OBX-1 | Set ID - OBX | 33 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 17 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 88 | |
| OBX-5.2 | Text | influenza NOS | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| | | | |

| OBX-10 | Location | Nature of Abnormal Data Element | Data | Categorization |
|--------|------------|--|----------|----------------|
| | | Test | | |
| OBX-11 | | Observation Result Status | F | |
| OBX-12 | | Effective Date of Reference Range Values | | |
| | OBX-12.1 | Time | | |
| | OBX-12.2 | Degree of Precision | | |
| OBX-13 | | User Defined Access Checks | | |
| OBX-14 | | Date/Time of the Observation | | |
| | OBX-14.1 | Time | 20150531 | |
| | OBX-14.2 | Degree of Precision | | |
| OBX-15 | | Producer's Reference | | |
| | OBX-15.1 | Identifier | | |
| | OBX-15.2 | Text | | |
| | OBX-15.3 | Name of Coding System | | |
| | OBX-15.4 | Alternate Identifier | | |
| | OBX-15.5 | Alternate Text | | |
| | OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | | Responsible Observer | | |
| | OBX-16.1 | ID Number | | |
| | OBX-16.2 | Family Name | | |
| | OBX-16.2.1 | Surname | | |
| | OBX-16.2.2 | Own Surname Prefix | | |
| | OBX-16.2.3 | Own Surname | | |
| | OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| | OBX-16.2.5 | Surname From Partner/Spouse | | |
| | OBX-16.3 | Given Name | | |
| | OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| | OBX-16.5 | Suffix (e.g., JR or III) | | |
| | OBX-16.6 | Prefix (e.g., DR) | | |
| | OBX-16.7 | Degree (e.g., MD) | | |
| | OBX-16.8 | Source Table | | |
| | OBX-16.9 | Assigning Authority | | |
| | OBX-16.9.1 | Namespace ID | | |
| | OBX-16.9.2 | Universal ID | | |
| | OBX-16.9.3 | Universal ID Type | | |
| | OBX-16.10 | Name Type Code | | |
| | OBX-16.11 | Identifier Check Digit | | |
| | OBX-16.12 | Check Digit Scheme | | |
| | OBX-16.13 | Identifier Type Code | | |

| OBX-16.14 | Assigning Facility | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| | | | |

| OBX-16.23.6 Location | Name Of Alternate Data Element | Data | Categorization |
|-------------------------|---|------|----------------|
| | Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |

| OBX-Location | Universal ID Type | Data | Categorization |
|---------------|--|------|----------------|
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |

| OBX-Location | Sub-Data Element (II) | Data | Categorization |
|--------------|---------------------------------|------|----------------|
| | | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |

| Location | Data Element | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.22.7 | Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|--------------|---------------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 34 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 17 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |

| OBX-Location | Alternate Identifier Data Element | Data | Categorization |
|--------------|--|----------|----------------|
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |

| OBX-Location | Name-Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.9.1 | Universal ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or | | |

| Location | Dependent Element Identifier | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.23.1 | Text | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| | | | |

| OBX-Location | Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-23.6.1 | Universal ID | | |
| OBX-23.6.2 | Universal ID Type | | |
| OBX-23.6.3 | Identifier Type Code | | |
| OBX-23.7 | Assigning Facility | | |
| OBX-23.8 | Namespace ID | | |
| OBX-23.8.1 | Universal ID | | |
| OBX-23.8.2 | Universal ID Type | | |
| OBX-23.8.3 | Name Representation Code | | |
| OBX-23.9 | Organization Identifier | | |
| OBX-23.10 | | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| | | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|--|------|----------------|
| OBX-25.2.4 | From Partner/Spouse Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |

| OBX-25.22.2 | Data Elementmt | Data | Categrization |
|-------------|------------------------------------|------|---------------|
| Location | Name of Coding System | | |
| OBX-25.22.3 | System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categrization |
|--------------|---------------------------------|---------------|---------------|
| OBX-1 | Set ID - OBX | 35 | |
| OBX-2 | Value Type | ID | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59781-5 | |
| OBX-3.2 | Text | dose validity | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 17 | |
| OBX-5 | Observation Value | Y | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |

| OBX-6 | Location | Name of Alternate Data Element | Data | Categorization |
|--------|------------|--|----------|----------------|
| | | Coding System | | |
| OBX-7 | | References Range | | |
| OBX-8 | | Abnormal Flags | | |
| OBX-9 | | Probability | | |
| OBX-10 | | Nature of Abnormal Test | | |
| OBX-11 | | Observation Result Status | F | |
| OBX-12 | | Effective Date of Reference Range Values | | |
| | OBX-12.1 | Time | | |
| | OBX-12.2 | Degree of Precision | | |
| OBX-13 | | User Defined Access Checks | | |
| OBX-14 | | Date/Time of the Observation | | |
| | OBX-14.1 | Time | 20150531 | |
| | OBX-14.2 | Degree of Precision | | |
| OBX-15 | | Producer's Reference | | |
| | OBX-15.1 | Identifier | | |
| | OBX-15.2 | Text | | |
| | OBX-15.3 | Name of Coding System | | |
| | OBX-15.4 | Alternate Identifier | | |
| | OBX-15.5 | Alternate Text | | |
| | OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | | Responsible Observer | | |
| | OBX-16.1 | ID Number | | |
| | OBX-16.2 | Family Name | | |
| | OBX-16.2.1 | Surname | | |
| | OBX-16.2.2 | Own Surname Prefix | | |
| | OBX-16.2.3 | Own Surname | | |
| | OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| | OBX-16.2.5 | Surname From Partner/Spouse | | |
| | OBX-16.3 | Given Name | | |
| | OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| | OBX-16.5 | Suffix (e.g., JR or III) | | |
| | OBX-16.6 | Prefix (e.g., DR) | | |
| | OBX-16.7 | Degree (e.g., MD) | | |
| | OBX-16.8 | Source Table | | |
| | OBX-16.9 | Assigning Authority | | |
| | OBX-16.9.1 | Namespace ID | | |
| | OBX-16.9.2 | Universal ID | | |
| | | | | |

| OBX-16.03 Location | Universal ID Type Data Element | Data | Categorization |
|-----------------------|------------------------------------|------|----------------|
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |

| OBX-16.23.2 | Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |

| OBX-Location | Data Element Name | Data Element Type | Data | Categorization |
|---------------|---|-------------------|------|----------------|
| OBX-23.7 | Identifier Type Code | | | |
| OBX-23.8 | Assigning Facility | | | |
| OBX-23.8.1 | Namespace ID | | | |
| OBX-23.8.2 | Universal ID | | | |
| OBX-23.8.3 | Universal ID Type | | | |
| OBX-23.9 | Name Representation Code | | | |
| OBX-23.10 | Organization Identifier | | | |
| OBX-24 | Performing Organization Address | | | |
| OBX-24.1 | Street Address | | | |
| OBX-24.1.1 | Street or Mailing Address | | | |
| OBX-24.1.2 | Street Name | | | |
| OBX-24.1.3 | Dwelling Number | | | |
| OBX-24.2 | Other Designation | | | |
| OBX-24.3 | City | | | |
| OBX-24.4 | State or Province | | | |
| OBX-24.5 | Zip or Postal Code | | | |
| OBX-24.6 | Country | | | |
| OBX-24.7 | Address Type | | | |
| OBX-24.8 | Other Geographic Designation | | | |
| OBX-24.9 | County/Parish Code | | | |
| OBX-24.10 | Census Tract | | | |
| OBX-24.11 | Address Representation Code | | | |
| OBX-24.12 | Address Validity Range | | | |
| OBX-24.12.1 | Range Start Date/Time | | | |
| OBX-24.12.2 | Range End Date/Time | | | |
| OBX-24.13 | Effective Date | | | |
| OBX-24.13.1 | Time | | | |
| OBX-24.13.2 | Degree of Precision | | | |
| OBX-24.14 | Expiration Date | | | |
| OBX-24.14.1 | Time | | | |
| OBX-24.14.2 | Degree of Precision | | | |
| OBX-25 | Performing Organization Medical Director | | | |
| OBX-25.1 | ID Number | | | |
| OBX-25.2 | Family Name | | | |
| OBX-25.2.1 | Surname | | | |
| OBX-25.2.2 | Own Surname Prefix | | | |
| OBX-25.2.3 | Own Surname | | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|--|------|----------------|
| | Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| | | | |

| OBX-25.22.3 Location | Name Of Coding Data Element | Data | Categorization |
|-------------------------|---------------------------------------|------|----------------|
| OBX-25.22.4 | System Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|--------------|----------------------------|--------|----------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | 887834 | |
| ORC-2.2 | Namespace ID | MyIIS | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 197723 | |
| ORC-3.2 | Namespace ID | DCS | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |
| ORC-4.3 | Universal ID | | |
| ORC-4.4 | Universal ID Type | | |
| ORC-5 | Order Status | | |
| ORC-6 | Response Flag | | |
| ORC-7 | Quantity/Timing | | |
| ORC-7.1 | Quantity | | |
| ORC-7.1.1 | Quantity | | |

| ORC Location | Data Element | Data | Categorization |
|--------------|--|------|----------------|
| ORC-7.2 | Interval | | |
| ORC-7.2.1 | Repeat Pattern | | |
| ORC-7.2.2 | Explicit Time Interval | | |
| ORC-7.3 | Duration | | |
| ORC-7.4 | Start Date/Time | | |
| ORC-7.4.1 | Time | | |
| ORC-7.4.2 | Degree of Precision | | |
| ORC-7.5 | End Date/Time | | |
| ORC-7.5.1 | Time | | |
| ORC-7.5.2 | Degree of Precision | | |
| ORC-7.6 | Priority | | |
| ORC-7.7 | Condition | | |
| ORC-7.8 | Text | | |
| ORC-7.9 | Conjunction | | |
| ORC-7.10 | Order Sequencing | | |
| ORC-7.10.1 | Sequence/Results Flag | | |
| ORC-7.10.2 | Placer Order Number: Entity Identifier | | |
| ORC-7.10.3 | Placer Order Number: Namespace ID | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | |
| ORC-7.10.6 | Sequence Condition Value | | |
| ORC-7.10.7 | Maximum Number of Repeats | | |
| ORC-7.10.8 | Placer Order Number: Universal ID | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| ORC-7.11.2 | Text | | |
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate | | |

| Location | Code/Element | Data | Categorization |
|---------------|--|------|----------------|
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| ORC-8.2 | Filler Assigned Identifier | | |
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |
| ORC-9.1 | Time | | |
| ORC-9.2 | Degree of Precision | | |
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | |
| ORC-10.3 | Given Name | | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |
| ORC-10.9 | Assigning Authority | | |
| ORC-10.9.1 | Namespace ID | | |
| ORC-10.9.2 | Universal ID | | |
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | | |
| ORC-10.11 | Identifier Check Digit | | |
| ORC-10.12 | Check Digit Scheme | | |
| ORC-10.13 | Identifier Type Code | | |
| ORC-10.14 | Assigning Facility | | |
| ORC-10.14.1 | Namespace ID | | |
| ORC-10.14.2 | Universal ID | | |
| ORC-10.14.3 | Universal ID Type | | |
| | | | |

| ORC-10.15 | Name Representation | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| Location | Code | | |
| ORC-10.16 | Name Context | | |
| ORC-10.16.1 | Identifier | | |
| ORC-10.16.2 | Text | | |
| ORC-10.16.3 | Name of Coding System | | |
| ORC-10.16.4 | Alternate Identifier | | |
| ORC-10.16.5 | Alternate Text | | |
| ORC-10.16.6 | Name of Alternate Coding System | | |
| ORC-10.17 | Name Validity Range | | |
| ORC-10.17.1 | Range Start Date/Time | | |
| ORC-10.17.2 | Range End Date/Time | | |
| ORC-10.18 | Name Assembly Order | | |
| ORC-10.19 | Effective Date | | |
| ORC-10.19.1 | Time | | |
| ORC-10.19.2 | Degree of Precision | | |
| ORC-10.20 | Expiration Date | | |
| ORC-10.20.1 | Time | | |
| ORC-10.20.2 | Degree of Precision | | |
| ORC-10.21 | Professional Suffix | | |
| ORC-10.22 | Assigning Jurisdiction | | |
| ORC-10.22.1 | Identifier | | |
| ORC-10.22.2 | Text | | |
| ORC-10.22.3 | Name of Coding System | | |
| ORC-10.22.4 | Alternate Identifier | | |
| ORC-10.22.5 | Alternate Text | | |
| ORC-10.22.6 | Name of Alternate Coding System | | |
| ORC-10.22.7 | Coding System Version ID | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | |
| ORC-10.22.9 | Original Text | | |
| ORC-10.23 | Assigning Agency or Department | | |
| ORC-10.23.1 | Identifier | | |
| ORC-10.23.2 | Text | | |
| ORC-10.23.3 | Name of Coding System | | |
| ORC-10.23.4 | Alternate Identifier | | |
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| | Alternate Coding | | |

| ORC-10.23.8 | System ID | Data Element | Data | Categorization |
|---------------|--------------------|--|------|----------------|
| ORC-10.23.9 | | Original Text | | |
| ORC-11 | Verified By | | | |
| ORC-11.1 | | ID Number | | |
| ORC-11.2 | | Family Name | | |
| ORC-11.2.1 | | Surname | | |
| ORC-11.2.2 | | Own Surname Prefix | | |
| ORC-11.2.3 | | Own Surname | | |
| ORC-11.2.4 | | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | | Surname From Partner/Spouse | | |
| ORC-11.3 | | Given Name | | |
| ORC-11.4 | | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | | Suffix (e.g., JR or III) | | |
| ORC-11.6 | | Prefix (e.g., DR) | | |
| ORC-11.7 | | Degree (e.g., MD) | | |
| ORC-11.8 | | Source Table | | |
| ORC-11.9 | | Assigning Authority | | |
| ORC-11.9.1 | | Namespace ID | | |
| ORC-11.9.2 | | Universal ID | | |
| ORC-11.9.3 | | Universal ID Type | | |
| ORC-11.10 | | Name Type Code | | |
| ORC-11.11 | | Identifier Check Digit | | |
| ORC-11.12 | | Check Digit Scheme | | |
| ORC-11.13 | | Identifier Type Code | | |
| ORC-11.14 | | Assigning Facility | | |
| ORC-11.14.1 | | Namespace ID | | |
| ORC-11.14.2 | | Universal ID | | |
| ORC-11.14.3 | | Universal ID Type | | |
| ORC-11.15 | | Name Representation Code | | |
| ORC-11.16 | | Name Context | | |
| ORC-11.16.1 | | Identifier | | |
| ORC-11.16.2 | | Text | | |
| ORC-11.16.3 | | Name of Coding System | | |
| ORC-11.16.4 | | Alternate Identifier | | |
| ORC-11.16.5 | | Alternate Text | | |
| ORC-11.16.6 | | Name of Alternate Coding System | | |
| ORC-11.17 | | Name Validity Range | | |
| ORC-11.17.1 | | Range Start Date/Time | | |
| ORC-11.17.2 | | Range End Date/Time | | |
| ORC-11.18 | | Name Assembly Order | | |
| | | | | |

| ORC-11.19.1 | Effective Date | Data Element | Data | Categorization |
|---------------|--|--------------|------|----------------|
| ORC-11.19.1 | Time | | | |
| ORC-11.19.2 | Degree of Precision | | | |
| ORC-11.20 | Expiration Date | | | |
| ORC-11.20.1 | Time | | | |
| ORC-11.20.2 | Degree of Precision | | | |
| ORC-11.21 | Professional Suffix | | | |
| ORC-11.22 | Assigning Jurisdiction | | | |
| ORC-11.22.1 | Identifier | | | |
| ORC-11.22.2 | Text | | | |
| ORC-11.22.3 | Name of Coding System | | | |
| ORC-11.22.4 | Alternate Identifier | | | |
| ORC-11.22.5 | Alternate Text | | | |
| ORC-11.22.6 | Name of Alternate Coding System | | | |
| ORC-11.22.7 | Coding System Version ID | | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | | |
| ORC-11.22.9 | Original Text | | | |
| ORC-11.23 | Assigning Agency or Department | | | |
| ORC-11.23.1 | Identifier | | | |
| ORC-11.23.2 | Text | | | |
| ORC-11.23.3 | Name of Coding System | | | |
| ORC-11.23.4 | Alternate Identifier | | | |
| ORC-11.23.5 | Alternate Text | | | |
| ORC-11.23.6 | Name of Alternate Coding System | | | |
| ORC-11.23.7 | Coding System Version ID | | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | | |
| ORC-11.23.9 | Original Text | | | |
| ORC-12 | Ordering Provider | | | |
| ORC-12.1 | ID Number | | | |
| ORC-12.2 | Family Name | | | |
| ORC-12.2.1 | Surname | | | |
| ORC-12.2.2 | Own Surname Prefix | | | |
| ORC-12.2.3 | Own Surname | | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | | |
| ORC-12.2.5 | Surname From Partner/Spouse | | | |
| ORC-12.3 | Given Name | | | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | | | |

| Location | Sub-Element (e.g., DR) | Data | Categorization |
|-------------|---------------------------------|------|----------------|
| ORC-12.5 | Prefix (e.g., DR) | | |
| ORC-12.6 | | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |
| ORC-12.10 | Name Type Code | | |
| ORC-12.11 | Identifier Check Digit | | |
| ORC-12.12 | Check Digit Scheme | | |
| ORC-12.13 | Identifier Type Code | | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |
| ORC-12.16 | Name Context | | |
| ORC-12.16.1 | Identifier | | |
| ORC-12.16.2 | Text | | |
| ORC-12.16.3 | Name of Coding System | | |
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| ORC-12.17.1 | Range Start Date/Time | | |
| ORC-12.17.2 | Range End Date/Time | | |
| ORC-12.18 | Name Assembly Order | | |
| ORC-12.19 | Effective Date | | |
| ORC-12.19.1 | Time | | |
| ORC-12.19.2 | Degree of Precision | | |
| ORC-12.20 | Expiration Date | | |
| ORC-12.20.1 | Time | | |
| ORC-12.20.2 | Degree of Precision | | |
| ORC-12.21 | Professional Suffix | | |
| ORC-12.22 | Assigning Jurisdiction | | |
| ORC-12.22.1 | Identifier | | |
| ORC-12.22.2 | Text | | |
| ORC-12.22.3 | Name of Coding System | | |
| ORC-12.22.4 | Alternate Identifier | | |
| ORC-12.22.5 | Alternate Text | | |
| ORC-12.22.6 | Name of Alternate Coding System | | |
| | Coding System | | |

| ORC-12.22.7 | Version ID Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-12.22.8 | Alternate Coding System Version ID | | |
| ORC-12.22.9 | Original Text | | |
| ORC-12.23 | Assigning Agency or Department | | |
| ORC-12.23.1 | Identifier | | |
| ORC-12.23.2 | Text | | |
| ORC-12.23.3 | Name of Coding System | | |
| ORC-12.23.4 | Alternate Identifier | | |
| ORC-12.23.5 | Alternate Text | | |
| ORC-12.23.6 | Name of Alternate Coding System | | |
| ORC-12.23.7 | Coding System Version ID | | |
| ORC-12.23.8 | Alternate Coding System Version ID | | |
| ORC-12.23.9 | Original Text | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| ORC-14 | Call Back Phone Number | | |
| ORC-14.1 | Telephone Number | | |
| ORC-14.2 | Telecommunication Use Code | | |
| ORC-14.3 | Telecommunication Equipment Type | | |

| Location | Data Element | Data | Categorization |
|-----------------|------------------------------------|-------------|-----------------------|
| ORC-14.4 | Country Code | | |
| ORC-14.5 | Area/City Code | | |
| ORC-14.6 | Local Number | | |
| ORC-14.7 | Extension | | |
| ORC-14.8 | Any Text | | |
| ORC-14.9 | Extension Prefix | | |
| ORC-14.10 | Speed Dial Code | | |
| ORC-14.11 | Unformatted Telephone number | | |
| ORC-14.12 | | | |
| ORC-15 | Order Effective Date/Time | | |
| ORC-15.1 | Time | | |
| ORC-15.2 | Degree of Precision | | |
| ORC-16 | Order Control Code Reason | | |
| ORC-16.1 | Identifier | | |
| ORC-16.2 | Text | | |
| ORC-16.3 | Name of Coding System | | |
| ORC-16.4 | Alternate Identifier | | |
| ORC-16.5 | Alternate Text | | |
| ORC-16.6 | Name of Alternate Coding System | | |
| ORC-17 | Entering Organization | | |
| ORC-17.1 | Identifier | | |
| ORC-17.2 | Text | | |
| ORC-17.3 | Name of Coding System | | |
| ORC-17.4 | Alternate Identifier | | |
| ORC-17.5 | Alternate Text | | |
| ORC-17.6 | Name of Alternate Coding System | | |
| ORC-18 | Entering Device | | |
| ORC-18.1 | Identifier | | |
| ORC-18.2 | Text | | |
| ORC-18.3 | Name of Coding System | | |
| ORC-18.4 | Alternate Identifier | | |
| ORC-18.5 | Alternate Text | | |
| ORC-18.6 | Name of Alternate Coding System | | |
| ORC-19 | Action By | | |
| ORC-19.1 | ID Number | | |
| ORC-19.2 | Family Name | | |
| ORC-19.2.1 | Surname | | |
| ORC-19.2.2 | Own Surname Prefix | | |
| ORC-19.2.3 | Own Surname | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | | |

| ORC-Location | Data Element | Data | Categorization |
|--------------|--|------|----------------|
| ORC-19.3 | Partner/Spouse Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | | |
| ORC-19.6 | Prefix (e.g., DR) | | |
| ORC-19.7 | Degree (e.g., MD) | | |
| ORC-19.8 | Source Table | | |
| ORC-19.9 | Assigning Authority | | |
| ORC-19.9.1 | Namespace ID | | |
| ORC-19.9.2 | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | | |
| ORC-19.10 | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | | |
| ORC-19.12 | Check Digit Scheme | | |
| ORC-19.13 | Identifier Type Code | | |
| ORC-19.14 | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | | |
| ORC-19.14.2 | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | | |
| ORC-19.16 | Name Context | | |
| ORC-19.16.1 | Identifier | | |
| ORC-19.16.2 | Text | | |
| ORC-19.16.3 | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | | |
| ORC-19.19 | Effective Date | | |
| ORC-19.19.1 | Time | | |
| ORC-19.19.2 | Degree of Precision | | |
| ORC-19.20 | Expiration Date | | |
| ORC-19.20.1 | Time | | |
| ORC-19.20.2 | Degree of Precision | | |
| ORC-19.21 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| | | | |

| Location | Name Of Coding System | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.22.3 | System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |
| ORC-21.6.1 | Namespace ID | | |
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |

| Location | Universal ID | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |
| ORC-23.5 | Country Code | | |
| ORC-23.6 | Area/City Code | | |
| ORC-23.7 | Local Number | | |
| ORC-23.8 | Extension | | |
| ORC-23.9 | Any Text | | |
| | | | |

| ORC-23 Location | Extended Element | Data | Categorization |
|-----------------|---|------|----------------|
| ORC-23.12 | Unformatted Telephone number | | |
| ORC-24 | Ordering Provider Address | | |
| ORC-24.1 | Street Address | | |
| ORC-24.1.1 | Street or Mailing Address | | |
| ORC-24.1.2 | Street Name | | |
| ORC-24.1.3 | Dwelling Number | | |
| ORC-24.2 | Other Designation | | |
| ORC-24.3 | City | | |
| ORC-24.4 | State or Province | | |
| ORC-24.5 | Zip or Postal Code | | |
| ORC-24.6 | Country | | |
| ORC-24.7 | Address Type | | |
| ORC-24.8 | Other Geographic Designation | | |
| ORC-24.9 | County/Parish Code | | |
| ORC-24.10 | Census Tract | | |
| ORC-24.11 | Address Representation Code | | |
| ORC-24.12 | Address Validity Range | | |
| ORC-24.12.1 | Range Start Date/Time | | |
| ORC-24.12.2 | Range End Date/Time | | |
| ORC-24.13 | Effective Date | | |
| ORC-24.13.1 | Time | | |
| ORC-24.13.2 | Degree of Precision | | |
| ORC-24.14 | Expiration Date | | |
| ORC-24.14.1 | Time | | |
| ORC-24.14.2 | Degree of Precision | | |
| ORC-25 | Order Status Modifier | | |
| ORC-25.1 | Identifier | | |
| ORC-25.2 | Text | | |
| ORC-25.3 | Name of Coding System | | |
| ORC-25.4 | Alternate Identifier | | |
| ORC-25.5 | Alternate Text | | |
| ORC-25.6 | Name of Alternate Coding System | | |
| ORC-25.7 | Coding System Version ID | | |
| ORC-25.8 | Alternate Coding System Version ID | | |
| ORC-25.9 | Original Text | | |
| ORC-26 | Advanced Beneficiary Notice Override | | |

| Location | Data Element | Data | Categorization |
|---------------|---|------|----------------|
| ORC-26.1 | Identifier | | |
| ORC-26.2 | Text | | |
| ORC-26.3 | Name of Coding System | | |
| ORC-26.4 | Alternate Identifier | | |
| ORC-26.5 | Alternate Text | | |
| ORC-26.6 | Name of Alternate Coding System | | |
| ORC-26.7 | Coding System Version ID | | |
| ORC-26.8 | Alternate Coding System Version ID | | |
| ORC-26.9 | Original Text | | |
| ORC-27 | Filler's Expected Availability Date/Time | | |
| ORC-27.1 | Time | | |
| ORC-27.2 | Degree of Precision | | |
| ORC-28 | Confidentiality Code | | |
| ORC-28.1 | Identifier | | |
| ORC-28.2 | Text | | |
| ORC-28.3 | Name of Coding System | | |
| ORC-28.4 | Alternate Identifier | | |
| ORC-28.5 | Alternate Text | | |
| ORC-28.6 | Name of Alternate Coding System | | |
| ORC-28.7 | Coding System Version ID | | |
| ORC-28.8 | Alternate Coding System Version ID | | |
| ORC-28.9 | Original Text | | |
| ORC-29 | Order Type | | |
| ORC-29.1 | Identifier | | |
| ORC-29.2 | Text | | |
| ORC-29.3 | Name of Coding System | | |
| ORC-29.4 | Alternate Identifier | | |
| ORC-29.5 | Alternate Text | | |
| ORC-29.6 | Name of Alternate Coding System | | |
| ORC-29.7 | Coding System Version ID | | |
| ORC-29.8 | Alternate Coding System Version ID | | |
| ORC-29.9 | Original Text | | |
| ORC-30 | Enterer Authorization Mode | | |
| ORC-30.1 | Identifier | | |
| ORC-30.2 | Text | | |

| ORC-30 | Location | Name of Coding System Data Element | Data | Categorization |
|---------------|----------|--|------|----------------|
| | | System | | |
| | ORC-30.4 | Alternate Identifier | | |
| | ORC-30.5 | Alternate Text | | |
| | ORC-30.6 | Name of Alternate Coding System | | |
| | ORC-30.7 | Coding System Version ID | | |
| | ORC-30.8 | Alternate Coding System Version ID | | |
| | ORC-30.9 | Original Text | | |
| ORC-31 | | Parent Universal Service Identifier | | |
| | ORC-31.1 | Identifier | | |
| | ORC-31.2 | Text | | |
| | ORC-31.3 | Name of Coding System | | |
| | ORC-31.4 | Alternate Identifier | | |
| | ORC-31.5 | Alternate Text | | |
| | ORC-31.6 | Name of Alternate Coding System | | |
| | ORC-31.7 | Coding System Version ID | | |
| | ORC-31.8 | Alternate Coding System Version ID | | |
| | ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| | Location | Data Element | Data | Categorization |
|--------------|----------|--|------------------|----------------|
| RXA-1 | | Give Sub-ID Counter | 0 | |
| RXA-2 | | Administration Sub-ID Counter | 1 | |
| RXA-3 | | Date/Time Start of Administration | | |
| | RXA-3.1 | Time | 20150531 | |
| | RXA-3.2 | Degree of Precision | | |
| RXA-4 | | Date/Time End of Administration | | |
| | RXA-4.1 | Time | 20150531 | |
| | RXA-4.2 | Degree of Precision | | |
| RXA-5 | | Administered Code | | |
| | RXA-5.1 | Identifier | 998 | |
| | RXA-5.2 | Text | no vaccine admin | |
| | RXA-5.3 | Name of Coding System | CVX | |
| | RXA-5.4 | Alternate Identifier | | |
| | RXA-5.5 | Alternate Text | | |
| | RXA-5.6 | Name of Alternate Coding System | | |
| RXA-6 | | Administered Amount | 999 | |

| RXA-7 Location | Administered Unit | Data | Categorization |
|-----------------------|--|-------------|-----------------------|
| RXA-7.1 | Identifier | | |
| RXA-7.2 | Text | | |
| RXA-7.3 | Name of Coding System | | |
| RXA-7.4 | Alternate Identifier | | |
| RXA-7.5 | Alternate Text | | |
| RXA-7.6 | Name of Alternate Coding System | | |
| RXA-8 | Administered Dosage Form | | |
| RXA-8.1 | Identifier | | |
| RXA-8.2 | Text | | |
| RXA-8.3 | Name of Coding System | | |
| RXA-8.4 | Alternate Identifier | | |
| RXA-8.5 | Alternate Text | | |
| RXA-8.6 | Name of Alternate Coding System | | |
| RXA-9 | Administration Notes | | |
| RXA-9.1 | Identifier | | |
| RXA-9.2 | Text | | |
| RXA-9.3 | Name of Coding System | | |
| RXA-9.4 | Alternate Identifier | | |
| RXA-9.5 | Alternate Text | | |
| RXA-9.6 | Name of Alternate Coding System | | |
| RXA-10 | Administering Provider | | |
| RXA-10.1 | ID Number | | |
| RXA-10.2 | Family Name | | |
| RXA-10.2.1 | Surname | | |
| RXA-10.2.2 | Own Surname Prefix | | |
| RXA-10.2.3 | Own Surname | | |
| RXA-10.2.4 | Surname Prefix From Partner/Spouse | | |
| RXA-10.2.5 | Surname From Partner/Spouse | | |
| RXA-10.3 | Given Name | | |
| RXA-10.4 | Second and Further Given Names or Initials Thereof | | |
| RXA-10.5 | Suffix (e.g., JR or III) | | |
| RXA-10.6 | Prefix (e.g., DR) | | |
| RXA-10.7 | Degree (e.g., MD) | | |
| RXA-10.8 | Source Table | | |
| RXA-10.9 | Assigning Authority | | |
| RXA-10.9.1 | Namespace ID | | |
| RXA-10.9.2 | Universal ID | | |

| RXA-10.9.3 Location | Universal ID Type Data Element | Data | Categorization |
|----------------------------|---------------------------------------|-------------|-----------------------|
| RXA-10.10 | Name Type Code | | |
| RXA-10.11 | Identifier Check Digit | | |
| RXA-10.12 | Check Digit Scheme | | |
| RXA-10.13 | Identifier Type Code | | |
| RXA-10.14 | Assigning Facility | | |
| RXA-10.14.1 | Namespace ID | | |
| RXA-10.14.2 | Universal ID | | |
| RXA-10.14.3 | Universal ID Type | | |
| RXA-10.15 | Name Representation Code | | |
| RXA-10.16 | Name Context | | |
| RXA-10.16.1 | Identifier | | |
| RXA-10.16.2 | Text | | |
| RXA-10.16.3 | Name of Coding System | | |
| RXA-10.16.4 | Alternate Identifier | | |
| RXA-10.16.5 | Alternate Text | | |
| RXA-10.16.6 | Name of Alternate Coding System | | |
| RXA-10.17 | Name Validity Range | | |
| RXA-10.17.1 | Range Start Date/Time | | |
| RXA-10.17.2 | Range End Date/Time | | |
| RXA-10.18 | Name Assembly Order | | |
| RXA-10.19 | Effective Date | | |
| RXA-10.19.1 | Time | | |
| RXA-10.19.2 | Degree of Precision | | |
| RXA-10.20 | Expiration Date | | |
| RXA-10.20.1 | Time | | |
| RXA-10.20.2 | Degree of Precision | | |
| RXA-10.21 | Professional Suffix | | |
| RXA-10.22 | Assigning Jurisdiction | | |
| RXA-10.22.1 | Identifier | | |
| RXA-10.22.2 | Text | | |
| RXA-10.22.3 | Name of Coding System | | |
| RXA-10.22.4 | Alternate Identifier | | |
| RXA-10.22.5 | Alternate Text | | |
| RXA-10.22.6 | Name of Alternate Coding System | | |
| RXA-10.22.7 | Coding System Version ID | | |
| RXA-10.22.8 | Alternate Coding System Version ID | | |
| RXA-10.22.9 | Original Text | | |
| RXA-10.23 | Assigning Agency or Department | | |
| RXA-10.23.1 | Identifier | | |

| RXA-10.23.2 | Data Element | Data | Categorization |
|--------------------|-------------------------------------|-------------|-----------------------|
| | | | |
| RXA-10.23.3 | Name of Coding System | | |
| RXA-10.23.4 | Alternate Identifier | | |
| RXA-10.23.5 | Alternate Text | | |
| RXA-10.23.6 | Name of Alternate Coding System | | |
| RXA-10.23.7 | Coding System Version ID | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |
| RXA-11.11 | City | | |
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| RXA-11.14 | Country | | |
| RXA-11.15 | Address Type | | |
| RXA-11.16 | Other Geographic Designation | | |
| RXA-12 | Administered Per (Time Unit) | | |
| RXA-13 | Administered Strength | | |
| RXA-14 | Administered Strength Units | | |
| RXA-14.1 | Identifier | | |
| RXA-14.2 | Text | | |
| RXA-14.3 | Name of Coding System | | |
| RXA-14.4 | Alternate Identifier | | |
| RXA-14.5 | Alternate Text | | |
| RXA-14.6 | Name of Alternate Coding System | | |
| RXA-15 | Substance Lot Number | | |
| RXA-16 | Substance Expiration | | |

| RXA-16.1 | Location | Data Element | Data | Categorization |
|-----------------|-----------------|--|-------------|-----------------------|
| | | | | |
| RXA-16.2 | | Degree of Precision | | |
| RXA-17 | | Substance Manufacturer Name | | |
| RXA-17.1 | | Identifier | | |
| RXA-17.2 | | Text | | |
| RXA-17.3 | | Name of Coding System | | |
| RXA-17.4 | | Alternate Identifier | | |
| RXA-17.5 | | Alternate Text | | |
| RXA-17.6 | | Name of Alternate Coding System | | |
| RXA-18 | | Substance/Treatment Refusal Reason | | |
| RXA-18.1 | | Identifier | | |
| RXA-18.2 | | Text | | |
| RXA-18.3 | | Name of Coding System | | |
| RXA-18.4 | | Alternate Identifier | | |
| RXA-18.5 | | Alternate Text | | |
| RXA-18.6 | | Name of Alternate Coding System | | |
| RXA-19 | | Indication | | |
| RXA-19.1 | | Identifier | | |
| RXA-19.2 | | Text | | |
| RXA-19.3 | | Name of Coding System | | |
| RXA-19.4 | | Alternate Identifier | | |
| RXA-19.5 | | Alternate Text | | |
| RXA-19.6 | | Name of Alternate Coding System | | |
| RXA-20 | | Completion Status | NA | |
| RXA-21 | | Action Code - RXA | | |
| RXA-22 | | System Entry Date/Time | | |
| RXA-22.1 | | Time | | |
| RXA-22.2 | | Degree of Precision | | |
| RXA-23 | | Administered Drug Strength Volume | | |
| RXA-24 | | Administered Drug Strength Volume Units | | |
| RXA-24.1 | | Identifier | | |
| RXA-24.2 | | Text | | |
| RXA-24.3 | | Name of Coding System | | |
| RXA-24.4 | | Alternate Identifier | | |
| RXA-24.5 | | Alternate Text | | |
| RXA-24.6 | | Name of Alternate Coding System | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| RXA-24.7 | Version ID | | |
| RXA-24.8 | Alternate Coding System Version ID | | |
| RXA-24.9 | Original Text | | |
| RXA-25 | Administered Barcode Identifier | | |
| RXA-25.1 | Identifier | | |
| RXA-25.2 | Text | | |
| RXA-25.3 | Name of Coding System | | |
| RXA-25.4 | Alternate Identifier | | |
| RXA-25.5 | Alternate Text | | |
| RXA-25.6 | Name of Alternate Coding System | | |
| RXA-25.7 | Coding System Version ID | | |
| RXA-25.8 | Alternate Coding System Version ID | | |
| RXA-25.9 | Original Text | | |
| RXA-26 | Pharmacy Order Type | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|--------------|---------------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 36 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 18 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |

| OBX-Location | Alternate Identifier | Data | Categorization |
|---------------|--|----------|----------------|
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |

| OBX-16.9.1 Location | Name Element Data Element | Data | Categorization |
|------------------------|------------------------------------|------|----------------|
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| | Assigning Agency or | | |

| OBX-16.23 Location | Dependent Element | Data | Categorization |
|--------------------|---|------|----------------|
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |

| OBX-23-6 Location | Assigning Authority Namespace ID | Data | Categorization |
|-------------------|---|------|----------------|
| OBX-23.6.1 | Universal ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |

| OBX-25.2.3 | Location | Data Element | Data | Categorization |
|-------------|----------|--|------|----------------|
| OBX-25.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | | Surname From Partner/Spouse | | |
| OBX-25.3 | | Given Name | | |
| OBX-25.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | | Suffix (e.g., JR or III) | | |
| OBX-25.6 | | Prefix (e.g., DR) | | |
| OBX-25.7 | | Degree (e.g., MD) | | |
| OBX-25.8 | | Source Table | | |
| OBX-25.9 | | Assigning Authority | | |
| OBX-25.9.1 | | Namespace ID | | |
| OBX-25.9.2 | | Universal ID | | |
| OBX-25.9.3 | | Universal ID Type | | |
| OBX-25.10 | | Name Type Code | | |
| OBX-25.11 | | Identifier Check Digit | | |
| OBX-25.12 | | Check Digit Scheme | | |
| OBX-25.13 | | Identifier Type Code | | |
| OBX-25.14 | | Assigning Facility | | |
| OBX-25.14.1 | | Namespace ID | | |
| OBX-25.14.2 | | Universal ID | | |
| OBX-25.14.3 | | Universal ID Type | | |
| OBX-25.15 | | Name Representation Code | | |
| OBX-25.16 | | Name Context | | |
| OBX-25.16.1 | | Identifier | | |
| OBX-25.16.2 | | Text | | |
| OBX-25.16.3 | | Name of Coding System | | |
| OBX-25.16.4 | | Alternate Identifier | | |
| OBX-25.16.5 | | Alternate Text | | |
| OBX-25.16.6 | | Name of Alternate Coding System | | |
| OBX-25.17 | | Name Validity Range | | |
| OBX-25.17.1 | | Range Start Date/Time | | |
| OBX-25.17.2 | | Range End Date/Time | | |
| OBX-25.18 | | Name Assembly Order | | |
| OBX-25.19 | | Effective Date | | |
| OBX-25.19.1 | | Time | | |
| OBX-25.19.2 | | Degree of Precision | | |
| OBX-25.20 | | Expiration Date | | |
| OBX-25.20.1 | | Time | | |
| OBX-25.20.2 | | Degree of Precision | | |
| OBX-25.21 | | Professional Suffix | | |
| | | | | |

| OBX-25.22.1 | Assigning Jurisdiction Identifier | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categorization |
|--------------|---------------------------------|---------------|----------------|
| OBX-1 | Set ID - OBX | 37 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30956-7 | |
| OBX-3.2 | Text | vaccine type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 18 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 88 | |
| OBX-5.2 | Text | influenza NOS | |
| OBX-5.3 | Name of Coding System | CVX | |
| OBX-5.4 | Alternate Identifier | | |

| OBX-5 | Location | Alternate Text | Data | Categorization |
|-------|---------------|---|----------|----------------|
| | OBX-5.6 | Name of Alternate Coding System | | |
| | OBX-6 | Units | | |
| | OBX-6.1 | Identifier | | |
| | OBX-6.2 | Text | | |
| | OBX-6.3 | Name of Coding System | | |
| | OBX-6.4 | Alternate Identifier | | |
| | OBX-6.5 | Alternate Text | | |
| | OBX-6.6 | Name of Alternate Coding System | | |
| | OBX-7 | References Range | | |
| | OBX-8 | Abnormal Flags | | |
| | OBX-9 | Probability | | |
| | OBX-10 | Nature of Abnormal Test | | |
| | OBX-11 | Observation Result Status | F | |
| | OBX-12 | Effective Date of Reference Range Values | | |
| | OBX-12.1 | Time | | |
| | OBX-12.2 | Degree of Precision | | |
| | OBX-13 | User Defined Access Checks | | |
| | OBX-14 | Date/Time of the Observation | | |
| | OBX-14.1 | Time | 20150531 | |
| | OBX-14.2 | Degree of Precision | | |
| | OBX-15 | Producer's Reference | | |
| | OBX-15.1 | Identifier | | |
| | OBX-15.2 | Text | | |
| | OBX-15.3 | Name of Coding System | | |
| | OBX-15.4 | Alternate Identifier | | |
| | OBX-15.5 | Alternate Text | | |
| | OBX-15.6 | Name of Alternate Coding System | | |
| | OBX-16 | Responsible Observer | | |
| | OBX-16.1 | ID Number | | |
| | OBX-16.2 | Family Name | | |
| | OBX-16.2.1 | Surname | | |
| | OBX-16.2.2 | Own Surname Prefix | | |
| | OBX-16.2.3 | Own Surname | | |
| | OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| | OBX-16.2.5 | Surname From Partner/Spouse | | |
| | OBX-16.3 | Given Name | | |

| Location | Segment and Further Data Element | Data | Categorization |
|-------------|----------------------------------|------|----------------|
| OBX-16.4 | Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |

| Location | Data Element Name | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.22.6 | Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| | Performing | | |

| OBX-23 | Location | Organization Name | Data Element Name | Data | Categorization |
|---------------|-------------|--|---------------------------------|------|----------------|
| | OBX-23.1 | | Organization Name | | |
| | OBX-23.2 | | Organization Name Type Code | | |
| | OBX-23.3 | | ID Number | | |
| | OBX-23.4 | | Check Digit | | |
| | OBX-23.5 | | Check Digit Scheme | | |
| | OBX-23.6 | | Assigning Authority | | |
| | OBX-23.6.1 | | Namespace ID | | |
| | OBX-23.6.2 | | Universal ID | | |
| | OBX-23.6.3 | | Universal ID Type | | |
| | OBX-23.7 | | Identifier Type Code | | |
| | OBX-23.8 | | Assigning Facility | | |
| | OBX-23.8.1 | | Namespace ID | | |
| | OBX-23.8.2 | | Universal ID | | |
| | OBX-23.8.3 | | Universal ID Type | | |
| | OBX-23.9 | | Name Representation Code | | |
| | OBX-23.10 | | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | | |
| | OBX-24.1 | | Street Address | | |
| | OBX-24.1.1 | | Street or Mailing Address | | |
| | OBX-24.1.2 | | Street Name | | |
| | OBX-24.1.3 | | Dwelling Number | | |
| | OBX-24.2 | | Other Designation | | |
| | OBX-24.3 | | City | | |
| | OBX-24.4 | | State or Province | | |
| | OBX-24.5 | | Zip or Postal Code | | |
| | OBX-24.6 | | Country | | |
| | OBX-24.7 | | Address Type | | |
| | OBX-24.8 | | Other Geographic Designation | | |
| | OBX-24.9 | | County/Parish Code | | |
| | OBX-24.10 | | Census Tract | | |
| | OBX-24.11 | | Address Representation Code | | |
| | OBX-24.12 | | Address Validity Range | | |
| | OBX-24.12.1 | | Range Start Date/Time | | |
| | OBX-24.12.2 | | Range End Date/Time | | |
| | OBX-24.13 | | Effective Date | | |
| | OBX-24.13.1 | | Time | | |
| | OBX-24.13.2 | | Degree of Precision | | |
| | OBX-24.14 | | Expiration Date | | |
| | OBX-24.14.1 | | Time | | |

| OBX-24.1.2 Location | Degree of Precision Performing Organization Medical Director | Data | Categorization |
|------------------------|---|------|----------------|
| OBX-25 | | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |

| OBX-25.19 | Effective Date | Data Element | Data | Categorization |
|-------------|------------------------------------|--------------|------|----------------|
| OBX-25.19.1 | Time | | | |
| OBX-25.19.2 | Degree of Precision | | | |
| OBX-25.20 | Expiration Date | | | |
| OBX-25.20.1 | Time | | | |
| OBX-25.20.2 | Degree of Precision | | | |
| OBX-25.21 | Professional Suffix | | | |
| OBX-25.22 | Assigning Jurisdiction | | | |
| OBX-25.22.1 | Identifier | | | |
| OBX-25.22.2 | Text | | | |
| OBX-25.22.3 | Name of Coding System | | | |
| OBX-25.22.4 | Alternate Identifier | | | |
| OBX-25.22.5 | Alternate Text | | | |
| OBX-25.22.6 | Name of Alternate Coding System | | | |
| OBX-25.22.7 | Coding System Version ID | | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | | |
| OBX-25.22.9 | Original Text | | | |
| OBX-25.23 | Assigning Agency or Department | | | |
| OBX-25.23.1 | Identifier | | | |
| OBX-25.23.2 | Text | | | |
| OBX-25.23.3 | Name of Coding System | | | |
| OBX-25.23.4 | Alternate Identifier | | | |
| OBX-25.23.5 | Alternate Text | | | |
| OBX-25.23.6 | Name of Alternate Coding System | | | |
| OBX-25.23.7 | Coding System Version ID | | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | | |
| OBX-25.23.9 | Original Text | | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|----------|------------------------|----------------------|----------------|
| OBX-1 | Set ID - OBX | 38 | |
| OBX-2 | Value Type | DT | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30980-7 | |
| OBX-3.2 | Text | Date vaccination due | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate | | |

| Location | Coding System Element | Data | Categorization |
|---------------|---|----------|----------------|
| OBX-4 | Observation Sub-ID | 18 | |
| OBX-5 | Observation Value | 20150531 | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |

| Location | Second Element | Data | Categorization |
|-------------|---------------------------------|------|----------------|
| OBX-16.4 | Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| | | | |

| OBX-16.22.5 Location | Observation Text Name of Alternate | Data | Categorization |
|-------------------------|---|------|----------------|
| OBX-16.22.6 | Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| | | | |

| OBX-23 | Location | Performing Organization Name | Data | Categorization |
|--------|-------------|------------------------------------|------|----------------|
| | | Organization Name | | |
| | OBX-23.1 | Organization Name | | |
| | OBX-23.2 | Organization Name Type Code | | |
| | OBX-23.3 | ID Number | | |
| | OBX-23.4 | Check Digit | | |
| | OBX-23.5 | Check Digit Scheme | | |
| | OBX-23.6 | Assigning Authority | | |
| | OBX-23.6.1 | Namespace ID | | |
| | OBX-23.6.2 | Universal ID | | |
| | OBX-23.6.3 | Universal ID Type | | |
| | OBX-23.7 | Identifier Type Code | | |
| | OBX-23.8 | Assigning Facility | | |
| | OBX-23.8.1 | Namespace ID | | |
| | OBX-23.8.2 | Universal ID | | |
| | OBX-23.8.3 | Universal ID Type | | |
| | OBX-23.9 | Name Representation Code | | |
| | OBX-23.10 | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | |
| | OBX-24.1 | Street Address | | |
| | OBX-24.1.1 | Street or Mailing Address | | |
| | OBX-24.1.2 | Street Name | | |
| | OBX-24.1.3 | Dwelling Number | | |
| | OBX-24.2 | Other Designation | | |
| | OBX-24.3 | City | | |
| | OBX-24.4 | State or Province | | |
| | OBX-24.5 | Zip or Postal Code | | |
| | OBX-24.6 | Country | | |
| | OBX-24.7 | Address Type | | |
| | OBX-24.8 | Other Geographic Designation | | |
| | OBX-24.9 | County/Parish Code | | |
| | OBX-24.10 | Census Tract | | |
| | OBX-24.11 | Address Representation Code | | |
| | OBX-24.12 | Address Validity Range | | |
| | OBX-24.12.1 | Range Start Date/Time | | |
| | OBX-24.12.2 | Range End Date/Time | | |
| | OBX-24.13 | Effective Date | | |
| | OBX-24.13.1 | Time | | |
| | OBX-24.13.2 | Degree of Precision | | |
| | OBX-24.14 | Expiration Date | | |
| | OBX-24.14.1 | Time | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|--|------|----------------|
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |

| OBX-25.18 | Name Assembly Order | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categorization |
|----------|------------------------|---------------|----------------|
| OBX-1 | Set ID - OBX | 39 | |
| OBX-2 | Value Type | DT | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30981-5 | |
| OBX-3.2 | Text | Earliest Date | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| | Name of Alternate | | |

| OBX-Location | Code System Element | Data | Categorization |
|---------------|---|----------|----------------|
| OBX-4 | Observation Sub-ID | 18 | |
| OBX-5 | Observation Value | 20150531 | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |

| Location | Segment and Further Data Element | Data | Categorization |
|-------------|----------------------------------|------|----------------|
| OBX-16.4 | Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |

| Location | Data Element Name | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.22.6 | Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| | Performing | | |

| OBX-23 | Location | Organization Name | Data Element Name | Data | Categorization |
|---------------|-------------|--|---------------------------------|------|----------------|
| | OBX-23.1 | | Organization Name | | |
| | OBX-23.2 | | Organization Name Type Code | | |
| | OBX-23.3 | | ID Number | | |
| | OBX-23.4 | | Check Digit | | |
| | OBX-23.5 | | Check Digit Scheme | | |
| | OBX-23.6 | | Assigning Authority | | |
| | OBX-23.6.1 | | Namespace ID | | |
| | OBX-23.6.2 | | Universal ID | | |
| | OBX-23.6.3 | | Universal ID Type | | |
| | OBX-23.7 | | Identifier Type Code | | |
| | OBX-23.8 | | Assigning Facility | | |
| | OBX-23.8.1 | | Namespace ID | | |
| | OBX-23.8.2 | | Universal ID | | |
| | OBX-23.8.3 | | Universal ID Type | | |
| | OBX-23.9 | | Name Representation Code | | |
| | OBX-23.10 | | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | | |
| | OBX-24.1 | | Street Address | | |
| | OBX-24.1.1 | | Street or Mailing Address | | |
| | OBX-24.1.2 | | Street Name | | |
| | OBX-24.1.3 | | Dwelling Number | | |
| | OBX-24.2 | | Other Designation | | |
| | OBX-24.3 | | City | | |
| | OBX-24.4 | | State or Province | | |
| | OBX-24.5 | | Zip or Postal Code | | |
| | OBX-24.6 | | Country | | |
| | OBX-24.7 | | Address Type | | |
| | OBX-24.8 | | Other Geographic Designation | | |
| | OBX-24.9 | | County/Parish Code | | |
| | OBX-24.10 | | Census Tract | | |
| | OBX-24.11 | | Address Representation Code | | |
| | OBX-24.12 | | Address Validity Range | | |
| | OBX-24.12.1 | | Range Start Date/Time | | |
| | OBX-24.12.2 | | Range End Date/Time | | |
| | OBX-24.13 | | Effective Date | | |
| | OBX-24.13.1 | | Time | | |
| | OBX-24.13.2 | | Degree of Precision | | |
| | OBX-24.14 | | Expiration Date | | |
| | OBX-24.14.1 | | Time | | |

| OBX-24.1.1.2 | Degree of Precision | Data | Categorization |
|--------------|--|------|----------------|
| Location | Performing Organization Medical Director | | |
| OBX-25 | | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|----------|------------------------|----------------------------|----------------|
| OBX-1 | Set ID - OBX | 40 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 59779-9 | |
| OBX-3.2 | Text | Immunization Schedule used | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| | Name of Alternate | | |

| OBX-Location | Coding System Element | Data | Categorization |
|---------------|---|-----------|----------------|
| OBX-4 | Observation Sub-ID | 19 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | VXC16 | |
| OBX-5.2 | Text | ACIP | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |

| OBX-16.2.1 | Location | Data Element | Data | Categorization |
|-------------|----------|--|------|----------------|
| OBX-16.2.2 | | Own Surname Prefix | | |
| OBX-16.2.3 | | Own Surname | | |
| OBX-16.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | | Surname From Partner/Spouse | | |
| OBX-16.3 | | Given Name | | |
| OBX-16.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | | Suffix (e.g., JR or III) | | |
| OBX-16.6 | | Prefix (e.g., DR) | | |
| OBX-16.7 | | Degree (e.g., MD) | | |
| OBX-16.8 | | Source Table | | |
| OBX-16.9 | | Assigning Authority | | |
| OBX-16.9.1 | | Namespace ID | | |
| OBX-16.9.2 | | Universal ID | | |
| OBX-16.9.3 | | Universal ID Type | | |
| OBX-16.10 | | Name Type Code | | |
| OBX-16.11 | | Identifier Check Digit | | |
| OBX-16.12 | | Check Digit Scheme | | |
| OBX-16.13 | | Identifier Type Code | | |
| OBX-16.14 | | Assigning Facility | | |
| OBX-16.14.1 | | Namespace ID | | |
| OBX-16.14.2 | | Universal ID | | |
| OBX-16.14.3 | | Universal ID Type | | |
| OBX-16.15 | | Name Representation Code | | |
| OBX-16.16 | | Name Context | | |
| OBX-16.16.1 | | Identifier | | |
| OBX-16.16.2 | | Text | | |
| OBX-16.16.3 | | Name of Coding System | | |
| OBX-16.16.4 | | Alternate Identifier | | |
| OBX-16.16.5 | | Alternate Text | | |
| OBX-16.16.6 | | Name of Alternate Coding System | | |
| OBX-16.17 | | Name Validity Range | | |
| OBX-16.17.1 | | Range Start Date/Time | | |
| OBX-16.17.2 | | Range End Date/Time | | |
| OBX-16.18 | | Name Assembly Order | | |
| OBX-16.19 | | Effective Date | | |
| OBX-16.19.1 | | Time | | |
| OBX-16.19.2 | | Degree of Precision | | |
| OBX-16.20 | | Expiration Date | | |
| OBX-16.20.1 | | Time | | |
| OBX-16.20.2 | | Degree of Precision | | |

| OBX-Location | Pr Data Element Suffix | Data | Categrization |
|---------------|--------------------------------------|------|---------------|
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| | Reserved for | | |

| OBX-20 | Location | harmonization with | Data | Categorization |
|--------|-------------|--------------------------------------|------|----------------|
| | | V2.6 | | |
| OBX-21 | | Reserved for harmonization with V2.6 | | |
| OBX-22 | | Reserved for harmonization with V2.6 | | |
| OBX-23 | | Performing Organization Name | | |
| | OBX-23.1 | Organization Name | | |
| | OBX-23.2 | Organization Name Type Code | | |
| | OBX-23.3 | ID Number | | |
| | OBX-23.4 | Check Digit | | |
| | OBX-23.5 | Check Digit Scheme | | |
| | OBX-23.6 | Assigning Authority | | |
| | OBX-23.6.1 | Namespace ID | | |
| | OBX-23.6.2 | Universal ID | | |
| | OBX-23.6.3 | Universal ID Type | | |
| | OBX-23.7 | Identifier Type Code | | |
| | OBX-23.8 | Assigning Facility | | |
| | OBX-23.8.1 | Namespace ID | | |
| | OBX-23.8.2 | Universal ID | | |
| | OBX-23.8.3 | Universal ID Type | | |
| | OBX-23.9 | Name Representation Code | | |
| | OBX-23.10 | Organization Identifier | | |
| OBX-24 | | Performing Organization Address | | |
| | OBX-24.1 | Street Address | | |
| | OBX-24.1.1 | Street or Mailing Address | | |
| | OBX-24.1.2 | Street Name | | |
| | OBX-24.1.3 | Dwelling Number | | |
| | OBX-24.2 | Other Designation | | |
| | OBX-24.3 | City | | |
| | OBX-24.4 | State or Province | | |
| | OBX-24.5 | Zip or Postal Code | | |
| | OBX-24.6 | Country | | |
| | OBX-24.7 | Address Type | | |
| | OBX-24.8 | Other Geographic Designation | | |
| | OBX-24.9 | County/Parish Code | | |
| | OBX-24.10 | Census Tract | | |
| | OBX-24.11 | Address Representation Code | | |
| | OBX-24.12 | Address Validity Range | | |
| | OBX-24.12.1 | Range Start Date/Time | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-24.12.2 | Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |

| Location | Name Of Alternate Data Element | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.16.6 | Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|----------|--------------|------|----------------|
| OBX-1 | Set ID - OBX | 41 | |
| OBX-2 | Value Type | CE | |

| OBX-3 Location | Observation Identifier | Data Element | Data | Categorization |
|----------------|---|--------------|------|----------------|
| OBX-3.1 | Identifier | 30956-7 | | |
| OBX-3.2 | Text | vaccine type | | |
| OBX-3.3 | Name of Coding System | LN | | |
| OBX-3.4 | Alternate Identifier | | | |
| OBX-3.5 | Alternate Text | | | |
| OBX-3.6 | Name of Alternate Coding System | | | |
| OBX-4 | Observation Sub-ID | 19 | | |
| OBX-5 | Observation Value | | | |
| OBX-5.1 | Identifier | 03 | | |
| OBX-5.2 | Text | MMR | | |
| OBX-5.3 | Name of Coding System | CVX | | |
| OBX-5.4 | Alternate Identifier | | | |
| OBX-5.5 | Alternate Text | | | |
| OBX-5.6 | Name of Alternate Coding System | | | |
| OBX-6 | Units | | | |
| OBX-6.1 | Identifier | | | |
| OBX-6.2 | Text | | | |
| OBX-6.3 | Name of Coding System | | | |
| OBX-6.4 | Alternate Identifier | | | |
| OBX-6.5 | Alternate Text | | | |
| OBX-6.6 | Name of Alternate Coding System | | | |
| OBX-7 | References Range | | | |
| OBX-8 | Abnormal Flags | | | |
| OBX-9 | Probability | | | |
| OBX-10 | Nature of Abnormal Test | | | |
| OBX-11 | Observation Result Status | F | | |
| OBX-12 | Effective Date of Reference Range Values | | | |
| OBX-12.1 | Time | | | |
| OBX-12.2 | Degree of Precision | | | |
| OBX-13 | User Defined Access Checks | | | |
| OBX-14 | Date/Time of the Observation | | | |
| OBX-14.1 | Time | 20150531 | | |
| OBX-14.2 | Degree of Precision | | | |
| OBX-15 | Producer's Reference | | | |
| OBX-15.1 | Identifier | | | |
| OBX-15.2 | Text | | | |
| | Name of Coding | | | |

| OBX-Location | System Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| | Range End | | |

| OBX-16.17.2 | Location | Date/Time Element | Data | Categorization |
|---------------|----------|--------------------------------------|------|----------------|
| | | | | |
| OBX-16.18 | | Name Assembly Order | | |
| OBX-16.19 | | Effective Date | | |
| OBX-16.19.1 | | Time | | |
| OBX-16.19.2 | | Degree of Precision | | |
| OBX-16.20 | | Expiration Date | | |
| OBX-16.20.1 | | Time | | |
| OBX-16.20.2 | | Degree of Precision | | |
| OBX-16.21 | | Professional Suffix | | |
| OBX-16.22 | | Assigning Jurisdiction | | |
| OBX-16.22.1 | | Identifier | | |
| OBX-16.22.2 | | Text | | |
| OBX-16.22.3 | | Name of Coding System | | |
| OBX-16.22.4 | | Alternate Identifier | | |
| OBX-16.22.5 | | Alternate Text | | |
| OBX-16.22.6 | | Name of Alternate Coding System | | |
| OBX-16.22.7 | | Coding System Version ID | | |
| OBX-16.22.8 | | Alternate Coding System Version ID | | |
| OBX-16.22.9 | | Original Text | | |
| OBX-16.23 | | Assigning Agency or Department | | |
| OBX-16.23.1 | | Identifier | | |
| OBX-16.23.2 | | Text | | |
| OBX-16.23.3 | | Name of Coding System | | |
| OBX-16.23.4 | | Alternate Identifier | | |
| OBX-16.23.5 | | Alternate Text | | |
| OBX-16.23.6 | | Name of Alternate Coding System | | |
| OBX-16.23.7 | | Coding System Version ID | | |
| OBX-16.23.8 | | Alternate Coding System Version ID | | |
| OBX-16.23.9 | | Original Text | | |
| OBX-17 | | Observation Method | | |
| OBX-17.1 | | Identifier | | |
| OBX-17.2 | | Text | | |
| OBX-17.3 | | Name of Coding System | | |
| OBX-17.4 | | Alternate Identifier | | |
| OBX-17.5 | | Alternate Text | | |
| OBX-17.6 | | Name of Alternate Coding System | | |
| OBX-18 | | Equipment Instance Identifier | | |
| | | | | |

| OBX-18.1 Location | Entity Identifier | Data | Categorization |
|-------------------|---|------|----------------|
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| | Other Geographic | | |

| OBX-24.8 Location | Designation Element | Data | Categorization |
|----------------------|--|------|----------------|
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |

| OBX-Location | Name Representation Data Element | Data | Categorization |
|--------------|-------------------------------------|------|----------------|
| OBX-25.15 | Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| | Alternate Coding | | |

| OBX-25.23.8 Location | System ID Data Elementmt | Data | Categrization |
|-------------------------|-----------------------------|------|---------------|
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Elementmt | Data | Categrization |
|---------------|---|----------------------|---------------|
| OBX-1 | Set ID - OBX | 42 | |
| OBX-2 | Value Type | DT | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30980-7 | |
| OBX-3.2 | Text | Date vaccination due | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 19 | |
| OBX-5 | Observation Value | 20150531 | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding | | |

| Location | System Data Element | Data | Categorization |
|---------------|--|------|----------------|
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |
| OBX-16.16.6 | Name of Alternate Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| | Range End | | |

| OBX-Location | Date/Time Element | Data | Categorization |
|---------------|--------------------------------------|------|----------------|
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |

| OBX-18.2 Location | Namespace ID | Data | Categorization |
|-------------------|---|------|----------------|
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |

| OBX-Location | Data Element Code | Data | Categorization |
|---------------|--|------|----------------|
| | | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| | Name Representation | | |

| OBX-25.15 Location | Code Data Element | Data | Categorization |
|-----------------------|------------------------------------|------|----------------|
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |

| OBX-Location | Data Element | Data | Categorization |
|--------------|--------------|------|----------------|
|--------------|--------------|------|----------------|

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|---------------|---|---------------|----------------|
| OBX-1 | Set ID - OBX | 43 | |
| OBX-2 | Value Type | DT | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30981-5 | |
| OBX-3.2 | Text | Earliest Date | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 19 | |
| OBX-5 | Observation Value | 20150531 | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| OBX-14.1 | Time | 20150531 | |
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |

| OBX-Location | Alternate Identifier | Data Element | Data | Categorization |
|---------------|--|--------------|------|----------------|
| OBX-15.4 | Alternate Text | | | |
| OBX-15.5 | Alternate Text | | | |
| OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | Responsible Observer | | | |
| OBX-16.1 | ID Number | | | |
| OBX-16.2 | Family Name | | | |
| OBX-16.2.1 | Surname | | | |
| OBX-16.2.2 | Own Surname Prefix | | | |
| OBX-16.2.3 | Own Surname | | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | | |
| OBX-16.3 | Given Name | | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | | |
| OBX-16.6 | Prefix (e.g., DR) | | | |
| OBX-16.7 | Degree (e.g., MD) | | | |
| OBX-16.8 | Source Table | | | |
| OBX-16.9 | Assigning Authority | | | |
| OBX-16.9.1 | Namespace ID | | | |
| OBX-16.9.2 | Universal ID | | | |
| OBX-16.9.3 | Universal ID Type | | | |
| OBX-16.10 | Name Type Code | | | |
| OBX-16.11 | Identifier Check Digit | | | |
| OBX-16.12 | Check Digit Scheme | | | |
| OBX-16.13 | Identifier Type Code | | | |
| OBX-16.14 | Assigning Facility | | | |
| OBX-16.14.1 | Namespace ID | | | |
| OBX-16.14.2 | Universal ID | | | |
| OBX-16.14.3 | Universal ID Type | | | |
| OBX-16.15 | Name Representation Code | | | |
| OBX-16.16 | Name Context | | | |
| OBX-16.16.1 | Identifier | | | |
| OBX-16.16.2 | Text | | | |
| OBX-16.16.3 | Name of Coding System | | | |
| OBX-16.16.4 | Alternate Identifier | | | |
| OBX-16.16.5 | Alternate Text | | | |
| OBX-16.16.6 | Name of Alternate Coding System | | | |
| OBX-16.17 | Name Validity Range | | | |
| OBX-16.17.1 | Range Start Date/Time | | | |
| OBX-16.17.2 | Range End Date/Time | | | |

| OBX-Location | Name Assembly Order Data Element | Data | Categorization |
|---------------|--------------------------------------|------|----------------|
| OBX-16.18 | | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |

| OBX-Location | Universal ID | Data Element | Data | Categorization |
|---------------|---|--------------|------|----------------|
| OBX-18.4 | Universal ID Type | | | |
| OBX-19 | Date/Time of the Analysis | | | |
| OBX-19.1 | Time | | | |
| OBX-19.2 | Degree of Precision | | | |
| OBX-20 | Reserved for harmonization with V2.6 | | | |
| OBX-21 | Reserved for harmonization with V2.6 | | | |
| OBX-22 | Reserved for harmonization with V2.6 | | | |
| OBX-23 | Performing Organization Name | | | |
| OBX-23.1 | Organization Name | | | |
| OBX-23.2 | Organization Name Type Code | | | |
| OBX-23.3 | ID Number | | | |
| OBX-23.4 | Check Digit | | | |
| OBX-23.5 | Check Digit Scheme | | | |
| OBX-23.6 | Assigning Authority | | | |
| OBX-23.6.1 | Namespace ID | | | |
| OBX-23.6.2 | Universal ID | | | |
| OBX-23.6.3 | Universal ID Type | | | |
| OBX-23.7 | Identifier Type Code | | | |
| OBX-23.8 | Assigning Facility | | | |
| OBX-23.8.1 | Namespace ID | | | |
| OBX-23.8.2 | Universal ID | | | |
| OBX-23.8.3 | Universal ID Type | | | |
| OBX-23.9 | Name Representation Code | | | |
| OBX-23.10 | Organization Identifier | | | |
| OBX-24 | Performing Organization Address | | | |
| OBX-24.1 | Street Address | | | |
| OBX-24.1.1 | Street or Mailing Address | | | |
| OBX-24.1.2 | Street Name | | | |
| OBX-24.1.3 | Dwelling Number | | | |
| OBX-24.2 | Other Designation | | | |
| OBX-24.3 | City | | | |
| OBX-24.4 | State or Province | | | |
| OBX-24.5 | Zip or Postal Code | | | |
| OBX-24.6 | Country | | | |
| OBX-24.7 | Address Type | | | |
| OBX-24.8 | Other Geographic Designation | | | |

| OBX-24.9 Location | County/Parish Code | Data | Categorization |
|----------------------|--|------|----------------|
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |

| OBX-Location | Name of Coding System | Data Element | Data | Categorization |
|--------------|------------------------------------|--------------|------|----------------|
| OBX-25.16.1 | Identifier | | | |
| OBX-25.16.2 | Text | | | |
| OBX-25.16.3 | Name of Coding System | | | |
| OBX-25.16.4 | Alternate Identifier | | | |
| OBX-25.16.5 | Alternate Text | | | |
| OBX-25.16.6 | Name of Alternate Coding System | | | |
| OBX-25.17 | Name Validity Range | | | |
| OBX-25.17.1 | Range Start Date/Time | | | |
| OBX-25.17.2 | Range End Date/Time | | | |
| OBX-25.18 | Name Assembly Order | | | |
| OBX-25.19 | Effective Date | | | |
| OBX-25.19.1 | Time | | | |
| OBX-25.19.2 | Degree of Precision | | | |
| OBX-25.20 | Expiration Date | | | |
| OBX-25.20.1 | Time | | | |
| OBX-25.20.2 | Degree of Precision | | | |
| OBX-25.21 | Professional Suffix | | | |
| OBX-25.22 | Assigning Jurisdiction | | | |
| OBX-25.22.1 | Identifier | | | |
| OBX-25.22.2 | Text | | | |
| OBX-25.22.3 | Name of Coding System | | | |
| OBX-25.22.4 | Alternate Identifier | | | |
| OBX-25.22.5 | Alternate Text | | | |
| OBX-25.22.6 | Name of Alternate Coding System | | | |
| OBX-25.22.7 | Coding System Version ID | | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | | |
| OBX-25.22.9 | Original Text | | | |
| OBX-25.23 | Assigning Agency or Department | | | |
| OBX-25.23.1 | Identifier | | | |
| OBX-25.23.2 | Text | | | |
| OBX-25.23.3 | Name of Coding System | | | |
| OBX-25.23.4 | Alternate Identifier | | | |
| OBX-25.23.5 | Alternate Text | | | |
| OBX-25.23.6 | Name of Alternate Coding System | | | |
| OBX-25.23.7 | Coding System Version ID | | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | | |

| OBX-Location | Data-Element | Data | Categorization |
|--------------|--------------|------|----------------|
|--------------|--------------|------|----------------|