## Description

A male child patient, Bobbie Q. Child, is brought to the clinic for an annual visit. A staff person locates his medical record in the EHR-S. The staff person confirms demographic information, including address. The staff person triggers a request to the IIS for an evaluated history and forecast for the child. The IIS performs a search for Bobbie Q. Child and finds one high-confidence match. The IIS generates an evaluated history and forecast for Bobbie and returns this to the EHR-S. One dose of vaccine was not administrated at the correct age and is marked as not valid. The EHR-S displays the evaluated history and forecast, including the not valid dose.

### **Comments**

No Comments

#### Pre Condition

Person exists in the querying system with the complete demographics as provided in the Test Data Specification.

Person has Medical Record Number (MR).

Person does not have existing immunization events in their EHR.

Person does have an immunization history in the IIS (simulated by the NIST Test Tool).

#### **Post Condition**

The clinician is able to view the evaluated history and forecast from the IIS. There is no obligation to incorporate the data into the EHR-S or maintain the displayed evaluated history and forecast.

## **Test Objectives**

Evaluates EHR-S ability to create a well formed query for a child. Evaluates EHR-S ability to accept and display a response with evaluated history and forecast for that person.

### **Evaluation Criteria**

Tester inspects patient record; confirms that the patients does not have existing immunization events.

Confirms valid query message using Message Validation Report.

Confirms valid receipt and display of response message using the Juror Document.

# **Notes for Testers**

The NIST tool is simulating a response from the IIS.

**Important note regarding the Query Tag (QPD-2):** The NIST response message is predefined and is based on the query message. Most systems will automatically create the query tag (Identifier) and will require it for importing, linking, and processing the response message. The NIST test message can be modified such that the query tag matches that query tag generated by the system-under test.