

MSH : Message Header

| Location | Data Elementmt | Data | Categrization |
|---------------|---------------------------------|-------------------------|---------------|
| MSH-1 | Field Separator | | |
| MSH-2 | Encoding Characters | ^~\& | |
| MSH-3 | Sending Application | | |
| MSH-3.1 | Namespace ID | | |
| MSH-3.2 | Universal ID | | |
| MSH-3.3 | Universal ID Type | | |
| MSH-4 | Sending Facility | | |
| MSH-4.1 | Namespace ID | wcEHR | |
| MSH-4.2 | Universal ID | | |
| MSH-4.3 | Universal ID Type | | |
| MSH-5 | Receiving Application | | |
| MSH-5.1 | Namespace ID | | |
| MSH-5.2 | Universal ID | | |
| MSH-5.3 | Universal ID Type | | |
| MSH-6 | Receiving Facility | | |
| MSH-6.1 | Namespace ID | IIS | |
| MSH-6.2 | Universal ID | | |
| MSH-6.3 | Universal ID Type | | |
| MSH-7 | Date/Time Of Message | | |
| MSH-7.1 | Time | 20150624093847.808-0500 | |
| MSH-7.2 | Degree of Precision | | |
| MSH-8 | Security | | |
| MSH-9 | Message Type | | |
| MSH-9.1 | Message Code | VXU | |
| MSH-9.2 | Trigger Event | V04 | |
| MSH-9.3 | Message Structure | VXU_V04 | |
| MSH-10 | Message Control ID | 18019 | |
| MSH-11 | Processing ID | | |
| MSH-11.1 | Processing ID | P | |
| MSH-11.2 | Processing Mode | | |
| MSH-12 | Version ID | | |
| MSH-12.1 | Version ID | 2.5.1 | |
| MSH-12.2 | Internationalization Code | | |
| MSH-12.2.1 | Identifier | | |
| MSH-12.2.2 | Text | | |
| MSH-12.2.3 | Name of Coding System | | |
| MSH-12.2.4 | Alternate Identifier | | |
| MSH-12.2.5 | Alternate Text | | |
| MSH-12.2.6 | Name of Alternate Coding System | | |
| MSH-12.3 | International Version ID | | |
| MSH-12.3.1 | Identifier | | |
| MSH-12.3.2 | Text | | |
| MSH-12.3.3 | Name of Coding | | |

| Location | System Data Element | Data | Categorization |
|---------------|--|-----------|----------------|
| MSH-12.3.4 | Alternate Identifier | | |
| MSH-12.3.5 | Alternate Text | | |
| MSH-12.3.6 | Name of Alternate Coding System | | |
| MSH-13 | Sequence Number | | |
| MSH-14 | Continuation Pointer | | |
| MSH-15 | Accept Acknowledgment Type | ER | |
| MSH-16 | Application Acknowledgment Type | AL | |
| MSH-17 | Country Code | | |
| MSH-18 | Character Set | | |
| MSH-19 | Principal Language Of Message | | |
| MSH-19.1 | Identifier | | |
| MSH-19.2 | Text | | |
| MSH-19.3 | Name of Coding System | | |
| MSH-19.4 | Alternate Identifier | | |
| MSH-19.5 | Alternate Text | | |
| MSH-19.6 | Name of Alternate Coding System | | |
| MSH-20 | Alternate Character Set Handling Scheme | | |
| MSH-21 | Message Profile Identifier | | |
| MSH-21.1 | Entity Identifier | Z22 | |
| MSH-21.2 | Namespace ID | CDCPHINVS | |
| MSH-21.3 | Universal ID | | |
| MSH-21.4 | Universal ID Type | | |
| MSH-22 | Sending Responsible Organization | | |
| MSH-22.1 | Organization Name | wcEHR | |
| MSH-22.2 | Organization Name Type Code | | |
| MSH-22.3 | ID Number | | |
| MSH-22.4 | Check Digit | | |
| MSH-22.5 | Check Digit Scheme | | |
| MSH-22.6 | Assigning Authority | | |
| MSH-22.6.1 | Namespace ID | | |
| MSH-22.6.2 | Universal ID | | |
| MSH-22.6.3 | Universal ID Type | | |
| MSH-22.7 | Identifier Type Code | | |
| MSH-22.8 | Assigning Facility | | |
| MSH-22.8.1 | Namespace ID | | |
| MSH-22.8.2 | Universal ID | | |
| MSH-22.8.3 | Universal ID Type | | |
| MSH-22.9 | Name Representation Code | | |

| MSH-23.10 Location | Organization Identifier Data Element | Data | Categorization |
|-----------------------|---|------|----------------|
| MSH-23 | Receiving Responsible Organization | | |
| MSH-23.1 | Organization Name | IIS | |
| MSH-23.2 | Organization Name Type Code | | |
| MSH-23.3 | ID Number | | |
| MSH-23.4 | Check Digit | | |
| MSH-23.5 | Check Digit Scheme | | |
| MSH-23.6 | Assigning Authority | | |
| MSH-23.6.1 | Namespace ID | | |
| MSH-23.6.2 | Universal ID | | |
| MSH-23.6.3 | Universal ID Type | | |
| MSH-23.7 | Identifier Type Code | | |
| MSH-23.8 | Assigning Facility | | |
| MSH-23.8.1 | Namespace ID | | |
| MSH-23.8.2 | Universal ID | | |
| MSH-23.8.3 | Universal ID Type | | |
| MSH-23.9 | Name Representation Code | | |
| MSH-23.10 | Organization Identifier | | |
| MSH-24 | Sending Network Address | | |
| MSH-24.1 | Namespace ID | | |
| MSH-24.2 | Universal ID | | |
| MSH-24.3 | Universal ID Type | | |
| MSH-25 | Receiving Network Address | | |
| MSH-25.1 | Namespace ID | | |
| MSH-25.2 | Universal ID | | |
| MSH-25.3 | Universal ID Type | | |

PID : Patient Identification

| Location | Data Element | Data | Categorization |
|--------------|----------------------|------|----------------|
| PID-1 | Set ID - PID | 1 | |
| PID-2 | Patient ID | | |
| PID-2.1 | ID Number | | |
| PID-2.2 | Check Digit | | |
| PID-2.3 | Check Digit Scheme | | |
| PID-2.4 | Assigning Authority | | |
| PID-2.4.1 | Namespace ID | | |
| PID-2.4.2 | Universal ID | | |
| PID-2.4.3 | Universal ID Type | | |
| PID-2.5 | Identifier Type Code | | |
| PID-2.6 | Assigning Facility | | |
| PID-2.6.1 | Namespace ID | | |
| PID-2.6.2 | Universal ID | | |
| PID-2.6.3 | Universal ID Type | | |
| | | | |

| PID-2.7 | Location | Effective Date | Element | Data | Categorization |
|--------------|----------|------------------------------------|---------|------|----------------|
| PID-2.8 | | Expiration Date | | | |
| PID-2.9 | | Assigning Jurisdiction | | | |
| PID-2.9.1 | | Identifier | | | |
| PID-2.9.2 | | Text | | | |
| PID-2.9.3 | | Name of Coding System | | | |
| PID-2.9.4 | | Alternate Identifier | | | |
| PID-2.9.5 | | Alternate Text | | | |
| PID-2.9.6 | | Name of Alternate Coding System | | | |
| PID-2.9.7 | | Coding System Version ID | | | |
| PID-2.9.8 | | Alternate Coding System Version ID | | | |
| PID-2.9.9 | | Original Text | | | |
| PID-2.10 | | Assigning Agency or Department | | | |
| PID-2.10.1 | | Identifier | | | |
| PID-2.10.2 | | Text | | | |
| PID-2.10.3 | | Name of Coding System | | | |
| PID-2.10.4 | | Alternate Identifier | | | |
| PID-2.10.5 | | Alternate Text | | | |
| PID-2.10.6 | | Name of Alternate Coding System | | | |
| PID-2.10.7 | | Coding System Version ID | | | |
| PID-2.10.8 | | Alternate Coding System Version ID | | | |
| PID-2.10.9 | | Original Text | | | |
| PID-3 | | Patient Identifier List | | | |
| PID-3.1 | | ID Number | 8891 | | |
| PID-3.2 | | Check Digit | | | |
| PID-3.3 | | Check Digit Scheme | | | |
| PID-3.4 | | Assigning Authority | | | |
| PID-3.4.1 | | Namespace ID | wcEHR | | |
| PID-3.4.2 | | Universal ID | | | |
| PID-3.4.3 | | Universal ID Type | | | |
| PID-3.5 | | Identifier Type Code | MR | | |
| PID-3.6 | | Assigning Facility | | | |
| PID-3.6.1 | | Namespace ID | | | |
| PID-3.6.2 | | Universal ID | | | |
| PID-3.6.3 | | Universal ID Type | | | |
| PID-3.7 | | Effective Date | | | |
| PID-3.8 | | Expiration Date | | | |
| PID-3.9 | | Assigning Jurisdiction | | | |
| PID-3.9.1 | | Identifier | | | |
| PID-3.9.2 | | Text | | | |
| | | Name of Coding | | | |

| PID-3.9.3 | Location | System Data Element | Data | Categorization |
|--------------|----------|------------------------------------|------|----------------|
| PID-3.9.4 | | Alternate Identifier | | |
| PID-3.9.5 | | Alternate Text | | |
| PID-3.9.6 | | Name of Alternate Coding System | | |
| PID-3.9.7 | | Coding System Version ID | | |
| PID-3.9.8 | | Alternate Coding System Version ID | | |
| PID-3.9.9 | | Original Text | | |
| PID-3.10 | | Assigning Agency or Department | | |
| PID-3.10.1 | | Identifier | | |
| PID-3.10.2 | | Text | | |
| PID-3.10.3 | | Name of Coding System | | |
| PID-3.10.4 | | Alternate Identifier | | |
| PID-3.10.5 | | Alternate Text | | |
| PID-3.10.6 | | Name of Alternate Coding System | | |
| PID-3.10.7 | | Coding System Version ID | | |
| PID-3.10.8 | | Alternate Coding System Version ID | | |
| PID-3.10.9 | | Original Text | | |
| PID-4 | | Alternate Patient ID - PID | | |
| PID-4.1 | | ID Number | | |
| PID-4.2 | | Check Digit | | |
| PID-4.3 | | Check Digit Scheme | | |
| PID-4.4 | | Assigning Authority | | |
| PID-4.4.1 | | Namespace ID | | |
| PID-4.4.2 | | Universal ID | | |
| PID-4.4.3 | | Universal ID Type | | |
| PID-4.5 | | Identifier Type Code | | |
| PID-4.6 | | Assigning Facility | | |
| PID-4.6.1 | | Namespace ID | | |
| PID-4.6.2 | | Universal ID | | |
| PID-4.6.3 | | Universal ID Type | | |
| PID-4.7 | | Effective Date | | |
| PID-4.8 | | Expiration Date | | |
| PID-4.9 | | Assigning Jurisdiction | | |
| PID-4.9.1 | | Identifier | | |
| PID-4.9.2 | | Text | | |
| PID-4.9.3 | | Name of Coding System | | |
| PID-4.9.4 | | Alternate Identifier | | |
| PID-4.9.5 | | Alternate Text | | |
| PID-4.9.6 | | Name of Alternate | | |

| Location | Data Element | Data | Categorization |
|--------------|--|-------|----------------|
| PID-4.9.7 | Coding System Version ID | | |
| PID-4.9.8 | Alternate Coding System Version ID | | |
| PID-4.9.9 | Original Text | | |
| PID-4.10 | Assigning Agency or Department | | |
| PID-4.10.1 | Identifier | | |
| PID-4.10.2 | Text | | |
| PID-4.10.3 | Name of Coding System | | |
| PID-4.10.4 | Alternate Identifier | | |
| PID-4.10.5 | Alternate Text | | |
| PID-4.10.6 | Name of Alternate Coding System | | |
| PID-4.10.7 | Coding System Version ID | | |
| PID-4.10.8 | Alternate Coding System Version ID | | |
| PID-4.10.9 | Original Text | | |
| PID-5 | Patient Name | | |
| PID-5.1 | Family Name | | |
| PID-5.1.1 | Surname | Banks | |
| PID-5.1.2 | Own Surname Prefix | | |
| PID-5.1.3 | Own Surname | | |
| PID-5.1.4 | Surname Prefix From Partner/Spouse | | |
| PID-5.1.5 | Surname From Partner/Spouse | | |
| PID-5.2 | Given Name | Tyler | |
| PID-5.3 | Second and Further Given Names or Initials Thereof | Owen | |
| PID-5.4 | Suffix (e.g., JR or III) | | |
| PID-5.5 | Prefix (e.g., DR) | | |
| PID-5.6 | Degree (e.g., MD) | | |
| PID-5.7 | Name Type Code | L | |
| PID-5.8 | Name Representation Code | | |
| PID-5.9 | Name Context | | |
| PID-5.9.1 | Identifier | | |
| PID-5.9.2 | Text | | |
| PID-5.9.3 | Name of Coding System | | |
| PID-5.9.4 | Alternate Identifier | | |
| PID-5.9.5 | Alternate Text | | |
| PID-5.9.6 | Name of Alternate Coding System | | |
| PID-5.10 | Name Validity Range | | |
| | Range Start | | |

| PID-5.10.1 | Date/Time | | |
|--------------|--|------|----------------|
| Location | Data Element | Data | Categorization |
| PID-5.10.2 | Range End Date/Time | | |
| PID-5.11 | Name Assembly Order | | |
| PID-5.12 | Effective Date | | |
| PID-5.12.1 | Time | | |
| PID-5.12.2 | Degree of Precision | | |
| PID-5.13 | Expiration Date | | |
| PID-5.13.1 | Time | | |
| PID-5.13.2 | Degree of Precision | | |
| PID-5.14 | Professional Suffix | | |
| PID-6 | Mother's Maiden Name | | |
| PID-6.1 | Family Name | | |
| PID-6.1.1 | Surname | | |
| PID-6.1.2 | Own Surname Prefix | | |
| PID-6.1.3 | Own Surname | | |
| PID-6.1.4 | Surname Prefix From Partner/Spouse | | |
| PID-6.1.5 | Surname From Partner/Spouse | | |
| PID-6.2 | Given Name | | |
| PID-6.3 | Second and Further Given Names or Initials Thereof | | |
| PID-6.4 | Suffix (e.g., JR or III) | | |
| PID-6.5 | Prefix (e.g., DR) | | |
| PID-6.6 | Degree (e.g., MD) | | |
| PID-6.7 | Name Type Code | | |
| PID-6.8 | Name Representation Code | | |
| PID-6.9 | Name Context | | |
| PID-6.9.1 | Identifier | | |
| PID-6.9.2 | Text | | |
| PID-6.9.3 | Name of Coding System | | |
| PID-6.9.4 | Alternate Identifier | | |
| PID-6.9.5 | Alternate Text | | |
| PID-6.9.6 | Name of Alternate Coding System | | |
| PID-6.10 | Name Validity Range | | |
| PID-6.10.1 | Range Start Date/Time | | |
| PID-6.10.2 | Range End Date/Time | | |
| PID-6.11 | Name Assembly Order | | |
| PID-6.12 | Effective Date | | |
| PID-6.12.1 | Time | | |
| PID-6.12.2 | Degree of Precision | | |
| PID-6.13 | Expiration Date | | |

| PID Location | Data Element | Data | Categorization |
|---------------------|--|-------------|-----------------------|
| PID-6.13.2 | Degree of Precision | | |
| PID-6.14 | Professional Suffix | | |
| PID-7 | Date/Time of Birth | | |
| PID-7.1 | Time | 20040602 | |
| PID-7.2 | Degree of Precision | | |
| PID-8 | Administrative Sex | M | |
| PID-9 | Patient Alias | | |
| PID-9.1 | Family Name | | |
| PID-9.1.1 | Surname | | |
| PID-9.1.2 | Own Surname Prefix | | |
| PID-9.1.3 | Own Surname | | |
| PID-9.1.4 | Surname Prefix From Partner/Spouse | | |
| PID-9.1.5 | Surname From Partner/Spouse | | |
| PID-9.2 | Given Name | | |
| PID-9.3 | Second and Further Given Names or Initials Thereof | | |
| PID-9.4 | Suffix (e.g., JR or III) | | |
| PID-9.5 | Prefix (e.g., DR) | | |
| PID-9.6 | Degree (e.g., MD) | | |
| PID-9.7 | Name Type Code | | |
| PID-9.8 | Name Representation Code | | |
| PID-9.9 | Name Context | | |
| PID-9.9.1 | Identifier | | |
| PID-9.9.2 | Text | | |
| PID-9.9.3 | Name of Coding System | | |
| PID-9.9.4 | Alternate Identifier | | |
| PID-9.9.5 | Alternate Text | | |
| PID-9.9.6 | Name of Alternate Coding System | | |
| PID-9.10 | Name Validity Range | | |
| PID-9.10.1 | Range Start Date/Time | | |
| PID-9.10.2 | Range End Date/Time | | |
| PID-9.11 | Name Assembly Order | | |
| PID-9.12 | Effective Date | | |
| PID-9.12.1 | Time | | |
| PID-9.12.2 | Degree of Precision | | |
| PID-9.13 | Expiration Date | | |
| PID-9.13.1 | Time | | |
| PID-9.13.2 | Degree of Precision | | |
| PID-9.14 | Professional Suffix | | |
| PID-10 | Race | | |
| | | | |

| PID-10.2 | Location | Data Element | Data | Categorization |
|-------------|----------|----------------------------------|-------------------|----------------|
| PID-10.3 | | Name of Coding System | CDCREC | |
| PID-10.4 | | Alternate Identifier | | |
| PID-10.5 | | Alternate Text | | |
| PID-10.6 | | Name of Alternate Coding System | | |
| PID-11 | | Patient Address | | |
| PID-11.1 | | Street Address | | |
| PID-11.1.1 | | Street or Mailing Address | 924 Sycamore Lane | |
| PID-11.1.2 | | Street Name | | |
| PID-11.1.3 | | Dwelling Number | | |
| PID-11.2 | | Other Designation | | |
| PID-11.3 | | City | Bozeman | |
| PID-11.4 | | State or Province | MT | |
| PID-11.5 | | Zip or Postal Code | 59715 | |
| PID-11.6 | | Country | USA | |
| PID-11.7 | | Address Type | P | |
| PID-11.8 | | Other Geographic Designation | | |
| PID-11.9 | | County/Parish Code | | |
| PID-11.10 | | Census Tract | | |
| PID-11.11 | | Address Representation Code | | |
| PID-11.12 | | Address Validity Range | | |
| PID-11.12.1 | | Range Start Date/Time | | |
| PID-11.12.2 | | Range End Date/Time | | |
| PID-11.13 | | Effective Date | | |
| PID-11.13.1 | | Time | | |
| PID-11.13.2 | | Degree of Precision | | |
| PID-11.14 | | Expiration Date | | |
| PID-11.14.1 | | Time | | |
| PID-11.14.2 | | Degree of Precision | | |
| PID-12 | | County Code | | |
| PID-13 | | Phone Number - Home | | |
| PID-13.1 | | Telephone Number | | |
| PID-13.2 | | Telecommunication Use Code | PRN | |
| PID-13.3 | | Telecommunication Equipment Type | PH | |
| PID-13.4 | | Email Address | | |
| PID-13.5 | | Country Code | | |
| PID-13.6 | | Area/City Code | 406 | |
| PID-13.7 | | Local Number | 5555835 | |
| PID-13.8 | | Extension | | |
| | | | | |

| PID-13.9 | Location | Data Element | Data | Categorization |
|-----------------|-----------------|----------------------------------|-------------|-----------------------|
| PID-13.11 | | Speed Dial Code | | |
| PID-13.12 | | Unformatted Telephone number | | |
| PID-14 | | Phone Number - Business | | |
| PID-14.1 | | Telephone Number | | |
| PID-14.2 | | Telecommunication Use Code | | |
| PID-14.3 | | Telecommunication Equipment Type | | |
| PID-14.4 | | Email Address | | |
| PID-14.5 | | Country Code | | |
| PID-14.6 | | Area/City Code | | |
| PID-14.7 | | Local Number | | |
| PID-14.8 | | Extension | | |
| PID-14.9 | | Any Text | | |
| PID-14.10 | | Extension Prefix | | |
| PID-14.11 | | Speed Dial Code | | |
| PID-14.12 | | Unformatted Telephone number | | |
| PID-15 | | Primary Language | | |
| PID-15.1 | | Identifier | | |
| PID-15.2 | | Text | | |
| PID-15.3 | | Name of Coding System | | |
| PID-15.4 | | Alternate Identifier | | |
| PID-15.5 | | Alternate Text | | |
| PID-15.6 | | Name of Alternate Coding System | | |
| PID-16 | | Marital Status | | |
| PID-16.1 | | Identifier | | |
| PID-16.2 | | Text | | |
| PID-16.3 | | Name of Coding System | | |
| PID-16.4 | | Alternate Identifier | | |
| PID-16.5 | | Alternate Text | | |
| PID-16.6 | | Name of Alternate Coding System | | |
| PID-17 | | Religion | | |
| PID-17.1 | | Identifier | | |
| PID-17.2 | | Text | | |
| PID-17.3 | | Name of Coding System | | |
| PID-17.4 | | Alternate Identifier | | |
| PID-17.5 | | Alternate Text | | |
| PID-17.6 | | Name of Alternate Coding System | | |
| PID-18 | | Patient Account Number | | |

| PID-18.1 | Location | ID Number | Data Element | Data | Categorization |
|-----------------|-----------------|------------------|--|-------------|-----------------------|
| PID-18.2 | | | Check Digit | | |
| PID-18.3 | | | Check Digit Scheme | | |
| PID-18.4 | | | Assigning Authority | | |
| PID-18.4.1 | | | Namespace ID | | |
| PID-18.4.2 | | | Universal ID | | |
| PID-18.4.3 | | | Universal ID Type | | |
| PID-18.5 | | | Identifier Type Code | | |
| PID-18.6 | | | Assigning Facility | | |
| PID-18.6.1 | | | Namespace ID | | |
| PID-18.6.2 | | | Universal ID | | |
| PID-18.6.3 | | | Universal ID Type | | |
| PID-18.7 | | | Effective Date | | |
| PID-18.8 | | | Expiration Date | | |
| PID-18.9 | | | Assigning Jurisdiction | | |
| PID-18.9.1 | | | Identifier | | |
| PID-18.9.2 | | | Text | | |
| PID-18.9.3 | | | Name of Coding System | | |
| PID-18.9.4 | | | Alternate Identifier | | |
| PID-18.9.5 | | | Alternate Text | | |
| PID-18.9.6 | | | Name of Alternate Coding System | | |
| PID-18.9.7 | | | Coding System Version ID | | |
| PID-18.9.8 | | | Alternate Coding System Version ID | | |
| PID-18.9.9 | | | Original Text | | |
| PID-18.10 | | | Assigning Agency or Department | | |
| PID-18.10.1 | | | Identifier | | |
| PID-18.10.2 | | | Text | | |
| PID-18.10.3 | | | Name of Coding System | | |
| PID-18.10.4 | | | Alternate Identifier | | |
| PID-18.10.5 | | | Alternate Text | | |
| PID-18.10.6 | | | Name of Alternate Coding System | | |
| PID-18.10.7 | | | Coding System Version ID | | |
| PID-18.10.8 | | | Alternate Coding System Version ID | | |
| PID-18.10.9 | | | Original Text | | |
| PID-19 | | | SSN Number - Patient | | |
| PID-20 | | | Driver's License Number - Patient | | |
| PID-20.1 | | | License Number | | |
| PID-20.2 | | | Issuing State, Province, Country | | |
| PID-20.3 | | | Expiration Date | | |

| PID-21 Location | Mod Data's Identifier | Data | Categorization |
|-----------------|------------------------------------|------------------------|----------------|
| PID-21.1 | ID Number | | |
| PID-21.2 | Check Digit | | |
| PID-21.3 | Check Digit Scheme | | |
| PID-21.4 | Assigning Authority | | |
| PID-21.4.1 | Namespace ID | | |
| PID-21.4.2 | Universal ID | | |
| PID-21.4.3 | Universal ID Type | | |
| PID-21.5 | Identifier Type Code | | |
| PID-21.6 | Assigning Facility | | |
| PID-21.6.1 | Namespace ID | | |
| PID-21.6.2 | Universal ID | | |
| PID-21.6.3 | Universal ID Type | | |
| PID-21.7 | Effective Date | | |
| PID-21.8 | Expiration Date | | |
| PID-21.9 | Assigning Jurisdiction | | |
| PID-21.9.1 | Identifier | | |
| PID-21.9.2 | Text | | |
| PID-21.9.3 | Name of Coding System | | |
| PID-21.9.4 | Alternate Identifier | | |
| PID-21.9.5 | Alternate Text | | |
| PID-21.9.6 | Name of Alternate Coding System | | |
| PID-21.9.7 | Coding System Version ID | | |
| PID-21.9.8 | Alternate Coding System Version ID | | |
| PID-21.9.9 | Original Text | | |
| PID-21.10 | Assigning Agency or Department | | |
| PID-21.10.1 | Identifier | | |
| PID-21.10.2 | Text | | |
| PID-21.10.3 | Name of Coding System | | |
| PID-21.10.4 | Alternate Identifier | | |
| PID-21.10.5 | Alternate Text | | |
| PID-21.10.6 | Name of Alternate Coding System | | |
| PID-21.10.7 | Coding System Version ID | | |
| PID-21.10.8 | Alternate Coding System Version ID | | |
| PID-21.10.9 | Original Text | | |
| PID-22 | Ethnic Group | | |
| PID-22.1 | Identifier | 2186-5 | |
| PID-22.2 | Text | Not Hispanic or Latino | |
| PID-22.3 | Name of Coding System | CDCREC | |

| PID-22.4 | Location | Alternate Identifier | Data | Categorization |
|-----------------|-----------------|------------------------------------|-------------|-----------------------|
| PID-22.5 | | Alternate Text | | |
| PID-22.6 | | Name of Alternate Coding System | | |
| PID-23 | | Birth Place | | |
| PID-24 | | Multiple Birth Indicator | N | |
| PID-25 | | Birth Order | 1 | |
| PID-26 | | Citizenship | | |
| PID-26.1 | | Identifier | | |
| PID-26.2 | | Text | | |
| PID-26.3 | | Name of Coding System | | |
| PID-26.4 | | Alternate Identifier | | |
| PID-26.5 | | Alternate Text | | |
| PID-26.6 | | Name of Alternate Coding System | | |
| PID-27 | | Veterans Military Status | | |
| PID-27.1 | | Identifier | | |
| PID-27.2 | | Text | | |
| PID-27.3 | | Name of Coding System | | |
| PID-27.4 | | Alternate Identifier | | |
| PID-27.5 | | Alternate Text | | |
| PID-27.6 | | Name of Alternate Coding System | | |
| PID-28 | | Nationality | | |
| PID-28.1 | | Identifier | | |
| PID-28.2 | | Text | | |
| PID-28.3 | | Name of Coding System | | |
| PID-28.4 | | Alternate Identifier | | |
| PID-28.5 | | Alternate Text | | |
| PID-28.6 | | Name of Alternate Coding System | | |
| PID-29 | | Patient Death Date and Time | | |
| PID-29.1 | | Time | | |
| PID-29.2 | | Degree of Precision | | |
| PID-30 | | Patient Death Indicator | N | |
| PID-31 | | Identity Unknown Indicator | | |
| PID-32 | | Identity Reliability Code | | |
| PID-33 | | Last Update Date/Time | | |
| PID-33.1 | | Time | | |
| PID-33.2 | | Degree of Precision | | |
| PID-34 | | Last Update Facility | | |
| PID-34.1 | | Namespace ID | | |

| PID-34 | Location | Data Element | Data | Categorization |
|---------------|-----------------|------------------------------------|-------------|-----------------------|
| PID-34.3 | | Universal ID Type | | |
| PID-35 | | Species Code | | |
| PID-35.1 | | Identifier | | |
| PID-35.2 | | Text | | |
| PID-35.3 | | Name of Coding System | | |
| PID-35.4 | | Alternate Identifier | | |
| PID-35.5 | | Alternate Text | | |
| PID-35.6 | | Name of Alternate Coding System | | |
| PID-36 | | Breed Code | | |
| PID-36.1 | | Identifier | | |
| PID-36.2 | | Text | | |
| PID-36.3 | | Name of Coding System | | |
| PID-36.4 | | Alternate Identifier | | |
| PID-36.5 | | Alternate Text | | |
| PID-36.6 | | Name of Alternate Coding System | | |
| PID-37 | | Strain | | |
| PID-38 | | Production Class Code | | |
| PID-38.1 | | Identifier | | |
| PID-38.2 | | Text | | |
| PID-38.3 | | Name of Coding System | | |
| PID-38.4 | | Alternate Identifier | | |
| PID-38.5 | | Alternate Text | | |
| PID-38.6 | | Name of Alternate Coding System | | |
| PID-39 | | Tribal Citizenship | | |
| PID-39.1 | | Identifier | | |
| PID-39.2 | | Text | | |
| PID-39.3 | | Name of Coding System | | |
| PID-39.4 | | Alternate Identifier | | |
| PID-39.5 | | Alternate Text | | |
| PID-39.6 | | Name of Alternate Coding System | | |
| PID-39.7 | | Coding System Version ID | | |
| PID-39.8 | | Alternate Coding System Version ID | | |
| PID-39.9 | | Original Text | | |

PD1 : Patient Additional Demographic

| Location | Data Element | Data | Categorization |
|-----------------|---------------------------|-------------|-----------------------|
| PD1-1 | Living Dependency | | |
| PD1-2 | Living Arrangement | | |

| PD1-3 | Location | Patient Primary Care Facility | Data Element | Data | Categorization |
|-------|------------|--|--------------|------|----------------|
| | | | | | |
| | PD1-3.1 | Organization Name | | | |
| | PD1-3.2 | Organization Name Type Code | | | |
| | PD1-3.3 | ID Number | | | |
| | PD1-3.4 | Check Digit | | | |
| | PD1-3.5 | Check Digit Scheme | | | |
| | PD1-3.6 | Assigning Authority | | | |
| | PD1-3.6.1 | Namespace ID | | | |
| | PD1-3.6.2 | Universal ID | | | |
| | PD1-3.6.3 | Universal ID Type | | | |
| | PD1-3.7 | Identifier Type Code | | | |
| | PD1-3.8 | Assigning Facility | | | |
| | PD1-3.8.1 | Namespace ID | | | |
| | PD1-3.8.2 | Universal ID | | | |
| | PD1-3.8.3 | Universal ID Type | | | |
| | PD1-3.9 | Name Representation Code | | | |
| | PD1-3.10 | Organization Identifier | | | |
| PD1-4 | | Patient Primary Care Provider Name & ID No. | | | |
| | PD1-4.1 | ID Number | | | |
| | PD1-4.2 | Family Name | | | |
| | PD1-4.2.1 | Surname | | | |
| | PD1-4.2.2 | Own Surname Prefix | | | |
| | PD1-4.2.3 | Own Surname | | | |
| | PD1-4.2.4 | Surname Prefix From Partner/Spouse | | | |
| | PD1-4.2.5 | Surname From Partner/Spouse | | | |
| | PD1-4.3 | Given Name | | | |
| | PD1-4.4 | Second and Further Given Names or Initials Thereof | | | |
| | PD1-4.5 | Suffix (e.g., JR or III) | | | |
| | PD1-4.6 | Prefix (e.g., DR) | | | |
| | PD1-4.7 | Degree (e.g., MD) | | | |
| | PD1-4.8 | Source Table | | | |
| | PD1-4.9 | Assigning Authority | | | |
| | PD1-4.9.1 | Namespace ID | | | |
| | PD1-4.9.2 | Universal ID | | | |
| | PD1-4.9.3 | Universal ID Type | | | |
| | PD1-4.10 | Name Type Code | | | |
| | PD1-4.11 | Identifier Check Digit | | | |
| | PD1-4.12 | Check Digit Scheme | | | |
| | PD1-4.13 | Identifier Type Code | | | |
| | PD1-4.14 | Assigning Facility | | | |
| | PD1-4.14.1 | Namespace ID | | | |

| PD1-4.14.2 | Location | Data Element ID | Data Element Name | Data | Categorization |
|------------|----------|-----------------|------------------------------------|------|----------------|
| PD1-4.14.3 | | | Universal ID Type | | |
| PD1-4.15 | | | Name Representation Code | | |
| PD1-4.16 | | | Name Context | | |
| PD1-4.16.1 | | | Identifier | | |
| PD1-4.16.2 | | | Text | | |
| PD1-4.16.3 | | | Name of Coding System | | |
| PD1-4.16.4 | | | Alternate Identifier | | |
| PD1-4.16.5 | | | Alternate Text | | |
| PD1-4.16.6 | | | Name of Alternate Coding System | | |
| PD1-4.17 | | | Name Validity Range | | |
| PD1-4.17.1 | | | Range Start Date/Time | | |
| PD1-4.17.2 | | | Range End Date/Time | | |
| PD1-4.18 | | | Name Assembly Order | | |
| PD1-4.19 | | | Effective Date | | |
| PD1-4.19.1 | | | Time | | |
| PD1-4.19.2 | | | Degree of Precision | | |
| PD1-4.20 | | | Expiration Date | | |
| PD1-4.20.1 | | | Time | | |
| PD1-4.20.2 | | | Degree of Precision | | |
| PD1-4.21 | | | Professional Suffix | | |
| PD1-4.22 | | | Assigning Jurisdiction | | |
| PD1-4.22.1 | | | Identifier | | |
| PD1-4.22.2 | | | Text | | |
| PD1-4.22.3 | | | Name of Coding System | | |
| PD1-4.22.4 | | | Alternate Identifier | | |
| PD1-4.22.5 | | | Alternate Text | | |
| PD1-4.22.6 | | | Name of Alternate Coding System | | |
| PD1-4.22.7 | | | Coding System Version ID | | |
| PD1-4.22.8 | | | Alternate Coding System Version ID | | |
| PD1-4.22.9 | | | Original Text | | |
| PD1-4.23 | | | Assigning Agency or Department | | |
| PD1-4.23.1 | | | Identifier | | |
| PD1-4.23.2 | | | Text | | |
| PD1-4.23.3 | | | Name of Coding System | | |
| PD1-4.23.4 | | | Alternate Identifier | | |
| PD1-4.23.5 | | | Alternate Text | | |
| PD1-4.23.6 | | | Name of Alternate Coding System | | |

| Location | Coding System Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| PD1-4.23.7 | Version ID | | |
| PD1-4.23.8 | Alternate Coding System Version ID | | |
| PD1-4.23.9 | Original Text | | |
| PD1-5 | Student Indicator | | |
| PD1-6 | Handicap | | |
| PD1-7 | Living Will Code | | |
| PD1-8 | Organ Donor Code | | |
| PD1-9 | Separate Bill | | |
| PD1-10 | Duplicate Patient | | |
| PD1-10.1 | ID Number | | |
| PD1-10.2 | Check Digit | | |
| PD1-10.3 | Check Digit Scheme | | |
| PD1-10.4 | Assigning Authority | | |
| PD1-10.4.1 | Namespace ID | | |
| PD1-10.4.2 | Universal ID | | |
| PD1-10.4.3 | Universal ID Type | | |
| PD1-10.5 | Identifier Type Code | | |
| PD1-10.6 | Assigning Facility | | |
| PD1-10.6.1 | Namespace ID | | |
| PD1-10.6.2 | Universal ID | | |
| PD1-10.6.3 | Universal ID Type | | |
| PD1-10.7 | Effective Date | | |
| PD1-10.8 | Expiration Date | | |
| PD1-10.9 | Assigning Jurisdiction | | |
| PD1-10.9.1 | Identifier | | |
| PD1-10.9.2 | Text | | |
| PD1-10.9.3 | Name of Coding System | | |
| PD1-10.9.4 | Alternate Identifier | | |
| PD1-10.9.5 | Alternate Text | | |
| PD1-10.9.6 | Name of Alternate Coding System | | |
| PD1-10.9.7 | Coding System Version ID | | |
| PD1-10.9.8 | Alternate Coding System Version ID | | |
| PD1-10.9.9 | Original Text | | |
| PD1-10.10 | Assigning Agency or Department | | |
| PD1-10.10.1 | Identifier | | |
| PD1-10.10.2 | Text | | |
| PD1-10.10.3 | Name of Coding System | | |
| PD1-10.10.4 | Alternate Identifier | | |
| PD1-10.10.5 | Alternate Text | | |
| PD1-10.10.6 | Name of Alternate Coding System | | |
| | Coding System | | |

| PD1-10.10.7 | Version ID | Data Element | Data | Categorization |
|---------------|--|------------------------------|------|----------------|
| PD1-10.10.8 | Alternate Coding System Version ID | | | |
| PD1-10.10.9 | Original Text | | | |
| PD1-11 | Publicity Code | | | |
| PD1-11.1 | Identifier | 02 | | |
| PD1-11.2 | Text | Reminder/recall - any method | | |
| PD1-11.3 | Name of Coding System | HL70215 | | |
| PD1-11.4 | Alternate Identifier | | | |
| PD1-11.5 | Alternate Text | | | |
| PD1-11.6 | Name of Alternate Coding System | | | |
| PD1-12 | Protection Indicator | Y | | |
| PD1-13 | Protection Indicator Effective Date | 20150624 | | |
| PD1-14 | Place of Worship | | | |
| PD1-14.1 | Organization Name | | | |
| PD1-14.2 | Organization Name Type Code | | | |
| PD1-14.3 | ID Number | | | |
| PD1-14.4 | Check Digit | | | |
| PD1-14.5 | Check Digit Scheme | | | |
| PD1-14.6 | Assigning Authority | | | |
| PD1-14.6.1 | Namespace ID | | | |
| PD1-14.6.2 | Universal ID | | | |
| PD1-14.6.3 | Universal ID Type | | | |
| PD1-14.7 | Identifier Type Code | | | |
| PD1-14.8 | Assigning Facility | | | |
| PD1-14.8.1 | Namespace ID | | | |
| PD1-14.8.2 | Universal ID | | | |
| PD1-14.8.3 | Universal ID Type | | | |
| PD1-14.9 | Name Representation Code | | | |
| PD1-14.10 | Organization Identifier | | | |
| PD1-15 | Advance Directive Code | | | |
| PD1-15.1 | Identifier | | | |
| PD1-15.2 | Text | | | |
| PD1-15.3 | Name of Coding System | | | |
| PD1-15.4 | Alternate Identifier | | | |
| PD1-15.5 | Alternate Text | | | |
| PD1-15.6 | Name of Alternate Coding System | | | |
| PD1-16 | Immunization Registry Status | A | | |
| PD1-17 | Immunization Registry Status Effective Date | 20040602 | | |
| | | | | |

| PD1-18 | Location | Data Elementmt | 20150624 | Data | Categrization |
|--------|----------|---------------------|----------|------|---------------|
| PD1-19 | | Effective Date | | | |
| PD1-20 | | Military Branch | | | |
| PD1-21 | | Military Rank/Grade | | | |
| | | Military Status | | | |

NK1 : Next of Kin / Associated Parties

| Location | Data Elementmt | Data | Categrization |
|------------|--|---------|---------------|
| NK1-1 | Set ID - NK1 | 1 | |
| NK1-2 | Name | | |
| NK1-2.1 | Family Name | | |
| NK1-2.1.1 | Surname | Banks | |
| NK1-2.1.2 | Own Surname Prefix | | |
| NK1-2.1.3 | Own Surname | | |
| NK1-2.1.4 | Surname Prefix From Partner/Spouse | | |
| NK1-2.1.5 | Surname From Partner/Spouse | | |
| NK1-2.2 | Given Name | Karl | |
| NK1-2.3 | Second and Further Given Names or Initials Thereof | Leonard | |
| NK1-2.4 | Suffix (e.g., JR or III) | | |
| NK1-2.5 | Prefix (e.g., DR) | | |
| NK1-2.6 | Degree (e.g., MD) | | |
| NK1-2.7 | Name Type Code | L | |
| NK1-2.8 | Name Representation Code | | |
| NK1-2.9 | Name Context | | |
| NK1-2.9.1 | Identifier | | |
| NK1-2.9.2 | Text | | |
| NK1-2.9.3 | Name of Coding System | | |
| NK1-2.9.4 | Alternate Identifier | | |
| NK1-2.9.5 | Alternate Text | | |
| NK1-2.9.6 | Name of Alternate Coding System | | |
| NK1-2.10 | Name Validity Range | | |
| NK1-2.10.1 | Range Start Date/Time | | |
| NK1-2.10.2 | Range End Date/Time | | |
| NK1-2.11 | Name Assembly Order | | |
| NK1-2.12 | Effective Date | | |
| NK1-2.12.1 | Time | | |
| NK1-2.12.2 | Degree of Precision | | |
| NK1-2.13 | Expiration Date | | |
| NK1-2.13.1 | Time | | |
| NK1-2.13.2 | Degree of Precision | | |
| NK1-2.14 | Professional Suffix | | |

| NK1-3 Location | Relationship | Data | Categorization |
|----------------|----------------------------------|-------------------|----------------|
| NK1-3.1 | Identifier | FTH | |
| NK1-3.2 | Text | Father | |
| NK1-3.3 | Name of Coding System | HL70063 | |
| NK1-3.4 | Alternate Identifier | | |
| NK1-3.5 | Alternate Text | | |
| NK1-3.6 | Name of Alternate Coding System | | |
| NK1-4 | Address | | |
| NK1-4.1 | Street Address | | |
| NK1-4.1.1 | Street or Mailing Address | 924 Sycamore Lane | |
| NK1-4.1.2 | Street Name | | |
| NK1-4.1.3 | Dwelling Number | | |
| NK1-4.2 | Other Designation | | |
| NK1-4.3 | City | Bozeman | |
| NK1-4.4 | State or Province | MT | |
| NK1-4.5 | Zip or Postal Code | 59715 | |
| NK1-4.6 | Country | USA | |
| NK1-4.7 | Address Type | P | |
| NK1-4.8 | Other Geographic Designation | | |
| NK1-4.9 | County/Parish Code | | |
| NK1-4.10 | Census Tract | | |
| NK1-4.11 | Address Representation Code | | |
| NK1-4.12 | Address Validity Range | | |
| NK1-4.12.1 | Range Start Date/Time | | |
| NK1-4.12.2 | Range End Date/Time | | |
| NK1-4.13 | Effective Date | | |
| NK1-4.13.1 | Time | | |
| NK1-4.13.2 | Degree of Precision | | |
| NK1-4.14 | Expiration Date | | |
| NK1-4.14.1 | Time | | |
| NK1-4.14.2 | Degree of Precision | | |
| NK1-5 | Phone Number | | |
| NK1-5.1 | Telephone Number | | |
| NK1-5.2 | Telecommunication Use Code | PRN | |
| NK1-5.3 | Telecommunication Equipment Type | PH | |
| NK1-5.4 | Email Address | | |
| NK1-5.5 | Country Code | | |
| NK1-5.6 | Area/City Code | 406 | |
| NK1-5.7 | Local Number | 5555835 | |
| NK1-5.8 | Extension | | |

| NK1-5 Location | Any Text Element | Data | Categorization |
|-----------------------|---|-------------|-----------------------|
| NK1-5.10 | Extension Prefix | | |
| NK1-5.11 | Speed Dial Code | | |
| NK1-5.12 | Unformatted Telephone number | | |
| NK1-6 | Business Phone Number | | |
| NK1-6.1 | Telephone Number | | |
| NK1-6.2 | Telecommunication Use Code | | |
| NK1-6.3 | Telecommunication Equipment Type | | |
| NK1-6.4 | Email Address | | |
| NK1-6.5 | Country Code | | |
| NK1-6.6 | Area/City Code | | |
| NK1-6.7 | Local Number | | |
| NK1-6.8 | Extension | | |
| NK1-6.9 | Any Text | | |
| NK1-6.10 | Extension Prefix | | |
| NK1-6.11 | Speed Dial Code | | |
| NK1-6.12 | Unformatted Telephone number | | |
| NK1-7 | Contact Role | | |
| NK1-7.1 | Identifier | | |
| NK1-7.2 | Text | | |
| NK1-7.3 | Name of Coding System | | |
| NK1-7.4 | Alternate Identifier | | |
| NK1-7.5 | Alternate Text | | |
| NK1-7.6 | Name of Alternate Coding System | | |
| NK1-8 | Start Date | | |
| NK1-9 | End Date | | |
| NK1-10 | Next of Kin / Associated Parties Job Title | | |
| NK1-11 | Next of Kin / Associated Parties Job Code/Class | | |
| NK1-11.1 | Job Code | | |
| NK1-11.2 | Job Class | | |
| NK1-11.3 | Job Description Text | | |
| NK1-12 | Next of Kin / Associated Parties Employee Number | | |
| NK1-12.1 | ID Number | | |
| NK1-12.2 | Check Digit | | |
| NK1-12.3 | Check Digit Scheme | | |
| NK1-12.4 | Assigning Authority | | |
| NK1-12.4.1 | Namespace ID | | |

| NK1-12.4.2 | Universal ID | Data Element | Data | Categorization |
|-------------------|------------------------------------|---------------------|-------------|-----------------------|
| NK1-12.4.3 | Universal ID Type | | | |
| NK1-12.5 | Identifier Type Code | | | |
| NK1-12.6 | Assigning Facility | | | |
| NK1-12.6.1 | Namespace ID | | | |
| NK1-12.6.2 | Universal ID | | | |
| NK1-12.6.3 | Universal ID Type | | | |
| NK1-12.7 | Effective Date | | | |
| NK1-12.8 | Expiration Date | | | |
| NK1-12.9 | Assigning Jurisdiction | | | |
| NK1-12.9.1 | Identifier | | | |
| NK1-12.9.2 | Text | | | |
| NK1-12.9.3 | Name of Coding System | | | |
| NK1-12.9.4 | Alternate Identifier | | | |
| NK1-12.9.5 | Alternate Text | | | |
| NK1-12.9.6 | Name of Alternate Coding System | | | |
| NK1-12.9.7 | Coding System Version ID | | | |
| NK1-12.9.8 | Alternate Coding System Version ID | | | |
| NK1-12.9.9 | Original Text | | | |
| NK1-12.10 | Assigning Agency or Department | | | |
| NK1-12.10.1 | Identifier | | | |
| NK1-12.10.2 | Text | | | |
| NK1-12.10.3 | Name of Coding System | | | |
| NK1-12.10.4 | Alternate Identifier | | | |
| NK1-12.10.5 | Alternate Text | | | |
| NK1-12.10.6 | Name of Alternate Coding System | | | |
| NK1-12.10.7 | Coding System Version ID | | | |
| NK1-12.10.8 | Alternate Coding System Version ID | | | |
| NK1-12.10.9 | Original Text | | | |
| NK1-13 | Organization Name - NK1 | | | |
| NK1-13.1 | Organization Name | | | |
| NK1-13.2 | Organization Name Type Code | | | |
| NK1-13.3 | ID Number | | | |
| NK1-13.4 | Check Digit | | | |
| NK1-13.5 | Check Digit Scheme | | | |
| NK1-13.6 | Assigning Authority | | | |
| NK1-13.6.1 | Namespace ID | | | |
| NK1-13.6.2 | Universal ID | | | |
| NK1-13.6.3 | Universal ID Type | | | |

| NK1-13.7 Location | Id Data Element Code | Data | Categorization |
|--------------------------|---------------------------------|-------------|-----------------------|
| NK1-13.8 | Assigning Facility | | |
| NK1-13.8.1 | Namespace ID | | |
| NK1-13.8.2 | Universal ID | | |
| NK1-13.8.3 | Universal ID Type | | |
| NK1-13.9 | Name Representation Code | | |
| NK1-13.10 | Organization Identifier | | |
| NK1-14 | Marital Status | | |
| NK1-14.1 | Identifier | | |
| NK1-14.2 | Text | | |
| NK1-14.3 | Name of Coding System | | |
| NK1-14.4 | Alternate Identifier | | |
| NK1-14.5 | Alternate Text | | |
| NK1-14.6 | Name of Alternate Coding System | | |
| NK1-15 | Administrative Sex | | |
| NK1-16 | Date/Time of Birth | | |
| NK1-16.1 | Time | | |
| NK1-16.2 | Degree of Precision | | |
| NK1-17 | Living Dependency | | |
| NK1-18 | Ambulatory Status | | |
| NK1-19 | Citizenship | | |
| NK1-19.1 | Identifier | | |
| NK1-19.2 | Text | | |
| NK1-19.3 | Name of Coding System | | |
| NK1-19.4 | Alternate Identifier | | |
| NK1-19.5 | Alternate Text | | |
| NK1-19.6 | Name of Alternate Coding System | | |
| NK1-20 | Primary Language | | |
| NK1-20.1 | Identifier | | |
| NK1-20.2 | Text | | |
| NK1-20.3 | Name of Coding System | | |
| NK1-20.4 | Alternate Identifier | | |
| NK1-20.5 | Alternate Text | | |
| NK1-20.6 | Name of Alternate Coding System | | |
| NK1-21 | Living Arrangement | | |
| NK1-22 | Publicity Code | | |
| NK1-22.1 | Identifier | | |
| NK1-22.2 | Text | | |
| NK1-22.3 | Name of Coding System | | |
| NK1-22.4 | Alternate Identifier | | |
| NK1-22.5 | Alternate Text | | |
| NK1-22.6 | Name of Alternate | | |

| Location | Coding System Element | Data | Categorization |
|---------------|--|------|----------------|
| NK1-23 | Protection Indicator | | |
| NK1-24 | Student Indicator | | |
| NK1-25 | Religion | | |
| NK1-25.1 | Identifier | | |
| NK1-25.2 | Text | | |
| NK1-25.3 | Name of Coding System | | |
| NK1-25.4 | Alternate Identifier | | |
| NK1-25.5 | Alternate Text | | |
| NK1-25.6 | Name of Alternate Coding System | | |
| NK1-26 | Mother's Maiden Name | | |
| NK1-26.1 | Family Name | | |
| NK1-26.1.1 | Surname | | |
| NK1-26.1.2 | Own Surname Prefix | | |
| NK1-26.1.3 | Own Surname | | |
| NK1-26.1.4 | Surname Prefix From Partner/Spouse | | |
| NK1-26.1.5 | Surname From Partner/Spouse | | |
| NK1-26.2 | Given Name | | |
| NK1-26.3 | Second and Further Given Names or Initials Thereof | | |
| NK1-26.4 | Suffix (e.g., JR or III) | | |
| NK1-26.5 | Prefix (e.g., DR) | | |
| NK1-26.6 | Degree (e.g., MD) | | |
| NK1-26.7 | Name Type Code | | |
| NK1-26.8 | Name Representation Code | | |
| NK1-26.9 | Name Context | | |
| NK1-26.9.1 | Identifier | | |
| NK1-26.9.2 | Text | | |
| NK1-26.9.3 | Name of Coding System | | |
| NK1-26.9.4 | Alternate Identifier | | |
| NK1-26.9.5 | Alternate Text | | |
| NK1-26.9.6 | Name of Alternate Coding System | | |
| NK1-26.10 | Name Validity Range | | |
| NK1-26.10.1 | Range Start Date/Time | | |
| NK1-26.10.2 | Range End Date/Time | | |
| NK1-26.11 | Name Assembly Order | | |
| NK1-26.12 | Effective Date | | |
| NK1-26.12.1 | Time | | |
| NK1-26.12.2 | Degree of Precision | | |
| NK1-26.13 | Expiration Date | | |

| NK1-06 Location | Data Element | Data | Categorization |
|-----------------|--|------|----------------|
| NK1-26.13.2 | Degree of Precision | | |
| NK1-26.14 | Professional Suffix | | |
| NK1-27 | Nationality | | |
| NK1-27.1 | Identifier | | |
| NK1-27.2 | Text | | |
| NK1-27.3 | Name of Coding System | | |
| NK1-27.4 | Alternate Identifier | | |
| NK1-27.5 | Alternate Text | | |
| NK1-27.6 | Name of Alternate Coding System | | |
| NK1-28 | Ethnic Group | | |
| NK1-28.1 | Identifier | | |
| NK1-28.2 | Text | | |
| NK1-28.3 | Name of Coding System | | |
| NK1-28.4 | Alternate Identifier | | |
| NK1-28.5 | Alternate Text | | |
| NK1-28.6 | Name of Alternate Coding System | | |
| NK1-29 | Contact Reason | | |
| NK1-29.1 | Identifier | | |
| NK1-29.2 | Text | | |
| NK1-29.3 | Name of Coding System | | |
| NK1-29.4 | Alternate Identifier | | |
| NK1-29.5 | Alternate Text | | |
| NK1-29.6 | Name of Alternate Coding System | | |
| NK1-30 | Contact Person's Name | | |
| NK1-30.1 | Family Name | | |
| NK1-30.1.1 | Surname | | |
| NK1-30.1.2 | Own Surname Prefix | | |
| NK1-30.1.3 | Own Surname | | |
| NK1-30.1.4 | Surname Prefix From Partner/Spouse | | |
| NK1-30.1.5 | Surname From Partner/Spouse | | |
| NK1-30.2 | Given Name | | |
| NK1-30.3 | Second and Further Given Names or Initials Thereof | | |
| NK1-30.4 | Suffix (e.g., JR or III) | | |
| NK1-30.5 | Prefix (e.g., DR) | | |
| NK1-30.6 | Degree (e.g., MD) | | |
| NK1-30.7 | Name Type Code | | |
| NK1-30.8 | Name Representation Code | | |

| NK1-30.8 | Location | Name of Contact Person | Data Element | mt | Data | Categorization |
|-----------------|-----------------|--|----------------------------------|-----------|-------------|-----------------------|
| | | | | | | |
| | NK1-30.9.2 | | Text | | | |
| | NK1-30.9.3 | | Name of Coding System | | | |
| | NK1-30.9.4 | | Alternate Identifier | | | |
| | NK1-30.9.5 | | Alternate Text | | | |
| | NK1-30.9.6 | | Name of Alternate Coding System | | | |
| | NK1-30.10 | | Name Validity Range | | | |
| | NK1-30.10.1 | | Range Start Date/Time | | | |
| | NK1-30.10.2 | | Range End Date/Time | | | |
| | NK1-30.11 | | Name Assembly Order | | | |
| | NK1-30.12 | | Effective Date | | | |
| | NK1-30.12.1 | | Time | | | |
| | NK1-30.12.2 | | Degree of Precision | | | |
| | NK1-30.13 | | Expiration Date | | | |
| | NK1-30.13.1 | | Time | | | |
| | NK1-30.13.2 | | Degree of Precision | | | |
| | NK1-30.14 | | Professional Suffix | | | |
| NK1-31 | | Contact Person's Telephone Number | | | | |
| | NK1-31.1 | | Telephone Number | | | |
| | NK1-31.2 | | Telecommunication Use Code | | | |
| | NK1-31.3 | | Telecommunication Equipment Type | | | |
| | NK1-31.4 | | Email Address | | | |
| | NK1-31.5 | | Country Code | | | |
| | NK1-31.6 | | Area/City Code | | | |
| | NK1-31.7 | | Local Number | | | |
| | NK1-31.8 | | Extension | | | |
| | NK1-31.9 | | Any Text | | | |
| | NK1-31.10 | | Extension Prefix | | | |
| | NK1-31.11 | | Speed Dial Code | | | |
| | NK1-31.12 | | Unformatted Telephone number | | | |
| NK1-32 | | Contact Person's Address | | | | |
| | NK1-32.1 | | Street Address | | | |
| | NK1-32.1.1 | | Street or Mailing Address | | | |
| | NK1-32.1.2 | | Street Name | | | |
| | NK1-32.1.3 | | Dwelling Number | | | |
| | NK1-32.2 | | Other Designation | | | |
| | NK1-32.3 | | City | | | |
| | NK1-32.4 | | State or Province | | | |
| | NK1-32.5 | | Zip or Postal Code | | | |

| NK1-32 | Location | Category Element | Data | Categorization |
|---------------|-----------------|---|-------------|-----------------------|
| NK1-32.7 | | Address Type | | |
| NK1-32.8 | | Other Geographic Designation | | |
| NK1-32.9 | | County/Parish Code | | |
| NK1-32.10 | | Census Tract | | |
| NK1-32.11 | | Address Representation Code | | |
| NK1-32.12 | | Address Validity Range | | |
| NK1-32.12.1 | | Range Start Date/Time | | |
| NK1-32.12.2 | | Range End Date/Time | | |
| NK1-32.13 | | Effective Date | | |
| NK1-32.13.1 | | Time | | |
| NK1-32.13.2 | | Degree of Precision | | |
| NK1-32.14 | | Expiration Date | | |
| NK1-32.14.1 | | Time | | |
| NK1-32.14.2 | | Degree of Precision | | |
| NK1-33 | | Next of Kin/Associated Party's Identifiers | | |
| NK1-33.1 | | ID Number | | |
| NK1-33.2 | | Check Digit | | |
| NK1-33.3 | | Check Digit Scheme | | |
| NK1-33.4 | | Assigning Authority | | |
| NK1-33.4.1 | | Namespace ID | | |
| NK1-33.4.2 | | Universal ID | | |
| NK1-33.4.3 | | Universal ID Type | | |
| NK1-33.5 | | Identifier Type Code | | |
| NK1-33.6 | | Assigning Facility | | |
| NK1-33.6.1 | | Namespace ID | | |
| NK1-33.6.2 | | Universal ID | | |
| NK1-33.6.3 | | Universal ID Type | | |
| NK1-33.7 | | Effective Date | | |
| NK1-33.8 | | Expiration Date | | |
| NK1-33.9 | | Assigning Jurisdiction | | |
| NK1-33.9.1 | | Identifier | | |
| NK1-33.9.2 | | Text | | |
| NK1-33.9.3 | | Name of Coding System | | |
| NK1-33.9.4 | | Alternate Identifier | | |
| NK1-33.9.5 | | Alternate Text | | |
| NK1-33.9.6 | | Name of Alternate Coding System | | |
| NK1-33.9.7 | | Coding System Version ID | | |
| NK1-33.9.8 | | Alternate Coding System Version ID | | |

| NK1-33-010 | Original Element | Data | Categorization |
|-------------------|--|-------------|-----------------------|
| NK1-33.10 | Assigning Agency or Department | | |
| NK1-33.10.1 | Identifier | | |
| NK1-33.10.2 | Text | | |
| NK1-33.10.3 | Name of Coding System | | |
| NK1-33.10.4 | Alternate Identifier | | |
| NK1-33.10.5 | Alternate Text | | |
| NK1-33.10.6 | Name of Alternate Coding System | | |
| NK1-33.10.7 | Coding System Version ID | | |
| NK1-33.10.8 | Alternate Coding System Version ID | | |
| NK1-33.10.9 | Original Text | | |
| NK1-34 | Job Status | | |
| NK1-35 | Race | | |
| NK1-35.1 | Identifier | | |
| NK1-35.2 | Text | | |
| NK1-35.3 | Name of Coding System | | |
| NK1-35.4 | Alternate Identifier | | |
| NK1-35.5 | Alternate Text | | |
| NK1-35.6 | Name of Alternate Coding System | | |
| NK1-36 | Handicap | | |
| NK1-37 | Contact Person Social Security Number | | |
| NK1-38 | Next of Kin Birth Place | | |
| NK1-39 | VIP Indicator | | |

ORC : Common Order

| Location | Data Element | Data | Categorization |
|-----------------|----------------------------|-------------|-----------------------|
| ORC-1 | Order Control | RE | |
| ORC-2 | Placer Order Number | | |
| ORC-2.1 | Entity Identifier | 5027 | |
| ORC-2.2 | Namespace ID | wcEHR | |
| ORC-2.3 | Universal ID | | |
| ORC-2.4 | Universal ID Type | | |
| ORC-3 | Filler Order Number | | |
| ORC-3.1 | Entity Identifier | 12128 | |
| ORC-3.2 | Namespace ID | wcEHR | |
| ORC-3.3 | Universal ID | | |
| ORC-3.4 | Universal ID Type | | |
| ORC-4 | Placer Group Number | | |
| ORC-4.1 | Entity Identifier | | |
| ORC-4.2 | Namespace ID | | |
| ORC-4.3 | Universal ID | | |
| ORC-4.4 | Universal ID Type | | |

| ORC-5 Location | Order Element | Data | Categorization |
|----------------|--|------|----------------|
| ORC-6 | Response Flag | | |
| ORC-7 | Quantity/Timing | | |
| ORC-7.1 | Quantity | | |
| ORC-7.1.1 | Quantity | | |
| ORC-7.1.2 | Units | | |
| ORC-7.2 | Interval | | |
| ORC-7.2.1 | Repeat Pattern | | |
| ORC-7.2.2 | Explicit Time Interval | | |
| ORC-7.3 | Duration | | |
| ORC-7.4 | Start Date/Time | | |
| ORC-7.4.1 | Time | | |
| ORC-7.4.2 | Degree of Precision | | |
| ORC-7.5 | End Date/Time | | |
| ORC-7.5.1 | Time | | |
| ORC-7.5.2 | Degree of Precision | | |
| ORC-7.6 | Priority | | |
| ORC-7.7 | Condition | | |
| ORC-7.8 | Text | | |
| ORC-7.9 | Conjunction | | |
| ORC-7.10 | Order Sequencing | | |
| ORC-7.10.1 | Sequence/Results Flag | | |
| ORC-7.10.2 | Placer Order Number: Entity Identifier | | |
| ORC-7.10.3 | Placer Order Number: Namespace ID | | |
| ORC-7.10.4 | Filler Order Number: Entity Identifier | | |
| ORC-7.10.5 | Filler Order Number: Namespace ID | | |
| ORC-7.10.6 | Sequence Condition Value | | |
| ORC-7.10.7 | Maximum Number of Repeats | | |
| ORC-7.10.8 | Placer Order Number: Universal ID | | |
| ORC-7.10.9 | Placer Order Number: Universal ID Type | | |
| ORC-7.10.10 | Filler Order Number: Universal ID | | |
| ORC-7.10.11 | Filler Order Number: Universal ID Type | | |
| ORC-7.11 | Occurrence Duration | | |
| ORC-7.11.1 | Identifier | | |
| | | | |

| Location | Data Element | Data | Categorization |
|---------------|--|---------|----------------|
| ORC-7.11.3 | Name of Coding System | | |
| ORC-7.11.4 | Alternate Identifier | | |
| ORC-7.11.5 | Alternate Text | | |
| ORC-7.11.6 | Name of Alternate Coding System | | |
| ORC-7.12 | Total Occurrences | | |
| ORC-8 | Parent | | |
| ORC-8.1 | Placer Assigned Identifier | | |
| ORC-8.1.1 | Entity Identifier | | |
| ORC-8.1.2 | Namespace ID | | |
| ORC-8.1.3 | Universal ID | | |
| ORC-8.1.4 | Universal ID Type | | |
| ORC-8.2 | Filler Assigned Identifier | | |
| ORC-8.2.1 | Entity Identifier | | |
| ORC-8.2.2 | Namespace ID | | |
| ORC-8.2.3 | Universal ID | | |
| ORC-8.2.4 | Universal ID Type | | |
| ORC-9 | Date/Time of Transaction | | |
| ORC-9.1 | Time | | |
| ORC-9.2 | Degree of Precision | | |
| ORC-10 | Entered By | | |
| ORC-10.1 | ID Number | 7824 | |
| ORC-10.2 | Family Name | | |
| ORC-10.2.1 | Surname | Jackson | |
| ORC-10.2.2 | Own Surname Prefix | | |
| ORC-10.2.3 | Own Surname | | |
| ORC-10.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-10.2.5 | Surname From Partner/Spouse | | |
| ORC-10.3 | Given Name | Lily | |
| ORC-10.4 | Second and Further Given Names or Initials Thereof | Suzanne | |
| ORC-10.5 | Suffix (e.g., JR or III) | | |
| ORC-10.6 | Prefix (e.g., DR) | | |
| ORC-10.7 | Degree (e.g., MD) | | |
| ORC-10.8 | Source Table | | |
| ORC-10.9 | Assigning Authority | | |
| ORC-10.9.1 | Namespace ID | wcEHR | |
| ORC-10.9.2 | Universal ID | | |
| ORC-10.9.3 | Universal ID Type | | |
| ORC-10.10 | Name Type Code | L | |
| ORC-10.11 | Identifier Check Digit | | |
| ORC-10.12 | Check Digit Scheme | | |

| ORC-Location | Id Data Element Code | PRN | Data | Categorization |
|--------------|------------------------------------|-----|------|----------------|
| | | | | |
| ORC-10.14 | Assigning Facility | | | |
| ORC-10.14.1 | Namespace ID | | | |
| ORC-10.14.2 | Universal ID | | | |
| ORC-10.14.3 | Universal ID Type | | | |
| ORC-10.15 | Name Representation Code | | | |
| ORC-10.16 | Name Context | | | |
| ORC-10.16.1 | Identifier | | | |
| ORC-10.16.2 | Text | | | |
| ORC-10.16.3 | Name of Coding System | | | |
| ORC-10.16.4 | Alternate Identifier | | | |
| ORC-10.16.5 | Alternate Text | | | |
| ORC-10.16.6 | Name of Alternate Coding System | | | |
| ORC-10.17 | Name Validity Range | | | |
| ORC-10.17.1 | Range Start Date/Time | | | |
| ORC-10.17.2 | Range End Date/Time | | | |
| ORC-10.18 | Name Assembly Order | | | |
| ORC-10.19 | Effective Date | | | |
| ORC-10.19.1 | Time | | | |
| ORC-10.19.2 | Degree of Precision | | | |
| ORC-10.20 | Expiration Date | | | |
| ORC-10.20.1 | Time | | | |
| ORC-10.20.2 | Degree of Precision | | | |
| ORC-10.21 | Professional Suffix | | | |
| ORC-10.22 | Assigning Jurisdiction | | | |
| ORC-10.22.1 | Identifier | | | |
| ORC-10.22.2 | Text | | | |
| ORC-10.22.3 | Name of Coding System | | | |
| ORC-10.22.4 | Alternate Identifier | | | |
| ORC-10.22.5 | Alternate Text | | | |
| ORC-10.22.6 | Name of Alternate Coding System | | | |
| ORC-10.22.7 | Coding System Version ID | | | |
| ORC-10.22.8 | Alternate Coding System Version ID | | | |
| ORC-10.22.9 | Original Text | | | |
| ORC-10.23 | Assigning Agency or Department | | | |
| ORC-10.23.1 | Identifier | | | |
| ORC-10.23.2 | Text | | | |
| ORC-10.23.3 | Name of Coding System | | | |

| ORC-10.23.4 Location | Alternate Identifier Alternate Text | Data | Categorization |
|-------------------------|--|------|----------------|
| ORC-10.23.5 | Alternate Text | | |
| ORC-10.23.6 | Name of Alternate Coding System | | |
| ORC-10.23.7 | Coding System Version ID | | |
| ORC-10.23.8 | Alternate Coding System Version ID | | |
| ORC-10.23.9 | Original Text | | |
| ORC-11 | Verified By | | |
| ORC-11.1 | ID Number | | |
| ORC-11.2 | Family Name | | |
| ORC-11.2.1 | Surname | | |
| ORC-11.2.2 | Own Surname Prefix | | |
| ORC-11.2.3 | Own Surname | | |
| ORC-11.2.4 | Surname Prefix From Partner/Spouse | | |
| ORC-11.2.5 | Surname From Partner/Spouse | | |
| ORC-11.3 | Given Name | | |
| ORC-11.4 | Second and Further Given Names or Initials Thereof | | |
| ORC-11.5 | Suffix (e.g., JR or III) | | |
| ORC-11.6 | Prefix (e.g., DR) | | |
| ORC-11.7 | Degree (e.g., MD) | | |
| ORC-11.8 | Source Table | | |
| ORC-11.9 | Assigning Authority | | |
| ORC-11.9.1 | Namespace ID | | |
| ORC-11.9.2 | Universal ID | | |
| ORC-11.9.3 | Universal ID Type | | |
| ORC-11.10 | Name Type Code | | |
| ORC-11.11 | Identifier Check Digit | | |
| ORC-11.12 | Check Digit Scheme | | |
| ORC-11.13 | Identifier Type Code | | |
| ORC-11.14 | Assigning Facility | | |
| ORC-11.14.1 | Namespace ID | | |
| ORC-11.14.2 | Universal ID | | |
| ORC-11.14.3 | Universal ID Type | | |
| ORC-11.15 | Name Representation Code | | |
| ORC-11.16 | Name Context | | |
| ORC-11.16.1 | Identifier | | |
| ORC-11.16.2 | Text | | |
| ORC-11.16.3 | Name of Coding System | | |
| ORC-11.16.4 | Alternate Identifier | | |
| ORC-11.16.5 | Alternate Text | | |
| ORC-11.16.6 | Name of Alternate Coding System | | |

| Location | Name/Value/Range | Data | Categorization |
|---------------|---------------------------------------|--------|----------------|
| ORC-11.17 | Range Start | | |
| ORC-11.17.1 | Date/Time | | |
| ORC-11.17.2 | Range End Date/Time | | |
| ORC-11.18 | Name Assembly Order | | |
| ORC-11.19 | Effective Date | | |
| ORC-11.19.1 | Time | | |
| ORC-11.19.2 | Degree of Precision | | |
| ORC-11.20 | Expiration Date | | |
| ORC-11.20.1 | Time | | |
| ORC-11.20.2 | Degree of Precision | | |
| ORC-11.21 | Professional Suffix | | |
| ORC-11.22 | Assigning Jurisdiction | | |
| ORC-11.22.1 | Identifier | | |
| ORC-11.22.2 | Text | | |
| ORC-11.22.3 | Name of Coding System | | |
| ORC-11.22.4 | Alternate Identifier | | |
| ORC-11.22.5 | Alternate Text | | |
| ORC-11.22.6 | Name of Alternate Coding System | | |
| ORC-11.22.7 | Coding System Version ID | | |
| ORC-11.22.8 | Alternate Coding System Version ID | | |
| ORC-11.22.9 | Original Text | | |
| ORC-11.23 | Assigning Agency or Department | | |
| ORC-11.23.1 | Identifier | | |
| ORC-11.23.2 | Text | | |
| ORC-11.23.3 | Name of Coding System | | |
| ORC-11.23.4 | Alternate Identifier | | |
| ORC-11.23.5 | Alternate Text | | |
| ORC-11.23.6 | Name of Alternate Coding System | | |
| ORC-11.23.7 | Coding System Version ID | | |
| ORC-11.23.8 | Alternate Coding System Version ID | | |
| ORC-11.23.9 | Original Text | | |
| ORC-12 | Ordering Provider | | |
| ORC-12.1 | ID Number | 654 | |
| ORC-12.2 | Family Name | | |
| ORC-12.2.1 | Surname | Thomas | |
| ORC-12.2.2 | Own Surname Prefix | | |
| ORC-12.2.3 | Own Surname | | |
| ORC-12.2.4 | Surname Prefix From Partner/Spouse | | |
| | | | |

| Location | Data Element | Data | Categorization |
|-------------|--|-----------|----------------|
| ORC-12.3 | Partner/Spouse Given Name | Wilma | |
| ORC-12.4 | Second and Further Given Names or Initials Thereof | Elizabeth | |
| ORC-12.5 | Suffix (e.g., JR or III) | | |
| ORC-12.6 | Prefix (e.g., DR) | | |
| ORC-12.7 | Degree (e.g., MD) | | |
| ORC-12.8 | Source Table | | |
| ORC-12.9 | Assigning Authority | | |
| ORC-12.9.1 | Namespace ID | wcEHR | |
| ORC-12.9.2 | Universal ID | | |
| ORC-12.9.3 | Universal ID Type | | |
| ORC-12.10 | Name Type Code | L | |
| ORC-12.11 | Identifier Check Digit | | |
| ORC-12.12 | Check Digit Scheme | | |
| ORC-12.13 | Identifier Type Code | MD | |
| ORC-12.14 | Assigning Facility | | |
| ORC-12.14.1 | Namespace ID | | |
| ORC-12.14.2 | Universal ID | | |
| ORC-12.14.3 | Universal ID Type | | |
| ORC-12.15 | Name Representation Code | | |
| ORC-12.16 | Name Context | | |
| ORC-12.16.1 | Identifier | | |
| ORC-12.16.2 | Text | | |
| ORC-12.16.3 | Name of Coding System | | |
| ORC-12.16.4 | Alternate Identifier | | |
| ORC-12.16.5 | Alternate Text | | |
| ORC-12.16.6 | Name of Alternate Coding System | | |
| ORC-12.17 | Name Validity Range | | |
| ORC-12.17.1 | Range Start Date/Time | | |
| ORC-12.17.2 | Range End Date/Time | | |
| ORC-12.18 | Name Assembly Order | | |
| ORC-12.19 | Effective Date | | |
| ORC-12.19.1 | Time | | |
| ORC-12.19.2 | Degree of Precision | | |
| ORC-12.20 | Expiration Date | | |
| ORC-12.20.1 | Time | | |
| ORC-12.20.2 | Degree of Precision | | |
| ORC-12.21 | Professional Suffix | | |
| ORC-12.22 | Assigning Jurisdiction | | |
| ORC-12.22.1 | Identifier | | |
| ORC-12.22.2 | Text | | |
| | Name of Coding | | |

| Location | System Data Element | Data | Categorization |
|---------------|------------------------------------|------|----------------|
| ORC-12.22.3 | Alternate Identifier | | |
| ORC-12.22.4 | Alternate Text | | |
| ORC-12.22.5 | Name of Alternate Coding System | | |
| ORC-12.22.6 | Coding System Version ID | | |
| ORC-12.22.7 | Alternate Coding System Version ID | | |
| ORC-12.22.8 | Original Text | | |
| ORC-12.22.9 | Assigning Agency or Department | | |
| ORC-12.23 | Identifier | | |
| ORC-12.23.1 | Text | | |
| ORC-12.23.2 | Name of Coding System | | |
| ORC-12.23.3 | Alternate Identifier | | |
| ORC-12.23.4 | Alternate Text | | |
| ORC-12.23.5 | Name of Alternate Coding System | | |
| ORC-12.23.6 | Coding System Version ID | | |
| ORC-12.23.7 | Alternate Coding System Version ID | | |
| ORC-12.23.8 | Original Text | | |
| ORC-12.23.9 | | | |
| ORC-13 | Enterer's Location | | |
| ORC-13.1 | Point of Care | | |
| ORC-13.2 | Room | | |
| ORC-13.3 | Bed | | |
| ORC-13.4 | Facility | | |
| ORC-13.4.1 | Namespace ID | | |
| ORC-13.4.2 | Universal ID | | |
| ORC-13.4.3 | Universal ID Type | | |
| ORC-13.5 | Location Status | | |
| ORC-13.6 | Person Location Type | | |
| ORC-13.7 | Building | | |
| ORC-13.8 | Floor | | |
| ORC-13.9 | Location Description | | |
| ORC-13.10 | Comprehensive Location Identifier | | |
| ORC-13.10.1 | Entity Identifier | | |
| ORC-13.10.2 | Namespace ID | | |
| ORC-13.10.3 | Universal ID | | |
| ORC-13.10.4 | Universal ID Type | | |
| ORC-13.11 | Assigning Authority for Location | | |
| ORC-13.11.1 | Namespace ID | | |
| ORC-13.11.2 | Universal ID | | |
| ORC-13.11.3 | Universal ID Type | | |
| | Call Back Phone | | |

| ORC-14 | Location | Number Data Element | Data | Categorization |
|---------------|-----------|----------------------------------|-------------|----------------|
| | ORC-14.1 | Telephone Number | | |
| | ORC-14.2 | Telecommunication Use Code | | |
| | ORC-14.3 | Telecommunication Equipment Type | | |
| | ORC-14.4 | Email Address | | |
| | ORC-14.5 | Country Code | | |
| | ORC-14.6 | Area/City Code | | |
| | ORC-14.7 | Local Number | | |
| | ORC-14.8 | Extension | | |
| | ORC-14.9 | Any Text | | |
| | ORC-14.10 | Extension Prefix | | |
| | ORC-14.11 | Speed Dial Code | | |
| | ORC-14.12 | Unformatted Telephone number | | |
| ORC-15 | | Order Effective Date/Time | | |
| | ORC-15.1 | Time | | |
| | ORC-15.2 | Degree of Precision | | |
| ORC-16 | | Order Control Code Reason | | |
| | ORC-16.1 | Identifier | | |
| | ORC-16.2 | Text | | |
| | ORC-16.3 | Name of Coding System | | |
| | ORC-16.4 | Alternate Identifier | | |
| | ORC-16.5 | Alternate Text | | |
| | ORC-16.6 | Name of Alternate Coding System | | |
| ORC-17 | | Entering Organization | | |
| | ORC-17.1 | Identifier | wcEHR | |
| | ORC-17.2 | Text | West Clinic | |
| | ORC-17.3 | Name of Coding System | HL70362 | |
| | ORC-17.4 | Alternate Identifier | | |
| | ORC-17.5 | Alternate Text | | |
| | ORC-17.6 | Name of Alternate Coding System | | |
| ORC-18 | | Entering Device | | |
| | ORC-18.1 | Identifier | | |
| | ORC-18.2 | Text | | |
| | ORC-18.3 | Name of Coding System | | |
| | ORC-18.4 | Alternate Identifier | | |
| | ORC-18.5 | Alternate Text | | |
| | ORC-18.6 | Name of Alternate Coding System | | |
| ORC-19 | | Action By | | |
| | | | | |

| ORC-19.1 | Location | ID Number | Data | Categorization |
|-------------|--|--|------|----------------|
| ORC-19.2 | Family Name | Family Name | | |
| ORC-19.2.1 | Surname | Surname | | |
| ORC-19.2.2 | Own Surname Prefix | Own Surname Prefix | | |
| ORC-19.2.3 | Own Surname | Own Surname | | |
| ORC-19.2.4 | Surname Prefix From Partner/Spouse | Surname Prefix From Partner/Spouse | | |
| ORC-19.2.5 | Surname From Partner/Spouse | Surname From Partner/Spouse | | |
| ORC-19.3 | Given Name | Given Name | | |
| ORC-19.4 | Second and Further Given Names or Initials Thereof | Second and Further Given Names or Initials Thereof | | |
| ORC-19.5 | Suffix (e.g., JR or III) | Suffix (e.g., JR or III) | | |
| ORC-19.6 | Prefix (e.g., DR) | Prefix (e.g., DR) | | |
| ORC-19.7 | Degree (e.g., MD) | Degree (e.g., MD) | | |
| ORC-19.8 | Source Table | Source Table | | |
| ORC-19.9 | Assigning Authority | Assigning Authority | | |
| ORC-19.9.1 | Namespace ID | Namespace ID | | |
| ORC-19.9.2 | Universal ID | Universal ID | | |
| ORC-19.9.3 | Universal ID Type | Universal ID Type | | |
| ORC-19.10 | Name Type Code | Name Type Code | | |
| ORC-19.11 | Identifier Check Digit | Identifier Check Digit | | |
| ORC-19.12 | Check Digit Scheme | Check Digit Scheme | | |
| ORC-19.13 | Identifier Type Code | Identifier Type Code | | |
| ORC-19.14 | Assigning Facility | Assigning Facility | | |
| ORC-19.14.1 | Namespace ID | Namespace ID | | |
| ORC-19.14.2 | Universal ID | Universal ID | | |
| ORC-19.14.3 | Universal ID Type | Universal ID Type | | |
| ORC-19.15 | Name Representation Code | Name Representation Code | | |
| ORC-19.16 | Name Context | Name Context | | |
| ORC-19.16.1 | Identifier | Identifier | | |
| ORC-19.16.2 | Text | Text | | |
| ORC-19.16.3 | Name of Coding System | Name of Coding System | | |
| ORC-19.16.4 | Alternate Identifier | Alternate Identifier | | |
| ORC-19.16.5 | Alternate Text | Alternate Text | | |
| ORC-19.16.6 | Name of Alternate Coding System | Name of Alternate Coding System | | |
| ORC-19.17 | Name Validity Range | Name Validity Range | | |
| ORC-19.17.1 | Range Start Date/Time | Range Start Date/Time | | |
| ORC-19.17.2 | Range End Date/Time | Range End Date/Time | | |
| ORC-19.18 | Name Assembly Order | Name Assembly Order | | |
| ORC-19.19 | Effective Date | Effective Date | | |
| ORC-19.19.1 | Time | Time | | |
| ORC-19.19.2 | Degree of Precision | Degree of Precision | | |
| ORC-19.20 | Expiration Date | Expiration Date | | |
| | | | | |

| ORC Location | Data Element Degree of Precision | Data | Categorization |
|---------------|---|------|----------------|
| ORC-19.20.1 | Professional Suffix | | |
| ORC-19.22 | Assigning Jurisdiction | | |
| ORC-19.22.1 | Identifier | | |
| ORC-19.22.2 | Text | | |
| ORC-19.22.3 | Name of Coding System | | |
| ORC-19.22.4 | Alternate Identifier | | |
| ORC-19.22.5 | Alternate Text | | |
| ORC-19.22.6 | Name of Alternate Coding System | | |
| ORC-19.22.7 | Coding System Version ID | | |
| ORC-19.22.8 | Alternate Coding System Version ID | | |
| ORC-19.22.9 | Original Text | | |
| ORC-19.23 | Assigning Agency or Department | | |
| ORC-19.23.1 | Identifier | | |
| ORC-19.23.2 | Text | | |
| ORC-19.23.3 | Name of Coding System | | |
| ORC-19.23.4 | Alternate Identifier | | |
| ORC-19.23.5 | Alternate Text | | |
| ORC-19.23.6 | Name of Alternate Coding System | | |
| ORC-19.23.7 | Coding System Version ID | | |
| ORC-19.23.8 | Alternate Coding System Version ID | | |
| ORC-19.23.9 | Original Text | | |
| ORC-20 | Advanced Beneficiary Notice Code | | |
| ORC-20.1 | Identifier | | |
| ORC-20.2 | Text | | |
| ORC-20.3 | Name of Coding System | | |
| ORC-20.4 | Alternate Identifier | | |
| ORC-20.5 | Alternate Text | | |
| ORC-20.6 | Name of Alternate Coding System | | |
| ORC-21 | Ordering Facility Name | | |
| ORC-21.1 | Organization Name | | |
| ORC-21.2 | Organization Name Type Code | | |
| ORC-21.3 | ID Number | | |
| ORC-21.4 | Check Digit | | |
| ORC-21.5 | Check Digit Scheme | | |
| ORC-21.6 | Assigning Authority | | |

| ORC-21.6.1 Location | Name-Data ID | Data | Categorization |
|---------------------|---------------------------------------|------|----------------|
| ORC-21.6.2 | Universal ID | | |
| ORC-21.6.3 | Universal ID Type | | |
| ORC-21.7 | Identifier Type Code | | |
| ORC-21.8 | Assigning Facility | | |
| ORC-21.8.1 | Namespace ID | | |
| ORC-21.8.2 | Universal ID | | |
| ORC-21.8.3 | Universal ID Type | | |
| ORC-21.9 | Name Representation Code | | |
| ORC-21.10 | Organization Identifier | | |
| ORC-22 | Ordering Facility Address | | |
| ORC-22.1 | Street Address | | |
| ORC-22.1.1 | Street or Mailing Address | | |
| ORC-22.1.2 | Street Name | | |
| ORC-22.1.3 | Dwelling Number | | |
| ORC-22.2 | Other Designation | | |
| ORC-22.3 | City | | |
| ORC-22.4 | State or Province | | |
| ORC-22.5 | Zip or Postal Code | | |
| ORC-22.6 | Country | | |
| ORC-22.7 | Address Type | | |
| ORC-22.8 | Other Geographic Designation | | |
| ORC-22.9 | County/Parish Code | | |
| ORC-22.10 | Census Tract | | |
| ORC-22.11 | Address Representation Code | | |
| ORC-22.12 | Address Validity Range | | |
| ORC-22.12.1 | Range Start Date/Time | | |
| ORC-22.12.2 | Range End Date/Time | | |
| ORC-22.13 | Effective Date | | |
| ORC-22.13.1 | Time | | |
| ORC-22.13.2 | Degree of Precision | | |
| ORC-22.14 | Expiration Date | | |
| ORC-22.14.1 | Time | | |
| ORC-22.14.2 | Degree of Precision | | |
| ORC-23 | Ordering Facility Phone Number | | |
| ORC-23.1 | Telephone Number | | |
| ORC-23.2 | Telecommunication Use Code | | |
| ORC-23.3 | Telecommunication Equipment Type | | |
| ORC-23.4 | Email Address | | |

| ORC-23.5 | Location | Code Element | Data | Categorization |
|---------------|----------|----------------------------------|------|----------------|
| ORC-23.6 | | Area/City Code | | |
| ORC-23.7 | | Local Number | | |
| ORC-23.8 | | Extension | | |
| ORC-23.9 | | Any Text | | |
| ORC-23.10 | | Extension Prefix | | |
| ORC-23.11 | | Speed Dial Code | | |
| ORC-23.12 | | Unformatted Telephone number | | |
| ORC-24 | | Ordering Provider Address | | |
| ORC-24.1 | | Street Address | | |
| ORC-24.1.1 | | Street or Mailing Address | | |
| ORC-24.1.2 | | Street Name | | |
| ORC-24.1.3 | | Dwelling Number | | |
| ORC-24.2 | | Other Designation | | |
| ORC-24.3 | | City | | |
| ORC-24.4 | | State or Province | | |
| ORC-24.5 | | Zip or Postal Code | | |
| ORC-24.6 | | Country | | |
| ORC-24.7 | | Address Type | | |
| ORC-24.8 | | Other Geographic Designation | | |
| ORC-24.9 | | County/Parish Code | | |
| ORC-24.10 | | Census Tract | | |
| ORC-24.11 | | Address Representation Code | | |
| ORC-24.12 | | Address Validity Range | | |
| ORC-24.12.1 | | Range Start Date/Time | | |
| ORC-24.12.2 | | Range End Date/Time | | |
| ORC-24.13 | | Effective Date | | |
| ORC-24.13.1 | | Time | | |
| ORC-24.13.2 | | Degree of Precision | | |
| ORC-24.14 | | Expiration Date | | |
| ORC-24.14.1 | | Time | | |
| ORC-24.14.2 | | Degree of Precision | | |
| ORC-25 | | Order Status Modifier | | |
| ORC-25.1 | | Identifier | | |
| ORC-25.2 | | Text | | |
| ORC-25.3 | | Name of Coding System | | |
| ORC-25.4 | | Alternate Identifier | | |
| ORC-25.5 | | Alternate Text | | |
| ORC-25.6 | | Name of Alternate Coding System | | |

| Location | Coding System | Data | Categorization |
|----------|---|------|----------------|
| ORC-25.7 | Version ID | | |
| ORC-25.8 | Alternate Coding System Version ID | | |
| ORC-25.9 | Original Text | | |
| ORC-26 | Advanced Beneficiary Notice Override Reason | | |
| ORC-26.1 | Identifier | | |
| ORC-26.2 | Text | | |
| ORC-26.3 | Name of Coding System | | |
| ORC-26.4 | Alternate Identifier | | |
| ORC-26.5 | Alternate Text | | |
| ORC-26.6 | Name of Alternate Coding System | | |
| ORC-26.7 | Coding System Version ID | | |
| ORC-26.8 | Alternate Coding System Version ID | | |
| ORC-26.9 | Original Text | | |
| ORC-27 | Filler's Expected Availability Date/Time | | |
| ORC-27.1 | Time | | |
| ORC-27.2 | Degree of Precision | | |
| ORC-28 | Confidentiality Code | | |
| ORC-28.1 | Identifier | | |
| ORC-28.2 | Text | | |
| ORC-28.3 | Name of Coding System | | |
| ORC-28.4 | Alternate Identifier | | |
| ORC-28.5 | Alternate Text | | |
| ORC-28.6 | Name of Alternate Coding System | | |
| ORC-28.7 | Coding System Version ID | | |
| ORC-28.8 | Alternate Coding System Version ID | | |
| ORC-28.9 | Original Text | | |
| ORC-29 | Order Type | | |
| ORC-29.1 | Identifier | | |
| ORC-29.2 | Text | | |
| ORC-29.3 | Name of Coding System | | |
| ORC-29.4 | Alternate Identifier | | |
| ORC-29.5 | Alternate Text | | |
| ORC-29.6 | Name of Alternate Coding System | | |
| ORC-29.7 | Coding System Version ID | | |
| ORC-29.8 | Alternate Coding | | |

| Location | System Version ID | Data | Categorization |
|---------------|--|------|----------------|
| ORC-29.9 | Original Text | | |
| ORC-30 | Enterer Authorization Mode | | |
| ORC-30.1 | Identifier | | |
| ORC-30.2 | Text | | |
| ORC-30.3 | Name of Coding System | | |
| ORC-30.4 | Alternate Identifier | | |
| ORC-30.5 | Alternate Text | | |
| ORC-30.6 | Name of Alternate Coding System | | |
| ORC-30.7 | Coding System Version ID | | |
| ORC-30.8 | Alternate Coding System Version ID | | |
| ORC-30.9 | Original Text | | |
| ORC-31 | Parent Universal Service Identifier | | |
| ORC-31.1 | Identifier | | |
| ORC-31.2 | Text | | |
| ORC-31.3 | Name of Coding System | | |
| ORC-31.4 | Alternate Identifier | | |
| ORC-31.5 | Alternate Text | | |
| ORC-31.6 | Name of Alternate Coding System | | |
| ORC-31.7 | Coding System Version ID | | |
| ORC-31.8 | Alternate Coding System Version ID | | |
| ORC-31.9 | Original Text | | |

RXA : Pharmacy/Treatment Administration

| Location | Data Element | Data | Categorization |
|--------------|--|-------------------------|----------------|
| RXA-1 | Give Sub-ID Counter | 0 | |
| RXA-2 | Administration Sub-ID Counter | 1 | |
| RXA-3 | Date/Time Start of Administration | | |
| RXA-3.1 | Time | 20150624 | |
| RXA-3.2 | Degree of Precision | | |
| RXA-4 | Date/Time End of Administration | | |
| RXA-4.1 | Time | | |
| RXA-4.2 | Degree of Precision | | |
| RXA-5 | Administered Code | | |
| RXA-5.1 | Identifier | 83 | |
| RXA-5.2 | Text | Hep A, ped/adol, 2 dose | |
| | Name of Coding | | |

| RXA-5.3 | Location | System Data Element | CVX | Data | Categorization |
|---------------|----------|--|------------|------|----------------|
| RXA-5.4 | | Alternate Identifier | | | |
| RXA-5.5 | | Alternate Text | | | |
| RXA-5.6 | | Name of Alternate Coding System | | | |
| RXA-6 | | Administered Amount | 0.5 | | |
| RXA-7 | | Administered Units | | | |
| RXA-7.1 | | Identifier | mL | | |
| RXA-7.2 | | Text | mL | | |
| RXA-7.3 | | Name of Coding System | UCUM | | |
| RXA-7.4 | | Alternate Identifier | | | |
| RXA-7.5 | | Alternate Text | | | |
| RXA-7.6 | | Name of Alternate Coding System | | | |
| RXA-8 | | Administered Dosage Form | | | |
| RXA-8.1 | | Identifier | | | |
| RXA-8.2 | | Text | | | |
| RXA-8.3 | | Name of Coding System | | | |
| RXA-8.4 | | Alternate Identifier | | | |
| RXA-8.5 | | Alternate Text | | | |
| RXA-8.6 | | Name of Alternate Coding System | | | |
| RXA-9 | | Administration Notes | | | |
| RXA-9.1 | | Identifier | 00 | | |
| RXA-9.2 | | Text | New Record | | |
| RXA-9.3 | | Name of Coding System | NIP001 | | |
| RXA-9.4 | | Alternate Identifier | | | |
| RXA-9.5 | | Alternate Text | | | |
| RXA-9.6 | | Name of Alternate Coding System | | | |
| RXA-10 | | Administering Provider | | | |
| RXA-10.1 | | ID Number | 7824 | | |
| RXA-10.2 | | Family Name | | | |
| RXA-10.2.1 | | Surname | Jackson | | |
| RXA-10.2.2 | | Own Surname Prefix | | | |
| RXA-10.2.3 | | Own Surname | | | |
| RXA-10.2.4 | | Surname Prefix From Partner/Spouse | | | |
| RXA-10.2.5 | | Surname From Partner/Spouse | | | |
| RXA-10.3 | | Given Name | Lily | | |
| RXA-10.4 | | Second and Further Given Names or Initials Thereof | Suzanne | | |
| RXA-10.5 | | Suffix (e.g., JR or III) | | | |
| | | | | | |

| RXA-10.6 | Location | Pr Data (Element ID) | Data | Categorization |
|-------------|----------|---------------------------------|-------|----------------|
| RXA-10.7 | | Source Table | | |
| RXA-10.8 | | Assigning Authority | | |
| RXA-10.9 | | Namespace ID | weEHR | |
| RXA-10.9.1 | | Universal ID | | |
| RXA-10.9.2 | | Universal ID Type | | |
| RXA-10.9.3 | | Name Type Code | L | |
| RXA-10.10 | | Identifier Check Digit | | |
| RXA-10.11 | | Check Digit Scheme | | |
| RXA-10.12 | | Identifier Type Code | PRN | |
| RXA-10.13 | | Assigning Facility | | |
| RXA-10.14 | | Namespace ID | | |
| RXA-10.14.1 | | Universal ID | | |
| RXA-10.14.2 | | Universal ID Type | | |
| RXA-10.14.3 | | Name Representation Code | | |
| RXA-10.15 | | Name Context | | |
| RXA-10.16 | | Identifier | | |
| RXA-10.16.1 | | Text | | |
| RXA-10.16.2 | | Name of Coding System | | |
| RXA-10.16.3 | | Alternate Identifier | | |
| RXA-10.16.4 | | Alternate Text | | |
| RXA-10.16.5 | | Name of Alternate Coding System | | |
| RXA-10.16.6 | | Name Validity Range | | |
| RXA-10.17 | | Range Start Date/Time | | |
| RXA-10.17.1 | | Range End Date/Time | | |
| RXA-10.17.2 | | Name Assembly Order | | |
| RXA-10.18 | | Effective Date | | |
| RXA-10.19 | | Time | | |
| RXA-10.19.1 | | Degree of Precision | | |
| RXA-10.19.2 | | Expiration Date | | |
| RXA-10.20 | | Time | | |
| RXA-10.20.1 | | Degree of Precision | | |
| RXA-10.20.2 | | Professional Suffix | | |
| RXA-10.21 | | Assigning Jurisdiction | | |
| RXA-10.22 | | Identifier | | |
| RXA-10.22.1 | | Text | | |
| RXA-10.22.2 | | Name of Coding System | | |
| RXA-10.22.3 | | Alternate Identifier | | |
| RXA-10.22.4 | | Alternate Text | | |
| RXA-10.22.5 | | Name of Alternate Coding System | | |
| RXA-10.22.6 | | Coding System Version ID | | |
| RXA-10.22.7 | | | | |

| RXA-10.22.8 | Data Element Coding | Data | Categorization |
|--------------------|-------------------------------------|-------------|-----------------------|
| | System Version ID | | |
| RXA-10.22.9 | Original Text | | |
| RXA-10.23 | Assigning Agency or Department | | |
| RXA-10.23.1 | Identifier | | |
| RXA-10.23.2 | Text | | |
| RXA-10.23.3 | Name of Coding System | | |
| RXA-10.23.4 | Alternate Identifier | | |
| RXA-10.23.5 | Alternate Text | | |
| RXA-10.23.6 | Name of Alternate Coding System | | |
| RXA-10.23.7 | Coding System Version ID | | |
| RXA-10.23.8 | Alternate Coding System Version ID | | |
| RXA-10.23.9 | Original Text | | |
| RXA-11 | Administered-at Location | | |
| RXA-11.1 | Point of Care | | |
| RXA-11.2 | Room | | |
| RXA-11.3 | Bed | | |
| RXA-11.4 | Facility | | |
| RXA-11.4.1 | Namespace ID | wcEHR | |
| RXA-11.4.2 | Universal ID | | |
| RXA-11.4.3 | Universal ID Type | | |
| RXA-11.5 | Location Status | | |
| RXA-11.6 | Patient Location Type | | |
| RXA-11.7 | Building | | |
| RXA-11.8 | Floor | | |
| RXA-11.9 | Street Address | | |
| RXA-11.10 | Other Designation | | |
| RXA-11.11 | City | | |
| RXA-11.12 | State or Province | | |
| RXA-11.13 | Zip or Postal Code | | |
| RXA-11.14 | Country | | |
| RXA-11.15 | Address Type | | |
| RXA-11.16 | Other Geographic Designation | | |
| RXA-12 | Administered Per (Time Unit) | | |
| RXA-13 | Administered Strength | | |
| RXA-14 | Administered Strength Units | | |
| RXA-14.1 | Identifier | | |
| RXA-14.2 | Text | | |
| RXA-14.3 | Name of Coding System | | |
| RXA-14.4 | Alternate Identifier | | |

| RXA-14 | Location | Alternate Element | Data | Categorization |
|---------------|--|---------------------------------|---------------------|-----------------------|
| | RXA-14.6 | Name of Alternate Coding System | | |
| RXA-15 | Substance Lot Number | 208490 | | |
| RXA-16 | Substance Expiration Date | | | |
| | RXA-16.1 | Time | 20160120 | |
| | RXA-16.2 | Degree of Precision | | |
| RXA-17 | Substance Manufacturer Name | | | |
| | RXA-17.1 | Identifier | MSD | |
| | RXA-17.2 | Text | Merck and Co., Inc. | |
| | RXA-17.3 | Name of Coding System | MVX | |
| | RXA-17.4 | Alternate Identifier | | |
| | RXA-17.5 | Alternate Text | | |
| | RXA-17.6 | Name of Alternate Coding System | | |
| RXA-18 | Substance/Treatment Refusal Reason | | | |
| | RXA-18.1 | Identifier | | |
| | RXA-18.2 | Text | | |
| | RXA-18.3 | Name of Coding System | | |
| | RXA-18.4 | Alternate Identifier | | |
| | RXA-18.5 | Alternate Text | | |
| | RXA-18.6 | Name of Alternate Coding System | | |
| RXA-19 | Indication | | | |
| | RXA-19.1 | Identifier | | |
| | RXA-19.2 | Text | | |
| | RXA-19.3 | Name of Coding System | | |
| | RXA-19.4 | Alternate Identifier | | |
| | RXA-19.5 | Alternate Text | | |
| | RXA-19.6 | Name of Alternate Coding System | | |
| RXA-20 | Completion Status | CP | | |
| RXA-21 | Action Code - RXA | U | | |
| RXA-22 | System Entry Date/Time | | | |
| | RXA-22.1 | Time | | |
| | RXA-22.2 | Degree of Precision | | |
| RXA-23 | Administered Drug Strength Volume | | | |
| RXA-24 | Administered Drug Strength Volume Units | | | |
| | RXA-24.1 | Identifier | | |
| | RXA-24.2 | Text | | |
| | RXA-24.3 | Name of Coding | | |

| Location | Data Element | Data | Categorization |
|---------------|--|------|----------------|
| RXA-24.4 | Alternate Identifier | | |
| RXA-24.5 | Alternate Text | | |
| RXA-24.6 | Name of Alternate Coding System | | |
| RXA-24.7 | Coding System Version ID | | |
| RXA-24.8 | Alternate Coding System Version ID | | |
| RXA-24.9 | Original Text | | |
| RXA-25 | Administered Barcode Identifier | | |
| RXA-25.1 | Identifier | | |
| RXA-25.2 | Text | | |
| RXA-25.3 | Name of Coding System | | |
| RXA-25.4 | Alternate Identifier | | |
| RXA-25.5 | Alternate Text | | |
| RXA-25.6 | Name of Alternate Coding System | | |
| RXA-25.7 | Coding System Version ID | | |
| RXA-25.8 | Alternate Coding System Version ID | | |
| RXA-25.9 | Original Text | | |
| RXA-26 | Pharmacy Order Type | | |

RXR : Pharmacy/Treatment Route

| Location | Data Element | Data | Categorization |
|--------------|---------------------------------|---------------|----------------|
| RXR-1 | Route | | |
| RXR-1.1 | Identifier | C28161 | |
| RXR-1.2 | Text | Intramuscular | |
| RXR-1.3 | Name of Coding System | NCIT | |
| RXR-1.4 | Alternate Identifier | | |
| RXR-1.5 | Alternate Text | | |
| RXR-1.6 | Name of Alternate Coding System | | |
| RXR-2 | Administration Site | | |
| RXR-2.1 | Identifier | RT | |
| RXR-2.2 | Text | Right Thigh | |
| RXR-2.3 | Name of Coding System | HL70163 | |
| RXR-2.4 | Alternate Identifier | | |
| RXR-2.5 | Alternate Text | | |
| RXR-2.6 | Name of Alternate Coding System | | |
| RXR-2.7 | Coding System Version ID | | |
| | | | |

| RXR-2.8 | Location | Alternate Coding System Element | Data | Categorization |
|--------------|----------|-------------------------------------|------|----------------|
| | | System Version ID | | |
| RXR-2.9 | | Original Text | | |
| RXR-3 | | Administration Device | | |
| RXR-3.1 | | Identifier | | |
| RXR-3.2 | | Text | | |
| RXR-3.3 | | Name of Coding System | | |
| RXR-3.4 | | Alternate Identifier | | |
| RXR-3.5 | | Alternate Text | | |
| RXR-3.6 | | Name of Alternate Coding System | | |
| RXR-4 | | Administration Method | | |
| RXR-4.1 | | Identifier | | |
| RXR-4.2 | | Text | | |
| RXR-4.3 | | Name of Coding System | | |
| RXR-4.4 | | Alternate Identifier | | |
| RXR-4.5 | | Alternate Text | | |
| RXR-4.6 | | Name of Alternate Coding System | | |
| RXR-4.7 | | Coding System Version ID | | |
| RXR-4.8 | | Alternate Coding System Version ID | | |
| RXR-4.9 | | Original Text | | |
| RXR-5 | | Routing Instruction | | |
| RXR-5.1 | | Identifier | | |
| RXR-5.2 | | Text | | |
| RXR-5.3 | | Name of Coding System | | |
| RXR-5.4 | | Alternate Identifier | | |
| RXR-5.5 | | Alternate Text | | |
| RXR-5.6 | | Name of Alternate Coding System | | |
| RXR-6 | | Administration Site Modifier | | |
| RXR-6.1 | | Identifier | | |
| RXR-6.2 | | Text | | |
| RXR-6.3 | | Name of Coding System | | |
| RXR-6.4 | | Alternate Identifier | | |
| RXR-6.5 | | Alternate Text | | |
| RXR-6.6 | | Name of Alternate Coding System | | |
| RXR-6.7 | | Coding System Version ID | | |
| RXR-6.8 | | Alternate Coding System Version ID | | |
| RXR-6.9 | | Original Text | | |

| Location | Data Elementmt | Data | Categrization |
|----------|----------------|------|---------------|
|----------|----------------|------|---------------|

OBX : Observation/Result

| Location | Data Elementmt | Data | Categrization |
|---------------|---|------------------------|---------------|
| OBX-1 | Set ID - OBX | 1 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 30963-3 | |
| OBX-3.2 | Text | Vaccine Funding Source | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 1 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | PHC70 | |
| OBX-5.2 | Text | Private | |
| OBX-5.3 | Name of Coding System | CDCPHINVS | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| OBX-12 | Effective Date of Reference Range Values | | |
| OBX-12.1 | Time | | |
| OBX-12.2 | Degree of Precision | | |
| OBX-13 | User Defined Access Checks | | |
| OBX-14 | Date/Time of the Observation | | |
| | | | |

| OBX-14.1 Location | Data Element | 20150624 Data | Categorization |
|-------------------|--|---------------|----------------|
| OBX-14.2 | Degree of Precision | | |
| OBX-15 | Producer's Reference | | |
| OBX-15.1 | Identifier | | |
| OBX-15.2 | Text | | |
| OBX-15.3 | Name of Coding System | | |
| OBX-15.4 | Alternate Identifier | | |
| OBX-15.5 | Alternate Text | | |
| OBX-15.6 | Name of Alternate Coding System | | |
| OBX-16 | Responsible Observer | | |
| OBX-16.1 | ID Number | | |
| OBX-16.2 | Family Name | | |
| OBX-16.2.1 | Surname | | |
| OBX-16.2.2 | Own Surname Prefix | | |
| OBX-16.2.3 | Own Surname | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | |
| OBX-16.3 | Given Name | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | |
| OBX-16.6 | Prefix (e.g., DR) | | |
| OBX-16.7 | Degree (e.g., MD) | | |
| OBX-16.8 | Source Table | | |
| OBX-16.9 | Assigning Authority | | |
| OBX-16.9.1 | Namespace ID | | |
| OBX-16.9.2 | Universal ID | | |
| OBX-16.9.3 | Universal ID Type | | |
| OBX-16.10 | Name Type Code | | |
| OBX-16.11 | Identifier Check Digit | | |
| OBX-16.12 | Check Digit Scheme | | |
| OBX-16.13 | Identifier Type Code | | |
| OBX-16.14 | Assigning Facility | | |
| OBX-16.14.1 | Namespace ID | | |
| OBX-16.14.2 | Universal ID | | |
| OBX-16.14.3 | Universal ID Type | | |
| OBX-16.15 | Name Representation Code | | |
| OBX-16.16 | Name Context | | |
| OBX-16.16.1 | Identifier | | |
| OBX-16.16.2 | Text | | |
| OBX-16.16.3 | Name of Coding System | | |
| OBX-16.16.4 | Alternate Identifier | | |
| OBX-16.16.5 | Alternate Text | | |

| Location | Data Element Name | Data | Categorization |
|---------------|---------------------------------------|------|----------------|
| OBX-16.16.6 | Coding System | | |
| OBX-16.17 | Name Validity Range | | |
| OBX-16.17.1 | Range Start Date/Time | | |
| OBX-16.17.2 | Range End Date/Time | | |
| OBX-16.18 | Name Assembly Order | | |
| OBX-16.19 | Effective Date | | |
| OBX-16.19.1 | Time | | |
| OBX-16.19.2 | Degree of Precision | | |
| OBX-16.20 | Expiration Date | | |
| OBX-16.20.1 | Time | | |
| OBX-16.20.2 | Degree of Precision | | |
| OBX-16.21 | Professional Suffix | | |
| OBX-16.22 | Assigning Jurisdiction | | |
| OBX-16.22.1 | Identifier | | |
| OBX-16.22.2 | Text | | |
| OBX-16.22.3 | Name of Coding System | | |
| OBX-16.22.4 | Alternate Identifier | | |
| OBX-16.22.5 | Alternate Text | | |
| OBX-16.22.6 | Name of Alternate Coding System | | |
| OBX-16.22.7 | Coding System Version ID | | |
| OBX-16.22.8 | Alternate Coding System Version ID | | |
| OBX-16.22.9 | Original Text | | |
| OBX-16.23 | Assigning Agency or Department | | |
| OBX-16.23.1 | Identifier | | |
| OBX-16.23.2 | Text | | |
| OBX-16.23.3 | Name of Coding System | | |
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |

| OBX-Location | Alt Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| | | | |

| OBX-24.3 OBX-24.4 | Location State or Province | Data Element Data | Category |
|----------------------|--|----------------------|----------|
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From Partner/Spouse | | |
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |

| OBX-25.13 Location | Identifier Code | Data Element | Data | Categorization |
|--------------------|------------------------------------|--------------|------|----------------|
| OBX-25.14 | Assigning Facility | | | |
| OBX-25.14.1 | Namespace ID | | | |
| OBX-25.14.2 | Universal ID | | | |
| OBX-25.14.3 | Universal ID Type | | | |
| OBX-25.15 | Name Representation Code | | | |
| OBX-25.16 | Name Context | | | |
| OBX-25.16.1 | Identifier | | | |
| OBX-25.16.2 | Text | | | |
| OBX-25.16.3 | Name of Coding System | | | |
| OBX-25.16.4 | Alternate Identifier | | | |
| OBX-25.16.5 | Alternate Text | | | |
| OBX-25.16.6 | Name of Alternate Coding System | | | |
| OBX-25.17 | Name Validity Range | | | |
| OBX-25.17.1 | Range Start Date/Time | | | |
| OBX-25.17.2 | Range End Date/Time | | | |
| OBX-25.18 | Name Assembly Order | | | |
| OBX-25.19 | Effective Date | | | |
| OBX-25.19.1 | Time | | | |
| OBX-25.19.2 | Degree of Precision | | | |
| OBX-25.20 | Expiration Date | | | |
| OBX-25.20.1 | Time | | | |
| OBX-25.20.2 | Degree of Precision | | | |
| OBX-25.21 | Professional Suffix | | | |
| OBX-25.22 | Assigning Jurisdiction | | | |
| OBX-25.22.1 | Identifier | | | |
| OBX-25.22.2 | Text | | | |
| OBX-25.22.3 | Name of Coding System | | | |
| OBX-25.22.4 | Alternate Identifier | | | |
| OBX-25.22.5 | Alternate Text | | | |
| OBX-25.22.6 | Name of Alternate Coding System | | | |
| OBX-25.22.7 | Coding System Version ID | | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | | |
| OBX-25.22.9 | Original Text | | | |
| OBX-25.23 | Assigning Agency or Department | | | |
| OBX-25.23.1 | Identifier | | | |
| OBX-25.23.2 | Text | | | |
| OBX-25.23.3 | Name of Coding System | | | |
| OBX-25.23.4 | Alternate Identifier | | | |

| OBX-25.23.5 Location | Data Element Name of Alternate Coding System | Data | Categorization |
|--------------------------------|--|-------------|-----------------------|
| OBX-25.23.6 | Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|-----------------|--------------------------------------|--|-----------------------|
| OBX-1 | Set ID - OBX | 2 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 64994-7 | |
| OBX-3.2 | Text | Vaccine Funding Program Eligibility | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 2 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | V01 | |
| OBX-5.2 | Text | Not VFC Eligible | |
| OBX-5.3 | Name of Coding System | HL70064 | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |
| OBX-7 | References Range | | |
| OBX-8 | Abnormal Flags | | |
| OBX-9 | Probability | | |
| OBX-10 | Nature of Abnormal Test | | |
| OBX-11 | Observation Result Status | F | |
| | Effective Date of | | |

| OBX-12 | Location | Reference Range | Data Element | Data | Categorization |
|--------|-------------|-----------------|--|----------|----------------|
| | | | Values | | |
| | OBX-12.1 | | Time | | |
| | OBX-12.2 | | Degree of Precision | | |
| OBX-13 | | | User Defined Access Checks | | |
| OBX-14 | | | Date/Time of the Observation | | |
| | OBX-14.1 | | Time | 20150624 | |
| | OBX-14.2 | | Degree of Precision | | |
| OBX-15 | | | Producer's Reference | | |
| | OBX-15.1 | | Identifier | | |
| | OBX-15.2 | | Text | | |
| | OBX-15.3 | | Name of Coding System | | |
| | OBX-15.4 | | Alternate Identifier | | |
| | OBX-15.5 | | Alternate Text | | |
| | OBX-15.6 | | Name of Alternate Coding System | | |
| OBX-16 | | | Responsible Observer | | |
| | OBX-16.1 | | ID Number | | |
| | OBX-16.2 | | Family Name | | |
| | OBX-16.2.1 | | Surname | | |
| | OBX-16.2.2 | | Own Surname Prefix | | |
| | OBX-16.2.3 | | Own Surname | | |
| | OBX-16.2.4 | | Surname Prefix From Partner/Spouse | | |
| | OBX-16.2.5 | | Surname From Partner/Spouse | | |
| | OBX-16.3 | | Given Name | | |
| | OBX-16.4 | | Second and Further Given Names or Initials Thereof | | |
| | OBX-16.5 | | Suffix (e.g., JR or III) | | |
| | OBX-16.6 | | Prefix (e.g., DR) | | |
| | OBX-16.7 | | Degree (e.g., MD) | | |
| | OBX-16.8 | | Source Table | | |
| | OBX-16.9 | | Assigning Authority | | |
| | OBX-16.9.1 | | Namespace ID | | |
| | OBX-16.9.2 | | Universal ID | | |
| | OBX-16.9.3 | | Universal ID Type | | |
| | OBX-16.10 | | Name Type Code | | |
| | OBX-16.11 | | Identifier Check Digit | | |
| | OBX-16.12 | | Check Digit Scheme | | |
| | OBX-16.13 | | Identifier Type Code | | |
| | OBX-16.14 | | Assigning Facility | | |
| | OBX-16.14.1 | | Namespace ID | | |
| | OBX-16.14.2 | | Universal ID | | |
| | OBX-16.14.3 | | Universal ID Type | | |
| | | | Name Representation | | |

| OBX-Location | Code Element | Data | Categorization |
|--------------|------------------------------------|------|----------------|
| OBX-16.15 | Name Context | | |
| OBX-16.16 | Identifier | | |
| OBX-16.16.1 | Text | | |
| OBX-16.16.2 | Name of Coding System | | |
| OBX-16.16.3 | Alternate Identifier | | |
| OBX-16.16.4 | Alternate Text | | |
| OBX-16.16.5 | Name of Alternate Coding System | | |
| OBX-16.16.6 | Name Validity Range | | |
| OBX-16.17 | Range Start Date/Time | | |
| OBX-16.17.1 | Range End Date/Time | | |
| OBX-16.17.2 | Name Assembly Order | | |
| OBX-16.18 | Effective Date | | |
| OBX-16.19 | Time | | |
| OBX-16.19.1 | Degree of Precision | | |
| OBX-16.19.2 | Expiration Date | | |
| OBX-16.20 | Time | | |
| OBX-16.20.1 | Degree of Precision | | |
| OBX-16.20.2 | Professional Suffix | | |
| OBX-16.21 | Assigning Jurisdiction | | |
| OBX-16.22 | Identifier | | |
| OBX-16.22.1 | Text | | |
| OBX-16.22.2 | Name of Coding System | | |
| OBX-16.22.3 | Alternate Identifier | | |
| OBX-16.22.4 | Alternate Text | | |
| OBX-16.22.5 | Name of Alternate Coding System | | |
| OBX-16.22.6 | Coding System Version ID | | |
| OBX-16.22.7 | Alternate Coding System Version ID | | |
| OBX-16.22.8 | Original Text | | |
| OBX-16.22.9 | Assigning Agency or Department | | |
| OBX-16.23 | Identifier | | |
| OBX-16.23.1 | Text | | |
| OBX-16.23.2 | Name of Coding System | | |
| OBX-16.23.3 | Alternate Identifier | | |
| OBX-16.23.4 | Alternate Text | | |
| OBX-16.23.5 | Name of Alternate Coding System | | |
| OBX-16.23.6 | Coding System Version ID | | |
| OBX-16.23.7 | Alternate Coding | | |

| OBX-16.23.8 Location | System Data Element ID | Data | Categorization |
|----------------------|---|------------------|----------------|
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | VXC40 | |
| OBX-17.2 | Text | per immunization | |
| OBX-17.3 | Name of Coding System | CDCPHINVS | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |
| OBX-23.7 | Identifier Type Code | | |
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |

| OBX-24 | Location | Performing Organization | Data | Categorization |
|-------------|----------|--|------|----------------|
| | | Organization Address | | |
| OBX-24.1 | | Street Address | | |
| OBX-24.1.1 | | Street or Mailing Address | | |
| OBX-24.1.2 | | Street Name | | |
| OBX-24.1.3 | | Dwelling Number | | |
| OBX-24.2 | | Other Designation | | |
| OBX-24.3 | | City | | |
| OBX-24.4 | | State or Province | | |
| OBX-24.5 | | Zip or Postal Code | | |
| OBX-24.6 | | Country | | |
| OBX-24.7 | | Address Type | | |
| OBX-24.8 | | Other Geographic Designation | | |
| OBX-24.9 | | County/Parish Code | | |
| OBX-24.10 | | Census Tract | | |
| OBX-24.11 | | Address Representation Code | | |
| OBX-24.12 | | Address Validity Range | | |
| OBX-24.12.1 | | Range Start Date/Time | | |
| OBX-24.12.2 | | Range End Date/Time | | |
| OBX-24.13 | | Effective Date | | |
| OBX-24.13.1 | | Time | | |
| OBX-24.13.2 | | Degree of Precision | | |
| OBX-24.14 | | Expiration Date | | |
| OBX-24.14.1 | | Time | | |
| OBX-24.14.2 | | Degree of Precision | | |
| OBX-25 | | Performing Organization Medical Director | | |
| OBX-25.1 | | ID Number | | |
| OBX-25.2 | | Family Name | | |
| OBX-25.2.1 | | Surname | | |
| OBX-25.2.2 | | Own Surname Prefix | | |
| OBX-25.2.3 | | Own Surname | | |
| OBX-25.2.4 | | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | | Surname From Partner/Spouse | | |
| OBX-25.3 | | Given Name | | |
| OBX-25.4 | | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | | Suffix (e.g., JR or III) | | |
| OBX-25.6 | | Prefix (e.g., DR) | | |
| OBX-25.7 | | Degree (e.g., MD) | | |

| OBX-25.8 Location | Source Table Element | Data | Categorization |
|-------------------|------------------------------------|------|----------------|
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |
| OBX-25.22.4 | Alternate Identifier | | |
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |

| OBX-25.23.0 | Original Text | Data | Categorization |
|-------------|------------------------------------|------|----------------|
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element | Data | Categorization |
|--------------|---------------------------------|--------------------------|----------------|
| OBX-1 | Set ID - OBX | 3 | |
| OBX-2 | Value Type | CE | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 69764-9 | |
| OBX-3.2 | Text | Document Type | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 3 | |
| OBX-5 | Observation Value | | |
| OBX-5.1 | Identifier | 253088698300004211111025 | |
| OBX-5.2 | Text | Hepatitis A VIS | |
| OBX-5.3 | Name of Coding System | cdcgs1 vis | |
| OBX-5.4 | Alternate Identifier | | |
| OBX-5.5 | Alternate Text | | |
| OBX-5.6 | Name of Alternate Coding System | | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |

| OBX-7 Location | Reference Range | Data Element | Data | Categorization |
|----------------|--|--------------|------|----------------|
| OBX-8 | Abnormal Flags | | | |
| OBX-9 | Probability | | | |
| OBX-10 | Nature of Abnormal Test | | | |
| OBX-11 | Observation Result Status | F | | |
| OBX-12 | Effective Date of Reference Range Values | | | |
| OBX-12.1 | Time | | | |
| OBX-12.2 | Degree of Precision | | | |
| OBX-13 | User Defined Access Checks | | | |
| OBX-14 | Date/Time of the Observation | | | |
| OBX-14.1 | Time | 20150624 | | |
| OBX-14.2 | Degree of Precision | | | |
| OBX-15 | Producer's Reference | | | |
| OBX-15.1 | Identifier | | | |
| OBX-15.2 | Text | | | |
| OBX-15.3 | Name of Coding System | | | |
| OBX-15.4 | Alternate Identifier | | | |
| OBX-15.5 | Alternate Text | | | |
| OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | Responsible Observer | | | |
| OBX-16.1 | ID Number | | | |
| OBX-16.2 | Family Name | | | |
| OBX-16.2.1 | Surname | | | |
| OBX-16.2.2 | Own Surname Prefix | | | |
| OBX-16.2.3 | Own Surname | | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | | |
| OBX-16.3 | Given Name | | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | | |
| OBX-16.6 | Prefix (e.g., DR) | | | |
| OBX-16.7 | Degree (e.g., MD) | | | |
| OBX-16.8 | Source Table | | | |
| OBX-16.9 | Assigning Authority | | | |
| OBX-16.9.1 | Namespace ID | | | |
| OBX-16.9.2 | Universal ID | | | |
| OBX-16.9.3 | Universal ID Type | | | |
| OBX-16.10 | Name Type Code | | | |

| OBX-16.11 | Location | Identifier Check Digit | Data Element | Data | Categorization |
|-------------|----------|------------------------|------------------------------------|------|----------------|
| OBX-16.12 | | | Check Digit Scheme | | |
| OBX-16.13 | | | Identifier Type Code | | |
| OBX-16.14 | | | Assigning Facility | | |
| OBX-16.14.1 | | | Namespace ID | | |
| OBX-16.14.2 | | | Universal ID | | |
| OBX-16.14.3 | | | Universal ID Type | | |
| OBX-16.15 | | | Name Representation Code | | |
| OBX-16.16 | | | Name Context | | |
| OBX-16.16.1 | | | Identifier | | |
| OBX-16.16.2 | | | Text | | |
| OBX-16.16.3 | | | Name of Coding System | | |
| OBX-16.16.4 | | | Alternate Identifier | | |
| OBX-16.16.5 | | | Alternate Text | | |
| OBX-16.16.6 | | | Name of Alternate Coding System | | |
| OBX-16.17 | | | Name Validity Range | | |
| OBX-16.17.1 | | | Range Start Date/Time | | |
| OBX-16.17.2 | | | Range End Date/Time | | |
| OBX-16.18 | | | Name Assembly Order | | |
| OBX-16.19 | | | Effective Date | | |
| OBX-16.19.1 | | | Time | | |
| OBX-16.19.2 | | | Degree of Precision | | |
| OBX-16.20 | | | Expiration Date | | |
| OBX-16.20.1 | | | Time | | |
| OBX-16.20.2 | | | Degree of Precision | | |
| OBX-16.21 | | | Professional Suffix | | |
| OBX-16.22 | | | Assigning Jurisdiction | | |
| OBX-16.22.1 | | | Identifier | | |
| OBX-16.22.2 | | | Text | | |
| OBX-16.22.3 | | | Name of Coding System | | |
| OBX-16.22.4 | | | Alternate Identifier | | |
| OBX-16.22.5 | | | Alternate Text | | |
| OBX-16.22.6 | | | Name of Alternate Coding System | | |
| OBX-16.22.7 | | | Coding System Version ID | | |
| OBX-16.22.8 | | | Alternate Coding System Version ID | | |
| OBX-16.22.9 | | | Original Text | | |
| OBX-16.23 | | | Assigning Agency or Department | | |
| OBX-16.23.1 | | | Identifier | | |
| OBX-16.23.2 | | | Text | | |
| | | | Name of Coding | | |

| OBX-16.23.3 | System Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |

| OBX-23.7 Location | Identifier Code | Data Element Code | Data | Categorization |
|----------------------|---|-------------------|------|----------------|
| OBX-23.8 | Assigning Facility | | | |
| OBX-23.8.1 | Namespace ID | | | |
| OBX-23.8.2 | Universal ID | | | |
| OBX-23.8.3 | Universal ID Type | | | |
| OBX-23.9 | Name Representation Code | | | |
| OBX-23.10 | Organization Identifier | | | |
| OBX-24 | Performing Organization Address | | | |
| OBX-24.1 | Street Address | | | |
| OBX-24.1.1 | Street or Mailing Address | | | |
| OBX-24.1.2 | Street Name | | | |
| OBX-24.1.3 | Dwelling Number | | | |
| OBX-24.2 | Other Designation | | | |
| OBX-24.3 | City | | | |
| OBX-24.4 | State or Province | | | |
| OBX-24.5 | Zip or Postal Code | | | |
| OBX-24.6 | Country | | | |
| OBX-24.7 | Address Type | | | |
| OBX-24.8 | Other Geographic Designation | | | |
| OBX-24.9 | County/Parish Code | | | |
| OBX-24.10 | Census Tract | | | |
| OBX-24.11 | Address Representation Code | | | |
| OBX-24.12 | Address Validity Range | | | |
| OBX-24.12.1 | Range Start Date/Time | | | |
| OBX-24.12.2 | Range End Date/Time | | | |
| OBX-24.13 | Effective Date | | | |
| OBX-24.13.1 | Time | | | |
| OBX-24.13.2 | Degree of Precision | | | |
| OBX-24.14 | Expiration Date | | | |
| OBX-24.14.1 | Time | | | |
| OBX-24.14.2 | Degree of Precision | | | |
| OBX-25 | Performing Organization Medical Director | | | |
| OBX-25.1 | ID Number | | | |
| OBX-25.2 | Family Name | | | |
| OBX-25.2.1 | Surname | | | |
| OBX-25.2.2 | Own Surname Prefix | | | |
| OBX-25.2.3 | Own Surname | | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | | |
| | Surname From | | | |

| OBX-25.2.5 Location | Part of Spouse Data Element | Data | Categorization |
|---------------------|--|------|----------------|
| OBX-25.3 | Given Name | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | |
| OBX-25.6 | Prefix (e.g., DR) | | |
| OBX-25.7 | Degree (e.g., MD) | | |
| OBX-25.8 | Source Table | | |
| OBX-25.9 | Assigning Authority | | |
| OBX-25.9.1 | Namespace ID | | |
| OBX-25.9.2 | Universal ID | | |
| OBX-25.9.3 | Universal ID Type | | |
| OBX-25.10 | Name Type Code | | |
| OBX-25.11 | Identifier Check Digit | | |
| OBX-25.12 | Check Digit Scheme | | |
| OBX-25.13 | Identifier Type Code | | |
| OBX-25.14 | Assigning Facility | | |
| OBX-25.14.1 | Namespace ID | | |
| OBX-25.14.2 | Universal ID | | |
| OBX-25.14.3 | Universal ID Type | | |
| OBX-25.15 | Name Representation Code | | |
| OBX-25.16 | Name Context | | |
| OBX-25.16.1 | Identifier | | |
| OBX-25.16.2 | Text | | |
| OBX-25.16.3 | Name of Coding System | | |
| OBX-25.16.4 | Alternate Identifier | | |
| OBX-25.16.5 | Alternate Text | | |
| OBX-25.16.6 | Name of Alternate Coding System | | |
| OBX-25.17 | Name Validity Range | | |
| OBX-25.17.1 | Range Start Date/Time | | |
| OBX-25.17.2 | Range End Date/Time | | |
| OBX-25.18 | Name Assembly Order | | |
| OBX-25.19 | Effective Date | | |
| OBX-25.19.1 | Time | | |
| OBX-25.19.2 | Degree of Precision | | |
| OBX-25.20 | Expiration Date | | |
| OBX-25.20.1 | Time | | |
| OBX-25.20.2 | Degree of Precision | | |
| OBX-25.21 | Professional Suffix | | |
| OBX-25.22 | Assigning Jurisdiction | | |
| OBX-25.22.1 | Identifier | | |
| OBX-25.22.2 | Text | | |
| OBX-25.22.3 | Name of Coding System | | |

| Location | Data Element Identifier | Data | Categorization |
|-----------------|------------------------------------|-------------|-----------------------|
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |

OBX : Observation/Result

| Location | Data Element Identifier | Data | Categorization |
|-----------------|---------------------------------|--------------------|-----------------------|
| OBX-1 | Set ID - OBX | 4 | |
| OBX-2 | Value Type | DT | |
| OBX-3 | Observation Identifier | | |
| OBX-3.1 | Identifier | 29769-7 | |
| OBX-3.2 | Text | Date Vis Presented | |
| OBX-3.3 | Name of Coding System | LN | |
| OBX-3.4 | Alternate Identifier | | |
| OBX-3.5 | Alternate Text | | |
| OBX-3.6 | Name of Alternate Coding System | | |
| OBX-4 | Observation Sub-ID | 3 | |
| OBX-5 | Observation Value | 20150624 | |
| OBX-6 | Units | | |
| OBX-6.1 | Identifier | | |
| OBX-6.2 | Text | | |
| OBX-6.3 | Name of Coding System | | |
| OBX-6.4 | Alternate Identifier | | |
| OBX-6.5 | Alternate Text | | |
| OBX-6.6 | Name of Alternate Coding System | | |

| OBX-7 Location | Reference Range | Data Element | Data | Categorization |
|----------------|--|--------------|------|----------------|
| OBX-8 | Abnormal Flags | | | |
| OBX-9 | Probability | | | |
| OBX-10 | Nature of Abnormal Test | | | |
| OBX-11 | Observation Result Status | F | | |
| OBX-12 | Effective Date of Reference Range Values | | | |
| OBX-12.1 | Time | | | |
| OBX-12.2 | Degree of Precision | | | |
| OBX-13 | User Defined Access Checks | | | |
| OBX-14 | Date/Time of the Observation | | | |
| OBX-14.1 | Time | 20150624 | | |
| OBX-14.2 | Degree of Precision | | | |
| OBX-15 | Producer's Reference | | | |
| OBX-15.1 | Identifier | | | |
| OBX-15.2 | Text | | | |
| OBX-15.3 | Name of Coding System | | | |
| OBX-15.4 | Alternate Identifier | | | |
| OBX-15.5 | Alternate Text | | | |
| OBX-15.6 | Name of Alternate Coding System | | | |
| OBX-16 | Responsible Observer | | | |
| OBX-16.1 | ID Number | | | |
| OBX-16.2 | Family Name | | | |
| OBX-16.2.1 | Surname | | | |
| OBX-16.2.2 | Own Surname Prefix | | | |
| OBX-16.2.3 | Own Surname | | | |
| OBX-16.2.4 | Surname Prefix From Partner/Spouse | | | |
| OBX-16.2.5 | Surname From Partner/Spouse | | | |
| OBX-16.3 | Given Name | | | |
| OBX-16.4 | Second and Further Given Names or Initials Thereof | | | |
| OBX-16.5 | Suffix (e.g., JR or III) | | | |
| OBX-16.6 | Prefix (e.g., DR) | | | |
| OBX-16.7 | Degree (e.g., MD) | | | |
| OBX-16.8 | Source Table | | | |
| OBX-16.9 | Assigning Authority | | | |
| OBX-16.9.1 | Namespace ID | | | |
| OBX-16.9.2 | Universal ID | | | |
| OBX-16.9.3 | Universal ID Type | | | |
| OBX-16.10 | Name Type Code | | | |

| OBX-16.11 | Location | Identifier Check Digit | Data Element | Data | Categorization |
|-------------|----------|------------------------|------------------------------------|------|----------------|
| OBX-16.12 | | | Check Digit Scheme | | |
| OBX-16.13 | | | Identifier Type Code | | |
| OBX-16.14 | | | Assigning Facility | | |
| OBX-16.14.1 | | | Namespace ID | | |
| OBX-16.14.2 | | | Universal ID | | |
| OBX-16.14.3 | | | Universal ID Type | | |
| OBX-16.15 | | | Name Representation Code | | |
| OBX-16.16 | | | Name Context | | |
| OBX-16.16.1 | | | Identifier | | |
| OBX-16.16.2 | | | Text | | |
| OBX-16.16.3 | | | Name of Coding System | | |
| OBX-16.16.4 | | | Alternate Identifier | | |
| OBX-16.16.5 | | | Alternate Text | | |
| OBX-16.16.6 | | | Name of Alternate Coding System | | |
| OBX-16.17 | | | Name Validity Range | | |
| OBX-16.17.1 | | | Range Start Date/Time | | |
| OBX-16.17.2 | | | Range End Date/Time | | |
| OBX-16.18 | | | Name Assembly Order | | |
| OBX-16.19 | | | Effective Date | | |
| OBX-16.19.1 | | | Time | | |
| OBX-16.19.2 | | | Degree of Precision | | |
| OBX-16.20 | | | Expiration Date | | |
| OBX-16.20.1 | | | Time | | |
| OBX-16.20.2 | | | Degree of Precision | | |
| OBX-16.21 | | | Professional Suffix | | |
| OBX-16.22 | | | Assigning Jurisdiction | | |
| OBX-16.22.1 | | | Identifier | | |
| OBX-16.22.2 | | | Text | | |
| OBX-16.22.3 | | | Name of Coding System | | |
| OBX-16.22.4 | | | Alternate Identifier | | |
| OBX-16.22.5 | | | Alternate Text | | |
| OBX-16.22.6 | | | Name of Alternate Coding System | | |
| OBX-16.22.7 | | | Coding System Version ID | | |
| OBX-16.22.8 | | | Alternate Coding System Version ID | | |
| OBX-16.22.9 | | | Original Text | | |
| OBX-16.23 | | | Assigning Agency or Department | | |
| OBX-16.23.1 | | | Identifier | | |
| OBX-16.23.2 | | | Text | | |
| | | | Name of Coding | | |

| OBX-16.23.3 | System Data Element | Data | Categorization |
|---------------|---|------|----------------|
| OBX-16.23.4 | Alternate Identifier | | |
| OBX-16.23.5 | Alternate Text | | |
| OBX-16.23.6 | Name of Alternate Coding System | | |
| OBX-16.23.7 | Coding System Version ID | | |
| OBX-16.23.8 | Alternate Coding System Version ID | | |
| OBX-16.23.9 | Original Text | | |
| OBX-17 | Observation Method | | |
| OBX-17.1 | Identifier | | |
| OBX-17.2 | Text | | |
| OBX-17.3 | Name of Coding System | | |
| OBX-17.4 | Alternate Identifier | | |
| OBX-17.5 | Alternate Text | | |
| OBX-17.6 | Name of Alternate Coding System | | |
| OBX-18 | Equipment Instance Identifier | | |
| OBX-18.1 | Entity Identifier | | |
| OBX-18.2 | Namespace ID | | |
| OBX-18.3 | Universal ID | | |
| OBX-18.4 | Universal ID Type | | |
| OBX-19 | Date/Time of the Analysis | | |
| OBX-19.1 | Time | | |
| OBX-19.2 | Degree of Precision | | |
| OBX-20 | Reserved for harmonization with V2.6 | | |
| OBX-21 | Reserved for harmonization with V2.6 | | |
| OBX-22 | Reserved for harmonization with V2.6 | | |
| OBX-23 | Performing Organization Name | | |
| OBX-23.1 | Organization Name | | |
| OBX-23.2 | Organization Name Type Code | | |
| OBX-23.3 | ID Number | | |
| OBX-23.4 | Check Digit | | |
| OBX-23.5 | Check Digit Scheme | | |
| OBX-23.6 | Assigning Authority | | |
| OBX-23.6.1 | Namespace ID | | |
| OBX-23.6.2 | Universal ID | | |
| OBX-23.6.3 | Universal ID Type | | |

| OBX-23.7 Location | Identifier Code Data Element | Data | Categorization |
|----------------------|---|------|----------------|
| OBX-23.8 | Assigning Facility | | |
| OBX-23.8.1 | Namespace ID | | |
| OBX-23.8.2 | Universal ID | | |
| OBX-23.8.3 | Universal ID Type | | |
| OBX-23.9 | Name Representation Code | | |
| OBX-23.10 | Organization Identifier | | |
| OBX-24 | Performing Organization Address | | |
| OBX-24.1 | Street Address | | |
| OBX-24.1.1 | Street or Mailing Address | | |
| OBX-24.1.2 | Street Name | | |
| OBX-24.1.3 | Dwelling Number | | |
| OBX-24.2 | Other Designation | | |
| OBX-24.3 | City | | |
| OBX-24.4 | State or Province | | |
| OBX-24.5 | Zip or Postal Code | | |
| OBX-24.6 | Country | | |
| OBX-24.7 | Address Type | | |
| OBX-24.8 | Other Geographic Designation | | |
| OBX-24.9 | County/Parish Code | | |
| OBX-24.10 | Census Tract | | |
| OBX-24.11 | Address Representation Code | | |
| OBX-24.12 | Address Validity Range | | |
| OBX-24.12.1 | Range Start Date/Time | | |
| OBX-24.12.2 | Range End Date/Time | | |
| OBX-24.13 | Effective Date | | |
| OBX-24.13.1 | Time | | |
| OBX-24.13.2 | Degree of Precision | | |
| OBX-24.14 | Expiration Date | | |
| OBX-24.14.1 | Time | | |
| OBX-24.14.2 | Degree of Precision | | |
| OBX-25 | Performing Organization Medical Director | | |
| OBX-25.1 | ID Number | | |
| OBX-25.2 | Family Name | | |
| OBX-25.2.1 | Surname | | |
| OBX-25.2.2 | Own Surname Prefix | | |
| OBX-25.2.3 | Own Surname | | |
| OBX-25.2.4 | Surname Prefix From Partner/Spouse | | |
| OBX-25.2.5 | Surname From | | |

| Location | Part of System | Data Element | Data | Categorization |
|-------------|--|--------------|------|----------------|
| OBX-25.3 | Given Name | | | |
| OBX-25.4 | Second and Further Given Names or Initials Thereof | | | |
| OBX-25.5 | Suffix (e.g., JR or III) | | | |
| OBX-25.6 | Prefix (e.g., DR) | | | |
| OBX-25.7 | Degree (e.g., MD) | | | |
| OBX-25.8 | Source Table | | | |
| OBX-25.9 | Assigning Authority | | | |
| OBX-25.9.1 | Namespace ID | | | |
| OBX-25.9.2 | Universal ID | | | |
| OBX-25.9.3 | Universal ID Type | | | |
| OBX-25.10 | Name Type Code | | | |
| OBX-25.11 | Identifier Check Digit | | | |
| OBX-25.12 | Check Digit Scheme | | | |
| OBX-25.13 | Identifier Type Code | | | |
| OBX-25.14 | Assigning Facility | | | |
| OBX-25.14.1 | Namespace ID | | | |
| OBX-25.14.2 | Universal ID | | | |
| OBX-25.14.3 | Universal ID Type | | | |
| OBX-25.15 | Name Representation Code | | | |
| OBX-25.16 | Name Context | | | |
| OBX-25.16.1 | Identifier | | | |
| OBX-25.16.2 | Text | | | |
| OBX-25.16.3 | Name of Coding System | | | |
| OBX-25.16.4 | Alternate Identifier | | | |
| OBX-25.16.5 | Alternate Text | | | |
| OBX-25.16.6 | Name of Alternate Coding System | | | |
| OBX-25.17 | Name Validity Range | | | |
| OBX-25.17.1 | Range Start Date/Time | | | |
| OBX-25.17.2 | Range End Date/Time | | | |
| OBX-25.18 | Name Assembly Order | | | |
| OBX-25.19 | Effective Date | | | |
| OBX-25.19.1 | Time | | | |
| OBX-25.19.2 | Degree of Precision | | | |
| OBX-25.20 | Expiration Date | | | |
| OBX-25.20.1 | Time | | | |
| OBX-25.20.2 | Degree of Precision | | | |
| OBX-25.21 | Professional Suffix | | | |
| OBX-25.22 | Assigning Jurisdiction | | | |
| OBX-25.22.1 | Identifier | | | |
| OBX-25.22.2 | Text | | | |
| OBX-25.22.3 | Name of Coding System | | | |

| OBX-25.22.4 Location | Alternate Identifier | Data | Categorization |
|-------------------------|------------------------------------|------|----------------|
| OBX-25.22.5 | Alternate Text | | |
| OBX-25.22.6 | Name of Alternate Coding System | | |
| OBX-25.22.7 | Coding System Version ID | | |
| OBX-25.22.8 | Alternate Coding System Version ID | | |
| OBX-25.22.9 | Original Text | | |
| OBX-25.23 | Assigning Agency or Department | | |
| OBX-25.23.1 | Identifier | | |
| OBX-25.23.2 | Text | | |
| OBX-25.23.3 | Name of Coding System | | |
| OBX-25.23.4 | Alternate Identifier | | |
| OBX-25.23.5 | Alternate Text | | |
| OBX-25.23.6 | Name of Alternate Coding System | | |
| OBX-25.23.7 | Coding System Version ID | | |
| OBX-25.23.8 | Alternate Coding System Version ID | | |
| OBX-25.23.9 | Original Text | | |