

## D7 Expansion Module

High performance, high resolution,  
easy-to-use expansion module



## D7 Expansion Module



### Key Features

- 18 highly configurable self-labeling LED keys
- High-resolution black & white display with backlight
- Daisy chain up to 3 modules
- Plug and play
- Power supplied by phone via USB port

### Highly Versatile

The D7 expansion module features 18 multicolor LED keys which can be programmed with all functions available known from snom phones like line, speed dial, busy lamp field, presence indication, and many more.

The call or presence status of your contacts is presented by the D7's multi-color LED keys at any given time. The high-resolution display provides a perfect visual interface which can be easily configured and labelled via the phone's web interface or directly on the phone itself.

### Ease Of Use

Using the D7 could not be easier: simply connect the USB cable and it's ready to use. Even power is supplied by the host phone<sup>(1)</sup>.

Three D7 expansion modules can be daisy-chained to add up to 54 function keys to your phone. The last D7 in the chain offers a USB port to connect other peripheral USB devices to the host phone. Thus, A USB headset or a WLAN stick can be used.

The D7 is the perfect addition to any snom 7-series desk phone with a USB port<sup>(2)</sup>.

**Benefits**

- High-resolution graphical display with backlight
- 18 freely programmable multicolor LED function keys
- Dual-angle footstand: 46° and 28°
- Daisy chainable
- Fully configurable via host phone
- Powered by host phone <sup>(1)</sup>

**Type Approval**

- CE Mark
- FCC Class B
- Safety IEC 60950, CB

**Compatible with**

The D7 Expansion Module is compatible with all snom 7-series phones with USB port <sup>(2)</sup>.

**Specification****Installation**

- Plug and Play
- Completely configurable via host phone

**Features**

- Dimensions (approx.):
  - 158 x 140 x 40 mm (LxWxD) w/o foot stand
  - 158 x 140 x 200/220 mm (LxWxD) with foot stand
- Weight (approx.): device 400g, footstand 120g
- Input voltage: 5Vdc (SELV)
- Power supply: USB or 5Vdc power adapter <sup>(3)</sup>, 10 Watts
- USB 2.0 cable with angled type A plug
- USB 2.0 port, type A
- Environmental conditions:
  - Ambient temperature: 0°C to 35°C (32°F to 95°F)
  - Non-operation: -10°C to 45°C (14°F to 113°F)
  - Humidity: 5% to 95% (non-condensing)
- Included in delivery:
  - Base unit
  - Foot stand
  - Quick Start Guide
- Color: Anthracite gray or black
- Warranty: 2 Years
- Part Number: 00003924 (gray - all markets)  
00004011 (black - all markets)

<sup>(1)</sup> When two or three modules are used with one phone, a separate power supply needs to be connected to the second module.

<sup>(2)</sup> Suitable for:

- snom 715 (snom PN 00002792)
- snom D715 (snom PN 00004039)
- snom 720 (snom PN 00002794)
- snom D725 (snom PN 00003916)
- snom 760 (snom PN 00002795)
- snom D765 (snom PN 00003917)

<sup>(3)</sup> Optional accessory (see below for part numbers)

**Part numbers for optional accessories**

- |          |  |
|----------|--|
| 00002730 | Power Adapter PSAC10R-050 (EU/US<br>clips) |
| 00001168 | UK clip for PSAC10R-050                    |
| 00001167 | AUS clip for PSAC10R-050                   |