PFI-Utilities

Execution Environment

Host name	20008-KMLM - 192.168.16.35
OS	Windows 10 64bit
Katalon version	7.2.1.1
Browser	Chrome 86.0.4240.111

Summary

ID	Test Suites/PFI Precision and Scale Automated Regression Suite/PFI - Utilities/PFI-Utilities
Description	

Total	1		
Passed	1	Failed	0
Error	0	Incomplete	0
Start	2020-10-26 18:59:30	End	2020-10-26 19:09:04
Elapsed	9m - 34.185s		

#	ID	Description	Status
1	Test Cases/PFI Precision and Scale/PFI Test Cases/PFI - Utilities/Utilities.CreateNewBldgGroup		PASSED

Utilities.CreateNewBldgGroup

Information

ID	Test Cases/PFI Precision and Scale/PFI Test Cases/PFI - Utilities/Utilities.CreateNewBldgGroup		
Description			
Tag			
Start	2020-10-26 18:59:31	End	2020-10-26 19:09:04
Elapsed	9m - 32.651s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	Login from ISPS2. Call Test Case 'Test Cases/Components/LoginV2.0' successfully	32.845s	PASSED
2	Open HomePage Menu. Call Test Case 'Test Cases/Components/OpenHomepageMenu' successfully	9.104s	PASSED
3	Hover to Utilities. Call Test Case 'Test Cases/Components/HoverToAnyMenuSelection' successfully	3.248s	PASSED
4	Hover to PFI. Call Test Case 'Test Cases/Components/HoverToAnyMenuSelection' successfully	2.231s	PASSED
5	Hover to Create New Building Group. Call Test Case 'Test Cases/Components/HoverToAnyMenuSelection' successfully	1.764s	PASSED
6	Click Create New Building Group. Call Test Case 'Test Cases/Components/ClickLink' successfully	6.516s	PASSED
7	Click Create New Group button. Call Test Case 'Test Cases/Components/ClickBlueButtonsWithXPI' successfully	3.562s	PASSED

#	Description	Elapsed	Status
8	Highlight error message. Call Test Case 'Test Cases/Components/VerifyTextPresentInPage' successfully	11.086s	PASSED
9	Click input field. Call Test Case 'Test Cases/Components/ClickElement' successfully	3.415s	PASSED
10	Click input field. Call Test Case 'Test Cases/Components/ClickElement' successfully	1.822s	PASSED
11	Click input field. Call Test Case 'Test Cases/Components/ClickElement' successfully	1.774s	PASSED
12	Click input field. Call Test Case 'Test Cases/Components/ClickElement' successfully	2.051s	PASSED
13	Click input field. Call Test Case 'Test Cases/Components/ClickElement' successfully	1.802s	PASSED
14	Click input field. Call Test Case 'Test Cases/Components/ClickElement' successfully	1.486s	PASSED
15	Click input field. Call Test Case 'Test Cases/Components/ClickElement' successfully	1.581s	PASSED
16	callTestCase(findTestCase("Components/ClickRadioButton"), ["Index":1], STOP_ON_FAILURE) Call Test Case 'Test Cases/Components/ClickRadioButton' successfully	6.033s	PASSED

Utilities.CreateNewBldgGroup

#	Description	Elapsed	Status
17	Verify the mandatory fields. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/RequiredFieldValidationIndex' successfully	11.479s	PASSED
18	Verify the mandatory fields. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/RequiredFieldValidationIndex' successfully	2.850s	PASSED
19	Scroll page. Call Test Case 'Test Cases/Components/ScrollPageDown' successfully	4.711s	PASSED
20	Verify the mandatory fields. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/RequiredFieldValidationIndex' successfully	2.705s	PASSED
21	Verify the mandatory fields. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/RequiredFieldValidationIndex' successfully	3.000s	PASSED
22	Verify the mandatory fields. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/RequiredFieldValidationIndex' successfully	2.764s	PASSED
23	Verify the mandatory fields. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/RequiredFieldValidationIndex' successfully	2.718s	PASSED
24	Verify the mandatory fields. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/RequiredFieldValidationIndex' successfully	2.740s	PASSED
25	Verify that the page is successfully loaded Call Test Case 'Test Cases/Components/HighlightLabelField' successfully	4.920s	PASSED

Utilities.CreateNewBldgGroup

#	Description	Elapsed	Status
26	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.984s	PASSED
27	Verify that field accepts alphanumeric values. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/AlphaNumericSpecialValidationIndex' successfully	2.983s	PASSED
28	Verify the maximum chars of the input field. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/MaxCharLengthIndexValidation' successfully	10.721s	PASSED
29	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"BP No:", "index":1, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully	1.695s	PASSED
30	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	1.856s	PASSED
31	Verify that field accepts alphanumeric values. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/AlphaNumericSpecialValidationIndex' successfully	0.647s	PASSED
32	Verify the maximum chars of the input field. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/MaxCharLengthIndexValidation' successfully	8.842s	PASSED
33	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"BP No:", "index":2, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully	0.872s	PASSED

#	Description	Elapsed	Status
34	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.725s	PASSED
35	callTestCase(findTestCase("PFI Precision and Scale/PFI Components with Indexing/VerifyDropDownValuesinDB"), ["FldNm":"grpBldType", "index":1, "NoOfVal":9, "DelayTime":2, "ColNm":"NAME", "DBTbl":"PV_CODE_EXT", "Condition1":"CATEGORY = 'PFI_BUILDING_TYPE' and NAME ="], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/VerifyDropDownValuesinDB' successfully	34.724s	PASSED
36	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"BP No:", "index":3, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully	2.925s	PASSED
37	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.529s	PASSED
38	callTestCase(findTestCase("PFI Precision and Scale/PFI Components with Indexing/VerifyDropDownValuesinDB"), ["FldNm":"gradeTypeCd", "index":1, "NoOfVal":5, "DelayTime":2, "ColNm":"NAME", "DBTbl":"PV_CODE_EXT", "Condition1":"CATEGORY = 'PFI_GRADE_TYPE' and NAME ="], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/VerifyDropDownValuesinDB' successfully	18.275s	PASSED
39	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"BP No:", "index":4, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully	2.434s	PASSED
40	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.220s	PASSED

#	Description	Elapsed	Status
41	callTestCase(findTestCase("PFI Precision and Scale/PFI Components with Indexing/VerifyDropDownValuesinDB"), ["FldNm":"grpBldCat", "index":1, "NoOfVal":5, "DelayTime":2, "ColNm":"NAME", "DBTbl":"PV_CODE_EXT", "Condition1":"CATEGORY = 'PFI_BLDG_CATEGORY' and NAME = "], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/VerifyDropDownValuesinDB' successfully	18.502s	PASSED
42	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"BP No:", "index":5, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully	3.048s	PASSED
43	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.180s	PASSED
44	callTestCase(findTestCase("PFI Precision and Scale/PFI Components with Indexing/VerifyDropDownValuesinDB"), ["FldNm":"agency", "index":1, "NoOfVal":16, "DelayTime":2, "ColNm":"AGENCY_DESC", "DBTbl":"VXPFI_AGENCies", "Condition1":"AGENCY_DESC ="], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/VerifyDropDownValuesinDB' successfully	54.556s	PASSED
45	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"BP No:", "index":6, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully	2.551s	PASSED
46	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.131s	PASSED
47	Verify values in combo box. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/CommonComboBox' successfully	4.496s	PASSED

Utilities.CreateNewBldgGroup

#	Description	Elapsed	Status
48	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"BP No:", "index":7, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully	2.854s	PASSED
49	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.142s	PASSED
50	Verify that field accepts alphanumeric values. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/AlphaNumericSpecialValidationIndex' successfully	1.608s	PASSED
51	Verify the maximum chars of the input field. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/MaxCharLengthIndexValidation' successfully	9.623s	PASSED
52	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"BP No:", "index":8, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully	0.834s	PASSED
53	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.178s	PASSED
54	Verify that the field accepts numeric chars. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/NumericTextboxValidationIndex' successfully	3.766s	PASSED
55	Select specific date in date picker. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/SelectDayInDatePickerWithIndexII' successfully	6.833s	PASSED

Utilities.CreateNewBldgGroup

#	Description	Elapsed	Status
56	Select today's date.	5.788s	PASSED
	Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/SelectTodayInDatePickerIndex' successfully		
57	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"BP No:", "index":9, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE)	1.985s	PASSED
	Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully		
58	Highlight input field that you will verify.	3.682s	PASSED
	Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully		
59	callTestCase(findTestCase("PFI Precision and Scale/PFI Components with Indexing/VerifyDropDownValuesinDB"), ["FldNm":"ownerTypeCd", "index":1, "NoOfVal":17, "DelayTime":2, "ColNm":"NAME", "DBTbl":"PV_CODE_EXT", "Condition1":"CATEGORY = 'PFI_BLDG_OWNERSHIP_TYPE' and NAME ="], STOP_ON_FAILURE)	56.521s	PASSED
	Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/VerifyDropDownValuesinDB' successfully		
60	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"BP No:", "index":10, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE)	2.459s	PASSED
	Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully		
61	Highlight input field that you will verify.	3.191s	PASSED
	Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully		
62	Click ... button.	1.637s	PASSED
	Call Test Case 'Test Cases/Components/ClickBlueButtonsWithXPI' successfully		
63	Click search button.	1.846s	PASSED
	Call Test Case 'Test Cases/Components/ClickBlueButtonsWithXPI' successfully		

Utilities.CreateNewBldgGroup

#	Description	Elapsed	Status
64	Click link of MCST. Call Test Case 'Test Cases/Components/ClickLink' successfully	4.025s	PASSED
65	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"Clear", "index":1, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully	2.948s	PASSED
66	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.220s	PASSED
67	Verify that field accepts alphanumeric values. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/AlphaNumericSpecialValidationIndex' successfully	1.225s	PASSED
68	Verify the maximum chars of the input field. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/MaxCharLengthIndexValidation' successfully	9.477s	PASSED
69	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"Clear", "index":2, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully	1.910s	PASSED
70	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	2.986s	PASSED
71	Verify that field accepts alphanumeric values. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/AlphaNumericSpecialValidationIndex' successfully	1.559s	PASSED

Utilities.CreateNewBldgGroup

#	Description	Elapsed	Status
72	Verify the maximum chars of the input field. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/MaxCharLengthIndexValidation' successfully	13.105s	PASSED
73	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"Group Description ", "index":2, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully	2.101s	PASSED
74	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	2.851s	PASSED
75	Verify that the field accepts numeric chars. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/NumericTextboxValidationIndex' successfully	1.915s	PASSED
76	Select specific date in date picker. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/SelectDayInDatePickerWithIndexII' successfully	5.242s	PASSED
77	Select today's date. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/SelectTodayInDatePickerIndex' successfully	4.123s	PASSED
78	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/VerifyFieldsLabel"), ["HeaderLbl":"Group Description ", "index":3, "PFIUtil":"CreateNewBldg"], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/VerifyFieldsLabel' successfully	2.371s	PASSED
79	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.218s	PASSED

#	Description	Elapsed	Status
80	Verify that the field accepts numeric chars. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/NumericTextboxValidationIndex' successfully	2.403s	PASSED
81	Select specific date in date picker. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/SelectDayInDatePickerWithIndexII' successfully	5.218s	PASSED
82	Select today's date. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/SelectTodayInDatePickerIndex' successfully	4.410s	PASSED
83	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.338s	PASSED
84	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.945s	PASSED
85	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.163s	PASSED
86	callTestCase(findTestCase("Components/SelectAllThenDeleteIndex"), ["nameToBeUsed":"agencyOwner", "index":1], STOP_ON_FAILURE) Call Test Case 'Test Cases/Components/SelectAllThenDeleteIndex' successfully	2.616s	PASSED
87	callTestCase(findTestCase("Components/SelectAllThenDeleteIndex"), ["nameToBeUsed":"agency", "index":1], STOP_ON_FAILURE) Call Test Case 'Test Cases/Components/SelectAllThenDeleteIndex' successfully	2.152s	PASSED
88	Verify the mandatory fields. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/RequiredFieldValidationIndex' successfully	2.685s	PASSED

Utilities.CreateNewBldgGroup

#	Description	Elapsed	Status
89	Verify the mandatory fields. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components with Indexing/RequiredFieldValidationIndex' successfully	2.729s	PASSED
90	Click Create New Group button. Call Test Case 'Test Cases/Components/ClickBlueButtonsWithXPI' successfully	2.034s	PASSED
91	callTestCase(findTestCase("Components/VerifyTextPresentInPage"), ["TextToModify":"Please fill up the mandatory fields.", "index":1], STOP_ON_FAILURE) Call Test Case 'Test Cases/Components/VerifyTextPresentInPage' successfully	8.202s	PASSED
92	Verify values in combo box. Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/CommonComboBox' successfully	4.010s	PASSED
93	Highlight input field that you will verify. Call Test Case 'Test Cases/Components/HighlightInputFieldXPI' successfully	3.265s	PASSED
94	callTestCase(findTestCase("Components/SelectAllThenDeleteIndex"), ["nameToBeUsed":"mcstNo", "index":1], STOP_ON_FAILURE) Call Test Case 'Test Cases/Components/SelectAllThenDeleteIndex' successfully	1.792s	PASSED
95	Click Create New Group button. Call Test Case 'Test Cases/Components/ClickBlueButtonsWithXPI' successfully	1.767s	PASSED
96	callTestCase(findTestCase("PFI Precision and Scale/PFI Components/RequiredIconValidation"), ["index":1], STOP_ON_FAILURE) Call Test Case 'Test Cases/PFI Precision and Scale/PFI Components/RequiredIconValidation' successfully	3.545s	PASSED
97	Wait for 2 sec Call Test Case 'Test Cases/Components/Wait' successfully	2.791s	PASSED

Utilities.CreateNewBldgGroup

#	Description	Elapsed	Status
98	Logout from ISPS2	21.677s	PASSED
	Call Test Case 'Test Cases/Components/Logout' successfully		