Sentine LABS

(https://www.sentinelone.com/labs/)



ADVANCED PERSISTENT THREAT (HTTPS://WWW.SENTINELONE.COM/LABS/CATEGORY/ADVANCED-PERSISTENT-THREAT/)

Deep Insight into "FIN7" Malware Chain: From Office Macro Malware to Lightweight JS Loader

(HTTPS://WWW.SENTINELONE.COM/BLOG/AUTHOR/VITALIK/) / ≜ OCTOBER 3, 2019 (HTTPS://WWW.SENTINELONE.COM/BLOG/2019/10/)

Vitali Kremez dissecting the 'Fin7' malware chain, which leverages malicious Office Macros and lightweight JS Loader scripts.

SIGN UP

Get notified when we post new content.

Business Email

By clicking Subscribe, I agree to the use of my personal data in accordance with SentinelOne <u>Privacy</u> <u>Notice (/legal/privacy-notice/</u>). SentinelOne will not sell, trade, lease, or rent your personal data to third parties. This site is protected by reCAPTCHA and the Google Privacy Policy
(https://policies.google.com/privacy) and Terms of
Service (https://policies.google.com/terms) apply.

RECENT POSTS

"FIN7" is a financially motivated advanced persistent group (https://www.sentinelone.com/blog/what-are-advanced-targeted-attacks/) operating out of Eastern Europe. Since 2015, this group has continued to be extremely successful and formidable targeting various businesses seeking large-scale point-of-sale (https://www.sentinelone.com/blog/fin6-frameworkpos-point-of-sale-malware-analysis-internals/) (PoS) compromises and network intrusion impacting global enterprises. The group is also known and notorious for its stealthy techniques and sophisticated and persistent approach.

Global corporations impacted by the group are primarily part of the restaurant, gaming, and hospitality industries. Some of the victims of this group include such restaurant chains as Chipotle Mexican Grill, Chili's, and Arby's.



Source: DOJ

Most interestingly, this group used a front company "Combi Security" (reportedly based in Russia and Israel) to recruit various hackers to join their activities. This front company allowed the group to sustain their hacking activities and truly professionalized their hacking approach.

Despite the previous arrests of three members of the FIN7 group in January 2018, the group and/or its remnants still remained active on the financial crime (https://www.sentinelone.com/blog/ecommerce-security-13-best-practices-to-prevent-threats/) landscape.



VirusTotal Dataset | An Analyst's Guide to Effective Threat Research

(https://www.se(httityesto/hevoromskerhtsin/exkopher.imgm/labs/e

Exploring the

thevirustotaldataset-ananalystsguide-toeffective-

the-virustotal-dataset-an-analysts-guide-to-effective-threat-research/)

mathresult August 29, 2024

threatresearch/)



LABScon23 Replay | Black Magic – Influence Operations in the Open and At-Scale

(https://www.seintirlehogoergom/labs/labscon23-

replay-blackmagicinfluenceoperationsin-the-openand-atscale-inhungary/)



Xeon Sender | SMS Spam Shipping Multi-Tool Targeting SaaS Credentials

(https://www.se(httitpesto/hevoromsterhtsin)setoome.com/labs/>

sender-smsspamshippingmulti-tooltargetingsaassender-sms-spamshipping-multitool-targetingsaas-credentials/)

Mark August 19, 2024

credentials/)

LABS CATEGORIES

Crimeware

(https://www.sentinelone.com/labs/category/crimew

Security Research

(https://www.sentinelone.com/labs/category/security research/)

Advanced Persistent Threat

(https://www.sentinelone.com/labs/category/advancepersistent-threat/)

Adversary

(https://www.sentinelone.com/labs/category/adversa

LABScon

(https://www.sentinelone.com/labs/category/labscon

Security & Intelligence

(https://www.sentinelone.com/labs/category/security intelligence/)

Source: DOJ

It is notable that the group still deploys lightweight JavaScript backdoor with communication over HTTPS mimicking Content Delivery Network (CDN) domains.

Additionally, they still leverage JavaScript backdoor via renamed wscript.exe with the actual JavaScript code called "errors.txt," for example.

FIN7: From First-Stage Microsoft Office VBA Macro Loader to JS Loader

The FIN7 Microsoft document loaders do not rely on any exploits but simply require a social engineering trick (https://www.sentinelone.com/blog/phishing-revealing-vulnerable-targets/) to "Enable Content" to activate macros. Notably, to avoid process whitelisting (https://www.sentinelone.com/blog/can-whitelisting-win-advanced-persistent-threats/) of wscript, the macro logic copies the original JavaScript execution engine wscript.exe in %LOCALAPPDATA% and leverages a possible anti-analysis routine of checking the system drive size via GetDrive.TotalSize of more than 2456 bytes to possibly thwart anti-sandbox check.

The actual obfuscated Javascript backdoor is stored in UserForm object, which is also written to a disc as "errors.txt" in %TEMP%. The final execution of the backdoor is performed via this following command:

%LOCALAPPDATA%mses.exe //b /e:jscript %temp%errors.txt

Once it is done, the document macro (https://www.sentinelone.com/news/how-can-obfuscated-macro-malware-be-located-and-removed/) runs a message box displaying "Decryption error" via MsgBox("Decryption error").

Reversing Steps:

 Extract the VBA macro via olevba (https://github.com/decalage2/oletools/wiki/olevba);

_				_		_
2	Debug in	Office	1/B / + ^	ratriava	habaaah	ccrint
۷.	Debug III	OIIICE	V DA LO	ICLICAC	uecoueu	SCHIPL,

3. Extract and prettify obfuscated JavaScript backdoor from userform object;

- 4. Modify JS code close to eval() and run script via Internet Explorer debugger, for example;
- 5. Debug, extract and beautify the full FIN7 JS backdoor.

FIN7 JS Loader/Backdoor XOR Encryption & Custom Encoding

The crypt_controller function accepts two parameters of *type* and *request*.

a. If type parameter equals "decrypt", the request is processed
via decodeURIComponent splitting the request with separator
")*(" and then retrieving encryption_key(second
element[1]) from split request. If there's no encryption_key
split, it pulls it as a random value via
 (Math.floor(Math.random() * 9000) +
1000).toString().split("");

The decoding routine is a simple XOR loop decoding the content as follows joining the result_string via .join command.

```
var output = [];

for (var i = 0; i < request.length; i++) {
    var charCode = request.charCodeAt(i) ^
encryption_key[i % encryption_key.length].charCodeAt(0);
    output.push(String.fromCharCode(charCode));
}</pre>
```

b. If type parameter equals "encrypt", the result_string is
joined with ")*(" and passed to encodeURIComponent.

FIN7 Second-Stage Machine & Network Profiling Script

In the aftermath of the initial call, the group deploys a custom "profiling" script meant to fingerprint the machine and the network environment more closely.

The malware checks for the presence of virtual machine, queries active directory, operating system, screen resolution, user account control (UAC) level, and retrieves a process list.

Finally, it formats the data and appends to "action=add_info" request, which is sent to the server.

Indicators of Compromise (IOCs):

Microsoft Office First-Stage VBA Macro ".doc"

Documents:

SHA256:

6e1230088a34678726102353c622445e1f8b8b8c9ce1f025d11bff

fd5017ca82

SHA256:

f5f8ab9863dc12d04731b1932fc3609742de68252c706952f31894

fc21746bb8

SHA256:

63ff5d9c9b33512f0d9f8d153c02065c637b7da48d2c0b6f7114de

ae6f6d88aa

C2:

googleapi-cdn[.]com

bing-cdn[.]com

cisco-cdn[.]com

Recent Microsoft Office First-Stage VBA Macro ".xlsb"

Documents:

SHA256:

5fa5970548b43ae7d93d758a1eef1f12fd76891e36538e3ac170d5

ab30906b5c

SHA256:

60dfe419dcba6dfe16d24f663b3393deeffdedbe4da468be63c63e

c4b914d485

SHA256:

2ce1cfc137c0bcc82577cc77074c82154d81a7370491c85d43622a

f5186ef058

Recent C2:

realtek-cdn[.]com

FIN7 (HTTPS://WWW.SENTINELONE.COM/BLOG/TAG/FIN7/)

REVERSE ENGINEEERING (HTTPS://WWW.SENTINELONE.COM/BLOG/TAG/REVERSE-ENGINEEERING/)

VITALI KREMEZ (HTTPS://WWW.SENTINELONE.COM/BLOG/TAG/VITALI-KREMEZ/)

ZERO2HERO (HTTPS://WWW.SENTINELONE.COM/BLOG/TAG/ZERO2HERO/)

05/09/24, 11:02

SHARE

ป็∐ฐก็tweight%20JS%20Loader&body≒https%3A%2F%2Fwww.sentinelo Oto%20Lightweight%20JS%20Loader)

VITALI KREMEZ (https://www.sentinelone.com/blog/author/vitalik/)

Vitali Kremez is a strategic advisor for SentinelLabs. He specializes in researching and investigating complex cyberattacks, network intrusions, data breaches, and hacking incidents mainly emanating from the Eastern European cybercriminal ecosystem. He has earned the majority of major certifications available in information technology, information security, and digital forensics fields.

(https://www.linkedin.com/in/vitali-(https://www.vkremez.com/) kremez-021905104/)

PREV NEXT

Info Stealers | How **Writing Malware Malware Hacks** Configuration Extractors for **Private User Data** (https://www.sentinelone.com/labs/info-ISFB/Ursnif

stealers-how-malware-(https://www.sentinelone.com/labs/writingmalware-configurationhacks-private-user-data/) extractors-for-isfb-ursnif/)

RELATED POSTS

ChamelGang & ScarCruft | **Unmasking I-**Friends | Soon | The Leak Attackers Gather Cyberespionage That Revealed Strategic **Groups Attacking** China's Cyber Intelligence and **Critical Operations** Target Infrastructure (https://www **c/laity/**unmaskingwith Ransomware -soon-the-leak-**Professionals** (https://www.sentin chinas-cybe

(**Litips://www.sentinelone.com/labs/a**attackingglimpse-intooperations/) criticalfuture-scarcruft-

infrastructurecampaigns-attackers gather-strategic-intelligence-andransomware/) **M** JUNE 26 2024 targetcybersecurity-

professionals/)