The MiniDuke Mystery: PDF 0-day Government Spy Assembler 0x29A Micro Backdoor

APT REPORTS

27 FEB 2013

⋈ 2 minute read



Search...



nany cool words can you fit into one title)

On Feb 12th 2013, FireEye announced the discovery of an Adobe Reader 0-day exploit which is used to drop a previously unknown, advanced piece of malware. We called this new malware ?ItaDuke because it reminded us of Dugu and because of the ancient Italian comments in the shellcode copied from Dante Alighieri-s ?Divine Comedy.

Since the original announcement, we have observed several new attacks using the same exploit (CVE-2013-0640) which drop other malware. Between these, we've observed a couple of incidents which are so unusual in many ways that we-ve decided to analyse them in depth.

Together with our partner CrySyS Lab, we-ve performed a detailed analysis of these unusual incidents which suggest a new, previously unknown threat actor. For the CrySyS Lab analysis, please read [here]. For our analysis, please read below.



Subscribe



GREAT WEBINARS

13 MAY 2021. 1:00PM

GReAT Ideas. Balalaika Edition

BORIS LARIN. DENIS LEGEZO

26 FEB 2021. 12:00PM

GReAT Ideas. Green Tea Edition

JOHN HULTQUIST, BRIAN BARTHOLOMEW, SUGURU ISHIMARU, VITALY KAMLUK, SEONGSU PARK, YUSUKE NIWA, **МОТОНІКО SATO**

17 JUN 2020, 1:00PM

GReAT Ideas. Powered by SAS: malware attribution and next-gen IoT honeypots

MARCO PREUSS, DENIS LEGEZO, COSTIN RAIU, KURT BAUMGARTNER, DAN DEMETER, YAROSLAV SHMELEV

26 AUG 2020, 2:00PM

GReAT Ideas. Powered by SAS: threat actors advance on new fronts

Key findings include:

• The MiniDuke attackers are **still active at this time** and have created malware as recently as February 20, 2013. To compromise the victims, the attackers used extremely effective social engineering techniques which involved sending malicious PDF documents to their targets. The PDFs were highly relevant and well-crafted content that fabricated human rights seminar information (ASEM) and Ukraine-s foreign policy and NATO membership plans.

Ukraine's NATO Membership Action Plan (MAP) Debates

PONARS Eurasia Policy Memo No. 9

Oleksandr Sushko Center for Peace, Conversion, and Foreign Policy of Ukraine March 2008

The North Atlantic Treaty Organization is expected to address Ukraine and Georgia's requests to upgrade their relationship with the alliance at its Bucharest summit in April 2008, even if a direct response is not forthcoming. Ukraine submitted its official request to receive a Membership Action Plan (MAP) in January, setting off a new round of debates discussing the credibility of Ukraine's ambitions to become a full-fledged member of the Euro-Atlantic community.

The debate over a Ukrainian MAP began in May 2002, when Ukraine's National Security and Defense Council (NSDC) approved a strategy later signed by President Leonid Kuchma stipulating Ukraine's objectives to become a full NATO member. Given substantial problems with democracy, human rights, and media freedoms within Ukraine, this ambition (considered mostly as an element of Kuchma's multi-vector policy) was not addressed by NATO at the time.

Following the Orange Revolution, President Viktor Yushchenko declared his desire to move forward toward NATO membership. NATO formally invited Ukraine to enter into an "Intensified Dialogue" (ID) at its meeting in Vilnius in April 2005. This created a forum to discuss Ukraine's membership aspirations and the reforms necessary without prejudicing an eventual decision by the alliance. A meeting of the NATO-Ukraine Commission also agreed on a series of concrete and immediate measures to enhance cooperation supporting Ukraine's reform priorities. Ukraine has pursued its

These malicious PDF files were rigged with exploits attacking Adobe Reader versions 9, 10 and 11, bypassing its sandbox.

· Once the system is exploited, a very small downloader is dropped onto the victim-s disc that-s only 20KB in size. This downloader is unique per system and contains a customized backdoor written in Assembler. When loaded at system boot, the downloader uses a set of mathematical calculations to determine the computer-s unique fingerprint, and in turn uses this data to uniquely

IVAN KWIATKOWSKI, MAHER YAMOUT, NOUSHIN SHABAB, PIERRE DELCHER, FÉLIX AIME, GIAMPAOLO DEDOLA, SANTIAGO PONTIROLI

22 JUL 2020, 2:00PM

GReAT Ideas. Powered by SAS: threat hunting and new techniques

DMITRY BESTUZHEV, COSTIN RAIU, PIERRE DELCHER, BRIAN BARTHOLOMEW, BORIS LARIN, ARIEL JUNGHEIT, FABIO ASSOLINI

FROM THE SAME AUTHORS

encrypt its communications later.

If the target system meets the pre-defined requirements, the malware will use Twitter (unbeknownst to the user) and start looking for specific tweets from pre-made accounts. These accounts were created by MiniDuke-s Command and Control (C2) operators and the tweets maintain specific tags labeling encrypted URLs for the backdoors.



These URLs provide access to the C2s, which then provide potential commands and encrypted **transfers of additional backdoors onto the system via GIF files**.

- Based on the analysis, it appears that the MiniDuke-s creators provide a dynamic backup system that also can fly under the radar if Twitter isn-t working or the accounts are down, the malware can use Google Search to find the encrypted strings to the next C2. This model is flexible and enables the operators to constantly change how their backdoors retrieve further commands or malcode as needed.
- Once the infected system locates the C2, it receives encrypted backdoors that are obfuscated within GIF files and disguised as pictures that appear on a victim-s machine.



APT trends report Q1 2021



APT10: sophisticated multilayered loader Ecipekac discovered in A41APT campaign



APT annual review: What the world's threat actors got up to in 2020



Cyberthreats to financial organizations in 2021



Advanced Threat predictions for 2021

Subscribe to our weekly e-mails

The hottest research right in your inbox

Email(Required)

I agree to provide my email address to "AO Kaspersky Lab" to receive information about new posts on the site. I understand that I can withdraw this consent at any time via e-mail by clicking the "unsubscribe" link that I find at the bottom of any e-mail sent to me for the purposes mentioned above.



Subscribe

Once they are downloaded to the machine, they can fetch a larger backdoor which carries out the cyberespionage activities, through functions such as copy file, move file, remove file, make directory, kill process and of course, download and execute new malware and lateral movement tools.

- The final stage backdoor **connects to two servers, one** in Panama and one in Turkey to receive the instructions from the attackers.
- The attackers **left a small clue in the code, in the form of the number 666** (0x29A hex) before one of the decryption subroutines:

```
add esp, 400h
retn
endp

dv 666

START OF FUNCTION CHUNK FOR DecryptURLWithSHAl
cGet128bytes:
Call Get128bytes

CALL Get128bytes

CALL Get128bytes

Muld O

Mu
```

• By analysing the logs from the command servers, we have observed **59 unique victims in 23 countries**:

Belgium, Brazil, Bulgaria, Czech Republic, Georgia, Germany, Hungary, Ireland, Israel, Japan, Latvia, Lebanon, Lithuania, Montenegro, Portugal, Romania, Russian Federation, Slovenia, Spain, Turkey, Ukraine, United Kingdom and United States.

For the detailed analysis and information on how to protect against the attack, please read:

IN THE SAME CATEGORY



CloudSorcerer – A new APT targeting Russian government entities



APT trends report Q1 2024



ToddyCat is making holes in your infrastructure



DuneQuixote campaign targets Middle Eastern entities with "CR4T" malware




Lucary - Dravianaly intravia


ADOBE	ADOBE PDF	DATA ENCRYPTION
MINIDUKE	OBFUSCATION	
TARGETED ATTACKS		
VULNERABILITIES AND EXPLOITS		

The MiniDuke Mystery: PDF 0-day **Government Spy Assembler 0x29A** Micro Backdoor

Your email address will not be published. Required fields are marked *



Reply



// LATEST POSTS



RESEARCH

Analysis of user password strength

ALEXEY ANTONOV



RESEARCH

Cinterion EHS5 3G UMTS/HSPA Module Research

KASPERSKY ICS CERT



RESEARCH

QR code SQL injection and other vulnerabilities in a popular biometric terminal

GEORGY KIGURADZE



SPAM AND PHISHING

Bypassing 2FA with phishing and OTP bots

OLGA SVISTUNOVA

// LATEST WEBINARS



CYBERTHREAT TALKS

08 MAY 2024, 5:00PM 60 MIN

Analyzing last year's cyber incident cases

AYMAN SHAABAN



CYBERTHREAT TALKS

19 MAR 2024, 5:00PM 60 MIN

Industrial cybersecurity in 2024: trends and forecasts

EVGENY GONCHAROV



CYBERTHREAT TALKS

24 APR 2024, 5:00PM 60 MIN

MDR report 2023: Analyzing the state of the global threat landscape

SERGEY SOLDATOV



TRAININGS AND WORKSHOPS

28 MAY 2024, 5:00PM 60 MIN

SOC Consulting: insights and live-on cases

ROMAN NAZAROV



CloudSorcerer – A new APT targeting Russian government entities

Kaspersky discovered a new APT CloudSorcerer targeting Russian government entities and using cloud services as C2, just like the CloudWizard actor.

ToddyCat is making holes in your infrastructure

We continue to report on the APT group ToddyCat. This time, we'll talk about traffic tunneling, constant access to a target infrastructure and data extraction from hosts.

APT trends report Q1 2024

The report features the most significant developments relating to APT groups in Q1 2024, including the new malware campaigns DuneQuixote and Durian, and hacktivist activity.

DuneQuixote campaign targets Middle Eastern entities with "CR4T" malware

New unattributed DuneQuixote campaign targeting entities in the Middle East employs droppers disguised as Total Commander installer and CR4T backdoor in C and Go.



SUBSCRIBE TO OUR WEEKLY E-MAILS

The hottest research right in your inbox

Email

I agree to provide my email address to "AO Kaspersky Lab" to receive information about new posts on the site. I understand that I can withdraw this consent at any time via e-mail by clicking the "unsubscribe" link that I find at the bottom of any e-mail sent to me for the purposes mentioned above.

Subscribe

THREATS CATEGORIES OTHER SECTIONS

APT (Targeted attacks)

APT reports

Archive

Secure environment

Malware descriptions

All tags

(IoT)

Security Bulletin

Webinars

Mobile threats
Malware reports
APT Logbook
Financial threats
Spam and phishing
Statistics
Spam and phishing
reports
Encyclopedia

Industrial threats Security technologies Threats descriptions

Web threats Research KSB 2023
Vulnerabilities and Publications

exploits Publications

© 2024 AO Kaspersky Lab. All Rights Reserved.

Registered trademarks and service marks are the property of their respective owners.

Privacy Policy License Agreement Cookies