

ExPetr/Petya/NotPetya is a Wiper, Not Ransomware

INCIDENTS

28 JUN 2017

☐ 1 minute read



// AUTHORS



ANTON IVANOV



ORKHAN MAMEDOV

After an analysis of the encryption routine of the malware used in the Petya/ExPetr attacks, we have thought that the threat actor cannot decrypt victims' disk, even if a payment was made.

This supports the theory that this malware campaign was not designed as a ransomware attack for financial gain. Instead, it appears it was designed as a wiper pretending to be ransomware.

Below the technical details are presented. First, in order to decrypt victim's disk the attackers need the installation ID:

GREAT WEBINARS

13 MAY 2021, 1:00PM

GReAT Ideas. Balalaika Edition

BORIS LARIN, DENIS LEGEZO

26 FEB 2021, 12:00PM

GReAT Ideas. Green Tea Edition

```
If you see this text, then your files are no longer accessible, because they have been encrypted. Perhaps you are busy looking for a мay to recover your files, but don't waste your time. Nobody can recover your files without our decryption service.

He guarantee that you can recover all your files safely and easily. All you need to do is submit the payment and purchase the decryption key.

Please follow the instructions:

1. Send $300 worth of Bitcoin to following address:

1Mz7153HMuxXTuR2R1t78mGSdzaAtNbBHX

2. Send your Bitcoin wallet ID and personal installation key to e-mail моняніth123456@posteo.net. Your personal installation key:

BSENHb-CPccj7-SwaiAC-9UP1eg-KA3Hyw-ND9fd8-sUq54i-TAxTS8-MZoaT6-6ADSbF

If you already purchased your key, please enter it below.

Rey:
```

In previous versions of "similar" ransomware like Petya/Mischa/GoldenEye, this installation ID contains crucial information for the key recovery. After sending this information to the attacker they can extract the decryption key using their private key.

Here's how this installation ID is generated in the ExPetr ransomware:

```
result = CryptGenRandom(randBuf.randBuf, 60u);
ERROR = result;
if ( result >= 0 )
{
    i = 0;
    do
    {
        off = randBuf.randBuf[i++] % 58u;
        randBuf.randBuf[i + 59] = BASE58_ALPHABET[off];
    }
    while ( i < 60 );</pre>
```

Search...

The following buffer contains the randomly generated data in an encoded "BASE58" format:

JOHN HULTQUIST, BRIAN BARTHOLOMEW, SUGURU ISHIMARU, VITALY KAMLUK, SEONGSU PARK, YUSUKE NIWA, MOTOHIKO SATO

17 JUN 2020, 1:00PM

GReAT Ideas. Powered by SAS: malware attribution and next-gen IoT honeypots

MARCO PREUSS, DENIS LEGEZO, COSTIN RAIU,
KURT BAUMGARTNER, DAN DEMETER, YAROSLAV SHMELEV

26 AUG 2020, 2:00PM

GReAT Ideas. Powered by SAS: threat actors advance on new fronts

IVAN KWIATKOWSKI, MAHER YAMOUT, NOUSHIN SHABAB, PIERRE DELCHER, FÉLIX AIME, GIAMPAOLO DEDOLA, SANTIAGO PONTIROLI

22 JUL 2020, 2:00PM

GReAT Ideas. Powered by SAS: threat hunting and new techniques

DMITRY BESTUZHEV, COSTIN RAIU, PIERRE DELCHER, BRIAN BARTHOLOMEW, BORIS LARIN, ARIEL JUNGHEIT, FABIO ASSOLINI




If we compare this randomly generated data and the final installation ID shown in the first screen, they are the same. In a normal setup, this string should contain encrypted information that will be used to restore the decryption key. For ExPetr, the ID shown in the ransom screen is just plain random data.

That means that the attacker cannot extract any decryption information from such a randomly generated string displayed on the victim, and as a result, the victims will not be able to decrypt any of the encrypted disks using the installation ID.

What does it mean? Well, first of all, this is the worst-case news for the victims – even if they pay the ransom they will not get their data back. Secondly, this reinforces the theory that the main goal of the ExPetr attack was not financially motivated, but destructive.

Our friend Matt Suiche from Comae Technologies independently came to the same conclusion.





Sodin ransomware exploits Windows vulnerability and processor architecture



KeyPass ransomware



SynAck targeted ransomware uses the Doppelgänging technique



Mining is the new black



Bad Rabbit ransomware

Subscribe to our weekly e-mails

The hottest research right in your inbox

Email(Required)

I agree to provide my email address to "AO Kaspersky Lab" to receive information about new posts on the site. I understand that I can withdraw this consent at any time via e-mail by clicking the "unsubscribe" link that I find at the bottom of any e-mail sent to me for the purposes mentioned above.

Subscribe

ExPetr/Petya/NotPetya is a Wiper, Not Ransomware

Your email address will not be published. Required fields are marked *

Type your comment here		
		/.
Name *	Email *	
Comment		

RAMALINGAM

Posted on June 29, 2017. 4:23 am

is the kaspersky update equipped to deal with the ExPetr/Petya/NotPetya wiper/

Reply

ARASH ZANGENEH

Posted on June 29, 2017. 9:21 am

Yes, at least our KES 10, managed to block it.

Reply

JO

Posted on June 29, 2017. 8:33 am

I agree that this is a wiper and not a Ransomware however sometimes that actual Malware may not be the main motive behind the attack. This to me is either a currency manipulation on a large scale or simply cyber terrorism.

You can check out the theory below

http://www.securityweek.com/latest-wannacry-theory-currency-manipulation

Reply

DIAZOMETHAN

Posted on June 29, 2017. 8:44 am

Weak reason to classify it as a wiper, in my opinion. Wouldn't it be possible that the author stores the key and the ID in a table? In this case, it is nothing more than IN THE SAME CATEGORY

XZ backdoor: Hook analysis

Assessing the Y, and How, of the XZ Utils incident

something like a UUID, but it would be still possible for the attacker to decrypt the data.

Matt Suiche gives the better explanation why it is a wiper: Because it destroys some crucial data.

Reply

JANIKO

Posted on June 29, 2017. 1:49 pm

I'd like more info about this: the ID is random, right? And about the encryption key: is it generated elsewhere? Is it sent with that random ID to a C&C? And is it really a wiper or only a bad-written ransomware?

Reply

ANDREA

Posted on June 29, 2017, 7:59 pm

Hi

we have also this detailed analysis

https://www.crowdstrike.com/blog/petrwrap-ransomware-technical-analysis-triple-threat-file-encryption-mft-encryption-credential-theft/

We have been able to retrieve most of the files of infected computers. However, as expetya does crypt some of them BEFORE actually being visible, those are encrypted. The TXT are safe, so that means that they're not simply corrupted, but encrypted.

Given the key in the README.TXT file, do you think they can actually be decrypted? NOte that for many files we also have the same exact file BEFORE encryption.

Reply

PFTF

Posted on June 30, 2017. 10:52 am

Ok ID is random - so what?


Did you proove that the random ID has nothing to do with the encryption key?

Reply

XZ backdoor story – Initial analysis

A hack in hand is worth two in the bush

QBot banker delivered through business correspondence





APT REPORTS

RESEARCH

MALWARE DESCRIPTIONS

CRIMEWARE REPORTS

APT trends report Q2 2024

Indirect prompt injection in the real world: how people manipulate neural networks LianSpy: new Android spyware targeting Russian users How "professional" ransomware variants boost cybercrime groups

GREAT

VLADISLAV TUSHKANOV

DMITRY KALININ

GREAT

// LATEST WEBINARS

TRAININGS AND WORKSHOPS

09 JUL 2024, 4:00PM 60 MIN

Building and prioritizing detection engineering backlogs with MITRE ATT&CK

ANDREY TAMOYKIN

CYBERTHREAT TALKS

08 MAY 2024, 5:00PM 60 MIN

Analyzing last year's cyber incident cases

AYMAN SHAABAN

CYBERTHREAT TALKS

19 MAR 2024, 5:00PM 60 MIN

Industrial cybersecurity in 2024:

cybersecurity in 2024 trends and forecasts

EVGENY GONCHAROV

CYBERTHREAT TALKS

24 APR 2024, 5:00PM 60 MIN

MDR report 2023: Analyzing the state of the global threat landscape

SERGEY SOLDATOV



BlindEagle flying high in Latin America

Kaspersky shares insights into the activity and TTPs of the BlindEagle APT, which targets organizations and individuals in Colombia, Ecuador, Chile, Panama and other Latin American countries.

APT trends report Q2 2024

The report features the most significant developments relating to APT groups in Q2 2024, including the new backdoor in Linux utility XZ, a new RAT called SalmonQT, and hacktivist activity.

EastWind campaign: new CloudSorcerer attacks on government organizations in Russia

Kaspersky has identified a new EastWind campaign targeting Russian organizations and using CloudSorcerer as well as APT31 and APT27 tools.

CloudSorcerer – A new APT targeting Russian government entities

Kaspersky discovered a new APT CloudSorcerer targeting Russian government entities and using cloud services as C2, just like the CloudWizard actor.



SUBSCRIBE TO OUR WEEKLY E-MAILS

The hottest research right in your inbox

Email

Subscribe

I agree to provide my email address to "AO Kaspersky Lab" to receive information about new posts on the site. I understand that I can withdraw this consent at any time via e-mail by clicking the "unsubscribe" link that I find at the bottom of any e-mail sent to me for the purposes mentioned above.

THREATS CATEGORIES OTHER SECTIONS

APT (Targeted attacks)

APT reports

Archive

Secure environment

Malware descriptions

All tags

(IoT)

Security Bulletin

Webinars

Mobile threats
Malware reports
APT Logbook
Financial threats
Spam and phishing
Statistics
Spam and phishing
reports
Encyclopedia

Industrial threats Security technologies Threats descriptions

Web threats Research KSB 2023
Vulnerabilities and Publications

exploits Publications

© 2024 AO Kaspersky Lab. All Rights Reserved.

Registered trademarks and service marks are the property of their respective owners.

Privacy Policy License Agreement Cookies