Codebook: Data Licensing Practice in Rare-Event Physics Collaborations

Draft v0.2, October 12, 2026 (v0.1 October 1). For discussion with Suzie Allard. Everything here is a starting point for her to change. v0.2 incorporates the fixes from a six-case pilot coding (SuperCDMS, LZ, COHERENT, LEGEND, IceCube, EXCESS repository); the pilot sheet and its issues log are in the shared folder.

Purpose

This codebook defines how we record, for each physics collaboration in the sample, what it has released publicly, under what terms, and who decided those terms. It is used in two passes: first by coding public documents before the SESAPS meeting (November 13, 2026), then as the basis for a questionnaire to collaborations after the meeting. The same fields appear in both passes so the two can be compared.

The research question is: when rare-event and underground-physics collaborations release data, what license and reuse terms do they attach, and what drove that decision?

Questions for Suzie

Proposed scope, for discussion. Paper 1 covers rare-event searches and is published with the codebook, questionnaire, and coding sheets deposited under an open license with a DOI, written as a replication package. For the session's contributors from other fields (LIGO, Belle II, EarthScope, SNS, Fermi), the team codes their collaboration's rows and asks them only to check; those rows go in Paper 1 as comparison cases and test whether the codebook works outside rare-event physics. Field leads who want more are invited to write a parallel paper for their field using the package, with their own lead and authorship. That invitation needs a home: the plan is to aim Paper 1 at a journal that hosts collections (Scientific Data is the first candidate; Harvard Data Science Review and Data Science Journal are alternatives) and ask the editor about a collection, so a parallel paper sits visibly next to ours. Whether the method itself merits a separate methods or instrument paper is decided after the second-coder agreement and questionnaire pilot are in, and would be Suzie's call and lead.

- Does the staged scope above make sense, and is the replication-package framing one you would design the questionnaire around (more generic wording, fewer field-specific items)?
- The codebook uses two tables, one per collaboration and one per release. Is that the right design, given that the questionnaire will be answered by individuals and will have to be aggregated back to both?
- Which list of collaborations, and should the comparison cases (IceCube, the EXCESS repository, and the cross-field rows from session contributors) be on the list or reported separately?
- Does a 20 percent second-coder sample give enough to report agreement, and which agreement statistic, chosen with a possible methods paper in mind?

- What IRB review does the questionnaire need, should it run through UTK, and does asking session contributors to check rows we coded need its own treatment?
- Are there fields here that a questionnaire respondent could not answer, or that a document coder could not judge?
- Should the questionnaire ask about reasons (why this license, why this level) as open text, or as fixed choices?
- How should disagreement between a collaboration's own sources (for example, a paper saying CC0 while the repository record shows CC BY) be handled and reported: as a coded field, as E6 proposes, or in some standard way?
- The release table caps coding at ten releases per collaboration (IceCube has 39): the most recent of each repository type plus the five most recent overall. Is a cap acceptable, and is that the right stratification, or should it be by data level (C3)?
- Where should the package be deposited (OSF, Zenodo) and under what license, and should the deposit happen before the questionnaire goes out so respondents can see the codebook they are confirming against?
- Which journal for Paper 1, and would its editor entertain a collection for parallel papers from other fields? Separately, is there a venue that would value the instrument itself, if the agreement and pilot results justify a methods paper?
- B2 to B4 are collaboration-row fields but may be coded from a release's README when there is no policy document. When a collaboration has several releases whose READMEs differ, which should win: the policy document if there is one, else the most recent release's README, or something else?

Unit of analysis

Two tables. The collaboration table has one row per collaboration (for example, COHERENT, LEGEND, IceCube) and holds sections A and B, C1 and C2, and a coding record (E). The release table has one row per public data release, keyed to the collaboration, and holds sections C and D with its own coding record (E), because terms and reuse attach to a specific release and one collaboration can have several with different terms. Section F is questionnaire-only and belongs to the collaboration. The questionnaire should go to individuals (spokesperson, data manager) and be aggregated, since a collaboration cannot answer a survey. Code the collaboration as it is now: sections A and B describe the current or most recent experiment and its current policy, because earlier experiments did not fall under the new DOE and NSF public-access rules. Earlier releases are still coded in the release table, with their dates, so that practice before and after the rules can be compared.

Which collaborations to include

Two candidate lists (in survey terms, the sampling frame). The team will choose one with Suzie.

1. **Snowmass list. Every experimental collaboration** named in the Snowmass 2021 Cosmic Frontier reports on dark matter direct detection, neutrino properties, and related underground physics. Larger (roughly 40 to 60) and defensible as a sentence in a methods section. Needs a list extracted from the reports.
2. **Short list. About twenty collaborations** chosen by the team: direct detection (SuperCDMS, LZ, XENON, DarkSide, DAMIC-M, SENSEI, CRESST, EDELWEISS, NEWS-G, TESSERACT), neutrinoless double beta decay (LEGEND, CUORE,

KamLAND-Zen, nEXO, NEXT), coherent neutrino scattering (COHERENT, NUCLEUS, Ricochet, CONNIE), plus IceCube and the EXCESS workshop repository as comparison cases.

Sources, in order of authority

For pass 1, check these sources for each collaboration and record which were found. Search them in this order. Each field's rule names which source its value comes from; when two sources disagree, record the value from the source the rule names and log the disagreement in E6. A disagreement between a collaboration's own documents is a finding, not an error, and becomes a question for that collaboration in the questionnaire.

1. A collaboration data policy, data access policy, or publication policy, if public.
2. The repository record of each public release (Zenodo, Harvard Dataverse, HEPData, OSTI Data Explorer, HEASARC, a lab DOI service, GitHub, or a collaboration-run portal or web directory). The license field, the README, and any terms of use.
3. A data-release paper or companion document that describes the release.
4. The data-availability statement in the collaboration's main physics papers.
5. The collaboration's public website.

Fields

Each field has a name, allowed values, and a rule for choosing among them. "Unknown" means the coder looked and found nothing; it is distinct from a blank, which means the coder has not looked yet. "To check" is written by the AI pass in any cell it could not resolve because a page or file was unreachable, with a matching line in the to-check list (URL, field, what to look for); the human coder opens the link and replaces it with a value, with "Unknown" if the page gives nothing, or with "Could not open" if a file was obtained but unreadable. A finished row has no "To check" cells.

A. Identification

Field	Values	Rule
A0 Entity type	Collaboration / Multi-experiment repository / Facility / Other	Collaboration for every row on the main list. Comparison cases that are not collaborations (a multi-experiment repository such as EXCESS; a facility) are marked here so that A2 to A5, B1, and C1 can be read with that in mind; for them, A3a and A3b are "Not applicable" and A5 counts the people named on the governing document or paper.
A1 Collaboration name	Text	The name the collaboration uses for itself. After a semicolon, list predecessor and successor collaborations whose releases might be confused with its own (SuperCDMS; CDMS II / SuperCDMS Soudan. LEGEND; GERDA, Majorana Demonstrator).
A2 Physics area	Direct detection / 0vbb / CEvNS / Neutrino astronomy / Other	Primary area. One value.
A3a Host facility	Text / Not applicable / Unknown	Where the apparatus runs (SNOLAB, SURF, Gran Sasso, ORNL SNS, the South Pole), from the collaboration website. Code the current or most recent experiment; earlier sites go in E5.
A3b Managing institution	Text / None identified / Not applicable / Unknown	The national laboratory or university that any collaboration-authored document (website, data management plan, paper) or host-laboratory page names as leading the project. Phrasings that count: "lead laboratory", "manages operations", "project office",

Field	Values	Rule
A0 Entity type	Collaboration / Multi-experiment repository / Facility / Other	Collaboration for every row on the main list. Comparison cases that are not collaborations (a multi-experiment repository such as EXCESS; a facility) are marked here so that A2 to A5, B1, and C1 can be read with that in mind; for them, A3a and A3b are "Not applicable" and A5 counts the people named on the governing document or paper.
		"overall responsibility for". Code the current or most recent experiment the collaboration runs; a manager named for an earlier or planned experiment (Fermilab for SuperCDMS Soudan, ORNL for LEGEND-1000) goes in E5, not here. Do not infer from the spokesperson, the host facility, or funding acknowledgments. Pass 1 will often return "None identified"; the questionnaire fills it.
A4 Funding agencies	Agencies named: DOE / NSF / Other (list the others)	From the acknowledgments of a full-collaboration paper from the last 12 months; record its arXiv number. A paper is full-collaboration if the collaboration is named as author in the byline, on the arXiv abstract page, or in the acknowledgments (many collaborations use individual-name bylines). Find it on INSPIRE, the arXiv listing, or the collaboration's publication list; do not require "the latest", which changes weekly for large collaborations. Tick DOE

Field	Values	Rule
A0 Entity type	Collaboration / Multi-experiment repository / Facility / Other	Collaboration for every row on the main list. Comparison cases that are not collaborations (a multi-experiment repository such as EXCESS; a facility) are marked here so that A2 to A5, B1, and C1 can be read with that in mind; for them, A3a and A3b are "Not applicable" and A5 counts the people named on the governing document or paper.
		and/or NSF if named; list every other governmental funding agency under Other; exclude foundations, computing-facility and in-kind acknowledgments. Do not record the DOE office; it is rarely stated. Which agency's data-management plan the collaboration treats as governing is a questionnaire item.
A5 Number of collaborators	Number	Author count of the paper used for A4, as shown on INSPIRE or arXiv. Put the collaboration website's own membership figure in E5.
A5b Is international	Yes / No	Yes if any affiliation on the A4 paper is outside the United States. One non-US affiliation is enough; no counting needed.
A5c Includes a US national laboratory	Yes (which) / No	From the affiliation list of the A4 paper. Name the laboratory or laboratories.
A5d Countries represented	List of countries	Derived by the AI pass or a script from the INSPIRE affiliation records of the A4 paper, which carry a country for each institution; the human

Field	Values	Rule
A0 Entity type	Collaboration / Multi-experiment repository / Facility / Other	Collaboration for every row on the main list. Comparison cases that are not collaborations (a multi-experiment repository such as EXCESS; a facility) are marked here so that A2 to A5, B1, and C1 can be read with that in mind; for them, A3a and A3b are "Not applicable" and A5 counts the people named on the governing document or paper.
		coder spot-checks a few entries against the paper's affiliation list. Not second-coded. Most printed affiliations name the country, so a human can produce the list by hand if needed (about ten minutes); record in E1 which method was used.

B. Data policy

Field	Values	Rule
B1 Written data policy exists	Yes, public / No evidence / Unknown	Search, in order: (1) the collaboration website's navigation and site search for "data," "policy," "publications," and "bylaws" (if the site has no search box, use a web search restricted to its domain; if the collaboration has more than one site, or only event pages, search all of them and name in E1 which was treated as primary); (2) the README and companion document of each public release; (3) one web search for "<full collaboration name>" collaboration data policy (the word "collaboration" keeps common-word names like

Field	Values	Rule
		LEGEND or EXCESS out of the noise; record the exact query in E1). Stop after those three or 20 minutes, whichever comes first, and record in E1 which were done. "Yes, public" requires a URL. Otherwise "No evidence." A reference to an internal policy found in the same search is recorded in B1c, not here; a collaboration can have both. The AI pass can search wider and records any page it could not open in the to-check list; a human second coder is bound by the three steps. Disagreement between them on B1 is expected and should be recorded, and E1 should say whether a value came from the AI pass, the human check, or both.
B1b Document type	Collaboration policy / Agency data management plan / Bylaws or publication policy / Statement on a web page / README or repository record terms only / Confidentiality or NDA rule / Not applicable	What kind of document B1 refers to. A funder-style Data Management Plan counts as "Yes, public" in B1 but is a different artefact from a collaboration-adopted policy, and the distinction matters for who decided. If several documents exist (two DMP versions; a DMP and a web statement), list all with dates and URLs and mark which was used for B2 to B4. Slides, proposals, and talks are not policies; note them in E5.
B1c Internal policy referenced	Yes (quote) / No	Coded from the same search as B1. Yes when any document found refers to a policy, procedure, or rule that is not itself public (for example "in accordance with

Field	Values	Rule
		collaboration policy", "reviewed according to Publication Board procedures", a link to an internal wiki). Quote the reference and give the URL of the document containing it. A collaboration can have both a public document and an internal one; this field is what the questionnaire will ask to see.
B2 Policy addresses public release	Yes / No / Not applicable / Unknown	Coded from any document in the authority list, including a README or record terms (not gated on B1). "Not applicable" only when no document addresses it; name the document used in E1.
B3 Policy addresses license or reuse terms	Yes / No / Not applicable / Unknown	Coded from any document in the authority list, including a README or record terms (not gated on B1). "Not applicable" only when no document addresses it; name the document used in E1.
B4 Policy sets different terms for different data classes	Yes (list the classes) / No / Not applicable / Unknown	Coded from any document in the authority list, including a README or record terms (not gated on B1). Yes when the document names classes or levels of data (for example alerts, strain, raw; or DPHEP levels) and gives them different release or reuse terms. List the classes.
B5 Data-availability statement in the most recent physics paper	Quote / No statement / Unknown	Collaboration row. Quote the data-availability statement of the most recent full-collaboration physics paper (the A4 paper, or the most recent physics result if the A4 paper is a technical

Field	Values	Rule
		paper). Use the arXiv version if the journal page is unreachable and say so. Compare with B2 and the releases found: a policy that promises release and a paper that says data are available on request is a finding and goes in E6 against B2.

C. Releases

Section C is coded once per release, in the release table. C1 and C2 are the exception: they sit on the collaboration row as the count of releases and the year of the most recent. Find releases by searching, in order: (1) the collaboration website's data page; (2) Zenodo, Harvard Dataverse, HEPData, OSTI Data Explorer, and HEASARC for the collaboration name; (3) one web search for "<collaboration> data release." Stop after those three or 20 minutes. A release is a repository record with its own DOI or persistent landing page, or an entry on the collaboration's own data page with a persistent URL, whatever it is titled: a HEPData record or a Zenodo record called "Supplemental Material" is a release; a journal-hosted supplement with no repository record is not; arXiv ancillary files count only when the collaboration's data page or policy names that channel. Versions of one record count once (code the latest). Software-only records are not releases. A release belongs to the row whose name is on the record and the paper byline (a Majorana record is Majorana's, not LEGEND's). Record "DOI minted: Yes/No" for each. A release counts for a collaboration when it is listed on the collaboration's data page, or the record's creator is the collaboration, or a collaboration paper or companion document describes it; a record by one member institution that meets none of these (a dataset deposited under an individual's ML grant) is an "affiliated release", listed in E5 and not coded. Code every release found, up to ten; if there are more, take the most recent release of each repository type in C4 plus the most recent five overall, record the total in C1, and list the rest by DOI in the notes; "most recent" means the repository record's publication date, or the data-page date if there is no record. D1 and D2 are coded per release in the same table. C10 records the scientific content of each release, so that a calibration release is not read as a collaboration policy.

Field	Values	Rule
C1 Number of public data releases	0 / 1 / 2 to 5 / More than 5 / Unknown	Collaboration row. Total releases found in the release search as defined in the section C preamble (a repository record, or a collaboration data-page entry with a persistent URL, DOI or not), including any beyond those coded. Count by distinct file package, not by page

Field	Values	Rule
		entry; a page entry that duplicates another's files is one release, noted in E5. If a repository could not be searched, write "at least N" and say which in E1.
C2 Year of most recent release	Year / Not applicable	Collaboration row. The publication date of the most recent release's repository record; if there is no record, the date on the collaboration's data page, with the companion document's date in E5 if it differs.
C3 Data level released	Publication-level (tables, limits, binned spectra) / Analysis-level (histograms, PDFs, response functions sufficient to redo the fit) / Event-level (per-event lists) / Event-level, selected subset (N events) / Raw (waveforms or equivalent) / Metadata or auxiliary products only (exposure, run conditions, response functions, with no event or histogram data) / None / Unknown	Code the level of the principal data product, using the DPHEP levels as the reference; auxiliary products neither raise nor lower it (one example raw pulse shipped for a figure does not make a release Raw; an efficiency curve shipped with limit tables leaves it Publication-level, with the curve recorded in C9d). Histograms with response functions or effective areas are Analysis-level. A per-event list of only the events in an analysis window is "Event-level (selected subset)"; give the event count. Per-event probability maps are Event-level. For a record holding several datasets at different levels, code the lowest and list the mix in E5. If a release contains both data and metadata, code the data level here and record the metadata in C9.
C4 Repository	Zenodo / Harvard Dataverse / HEPData / OSTI Data Explorer / HEASARC / Lab	Where the files are hosted. If mirrored, list all. For C5a and C6, use the record that the

Field	Values	Rule
	DOI service (name, for example ORNL Constellation) / Collaboration web directory (no DOI) / GitHub or GitLab (no DOI) / Other (name) / Not applicable	collaboration's own data page links to; if it links to none or to several, use the record that carries the DOI. Any difference in license or terms between mirrors goes in E6.
C5a License shown on the record	CC0 / CC BY 4.0 / CC BY-SA / ODC / Custom terms / No license shown / Not applicable	The license field or terms-of-use page of the repository record. If the repository has no license field (a collaboration-run portal, GitHub, a bare web page), use the LICENSE file or the terms stated in the README and note that in E5. If the record's license field and the README disagree, record the field here and log the disagreement in E6; it is a question for the questionnaire.
C5b License implied by repository or host terms	CC0 / CC BY 4.0 / Other open license (name) / Host-institution default terms apply (quote) / None found / Not applicable	When C5a is "No license shown", the license that the repository's or host's site-wide terms would apply. Name the source: a repository terms page (HEPData: CC0 unless specified; Zenodo and Dataverse: a default chosen at deposit), or a host institution's copyright notice (a lab web directory: all rights reserved by default). This is the "by default" case; C5a is the "by choice or by policy" case. Quote the terms in E5.
C5c Code license and licensor	Code license: Same as data / Named license / No code. Licensor: Collaboration / Individual or member institution / Third party on behalf of collaborations / Unclear	Code license: when the release ships code under terms different from the data (EXCESS: data CC BY 4.0, code MIT), record the code license here; otherwise "Same as data" or "No code". Licensor: who granted the data license on the record,

Field	Values	Rule
		from the record's creator field and README: the collaboration itself / an individual member or institution / a third party acting for several collaborations / unclear. This bears directly on who may set terms (F3).
C6 Attribution requested	Cite paper / Cite dataset DOI / Cite both / Co-authorship expected / Co-authorship explicitly waived / Paper referenced, no request / None stated / Unknown	Only from text written by the collaboration or depositor: the README, companion document, data page, or the record's free-text description. Repository boilerplate (HEPData's "please cite the original publication", Zenodo's or a lab portal's auto-generated citation box) does not count; a paper that names or self-cites the dataset without asking for citation is "Paper referenced, no request". Record the source of the request (collaboration document / record description). "Explicitly waived" only when a document says others may publish without collaboration co-authors.
C7 Scope or use restrictions stated	None / Stated (quote) / Unknown	Any statement limiting the purpose or audience the data may be used for, such as "not intended for diffuse analyses" or "academic use only". Quote it. Analysis caveats ("use sqrt(5N)/5 for background errors", "Analysis B is not included") are not restrictions; restrictions on adjacent material (a workshop NDA covering talks) go in E5.
C8a Stated embargo policy	None stated / Stated (quote) / Unknown	What the collaboration's policy or the release document says

Field	Values	Rule
		about when data are released (quote: "at publication", "after 18 months"). A rule without a duration is still "Stated". The measured interval goes in C8b.
C8b Observed lag, paper to release	Months (signed) / Not applicable / Unknown	Release row. Months from the arXiv v1 date of the associated paper to the repository record's publication date (or the data-page date if there is no record). Negative if released before the paper. Record both dates. This is what a document coder can measure; C8a is what the collaboration says.
C9 Documentation, code, and metadata included	(a) README or companion document: Yes / Partial (record description or table captions only) / No / Unknown. (b) File format: Standard (HDF5, FITS, ROOT, CSV with column definitions) / Standard, partly documented / Custom, layout documented / Custom, reader provided / Custom, layout not documented / Unknown. (c) Code provided: reader code Yes / No; other code (model files, analysis macros) Yes / No. (d) Metadata present, for each item mark in files / in document only / referenced to paper / absent: exposure or livetime; run conditions (beam, bias, detector configuration, run periods); calibration (sources, constants); detector response or efficiency; selection cuts or data-quality flags; units and column definitions. (e) Named contact:	Record (a) to (e) from the release as shipped. For (f), a human coder opens the largest or most central data file (the AI pass names which file and gives its URL in the to-check list) and, using only the documentation and code shipped with the release, identifies what each column or field is; cap at 15 minutes. This is the operational test of whether a stranger can read the files. The AI pass always writes "To check" here and names the file; "Could not open" means the human obtained the file but could not read it. Whether the release supports a given analysis depends on intent and is a questionnaire item. Response functions count under (d) as well as in C3's analysis-level definition. A custom binary with a shipped reader codes (b) "Custom, reader provided"

Field	Values	Rule
	a person or role named in the release documents, Yes / Generic address only / No. (f) Read test (human coder only): Pass / Pass with gaps (list undefined fields) / Fail / Could not open, with the file opened and time taken.	and (c) reader Yes; the read test says whether the reader works.
C10 Scientific content of the data	Physics data behind a published result / Detector, background, or calibration characterisation (published) / Physics data not tied to a specific result / Calibration, test, or simulation data (no paper) / Derived products only / Unknown	What kind of data the release contains, from the companion document or README. Do not try to judge what share of the collaboration's data it represents or how important the paper is: a detector-resolution or background study with a paper behind it is "Detector, background, or calibration characterisation (published)", kept distinct from a dark-matter or 0vbb result so the analysis can separate them later. "Calibration, test, or simulation data (no paper)" is for data with no publication behind them; simulation-derived sensitivity projections code here too. "Derived products only" means products derived from measured data (catalogs, maps) with no event or histogram data. A multi-dataset record with mixed content codes the majority and lists the rest in E5.
C11 Contributing collaborations	List / Not applicable	Release row. For a record that holds data from more than one collaboration (the EXCESS repository), list the contributing collaborations so the row can be joined to each contributor's

Field	Values	Rule
		row, and so the questionnaire can ask each contributor whether it approved the terms. Blank for a single-collaboration release.

D. Reuse

Field	Values	Rule
D1 Evidence of reuse outside the collaboration	Yes (cite at least one; cites dataset DOI: Y/N) / No evidence / Not determinable (steps 1 and 2 unavailable) / Not applicable (release under 12 months old)	A paper or software by authors outside the collaboration that uses the released data. Search, in order: (1) the "cited by" list for the dataset DOI on the repository record and on Google Scholar; (2) the INSPIRE citations of the data-release paper, or, if there is none, of the physics paper, looking for use of products that exist only in the release; (3) one web search for the dataset name. Cap at 20 minutes per collaboration, not per release. One example is enough for "Yes"; record it with a URL and whether it cites the dataset DOI or only the paper (a licensing finding in itself). "Outside the collaboration" means no author appears on the author list of the A4 paper; for a multi-experiment repository, the set is the contributing collaborations plus the maintainers. If steps 1 and 2 were blocked, record "Not determinable", not "No evidence".
D2 Repository download or view count	Number / Not shown / Unknown	As shown on the record on the day coded; record the date. Record views and downloads separately, and "this version" versus "all versions" where the

Field	Values	Rule
		repository distinguishes them. For git hosting with no release downloads, record stars and forks labelled as such. "Unknown" when the page could not be read; "Not shown" only when the page was read and shows no counts.

E. Coding record

Provenance for the row, not facts about the collaboration. It makes every value traceable to a page and lets the second-coder comparison be interpreted.

Field	Values	Rule
E1 Sources checked	List, with URLs	Four parts. E1a: which of the five source types were found (policy document; repository record; data-release paper or companion document; data-availability statements; collaboration website), with a URL for each. E1b, E1c, E1d: for each step of the B1, C, and D1 searches, Done / Partial (reason) / Blocked (which site) / Not done. Also note for each value whether it came from the AI pass, the human check, or both.
E2 Coder	Name or "AI first pass"	Who filled the row.
E3 Date coded	Date	
E4 Confidence	High / Medium / Low	One value per section (A-B, C, D) rather than per row, since document-based fields are often High while file-based fields are Low. Low when a key source was unreachable (for example, a repository page that blocks automated readers). Conflicts between sources go in E6, not here.
E5 Notes	Text	Anything the fields cannot

Field	Values	Rule
		hold, including other releases.
E6 Conflicts between sources	None / One or more (list)	One entry per field in conflict: the field, each source's value, and the URLs. Example: "C5a: Zenodo record shows CC BY 4.0; data-release paper (arXiv ...) says CC0." Website errors and discrepancies that are not in a coded field (a wrong arXiv number on a data page) go in E5. Record the value the field's rule names in the field itself.

F. Questionnaire-only items

Not coded in pass 1. A public document will rarely answer these, so searching costs coding time and finds little. The rule: a field stays in pass 1 if a public document could plausibly answer it, and moves here if not. The questionnaire asks each collaboration:
F1 Institutional approval for the release: lead institution only, lead and member institutions, or none.
F2 Which office was involved: research office, technology transfer, legal counsel, lab management, none.
F3 Who chose the license and attribution terms, and why.
F4 Which agency's data-management plan the collaboration treats as governing.
F5 Why the data level in C3 was chosen, and what a user would need that the release does not include.

Workflow

1. A first pass over every collaboration on the list, done as a hybrid: an AI pass fills every field it can reach, with a source URL for each non-blank value, and produces a to-check list of the pages it could not open (repository records, downloads, citation lists), one line per field with the URL and what to look for. A human coder then opens those links, fills the cells (typically C5a, C6, C9, D1, D2), runs the read test (C9f), and marks each as human-checked in E1. The AI pass must never guess a value for a page it could not open; "To check" is the correct entry. Budget for the human step: about 10 minutes per release.
2. A second coder, working independently from the codebook alone, codes a random 20 percent of the collaborations, including all of their releases. The team compares the two and records agreement per field.
3. Where the two coders disagree, the rule in this codebook is revised until both would have reached the same value, and the affected rows are recoded.
4. The agreed first-pass results become the opening slide at SESAPS and the first entries in the license catalog.
5. After the meeting, the questionnaire asks each collaboration to confirm or correct its row

and to answer the questionnaire-only items in section F.

Already coded, as worked examples

Six cases were coded against v0.1 in the October 12 pilot (sheet "Pilot coding" in the shared folder; 6 collaboration rows, 35 release rows, 26 consolidated issues). The three below are restated in v0.2 terms as examples of how the fields read; the pilot values are an AI first pass with the human check still to do, so some cells read "To check".

- COHERENT (A0 Collaboration; A3a ORNL SNS; A3b None identified; A4 DOE, NSF, Other: Korea NRF; A5b Yes; A5c No). B1 Yes, public; B1b Agency data management plan (Aug 2024); B1c Yes ("reviewed according to collaboration Publication Board procedures"); B2 Yes; B3 No; B4 No; B5 No statement (arXiv:2603.17951). C1 2 to 5 (3); C2 2023. Release 1 (CsI 2018, Zenodo): C3 Analysis-level; C5a CC BY 4.0; C5b N/A; C5c Same as data, licensor Collaboration (93 creators); C6 Cite both (collaboration document); C7 None; C8a None stated; C8b +9 months; C9 (a) Yes (b) Standard (c) reader Yes (d) exposure, calibration, response, cuts, units in files (e) Yes, named person (f) Pass, 3 min, one small file; C10 Physics data behind a published result; D1 Yes, Coloma et al. 2022, cites companion document not DOI; D2 3,074 views / 3,412 downloads. Release 3 (CsI[Na] quenching factor 2023, ORNL Constellation): C3 Raw; C5a No license shown; C5b Lab DOI service, depositor-chosen license not displayed; C5c licensor Individual (two named authors); C6 None stated (portal auto-citation does not count); C9 (b) Custom, reader provided (f) To check (Globus only); C10 Detector, background, or calibration characterisation (published).
- SuperCDMS (A0 Collaboration; A1 SuperCDMS; CDMS II, SuperCDMS Soudan; A3a SNOLAB (Soudan in E5); A3b SLAC (Fermilab for Soudan in E5); A4 DOE, NSF, Other: NSERC, DFG, DAE; A5b Yes; A5c Yes, SLAC). B1 Yes, public; B1b Agency data management plan (two: 2023, 2019); B1c Yes ("official (internal) SuperCDMS policy" on Confluence); B2 Yes; B3 No; B4 Yes (raw, processed, publication; raw and processed not released); B5 "not publicly available… available from the authors upon reasonable request" (arXiv:2509.03608), logged in E6 against B2 as policy versus practice. C1 More than 5 (15, none with a DOI; one affiliated release by a member institution noted in E5, not coded); C2 2022 (data-page date). Typical release (CPD 2021, collaboration web directory, mirrored in the EXCESS repository): C3 Event-level (an example raw pulse for a figure does not make it Raw); C4 Collaboration web directory, DOI minted No; C5a No license shown; C5b Host-institution default terms apply (SLAC copyright notice); C6 Paper referenced, no request; C8a Stated: "at the time of publication or shortly thereafter" (DMP); C8b +15 months; C9 (f) To check; D1 Yes (redistributed by the EXCESS repository, outside maintainers), cites DOI N/A; E6 mirror license differs (CC BY 4.0 applied by EXCESS).
- IceCube (A0 Collaboration; A3a South Pole; A3b University of Wisconsin-Madison ("lead institution responsible for management"); A4 NSF, Other: ~30 agencies in 12 countries, DOE only as computing and so not ticked; A5b Yes; A5c No). B1 Yes, public; B1b Statement on a web page (two sentences, untitled, undated); B1c No; B2 Yes; B3 No; B4 No (real-time alerts go out through GCN in practice, but the statement names no classes). C1 More than 5 (39 on the data page; ten coded; the stratified rule would have added the HEASARC mirror and a collaboration-run portal release). C2 2026. Ten most recent releases all Harvard Dataverse "Replication Data for:" records: C5a To check (Dataverse

blocked the AI pass; one record showed CC0 on an NSF PAR mirror, recorded as C5b with the mirror named); C6 None stated on the collaboration pages; C9 (f) To check; D1 Not determinable for nine, Yes for the HESE 12-year release (Mukherjee et al. 2025, cites the ICRC proceeding, not the DOI); D2 Unknown. The 2021 point-source release used in the first-wave invitations is outside the ten most recent and is where the "not intended for diffuse analyses" scope note (C7) and the 30,000-download figure live.