P06396 · GELS_HUMAN

Protein
Gelsolin

Gene
GSN

Status
UniProtKB reviewed (Swiss-Prot)

Organism
Homo sapiens (Human)

Amino acids
782 (go to sequence)

Protein existence
Evidence at protein level

Annotation score
5/5

Function

Calcium-regulated, actin-modulating protein that binds to the plus (or barbed) ends of actin monomers or filaments, preventing monomer exchange (end-blocking or capping). It can promote the assembly of monomers into filaments (nucleation) as well as sever filaments already formed (PubMed:19666512). Plays a role in ciliogenesis (PubMed:20393563). 2 Publications

Features

Showing features for binding site.

Download



±	TYPE	ID	POSITION(S)	DESCRIPTION
+	Binding site		92	Ca^{2+} 1 (UniProtKB | ChEBI); type II 1 Publication Combined Sources
+	Binding site		93	Ca^{2+} 1 (UniProtKB | ChEBI); type II 1 Publication Combined Sources
+	Binding site		124	Ca^{2+} 1 (UniProtKB | ChEBI); type II 1 Publication Combined Sources
+	Binding site		136	Ca^{2+} 2 (UniProtKB | ChEBI); type I 1 Publication Combined Sources
+	Binding site		141	Ca^{2+} 2 (UniProtKB | ChEBI); type I 1 Publication Combined Sources
+	Binding site		143	Ca^{2+} 2 (UniProtKB | ChEBI); type I 1 Publication Combined Sources

Expand table


Gene Ontology

GO annotations | GO-CAM models New

Gene Ontology (GO) annotations organized by slimming set.

Slimming set:

Animals and fungi (Opisthokonta)



Cell color indicative of number of GO terms

ASPECT	TERM
Molecular Function	actin binding [Source:UniProtKB] [1 Publication]
Molecular Function	actin filament binding [Source:InterPro]
Molecular Function	calcium ion binding [Source:UniProtKB] [1 Publication]
Molecular Function	myosin II binding [Source:UniProtKB] [1 Publication]
Molecular Function	phosphatidylinositol 3-kinase catalytic subunit binding [Source:BHF-UCL] [1 Publication]
Molecular Function	phosphatidylinositol-4,5-bisphosphate binding [Source:GO_Central]
Biological Process	actin filament capping [Source:UniProtKB] [1 Publication]
Biological Process	actin filament depolymerization [Source:BHF-UCL] [1 Publication]
Biological Process	actin filament organization [Source:UniProtKB] [1 Publication]
Biological Process	actin filament polymerization [Source:UniProtKB] [1 Publication]
Biological Process	actin filament severing [Source:UniProtKB] [1 Publication]

Expand table

Access the complete set of GO annotations on QuickGO

PAN-GO
P06396 9 GO annotations based on evolutionary models

Keywords

Molecular function
#Actin capping
#Actin-binding

Biological process
#Cilium biogenesis/degradation

Ligand
#Calcium
#Metal-binding

Enzyme and pathway databases

NDEx
IQUERY-CP-GSN 9 NDEx IQuery Curated Pathways

PathwayCommons
P06396

Reactome
R-HSA-264870 Caspase-mediated cleavage of cytoskeletal proteins
R-HSA-6798695 Neutrophil degranulation
R-HSA-9662361 Sensory processing of sound by outer hair cells of the cochlea
R-HSA-977225 Amyloid fiber formation

SABIO-RK
P06396

SIGNOR
P06396

SignaLink
P06396

Names & Taxonomy

Protein names

Recommended name
Gelsolin

Alternative names
AGEL
Actin-depolymerizing factor (ADF)
Brevin

Gene names

Name
GSN

Organism names

Taxonomic identifier
9606 (NCBI)

Organism
Homo sapiens (Human)

Taxonomic lineage
Eukaryota > Metazoa > Chordata > Craniata > Vertebrata > Euteleostomi > Mammalia > Eutheria > Euarchontoglires > Primates > Haplorrhini > Catarrhini > Hominidae > Homo

Accessions

Primary accession
P06396

Secondary accessions
A2A418
A8MUD1
A8MYN7
B7Z373
B7Z5V1
More accessions

Proteomes

Identifier
UP000005640

Component
Chromosome 9

Organism-specific databases

AGR
HGNC:4620

HGNC
HGNC:4620 GSN

MIM
105120 phenotype
137350 gene

VEuPathDB
HostDB:ENSG00000148180

Subcellular Location

UniProt Annotation | GO Annotation

Isoform 2
Cytoplasm, cytoskeleton

Isoform 1
Secreted

Keywords

Cellular component
#Amyloid
#Cytoplasm
#Cytoskeleton
#Secreted

Miscellaneous

CD-CODE
91857CE7 Nucleolus
FB4E32DD Presynaptic clusters and postsynaptic densities

Disease & Variants

Involvement in disease

Amyloidosis, hereditary systemic 4, Finnish type (AMYLD4)

3 Publications

Note

The disease is caused by variants affecting the gene represented in this entry

Description

A form of hereditary systemic amyloidosis, a disorder characterized by amyloid deposition in multiple tissues resulting in a wide clinical spectrum. AMYLD4 is due to gelsolin amyloid deposition and is typically characterized by cranial neuropathy and lattice corneal dystrophy. Most patients have modest involvement of internal organs, but severe systemic disease can develop in some individuals causing peripheral polyneuropathy, amyloid cardiomyopathy, and nephrotic syndrome leading to renal failure. AMYLD4 is usually inherited in an autosomal dominant pattern. However, homozygotes with a more severe phenotype have also been reported.

See also

MIM:105120

Natural variants in AMYLD4

VARIANT ID	POSITION(S)	CHANGE	DESCRIPTION
VAR_007718	214	D>N	in AMYLD4; does not result in actin depolymerization in absence of calcium; dbSNP:rs121909715 3 Publications
VAR_007719	214	D>Y	in AMYLD4; dbSNP:rs121909715 1 Publication


Features

Showing features for natural variant, mutagenesis.

±	TYPE	ID	POSITION(S)	DESCRIPTION
+	Natural variant	VAR_036337	22	in a breast cancer sample; somatic mutation 1 Publication
+	Natural variant	VAR_024690	129	in dbSNP:rs2230287
+	Natural variant	VAR_036338	201	in a breast cancer sample; somatic mutation 1 Publication
+	Natural variant	VAR_007718	214	in AMYLD4; does not result in actin depolymerization in absence of calcium; dbSNP:rs121909715 3 Publications
+	Natural variant	VAR_007719	214	in AMYLD4; dbSNP:rs121909715 1 Publication
+	Natural variant	VAR_061982	231	in dbSNP:rs11550199
+	Mutagenesis		236	Does not result in actin depolymerization activity in absence of calcium. Has actin depolymerization activity in absence of calcium; when associated with N-214 and N-697 or N-214, N-697 and Q-719. 1 Publication

Expand table

Variants



We now provide the "Disease & Variants" viewer in its own tab.

The viewer provides 150 variants from UniProt as well as other sources including ClinVar and dbSNP.

Go to variant viewer

Keywords

Disease

#Amyloidosis

#Corneal dystrophy
#Disease variant

Organism-specific databases

DisGeNET
2934

MIM
105120 phenotype
137350 gene

MalaCards
GSN

OpenTargets
ENSG00000148180

Orphanet
85448 AGel amyloidosis

Miscellaneous

Pharos
P06396 Tbio

Chemistry

ChEMBL
CHEMBL4295700

DrugBank
DB09130 Copper
DB02621 Latrunculin A
DB01593 Zinc
DB14487 Zinc acetate

Genetic variation databases

BioMuta
GSN

ClinGen
HGNC:4620

DMDM
121116

GenCC
HGNC:4620

PTM/Processing

Features

Showing features for signal, chain, modified residue (large scale data), modified residue, disulfide bond.

±	TYPE	ID	POSITION(S)	SOURCE	DESCRIPTION	
	All			All		
+	Signal		1-27	UniProt		Tools Add
+	Chain	PRO_0000036385	28-782	UniProt	Gelsolin	Tools Add
+	Modified residue (large scale data)		51	PRIDE	Phosphoserine Combined Sources	
+	Modified residue (large scale data)		75	PTMeXchange	Acetyllysine Silver Combined Sources	
+	Modified residue		86	UniProt	Phosphotyrosine; by SRC; in vitro	

Expand table

Post-translational modification

Phosphorylation on Tyr-86, Tyr-409, Tyr-465, Tyr-603 and Tyr-651 in vitro is induced in presence of phospholipids. 1 Publication

Keywords

PTM
#Acetylation
#Disulfide bond
#Phosphoprotein

Proteomic databases

CPTAC
non-CPTAC-1126
non-CPTAC-1127

MassIVE
P06396

PRIDE
P06396

PaxDb
9606-ENSP00000362924

PeptideAtlas
P06396

ProteomicsDB
25596
51897 [P06396-1]
51898 [P06396-2]
51899 [P06396-3]

Pumba
P06396

jPOST
P06396

2D gel databases

OGP
P06396

PTM databases

GlyCosmos
P06396 8 sites, 3 glycans

GlyGen
P06396 11 sites, 5 O-linked glycans (11 sites)

MetOSite
P06396

PhosphoSitePlus
P06396

SwissPalm
P06396

iPTMnet
P06396

Expression

Tissue specificity

Phagocytic cells, platelets, fibroblasts, nonmuscle cells, smooth and skeletal muscle cells.

Gene expression databases

Bgee
ENSG00000148180 Expressed in synovial joint and 211 other cell types or tissues

ExpressionAtlas
P06396 baseline and differential

Organism-specific databases

HPA
ENSG00000148180 Tissue enhanced (heart)

Interaction

Subunit

Binds to actin and to fibronectin. Identified in a complex composed of ACTA1, COBL, GSN and TMSB4X. Interacts with the inactive form of EIF2AK2/PKR (By similarity).
Interacts with FLII (By similarity). By Similarity

Binary interactions

TYPE: All

TYPE	ENTRY 1	ENTRY 2	NUMBER OF EXPERIMENTS	INTACT
BINARY	P06396	ACBD4 Q8NC06-3	3	EBI-351506, EBI-12811089
XENO	P06396	act21 P07830	4	EBI-351506, EBI-7195234
XENO	P06396	ACTA1 P68135	10	EBI-351506, EBI-367540
BINARY	P06396	ADAMTSL4 Q6UY14-3	3	EBI-351506, EBI-10173507
BINARY	P06396	AGGF1 Q8N302-2	3	EBI-351506, EBI-25838028
BINARY	P06396	AIF1 P55008	3	EBI-351506, EBI-9031341
BINARY	P06396	AKAP9 Q99996-3	3	EBI-351506, EBI-11022349

TYPE	ENTRY 1	ENTRY 2	NUMBER OF EXPERIMENTS	INTACT

Expand table

Protein-protein interaction databases

BioGRID
109189 233 interactors

IntAct
P06396 330 interactors

CORUM
P06396

MINT
P06396

DIP
DIP-2196N

STRING
9606.ENSP00000362924

FunCoup
P06396 990 interactors

Miscellaneous

RNAct
P06396 protein

Structure

3D structure databases

AlphaFoldDB
P06396

EMDB
EMD-43262
EMD-43263
EMD-43264
EMD-43268
EMD-43274
More EMDB links

MDposit
P06396

SASBDB
P06396

SMR
P06396

ModBase
Search...

PDBe-KB
Search...

Miscellaneous

EvolutionaryTrace
P06396

Family & Domains

Features

Showing features for region, repeat, compositional bias.

±	TYPE	ID	POSITION(S)	DESCRIPTION	
+	Region		53-176	Actin-severing Sequence Analysis	Tools Add
+	Repeat		76-158	Gelsolin-like 1 Sequence Analysis	Tools Add
+	Region		123-126	Actin-actin interfilament contact point	Tools Add
+	Repeat		198-270	Gelsolin-like 2 Sequence Analysis	Tools Add
+	Compositional bias		247-262	Basic and acidic residues Automatic Annotation	Tools Add
+	Region		247-285	Disordered Automatic Annotation	Tools Add
+	Repeat		317-389	Gelsolin-like 3 Sequence Analysis	Tools Add

Expand table

Domain

Comprises six structurally related gelsolin-like (G1-G6) domains, that, in a calcium-free environment, are packed together to form a compact globular structure in which the putative actin-binding sequences are not sufficiently exposed to enable binding to occur (PubMed:**19666512**).
Binding calcium may release the connections that join the N- and C-terminal halves of gelsolin, enabling each half to bind actin relatively independently (PubMed:**12460571**, PubMed:**19666512**).
G1 and G4 bind two Ca^{2+} in a type I and in a type II manner (PubMed:**12460571**, PubMed:**19666512**).
G2, G3, G5 and G6 bind only one Ca^{2+} in a type II manner (PubMed:**12460571**, PubMed:**19666512**).
Type I Ca^{2+} binding sites are shared between actin and gelsolin-like repeats G1 and G4 (PubMed:**12460571**, PubMed:**19666512**).
Type I binding governs the strength of interactions between gelsolin and actin by direct participation at the binding interface (PubMed:**12460571**, PubMed:**19666512**).
Ca^{2+} binding to G2 and G6 disrupts the interactions between G2 and G6, releases the C-terminal tail, and induces large interdomain rearrangements that result in the exposure of the F-actin-binding site on G2 and contributes to the activation of gelsolin (PubMed:**12460571**, PubMed:**19666512**).
Binding to phosphoinositides may inhibit the severing and capping properties of gelsolin (Probable) 2 Publications 1 Publication

Sequence similarities

Belongs to the **villin/gelsolin family**. Curated

Keywords

Domain
#Repeat
#Signal

Family and domain databases

- View the Phylogenomic databases for this entry within the **Homologs section**.
- View all family and domain features for this entry's canonical sequence in the **UniParc Feature Viewer**.

CDD
cd11290 gelsolin_S1_like 1 hit
cd11289 gelsolin_S2_like 1 hit
cd11292 gelsolin_S3_like 1 hit
cd11293 gelsolin_S4_like 1 hit
cd11288 gelsolin_S5_like 1 hit
cd11291 gelsolin_S6_like 1 hit

FunFam
3.40.20.10:FF:000001 Gelsolin 1 hit
3.40.20.10:FF:000002 Gelsolin 1 hit
3.40.20.10:FF:000004 Gelsolin 1 hit
3.40.20.10:FF:000005 Gelsolin 1 hit
3.40.20.10:FF:000009 gelsolin isoform X1 1 hit
3.40.20.10:FF:000008 gelsolin isoform X2 1 hit

Gene3D
3.40.20.10 Severin 6 hits

IDEAL
IID00265

InterPro
View protein in InterPro
IPR029006 ADF-H/Gelsolin-like_dom_sf
IPR007123 Gelsolin-like_dom
IPR007122 Villin/Gelsolin

PANTHER
PTHR11977:SF29 GELSOLIN 1 hit
PTHR11977 VILLIN 1 hit

PRINTS
PR00597 GELSOLIN

Pfam
View protein in Pfam
PF00626 Gelsolin 6 hits

SMART
View protein in SMART
SM00262 GEL 6 hits

SUPFAM
SSF55753 Actin depolymerizing proteins 6 hits

MobiDB
Search...

Sequence & Isoforms

Align isoforms (4) **Add isoforms**

Sequence status
Complete

Sequence processing
The displayed sequence is further processed into a mature form.

This entry describes **4** isoforms produced by **Alternative splicing & Alternative initiation**.

P06396-1

This isoform has been chosen as the **canonical** sequence. All positional information in this entry refers to it. This is also the sequence that appears in the downloadable versions of the entry.

Name
1
Synonyms
Secreted, Plasma

See also
sequence in **UniParc** or sequence clusters in **UniRef**

Length
782

Mass (Da)
85,698

Last updated
1988-01-01 v1

MD5 Checksum[i]
5E6A75447EA1710E8642D7154D8680FD

MAPHRPAPALLCALSLALCALSLPVRAATASRGASQAGAPQGRVPEARPNSMVVEHPEFLKAGKEPGLQIWRVEKFDLVPVPTNLYGDFFTGDAYVILKTVQLRNG
NLQYDLHYWLGNECSQDESGAAAIFTVQLDDYLNGRAVQHREVQGFESATFLGYFKSGLKYKKGGVASGFKHVVPNEVVVQRLFQVKGRRVVRATEVPVSWESF
NNGDCFILDLGNNIHQWCGSNSNRYERLKATQVSKGIRDNERSGRARVHVSEEGTEPEAMLQVLGPKPALPAGTEDTAKEDAANRKLAKLYKVSNGAGTMSVSLV
ADENPFAQGALKSEDCFILDHGKDGKIFVWKGKQANTEERKAALKTASDFITKMDYPKQTQVSVLPEGGETPLFKQFFKNWRDPDQTDGLGLSYLSSHIANVERVP
FDAATLHTSTAMAAQHGMDDDGTGQKQIWRIEGSNKVPVDPATYGQFYGGDSYIILYNYRHGGRQGQIIYNWQGAQSTQDEVAASAILTAQLDEELGGTPVQSRVV
QGKEPAHLMSLFGGKPMIIYKGGTSREGGQTAPASTRLFQVRANSAGATRAVEVLPKAGALNSNDAFVLKTPSAAYLWVGTGASEAEKTGAQELLRVLRAQPVQVA
EGSEPDGFWEALGGKAAYRTSPRLKDKKMDAHPPRLFACSNKIGRFVIEEVPGELMQEDLATDDVMLLDTWDQVFVWVGKDSQEEEKTEALTSAKRYIETDPANR
DRRTPITVVKQGFEPPSFVGWFLGWDDDYWSVDPLDRAMAELAA

P06396-2

Name
2
Synonyms
Cytoplasmic

See also
sequence in **UniParc** or sequence clusters in **UniRef**
Differences from canonical
1-51: Missing 2 Publications

P06396-3

Name
3
See also
sequence in **UniParc** or sequence clusters in **UniRef**

Differences from canonical
1-48: `MAPHRPAPALLCALSLALCALSLPVRAATASRGASQAGAPQGRVPEAR` → `MEKLFCCF` 1 Publication

P06396-4

Name
4
See also
sequence in **UniParc** or sequence clusters in **UniRef**

Differences from canonical
1-48: `MAPHRPAPALLCALSLALCALSLPVRAATASRGASQAGAPQGRVPEAR` → `MPLCT` 1 Publication

Computationally mapped potential isoform sequences[i]

There are 41 potential isoforms mapped to this entry

Align Add **View all**

Entry	Entry name	Gene name	Length
A0ACI8RB05	A0ACI8RB05_HUMAN	GSN	767
A0A0A0MS51	A0A0A0MS51_HUMAN	GSN	748
A0A0A0MT01	A0A0A0MT01_HUMAN	GSN	767
A0ACI8RER2	A0ACI8RER2_HUMAN	GSN	762
A0ACI8RH35	A0ACI8RH35_HUMAN	GSN	784
A0ACI8RMU6	A0ACI8RMU6_HUMAN	GSN	658
A0ACI8RRR1	A0ACI8RRR1_HUMAN	GSN	685
A0ACI8S4U8	A0ACI8S4U8_HUMAN	GSN	730
A0A8V8TND7	A0A8V8TND7_HUMAN	GSN	755
A0ACI8R4C7	A0ACI8R4C7_HUMAN	GSN	681
A0ACI8QTA2	A0ACI8QTA2_HUMAN	GSN	726
A0ACI8QSS0	A0ACI8QSS0_HUMAN	GSN	759
A0ACI8QUL1	A0ACI8QUL1_HUMAN	GSN	753

Entry	Entry name	Gene name	Length
A0A0U1RQL8	A0A0U1RQL8_HUMAN	GSN	232
A0ACI8SBA3	A0ACI8SBA3_HUMAN	GSN	757
A0ACI8SVA1	A0ACI8SVA1_HUMAN	GSN	669
Q5T0H8	Q5T0H8_HUMAN	GSN	67
Q5T0I0	Q5T0I0_HUMAN	GSN	260
A0ACI8VS70	A0ACI8VS70_HUMAN	GSN	737
A0ACI8VS02	A0ACI8VS02_HUMAN	GSN	736
A0ACI8VPJ8	A0ACI8VPJ8_HUMAN	GSN	744
A0ACI8VPE5	A0ACI8VPE5_HUMAN	GSN	656
A0ACI8VPE9	A0ACI8VPE9_HUMAN	GSN	718
A0ACI8VPF2	A0ACI8VPF2_HUMAN	GSN	706
A0ACI8VPF7	A0ACI8VPF7_HUMAN	GSN	499
A0ACI8VPG0	A0ACI8VPG0_HUMAN	GSN	674
A0ACI8VPG1	A0ACI8VPG1_HUMAN	GSN	701
A0ACI8VPG9	A0ACI8VPG9_HUMAN	GSN	355
A0ACI8VPC4	A0ACI8VPC4_HUMAN	GSN	376
A0ACI8VPC8	A0ACI8VPC8_HUMAN	GSN	753
A0ACI8VPD8	A0ACI8VPD8_HUMAN	GSN	677
A0ACI8VT99	A0ACI8VT99_HUMAN	GSN	439
A0ACI8VT60	A0ACI8VT60_HUMAN	GSN	627
A0ACI8VT52	A0ACI8VT52_HUMAN	GSN	727
A0ACI8VT24	A0ACI8VT24_HUMAN	GSN	727
A0ACI8VT32	A0ACI8VT32_HUMAN	GSN	691
A0ACI8VSH3	A0ACI8VSH3_HUMAN	GSN	722
A0ACI8VSI4	A0ACI8VSI4_HUMAN	GSN	731
A0ACI8VTE6	A0ACI8VTE6_HUMAN	GSN	574
A0ACI8VTF3	A0ACI8VTF3_HUMAN	GSN	729
A0ACI8VTD1	A0ACI8VTD1_HUMAN	GSN	685

Features

Showing features for alternative sequence, compositional bias, sequence conflict.

±	TYPE (All)	ID	POSITION(S)	DESCRIPTION	
+	Alternative sequence	VSP_042879	1-48	in isoform 3 [1 Publication]	Tools Add
+	Alternative sequence	VSP_054791	1-48	in isoform 4 [1 Publication]	Tools Add
+	Alternative sequence	VSP_018959	1-51	in isoform 2 [2 Publications]	Tools Add
+	Compositional bias		247-262	Basic and acidic residues [Automatic Annotation]	Tools Add
+	Sequence conflict		294	in Ref. 2; BAH13037 [Curated]	
+	Sequence conflict		419	in Ref. 2; BAH13037 [Curated]	
+	Sequence conflict		603	in Ref. 2; BAH13037 [Curated]	

Keywords

Coding sequence diversity

#Alternative initiation
#Alternative splicing

Technical term
#3D-structure
#Direct protein sequencing
#Proteomics identification
#Reference proteome

Sequence databases

CCDS
CCDS48011.1 [P06396-3]
CCDS65118.1 [P06396-4]
CCDS6828.1 [P06396-1]
CCDS6829.1 [P06396-2]

PIR
A03011 FAHUP

RefSeq
NP_000168.1 NM_000177.5 [P06396-1]
NP_001121134.1 NM_001127662.2 [P06396-2]
NP_001121135.2 NM_001127663.2
NP_001121136.1 NM_001127664.2 [P06396-2]
NP_001121137.1 NM_001127665.2 [P06396-2]
More RefSeq links

NUCLEOTIDE SEQUENCE	PROTEIN SEQUENCE	MOLECULE TYPE	STATUS
X04412 EMBL · GenBank · DDBJ	CAA28000.1 EMBL · GenBank · DDBJ	mRNA	
AK096280 EMBL · GenBank · DDBJ	BAG53247.1 EMBL · GenBank · DDBJ	mRNA	
AK125819 EMBL · GenBank · DDBJ	BAG54252.1 EMBL · GenBank · DDBJ	mRNA	
AK295572 EMBL · GenBank · DDBJ	BAH12109.1 EMBL · GenBank · DDBJ	mRNA	
AK299453 EMBL · GenBank · DDBJ	BAH13037.1 EMBL · GenBank · DDBJ	mRNA	
AK315494 EMBL · GenBank · DDBJ	BAG37878.1 EMBL · GenBank · DDBJ	mRNA	

Expand table

Genome annotation databases

Ensembl
ENST00000373808.8 ENSP00000362914.3 ENSG00000148180.23 [P06396-3]
ENST00000373818.8 ENSP00000362924.4 ENSG00000148180.23 [P06396-1]
ENST00000373823.7 ENSP00000362929.2 ENSG00000148180.23 [P06396-2]
ENST00000432226.7 ENSP00000404226.2 ENSG00000148180.23 [P06396-2]
ENST00000545652.6 ENSP00000445823.1 ENSG00000148180.23 [P06396-4]
More Ensembl links

GeneID
2934

KEGG
hsa:2934

MANE-Select
ENST00000432226.7 ENSP00000404226.2 NM_198252.3 NP_937895.1 [P06396-2]

UCSC
uc004ble.1 human [P06396-1]

Similar Proteins

UniRef clusters

Homologs

Orthologs & paralogs

Phylogenomic databases

GeneTree
ENSGT00940000155591

HOGENOM
CLU_002568_3_2_1

InParanoid
P06396

OrthoDB
6375767at2759

PAN-GO
P06396 9 GO annotations based on evolutionary models

PhylomeDB
P06396

eggNOG
KOG0443 Eukaryota

Organism-specific databases

AGR
HGNC:4620

Disclaimer

Any medical or genetic information present in this entry is provided for research, educational and informational purposes only. It is not in any way intended to be used as a substitute for professional medical advice, diagnosis, treatment or care. Our staff consists of biologists and biochemists that are not trained to give medical advice.

© 2002 – 2026 UniProt consortium