

Cucumber Report

Oct 7, 2025, 5:16:25 PM

Start : Oct 07, 5:09:40.154 PM

End : Oct 07, 5:16:22.692 PM

Duration : 6 m 42.538 s

Features







PASSED - 0
FAILED - 3
SKIPPED - 0

Scenarios

PASSED - 2
FAILED - 4
SKIPPED - 0

Steps


PASSED - 13
FAILED - 4
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>About Page Navigation</u>	2 m 12.345 s	2	1	1	0	7	5	1	1
<u>Custom Software Dev Page Navigation</u>	1 m 57.344 s	2	1	1	0	7	5	1	1
<u>Project Rescue Page Navigation</u>	2 m 32.752 s	2	0	2	0	7	3	2	2

#	Feature Name	Scenario Name
1	<u>About Page Navigation</u>	<u>Navigate to Get in Touch from Our Story page</u>
2	<u>Custom Software Dev Page Navigation</u>	<u>Navigate to Get in Touch via custom software dev page</u>
3	<u>Project Rescue Page Navigation</u>	<u>Navigate to Project Rescue Menu</u>
4		<u>Navigate to Get in Touch via Project Rescue page</u>

TAG	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@AboutPage		2	1	1	0	1	0	1	0
@CustomSoftDevPage		2	1	1	0	1	0	1	0
@ProjectRescue		2	0	2	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>About Page Navigation</u>	2	1	1	0	2 m 12.345 s
2	<u>Custom Software Dev Page Navigation</u>	2	1	1	0	1 m 57.344 s
3	<u>Project Rescue Page Navigation</u>	2	0	2	0	2 m 32.752 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>About Page Navigation</u>	<u>Navigate to Our Story page</u>	4	4	0	0	48.704 s
2		<u>Navigate to Get in Touch from Our Story page</u>	3	1	1	1	1 m 23.611 s
3	<u>Custom Software Dev Page Navigation</u>	<u>Navigate to Custom Software Dev Menu</u>	4	4	0	0	54.503 s
4		<u>Navigate to Get in Touch via custom software dev page</u>	3	1	1	1	1 m 2.823 s
5	<u>Project Rescue Page Navigation</u>	<u>Navigate to Project Rescue Menu</u>	4	2	1	1	1 m 23.226 s
6		<u>Navigate to Get in Touch via Project Rescue page</u>	3	1	1	1	1 m 9.478 s

About Page Navigation




Navigate to Our Story page



#	Step / Hook Details	Status	Duration
1	Given the user is on the Home page	PASSED	1.884 s
2	When the user opens the About dropdown	PASSED	5.094 s
3	And selects the Our Story option	PASSED	7.721 s
4	Then the Our Story page should appear	PASSED	0.030 s

Navigate to Get in Touch from Our Story page



#	Step / Hook Details	Status	Duration
1	Given the user is on the Our Story page	PASSED	0.003 s
2	<p>When the user clicks the Get Started button</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.linkText: Our Story (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd...}, userDataDir: C:\Users\admin\AppData\Local..., fedcm:accounts: true, goog.chromeOptions: {debuggerAddress: localhost:54776}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54776/devtoo..., se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7b52c91f7b1ff584bbccbd97e1b91f4 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:51) at com.ishir.pages.about.AboutPage.selectOurStoryOption(AboutPage.java:31) at com.ishir.stepsdefinitions.AboutPageSteps.theUserClicksTheGetStartedButton(AboutPageSteps.java:54) at ?.the user clicks the Get Started button(file:///D:/LearningPOC/Gogs%20Local%20Repo/Ishir-AutomatedTestFramework/src/test/resources/features/AboutPage.feature:13)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	41.168 s
3	<p>Then the Get in Touch form should appear</p> <p>AFTER - com.ishir.hooksmanager.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Navigate_to_Get_in_Touch_from_Our_Story_page</p> 	SKIPPED	0.001 s
	<p>AFTER - com.ishir.hooksmanager.ApplicationHooks.sendEmailOnFailure(io.cucumber.java.Scenario)</p> <pre>org.apache.commons.mail.EmailException: Sending the email to the following server failed : smtp-mail.outlook.com:587 at org.apache.commons.mail.Email.sendMimeMessage(Email.java:1469) at org.apache.commons.mail.Email.send(Email.java:1496) at com.ishir.hooksmanager.ApplicationHooks.sendEmailOnFailure(ApplicationHooks.java:117) Caused by: javax.mail.AuthenticationFailedException: 535 5.7.3 Authentication unsuccessful [BM1P287CA0015.INDP287.PROD.OUTLOOK.COM 2025-10-07T11:41:29.049Z 08DDFC7202BB9F3E] at com.sun.mail.smtp.SMTPTransport\$Authenticator.authenticate(SMTPTransport.java:932) at com.sun.mail.smtp.SMTPTransport.authenticate(SMTPTransport.java:843) at com.sun.mail.smtp.SMTPTransport.protocolConnect(SMTPTransport.java:748) at javax.mail.Service.connect(Service.java:388)</pre>	FAILED	8.790 s


#	Step / Hook Details	Status	Duration
	at javax.mail.Service.connect(Service.java:246) at javax.mail.Service.connect(Service.java:195) at javax.mail.Transport.send0(Transport.java:254) at javax.mail.Transport.send(Transport.java:124) at org.apache.commons.mail.Email.sendMimeMessage(Email.java:1459) at org.apache.commons.mail.Email.send(Email.java:1496) at com.ishir.hooksmanager.ApplicationHooks.sendEmailOnFailure(ApplicationHooks.java:117) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		

#	Step / Hook Details	Status	Duration
1	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)		

Custom Software Dev Page Navigation




Navigate to Custom Software Dev Menu



#	Step / Hook Details	Status	Duration
1	Given the user is on the Home page	PASSED	0.001 s
2	When the user hovers Software dev support Menu	PASSED	9.290 s

#	Step / Hook Details	Status	Duration
3	And click Custom Software Development	PASSED	10.406 s
4	Then Custom Software Dev page should appear	PASSED	0.000 s

Navigate to Get in Touch via custom software dev page



#	Step / Hook Details	Status	Duration
1	Given the user is on the custom software dev page	PASSED	0.002 s
2	<p>When the user clicks Get Started on custom software dev page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Software Development & Support"} (Session info: chrome=140.0.7339.208) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b4962d2a764d5ef255272fa819237612, findElement {using=link text, value=Software Development & Support}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54999}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54999/devtoo..., se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b4962d2a764d5ef255272fa819237612</pre> <pre>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</pre>	FAILED	23.388 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at com.ishir.pages.base.BasePage.hoverToElement(BasePage.java:123) at com.ishir.pages.services.subMenu.CustomSoftwareDevPage.hoverSoftDevMenu(CustomSoftwareDevPage.java:20) at com.ishir.stepsdefinitions.CustomSoftwareDevSteps.theUserClicksGetStartedOnCustomSoftwareDevPage(CustomSoftwareDevSteps.java:47) at ?.the user clicks Get Started on custom software dev page(file:///D:/LearningPOC/Gogs%20Local%20Repo/Ishir-AutomatedTestFramework/src/test/resources/features/CustomSotwareDevPage.feature:14) * Not displayable characters are replaced by '?'. </pre>		
3	Then the Get in Touch form should appear	SKIPPED	0.000 s
	<p>AFTER - com.ishir.hooksmanager.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Navigate_to_Get_in_Touch_via_custom_software_dev_page</p> 	PASSED	0.993 s
	<p>AFTER - com.ishir.hooksmanager.ApplicationHooks.sendEmailOnFailure(io.cucumber.java.Scenario)</p> <pre> org.apache.commons.mail.EmailException: Sending the email to the following server failed : smtp-mail.outlook.com:587 at org.apache.commons.mail.Email.sendMimeMessage(Email.java:1469) at org.apache.commons.mail.Email.send(Email.java:1496) at com.ishir.hooksmanager.ApplicationHooks.sendEmailOnFailure(ApplicationHooks.java:117) Caused by: javax.mail.AuthenticationFailedException: 535 5.7.3 Authentication unsuccessful [BM1PR01CA0158.INDPRD01.PROD.OUTLOOK.COM 2025-10-07T11:43:31.14Z 08DE050BAE807B4C] at com.sun.mail.smtp.SMTPTransport\$Authenticator.authenticate(SMTPTransport.java:932) at com.sun.mail.smtp.SMTPTransport.authenticate(SMTPTransport.java:843) at com.sun.mail.smtp.SMTPTransport.protocolConnect(SMTPTransport.java:748) at javax.mail.Service.connect(Service.java:388) at javax.mail.Service.connect(Service.java:246) at javax.mail.Service.connect(Service.java:195) at javax.mail.Transport.send0(Transport.java:254) at javax.mail.Transport.send(Transport.java:124) at org.apache.commons.mail.Email.sendMimeMessage(Email.java:1459) at org.apache.commons.mail.Email.send(Email.java:1496) at com.ishir.hooksmanager.ApplicationHooks.sendEmailOnFailure(ApplicationHooks.java:117) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) </pre>	FAILED	9.225 s


#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		

#	Step / Hook Details	Status	Duration
	<pre>at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)</pre>		

Project Rescue Page Navigation



Navigate to Project Rescue Menu




#	Step / Hook Details	Status	Duration
1	Given the user is on the Home page	PASSED	0.000 s
2	When the user hovers Software dev support Menu	PASSED	8.130 s
3	And click Project Rescue Menu <code>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.cssSelector: button[id='CybotCookiebotDialogBodyLevelButtonLevelOptinAllowAll'] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55115}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55115/devtoo..., se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,</code>	FAILED	30.055 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:virtualAuthenticators: true} Session ID: 80293f11b779e1f2f5ee6abe578060c2 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:51) at com.ishir.pages.HomePage.allowCookie(HomePage.java:86) at com.ishir.stepsdefinitions.ProjectRescueSteps.clickProjectRescueMenu(ProjectRescueSteps.java:24) at ?.click Project Rescue Menu(file:///D:/LearningPOC/Gogs%20Local%20Repo/Ishir-AutomatedTestFramework/src/test/resources/features/ProjectRescue.feature:9) * Not displayable characters are replaced by '?'.</pre>		
4	Then Project Rescue page should appear	SKIPPED	0.001 s
	<p>AFTER - com.ishir.hooksmanager.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Navigate_to_Project_Rescue_Menu</p> 	PASSED	1.199 s
	<p>AFTER - com.ishir.hooksmanager.ApplicationHooks.sendEmailOnFailure(io.cucumber.java.Scenario)</p> <pre>org.apache.commons.mail.EmailException: Sending the email to the following server failed : smtp-mail.outlook.com:587 at org.apache.commons.mail.Email.sendMimeMessage(Email.java:1469) at org.apache.commons.mail.Email.send(Email.java:1496) at com.ishir.hooksmanager.ApplicationHooks.sendEmailOnFailure(ApplicationHooks.java:117) Caused by: javax.mail.AuthenticationFailedException: 535 5.7.3 Authentication unsuccessful [BM1PR01CA0153.INDPRD01.PROD.OUTLOOK.COM 2025-10-07T11:44:48.962Z 08DDFBA5CAF0B230] at com.sun.mail.smtp.SMTPTransport\$Authenticator.authenticate(SMTPTransport.java:932) at com.sun.mail.smtp.SMTPTransport.authenticate(SMTPTransport.java:843) at com.sun.mail.smtp.SMTPTransport.protocolConnect(SMTPTransport.java:748) at javax.mail.Service.connect(Service.java:388) at javax.mail.Service.connect(Service.java:246) at javax.mail.Service.connect(Service.java:195) at javax.mail.Transport.send0(Transport.java:254) at javax.mail.Transport.send(Transport.java:124) at org.apache.commons.mail.Email.sendMimeMessage(Email.java:1459) at org.apache.commons.mail.Email.send(Email.java:1496) at com.ishir.hooksmanager.ApplicationHooks.sendEmailOnFailure(ApplicationHooks.java:117) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24)</pre>	FAILED	8.469 s


#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		

#	Step / Hook Details	Status	Duration
	<pre>at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)</pre>		

Navigate to Get in Touch via Project Rescue page



#	Step / Hook Details	Status	Duration
1	Given the user is on the Project Rescue page	PASSED	0.001 s
2	<p>When the user clicks Get Started on Project Rescue page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Software Development & Support"} (Session info: chrome=140.0.7339.208) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b190c36ce2570ec61ab817c23cda3e32, findElement {using=link text, value=Software Development & Support}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55239}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55239/devtoo..., se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b190c36ce2570ec61ab817c23cda3e32 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)</pre>	FAILED	23.595 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at com.ishir.pages.base.BasePage.hoverToElement(BasePage.java:123) at com.ishir.pages.services.subMenu.CustomSoftwareDevPage.hoverSoftDevMenu(CustomSoftwareDevPage.java:20) at com.ishir.stepsdefinitions.ProjectRescueSteps.theUserClicksGetStartedOnProjectRescuePage(ProjectRescueSteps.java:45) at ?.the user clicks Get Started on Project Rescue page(file:///D:/LearningPOC/Gogs%20Local%20Repo/Ishir-AutomatedTestFramework/src/test/resources/features/ProjectRescue.feature:14) * Not displayable characters are replaced by '?'. </pre>		
3	<p>Then the Get in Touch form should appear</p> <p>AFTER - com.ishir.hooksmanager.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Navigate_to_Get_in_Touch_via_Project_Rescue_page</p> 	SKIPPED	0.000 s
	<p>AFTER - com.ishir.hooksmanager.ApplicationHooks.sendEmailOnFailure(io.cucumber.java.Scenario)</p> <pre> org.apache.commons.mail.EmailException: Sending the email to the following server failed : smtp-mail.outlook.com:587 at org.apache.commons.mail.Email.sendMimeMessage(Email.java:1469) at org.apache.commons.mail.Email.send(Email.java:1496) at com.ishir.hooksmanager.ApplicationHooks.sendEmailOnFailure(ApplicationHooks.java:117) Caused by: javax.mail.AuthenticationFailedException: 535 5.7.3 Authentication unsuccessful [BM1P287CA0015.INDP287.PROD.OUTLOOK.COM 2025-10-07T11:45:59.252Z 08DDFC7202BBA44C] at com.sun.mail.smtp.SMTPTransport\$Authenticator.authenticate(SMTPTransport.java:932) at com.sun.mail.smtp.SMTPTransport.authenticate(SMTPTransport.java:843) at com.sun.mail.smtp.SMTPTransport.protocolConnect(SMTPTransport.java:748) at javax.mail.Service.connect(Service.java:388) at javax.mail.Service.connect(Service.java:246) at javax.mail.Service.connect(Service.java:195) at javax.mail.Transport.send0(Transport.java:254) at javax.mail.Transport.send(Transport.java:124) at org.apache.commons.mail.Email.sendMimeMessage(Email.java:1459) at org.apache.commons.mail.Email.send(Email.java:1496) at com.ishir.hooksmanager.ApplicationHooks.sendEmailOnFailure(ApplicationHooks.java:117) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) </pre>	FAILED	7.043 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		

#	Step / Hook Details	Status	Duration
	<pre>at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54)</pre>		