

Cucumber Report

Oct 10, 2025, 2:04:11 PM

Start : Oct 10, 1:52:57.012 PM

End : Oct 10, 2:04:09.144 PM

Duration : 11 m 12.132 s

Features



Scenarios

Steps

PASSED - 2
FAILED - 5
SKIPPED - 0

PASSED - 8
FAILED - 9
SKIPPED - 0


PASSED - 40
FAILED - 9
SKIPPED - 10




| Feature | | Scenario | | | | Step | | | |
|---|--------------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>About Page Navigation</u> | 1 m 43.118 s | 3 | 1 | 2 | 0 | 10 | 6 | 2 | 2 |
| <u>Clients Page Navigation</u> | 2 m 26.475 s | 3 | 1 | 2 | 0 | 10 | 6 | 2 | 2 |
| <u>About SuccessStories page Navigation</u> | 1 m 42.219 s | 2 | 2 | 0 | 0 | 7 | 7 | 0 | 0 |
| <u>News Page Navigation</u> | 43.908 s | 2 | 0 | 2 | 0 | 7 | 2 | 2 | 3 |
| <u>Staffing Page Navigation</u> | 2 m 5.091 s | 3 | 2 | 1 | 0 | 10 | 8 | 1 | 1 |
| <u>About SuccessStories page Navigation</u> | 1 m 17.105 s | 2 | 2 | 0 | 0 | 8 | 8 | 0 | 0 |
| <u>Teams Page Navigation</u> | 1 m 14.110 s | 2 | 0 | 2 | 0 | 7 | 3 | 2 | 2 |

| # | Feature Name | Scenario Name |
|---|---------------------------------|---|
| 1 | <u>About Page Navigation</u> | <u>Navigate to Get in Touch from Banner under Our Story page</u> |
| 2 | | <u>Navigate to Get in Touch from How We Engage under Our Story page</u> |
| 3 | <u>Clients Page Navigation</u> | <u>Navigate to Get in Touch from Clients page using clients section</u> |
| 4 | | <u>Navigate to Get in Touch from Clients page using Let's talk link</u> |
| 5 | <u>News Page Navigation</u> | <u>Navigate to News page</u> |
| 6 | | <u>Navigate to Get in Touch from News main page</u> |
| 7 | <u>Staffing Page Navigation</u> | <u>Navigate to Get in Touch via bottom banner on Staffing page</u> |
| 8 | <u>Teams Page Navigation</u> | <u>Navigate to Teams page</u> |
| 9 | | <u>Navigate to Get in Touch from Our Teams page</u> |

| TAG | Scenario | | | | Feature | | | |
|-----------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @AboutPage | 3 | 1 | 2 | 0 | 1 | 0 | 1 | 0 |
| @ClientsPage | 3 | 1 | 2 | 0 | 1 | 0 | 1 | 0 |
| @InsightPage | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 |
| @NewsPage | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |
| @StaffingPage | 3 | 2 | 1 | 0 | 1 | 0 | 1 | 0 |
| @SuccessStories | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 |
| @TeamsPage | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |




| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|--------------|
| 1 | <u>About Page Navigation</u> | 3 | 1 | 2 | 0 | 1 m 43.118 s |
| 2 | <u>Clients Page Navigation</u> | 3 | 1 | 2 | 0 | 2 m 26.475 s |
| 3 | <u>About SuccessStories page Navigation</u> | 2 | 2 | 0 | 0 | 1 m 42.219 s |
| 4 | <u>News Page Navigation</u> | 2 | 0 | 2 | 0 | 43.908 s |
| 5 | <u>Staffing Page Navigation</u> | 3 | 2 | 1 | 0 | 2 m 5.091 s |
| 6 | <u>About SuccessStories page Navigation</u> | 2 | 2 | 0 | 0 | 1 m 17.105 s |
| 7 | <u>Teams Page Navigation</u> | 2 | 0 | 2 | 0 | 1 m 14.110 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|-------------|
| 1 | <u>About Page Navigation</u> | <u>Navigate to Our Story page</u> | 4 | 4 | 0 | 0 | 41.825 s |
| 2 | | <u>Navigate to Get in Touch from Banner under Our Story page</u> | 3 | 1 | 1 | 1 | 38.155 s |
| 3 | | <u>Navigate to Get in Touch from How We Engage under Our Story page</u> | 3 | 1 | 1 | 1 | 23.053 s |
| 4 | <u>Clients Page Navigation</u> | <u>Navigate to Clients page</u> | 4 | 4 | 0 | 0 | 1 m 4.682 s |
| 5 | | <u>Navigate to Get in Touch from Clients page using clients section</u> | 3 | 1 | 1 | 1 | 38.748 s |
| 6 | | <u>Navigate to Get in Touch from Clients page using Let's talk link</u> | 3 | 1 | 1 | 1 | 43.022 s |
| 7 | <u>About SuccessStories page Navigation</u> | <u>Navigate to Insight page</u> | 3 | 3 | 0 | 0 | 48.777 s |
| 8 | | <u>Navigate to Get in Touch from Insight page</u> | 4 | 4 | 0 | 0 | 53.418 s |
| 9 | <u>News Page Navigation</u> | <u>Navigate to News page</u> | 4 | 1 | 1 | 2 | 22.183 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|---|---|---|---|---|----------|
| 10 | | <u>Navigate to Get in Touch from News main page</u> | 3 | 1 | 1 | 1 | 21.709 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---|--|---|---|---|---|----------|
| 11 | <u>Staffing Page Navigation</u> | <u>Navigate to Staffing Menu</u> | 4 | 4 | 0 | 0 | 46.809 s |
| 12 | | <u>Navigate to Get in Touch via main banner on Staffing page</u> | 3 | 3 | 0 | 0 | 45.476 s |
| 13 | | <u>Navigate to Get in Touch via bottom banner on Staffing page</u> | 3 | 1 | 1 | 1 | 32.794 s |
| 14 | <u>About SuccessStories page Navigation</u> | <u>Navigate to Success Stories page</u> | 4 | 4 | 0 | 0 | 33.885 s |
| 15 | | <u>Navigate to Get in Touch from Success Stories page</u> | 4 | 4 | 0 | 0 | 43.215 s |
| 16 | <u>Teams Page Navigation</u> | <u>Navigate to Teams page</u> | 4 | 2 | 1 | 1 | 35.791 s |
| 17 | | <u>Navigate to Get in Touch from Our Teams page</u> | 3 | 1 | 1 | 1 | 38.311 s |

About Page Navigation



| | | | | | |
|---|------------------------------------|---|--|--|--|
| <div>FAILED</div> | <div>DURATION - 1 m 43.118 s</div> | <div>Scenarios</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 2</div> <div>Skip - 0</div> | <div></div> | <div>Steps</div> <div>Total - 10</div> <div>Pass - 6</div> <div>Fail - 2</div> <div>Skip - 2</div> | <div></div> |
| <div>/ 1:52:57.012 PM // 1:54:40.130 PM /</div> | | | | | |
| | | | | | |


Navigate to Our Story page

| | | | | |
|---|--------------------------------|--|---|---|
| <div>PASSED</div> | <div>DURATION - 41.825 s</div> |  | <div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 1:52:57.016 PM // 1:53:38.841 PM /</div> | | | | |
| <div>About Page Navigation</div> | | | | |
| <div>@AboutPage</div> | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given the user is on the Home page | PASSED | 1.052 s |
| 2 | When the user opens the About dropdown | PASSED | 8.513 s |
| 3 | And selects the Our Story option | PASSED | 8.293 s |
| 4 | Then the Our Story page should appear | PASSED | 0.015 s |

Navigate to Get in Touch from Banner under Our Story page

| | | | | |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 38.155 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> | <div></div> |
| <div>/ 1:53:38.879 PM // 1:54:17.034 PM /</div> | | | | |
| <div>About Page Navigation</div> | | | | |
| <div>@AboutPage</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given the user is on the Our Story page | PASSED | 0.003 s |
| 2 | <p>When the user clicks the Get Started button under banner</p> <pre>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=141.0.7390.55) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [81296b26f8fadd4a13429dc55d6e18fd, clickElement {id=f.3359A74583F05ED855E2BF3879F99F34.d.79E8B6FE2348F3F0F62E0C303CF608E3.e.120}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.76 (d6fcfb51aac..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63781}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63781/devtoo..., se:cdpVersion: 141.0.7390.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (81296b26f8fadd4a13429dc55d6e18fd)] -> link text: Our Story] Session ID: 81296b26f8fadd4a13429dc55d6e18fd at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:50) at com.ishir.pages.about.AboutPage.selectOurStoryOption(AboutPage.java:26) at com.ishir.stepsdefinitions.AboutPageSteps.theUserClicksTheGetStartedButtonUnderBanner(AboutPageSteps.java:51) at ?.the user clicks the Get Started button under banner(file:///D:/LearningPOC/Gogs%20Local%20Repo/Ishir-AutomatedTestFramework/src/test/resources/features/AboutPage.feature:14) * Not displayable characters are replaced by '?'. </pre> | FAILED | 19.297 s |
| 3 | Then the Get in Touch form should appear | SKIPPED | 0.002 s |
| | <p>AFTER - com.ishir.hooksmanager.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Navigate_to_Get_in_Touch_from_Banner_under_Our_Story_page</p>  | PASSED | 1.037 s |

Navigate to Get in Touch from How We Engage under Our Story page

| | | | | |
|--------------------------------------|----------------------------|--|---|---|
| FAILED | DURATION - 23.053 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 1:54:17.077 PM // 1:54:40.130 PM / | | | | |
| About Page Navigation | | | | |
| @AboutPage | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given the user is on the Our Story page | PASSED | 0.002 s |
| 2 | When the user clicks the Get Started button under How We Engage org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.cssSelector: button[id='CybotCookiebotDialogBodyLevelButtonLevelOptinAllowAll'] (tried for 8 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:50) at com.ishir.pages.HomePage.allowCookie(HomePage.java:97) at com.ishir.stepsdefinitions>AboutPageSteps.theUserClicksTheGetStartedButtonUnderHowWeEngage(AboutPageSteps.java:58) at ?.the user clicks the Get Started button under How We Engage(file:///D:/LearningPOC/Gogs%20Local%20Repo/Ishir-AutomatedTestFramework/src/test/resources/features/AboutPage.feature:19) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.55) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e72edebc6047026699f6e2deb86cfbc9, findElement {using=css selector, value=button[id='CybotCookiebotDialogBodyLevelButtonLevelOptinAllowAll']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.76 (d6fcfb51aac..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63859/devtoo..., se:cdpVersion: 141.0.7390.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e72edebc6047026699f6e2deb86cfbc9 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) | FAILED | 8.394 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:50) at com.ishir.pages.HomePage.allowCookie(HomePage.java:97) at com.ishir.stepsdefinitions>AboutPageSteps.theUserClicksTheGetStartedButtonUnderHowWeEngage(AboutPageSteps.java:58) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) | | |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 3 | Then the Get in Touch form should appear | SKIPPED | 0.001 s |
| | <p>AFTER - com.ishir.hooksmanager.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.55) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e72edebc6047026699f6e2deb86cfbc9, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.76 (d6fcfb51aac..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63859}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63859/devtoo..., se:cdpVersion: 141.0.7390.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e72edebc6047026699f6e2deb86cfbc9 </pre> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) </pre> | FAILED | 0.006 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:630) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:634) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:346) at com.ishir.hooksmanager.ApplicationHooks.tearDown(ApplicationHooks.java:87) </pre> | | |

Clients Page Navigation



| | | | | | |
|--------------------------------------|-------------------------|-----------|---|------------|---|
| FAILED | DURATION - 2 m 26.475 s | Scenarios |  | Steps |  |
| / 1:54:40.173 PM // 1:57:06.648 PM / | | Total - 3 | | Total - 10 | |
| | | Pass - 1 | | Pass - 6 | |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 2 | |

Navigate to Clients page


| | | | | |
|---|--|--|---|---|
| <div>PASSED</div> <div>DURATION - 1 m 4.682 s</div> | | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 1:54:40.173 PM // 1:55:44.855 PM /</div> | | | | |
| <div>Clients Page Navigation</div> | | | | |
| <div>@ClientsPage</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------------------------|--------|----------|
| 1 | Given the user is on the Home page | PASSED | 0.000 s |
| 2 | When the user opens the Work dropdown | PASSED | 12.231 s |
| 3 | And selects the Clients option | PASSED | 30.915 s |
| 4 | Then Clients page should appear | PASSED | 0.016 s |



Navigate to Get in Touch from Clients page using clients section

| | | | | |
|---|--------------------------------|---|---|--|
| <div>FAILED</div> | <div>DURATION - 38.748 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> | <div></div> |
| <div>/ 1:55:44.868 PM // 1:56:23.616 PM /</div> | | | | |
| <div>Clients Page Navigation</div> | | | | |
| <div>@ClientsPage</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given the user is on the clients page | PASSED | 0.000 s |
| 2 | When the user clicks start your innovation journey button org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (543, 89). Other element would receive the click: ... (Session info: chrome=141.0.7390.55) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9c1ff54d977b2313e68da68a22557688, clickElement {id=f.E536886F97C92FBF9FDE20C85EF15C2B.d.A4D95274E07C694298685E576FAAC755.e.50}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.76 (d6fcfb51aac..., userDataDir: C:\Users\ladmin\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64068}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64068/devtoo..., se:cdpVersion: 141.0.7390.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (9c1ff54d977b2313e68da68a22557688)] -> link text: Clients] Session ID: 9c1ff54d977b2313e68da68a22557688 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:50) at com.ishir.pages.work.ClientsPage.selectClientsOption(ClientsPage.java:29) at com.ishir.stepsdefinitions.ClientsPageSteps.theUserClicksStartYourInnovationJourneyButton(ClientsPageSteps.java:50) | FAILED | 9.933 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at ?.the user clicks start your innovation journey button(file:///D:/LearningPOC/Gogs%20Local%20Repo/Ishir-AutomatedTestFramework/src/test/resources/features/ClientsPage.feature:14) * Not displayable characters are replaced by '?'. 3 Then the Get in Touch form should appear | | |
| | AFTER - com.ishir.hooksmanager.ApplicationHooks.tearDown(io.cucumber.java.Scenario) | SKIPPED | 0.000 s |
| | Navigate_to_Get_in_Touch_from_Clients_page_using_clients_section | PASSED | 0.669 s |
| |  | | |



Navigate to Get in Touch from Clients page using Let's talk link

| | | | | |
|--------------------------------------|---------------------|--|--|---|
| FAILED | DURATION - 43.022 s |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
| / 1:56:23.626 PM // 1:57:06.648 PM / | | | | |
| Clients Page Navigation | | | | |
| @ClientsPage | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given the user is on the clients page | PASSED | 0.001 s |
| 2 | When the user clicks Let's talk link org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (543, 89). Other element would receive the click: ... (Session info: chrome=141.0.7390.55) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8e4b74cab4f5e421a533baa90d72ffa8, clickElement {id=f.2911EC55B1326668598EB58DFF31ACFD.d.BC744C136870BA359BEF06D73E3B4049.e.51}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.76 (d6fcfb51aac..., userDataDir: C:\Users\admin\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64143}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64143/devtoo..., se:cdpVersion: 141.0.7390.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (8e4b74cab4f5e421a533baa90d72ffa8)] -> link text: Clients] Session ID: | FAILED | 11.861 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | 8e4b74cab4f5e421a533baa90d72ffa8 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:50) at com.ishir.pages.work.ClientsPage.selectClientsOption(ClientsPage.java:29) at com.ishir.stepsdefinitions.ClientsPageSteps.theUserClicksLetSTalkLink(ClientsPageSteps.java:59) at ?.the user clicks Let's talk link(file:///D:/LearningPOC/Gogs%20Local%20Repo/Ishir-AutomatedTestFramework/src/test/resources/features/ClientsPage.feature:19) * Not displayable characters are replaced by '?'. | | |
| 3 | Then the Get in Touch form should appear | SKIPPED | 0.001 s |
| | AFTER - com.ishir.hooksmanager.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Navigate_to_Get_in_Touch_from_Clients_page_using_Let's_talk_link  | PASSED | 0.749 s |

About SuccessStories page Navigation


| | | | | | |
|--------------------------------------|-------------------------|-----------|---|-----------|---|
| PASSED | DURATION - 1 m 42.219 s | Scenarios | | Steps | |
| / 1:57:06.668 PM // 1:58:48.887 PM / | | Total - 2 |  | Total - 7 |  |
| | | Pass - 2 | | Pass - 7 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Navigate to Insight page





| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given the user is on the Home page | PASSED | 0.001 s |
| 2 | When the user clicks the Insight option | PASSED | 22.409 s |
| 3 | Then Insight page should appear | PASSED | 0.019 s |

Navigate to Get in Touch from Insight page





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given the user is on the Insight page | PASSED | 0.006 s |
| 2 | When the user clicks the Read More link | PASSED | 35.938 s |
| 3 | And user clicks Get Started button over Insight detail | PASSED | 4.017 s |
| 4 | Then the Get in Touch form should appear | PASSED | 0.039 s |

News Page Navigation

| | | | | | |
|--------------------------------------|----------------------------|--|---|--|---|
| FAILED | DURATION - 43.908 s | Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0 |  | Steps Total - 7 Pass - 2 Fail - 2 Skip - 3 |  |
| / 1:58:48.897 PM // 1:59:32.805 PM / | | | | | |

Navigate to News page

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 22.183 s</div> | |  | <div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div> |  |
| / 1:58:48.897 PM // 1:59:11.080 PM / | | | | |
| News Page Navigation | | | | |
| @NewsPage | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given the user is on the Home page | PASSED | 0.004 s |
| 2 | When the user opens the About dropdown | FAILED | 8.301 s |
| | <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.cssSelector: button[id='CybotCookiebotDialogBodyLevelButtonLevelOptinAllowAll'] (tried for 8 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)</p> <p>at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:50)</p> <p>at com.ishir.pages.HomePage.allowCookie(HomePage.java:97)</p> <p>at com.ishir.stepsdefinitions>AboutPageSteps.the_user_opens_the_About_dropdown(AboutPageSteps.java:22)</p> <p>at ?.the user opens the About dropdown(file:///D:/LearningPOC/Gogs%20Local%20Repo/Ishir-AutomatedTestFramework/src/test/resources/features/NewsPage.feature:8)</p> <p>Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.55) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a00deaa3b29615a95b72ad8c58ae01a6, findElement {using=css selector, value=button[id='CybotCookiebotDialogBodyLevelButtonLevelOptinAllowAll']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.76 (d6fcfb51aac..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64602/devtoo..., se:cdpVersion: 141.0.7390.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> webauthn:virtualAuthenticators: true} Session ID: a00deaa3b29615a95b72ad8c58ae01a6 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:50) at com.ishir.pages.HomePage.allowCookie(HomePage.java:97) at com.ishir.stepsdefinitions.AboutPageSteps.the_user_opens_the_About_dropdown(AboutPageSteps.java:22) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 3 | And selects the News option | SKIPPED | 0.000 s |
| 4 | Then News page should appear | SKIPPED | 0.000 s |
| | <p>AFTER - com.ishir.hooksmanager.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.55) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a00deaa3b29615a95b72ad8c58ae01a6, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.76 (d6fcfb51aac..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64602/devtoo..., se:cdpVersion: 141.0.7390.55, setWindowRect: true, </pre> | FAILED | 0.003 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a00deaa3b29615a95b72ad8c58ae01a6</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:630) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:634) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:346) at com.ishir.hooksmanager.ApplicationHooks.tearDown(ApplicationHooks.java:87)</p> | | |

Navigate to Get in Touch from News main page

| | | | | |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 21.709 s</div> | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> |  |
| / 1:59:11.096 PM // 1:59:32.805 PM / | | | | |
| News Page Navigation | | | | |
| @NewsPage | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given the user is on the News page | PASSED | 0.003 s |
| 2 | <p>When the user clicks the Stay Updated button on News Page</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.cssSelector: button[id='CybotCookiebotDialogBodyLevelButtonLevelOptinAllowAll'] (tried for 8 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:50) at com.ishir.pages.HomePage.allowCookie(HomePage.java:97) at com.ishir.stepsdefinitions.NewsSteps.theUserClicksTheStayUpdatedButtonOnNewsPage(NewsSteps.java:43)</p> | FAILED | 8.347 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>at ?.the user clicks the Stay Updated button on News Page(file:///D:/LearningPOC/Gogs%20Local%20Repo/Ishir-AutomatedTestFramework/src/test/resources/features/NewsPage.feature:14)</p> <p>Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.55) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [debcaf5f5742975c2fcd11f1cc07d4a2, findElement {using=css selector, value=button[id='CybotCookiebotDialogBodyLevelButtonLevelOptinAllowAll']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.76 (d6fcfb51aac..., userDataDir: C:\Users\admin\AppData\Local\Temp\scoped_dir1111_1410739055}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64633}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:64633/devtools, se.cdpVersion: 141.0.7390.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: debcaf5f5742975c2fcd11f1cc07d4a2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:50)</p> <p>at com.ishir.pages.HomePage.allowCookie(HomePage.java:97)</p> <p>at com.ishir.stepsdefinitions.NewsSteps.theUserClicksTheStayUpdatedButtonOnNewsPage(NewsSteps.java:43)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:580)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 3 | Then the Get in Touch form should appear | SKIPPED | 0.000 s |
| | <p>AFTER - com.ishir.hooksmanager.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.55) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [debcaf5f5742975c2fcd11f1cc07d4a2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.76 (d6fcfb51aac..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64633}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64633/devtoo..., se:cdpVersion: 141.0.7390.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: debcaf5f5742975c2fcd11f1cc07d4a2</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:630) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:634) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:346) at com.ishir.hooksmanager.ApplicationHooks.tearDown(ApplicationHooks.java:87)</p> | FAILED | 0.003 s |

Staffing Page Navigation


| | | | | | |
|--------------------------------------|------------------------|-----------|---|------------|---|
| FAILED | DURATION - 2 m 5.091 s | Scenarios |  | Steps |  |
| / 1:59:32.816 PM // 2:01:37.907 PM / | | Total - 3 | | Total - 10 | |
| | | Pass - 2 | | Pass - 8 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 1 | |

[Navigate to Staffing Menu](#)





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given the user is on the Home page | PASSED | 0.000 s |
| 2 | When the user clicks the Services Menu | PASSED | 8.896 s |
| 3 | And click Staffing Menu option | PASSED | 10.947 s |
| 4 | Then Staffing page should appear | PASSED | 0.014 s |

Navigate to Get in Touch via main banner on Staffing page



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given the user is on the Staffing page | PASSED | 0.000 s |
| 2 | When the user clicks main Get Started button | PASSED | 26.366 s |
| 3 | Then the Get in Touch form should appear | PASSED | 0.028 s |

Navigate to Get in Touch via bottom banner on Staffing page

| | | | | |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 32.794 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div> | <div></div> |
| <div>/ 2:01:05.113 PM // 2:01:37.907 PM /</div> | | | | |
| <div>Staffing Page Navigation</div> | | | | |
| <div>@StaffingPage</div> | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given the user is on the Staffing page | PASSED | 0.000 s |
| 2 | When the user clicks bottom Get Started button org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.cssSelector: div#GetStartedToday a (tried for 8 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:50) at com.ishir.pages.services.mainMenu.StaffingPage.clickGetStartedBottom(StaffingPage.java:34) at com.ishir.stepsdefinitions.StaffingPageSteps.theUserClicksBottomGetStartedButton(StaffingPageSteps.java:50) at ?.the user clicks bottom Get Started button(file:///D:/LearningPOC/Gogs%20Local%20Repo/Ishir-AutomatedTestFramework/src/test/resources/features/StaffingPage.feature:20) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.55) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d4c1dc298496e5fe888dc4a92fa3820b, findElement {using=css selector, value=div#GetStartedToday a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.76 (d6fcfb51aac..., userDataDir: C:\Users\admin\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65030}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65030/devtoo..., se:cdpVersion: 141.0.7390.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d4c1dc298496e5fe888dc4a92fa3820b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | FAILED | 14.587 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:380) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:374) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:194) at org.openqa.selenium.support.ui.ExpectedConditions\$7.apply(ExpectedConditions.java:190) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203) at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:50) at com.ishir.pages.services.mainMenu.StaffingPage.clickGetStartedBottom(StaffingPage.java:34) at com.ishir.stepsdefinitions.StaffingPageSteps.theUserClicksBottomGetStartedButton(StaffingPageSteps.java:50) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:130) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) | | |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:235) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:54) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 3 | Then the Get in Touch form should appear | SKIPPED | 0.000 s |
| | <p>AFTER - com.ishir.hooksmanager.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=141.0.7390.55) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d4c1dc298496e5fe888dc4a92fa3820b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.76 (d6fcfb51aac..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65030}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65030/devtoo..., se:cdpVersion: 141.0.7390.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d4c1dc298496e5fe888dc4a92fa3820b </pre> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) </pre> | FAILED | 0.003 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:630) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:634) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:346) at com.ishir.hooksmanager.ApplicationHooks.tearDown(ApplicationHooks.java:87) | | |

About SuccessStories page Navigation


| | | | | | |
|--------------------------------------|-------------------------|--|---|--|---|
| PASSED | DURATION - 1 m 17.105 s | Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0 |  | Steps Total - 8 Pass - 8 Fail - 0 Skip - 0 |  |
| / 2:01:37.917 PM // 2:02:55.022 PM / | | | | | |
| | | | | | |

Navigate to Success Stories page

| | | | | |
|--------------------------------------|---------------------|---|--|---|
| PASSED | DURATION - 33.885 s |  | Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 |  |
| / 2:01:37.917 PM // 2:02:11.802 PM / | | | | |
| About SuccessStories page Navigation | | | | |
| @SuccessStories | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given the user is on the Home page | PASSED | 0.004 s |
| 2 | When the user opens the Work dropdown | PASSED | 12.317 s |
| 3 | And selects the Success Stories option | PASSED | 7.966 s |
| 4 | Then the Success Stories page should appear | PASSED | 0.009 s |

Navigate to Get in Touch from Success Stories page




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given the user is on the Success Stories page | PASSED | 0.001 s |
| 2 | When the user clicks the available view case study | PASSED | 19.322 s |
| 3 | And clicks Contact US Today over case study | PASSED | 5.090 s |
| 4 | Then the Get in Touch form should appear | PASSED | 0.015 s |

Teams Page Navigation




Navigate to Teams page





| # | Step / Hook Details | Status | Duration |
|---|------------------------------------|--------|----------|
| 1 | Given the user is on the Home page | PASSED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 2 | When the user opens the About dropdown | PASSED | 8.856 s |
| 3 | <p>And selects the Team option</p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (300, 89). Other element would receive the click: ... (Session info: chrome=141.0.7390.55) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2136600935ea480aa840b4c428d20c44, clickElement {id=f.5A1CDB8AF1A93B4405939BB3F15DE763.d.472BCB563472575E4928DA5F030CC9FC.e.51}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.76 (d6fcfb51aac..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65358}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65358/devtoo..., se:cdpVersion: 141.0.7390.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (2136600935ea480aa840b4c428d20c44)] -> link text: Team] Session ID: 2136600935ea480aa840b4c428d20c44</pre> <pre>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:50) at com.ishir.pages.about.TeamPage.selectTeamOption(TeamPage.java:16) at com.ishir.stepsdefinitions.TeamsPageSteps.selectsTheTeamOption(TeamsPageSteps.java:30) at ?.selects the Team option(file:///D:/LearningPOC/Gogs%20Local%20Repo/Ishir-AutomatedTestFramework/src/test/resources/features/TeamsPage.feature:9) * Not displayable characters are replaced by '?'. </pre> | FAILED | 1.124 s |
| 4 | Then Team page should appear | SKIPPED | 0.000 s |
| | AFTER - com.ishir.hooksmanager.ApplicationHooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.747 s |
| | Navigate_to_Teams_page | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |

Navigate to Get in Touch from Our Teams page

| | | | |
|---|--|---|---|
| FAILED DURATION - 38.311 s / 2:03:30.833 PM // 2:04:09.144 PM / Teams Page Navigation @TeamsPage |  | Steps Total - 3 Pass - 1 Fail - 1 Skip - 1 |  |
|---|--|---|---|

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given the user is on the Our Story page | PASSED | 0.000 s |
| 2 | When the user clicks the Get Started button on Teams Page <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (300, 89). Other element would receive the click: ... (Session info: chrome=141.0.7390.55) Build info: version: '4.35.0', revision: '1c58e5028b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3fd07507befa1b715f6bc57d67122955, clickElement {id=f.AC435B09D720589B0E703993C3F3409B.d.6E9CAF6864D262B92A11B5159DC59E28.e.51}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 141.0.7390.55, chrome: {chromedriverVersion: 141.0.7390.76 (d6fcfb51aac..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65492}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65492/devtoo..., se:cdpVersion: 141.0.7390.55, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (3fd07507befa1b715f6bc57d67122955)] -> link text: Team] Session ID: 3fd07507befa1b715f6bc57d67122955 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</pre> | FAILED | 9.975 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:557) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at com.ishir.pages.base.BasePage.doClickAction(BasePage.java:50) at com.ishir.pages.about.TeamPage.selectTeamOption(TeamPage.java:16) at com.ishir.stepsdefinitions.TeamsPageSteps.theUserClicksTheGetStartedButtonOnTeamsPage(TeamsPageSteps.java:39) at ?.the user clicks the Get Started button on Teams Page(file:///D:/LearningPOC/Gogs%20Local%20Repo/Ishir-AutomatedTestFramework/ src/test/resources/features/TeamsPage.feature:14) * Not displayable characters are replaced by '?'. </pre> | | |
| 3 | Then the Get in Touch form should appear | SKIPPED | 0.000 s |
| | <p>AFTER - com.ishir.hooksmanager.ApplicationHooks.tearDown(io.cucumber.java.Scenario)</p> <p>Navigate_to_Get_in_Touch_from_Our_Teams_page</p>  | PASSED | 0.473 s |