

✅ MVP Wealth Core – Endpoint & Flow (Aligned with Optimized Schema)

-  Schema MVP đã tối ưu (merge bảng, bỏ abstraction thừa)
-  Core-first, no-FE, no-notify
-  Phù hợp audit / banking wealth

1. CASE = Authority Context duy nhất
2. Client chỉ nhập dữ liệu + quyết định, không tạo logic
3. WM / RM tạo business logic
4. Execution chỉ mở sau Client decision
5. DB đã tối giản → endpoint cũng phải đơn giản tương ứng

```
1  RM → Client → WM → Client → IM → Admin
2
```

```
1 CASE.id → FINANCIAL_PLAN → RECOMMENDATION → DECISION → PORTFOLIO
2
```

- Khởi tạo **CASE + CLIENT** context
- Mở lifecycle wealth

HTTP ▾

```
1 POST /api/cases
2
```

DB:

- CLIENT (create default)
- CASE (ONBOARDING, IN_PROGRESS)
- TASK (bulk: PROFILE, DISCOVERY)
- AUDIT_EVENT

✔ Entry point duy nhất của toàn hệ

2 CLIENT – Data Foundation (NO LOGIC)

2.1 Client register

HTTP ▾

```
1 POST /mobile/register
2
```

DB:

- CLIENT.status = ACTIVE
- TASK(PROFILE) = COMPLETED

2.2 Update client profile

HTTP ▾

```
1 PUT /clients/{clientId}
2
```

Body: risk_profile, residency, name

DB:

- Update CLIENT
- TASK(PROFILE) = COMPLETED

2.3 Discovery input

HTTP ▾

```
1 POST /clients/{clientId}/assets
2 POST /clients/{clientId}/goals
3
```

DB:

- ASSET (n rows)

- GOAL (n rows)

✖ Chỉ save raw data – không validate đủ/thiếu

2.4 Mark discovery ready (system)

HTTP ▾

1 POST /cases/{caseId}/discovery/check
2

Logic:

- Check tồn tại asset + goal (simple)

DB:

- CASE.status = READY_FOR_PLANNING
- TASK(DISCOVERY) = COMPLETED

3 WM – Core Business Logic (PLANNING)

3.1 Create financial plan

HTTP ▾

1 POST /clients/{clientId}/plans
2

DB:

- FINANCIAL_PLAN (DRAFT, version_no = 1)

3.2 Run / draft plan

HTTP ▾

1 POST /plans/{planId}/draft
2

Logic:

- Placeholder calculation (rule-based)

DB:

- FINANCIAL_PLAN.content (JSONB)

3.3 Create recommendation

HTTP ▾

```
1 POST /plans/{planId}/recommendations
2
```

DB:

- RECOMMENDATION
- ✔ Chuẩn bị cho client decision

4 CLIENT – Sole Decision Gate

4.1 Client decision

HTTP ▾

```
1 POST /recommendations/{id}/decision
2
```

Body: APPROVED | REJECTED

DB:

- DECISION
 - FINANCIAL_PLAN.is_approved = true (if approved)
 - FINANCIAL_PLAN.status = APPROVED
- 🚧 Gate quan trọng nhất – sau bước này mới cho execution

5 IM – Prepare Execution Strategy

5.1 Create execution instruction

HTTP ▾

```
1 POST /execution/instructions
2
```

Input: recommendation_id

DB:

- (logical step – MVP có thể inline prepare)
 - AUDIT_EVENT
- 🚧 MVP: chưa cần bảng EXECUTION_INSTRUCTION

6 ADMIN – Operational Commit (END)

6.1 Execute & record result

HTTP ▾

```
1 POST /execution/results
2
```

DB:

- PORTFOLIO (create if not exists)
- ALLOCATION (n rows)
- AUDIT_EVENT

✅ End of core lifecycle

✅ ENDPOINT SUMMARY TABLE (MVP)

	≡ Phase	≡ Role	≡ Endpoint	≡ Core Effect
1	1	RM	POST /api/cases	Authority context
2	2	Client	/register, /clients/{id}	Data foundation
3	2	Client	/assets, /goals	Discovery
4	3	WM	/plans, /plans/{id}/draft	Planning logic
5	3	WM/RM	/plans/{id}/recommendations	Proposal
6	4	Client	/recommendations/{id}/decision	Decision gate
7	6	Admin	/execution/results	Portfolio commit

🧠 Kiểm tra consistency với schema MVP

✅ Không dùng bảng đã bỏ (PLAN_VERSION, APPROVAL) ✅ Endpoint map 1-1 với bảng MVP ✅ Có thể nâng cấp Phase-2 không phá API

✅ Doc này là bản chuẩn để:

- Dev FE / BE cùng hiểu 1 flow
- Review với business / audit
- Làm base cho workflow engine sau này

Nếu bạn muốn, mình có thể tiếp:

- Chuẩn hoá API contract (request/response)
- Draw Sequence Diagram + State Transition
- Định nghĩa Phase-2 endpoint mở rộng