

Verificador Nu Html

Esta ferramenta é um experimento contínuo em melhor verificação de HTML, e seu comportamento permanece sujeito a alterações

Mostrando resultados para o índice.html

Entrada do verificador

Mostrar ☐ relatório de imagem de estrutura de tópicos de ☐ origem ☐ [Opções...](#)

Confira por [upload de arquivos](#) [Escolher Arquivo](#) Nenhum arquivo escolhido

Os arquivos carregados com extensões .xhtml ou .xht são analisados usando o analisador XML.

[Verificar](#)

Use o botão Filtragem de Mensagens abaixo para ocultar/mostrar mensagens específicas e para ver contagens totais de erros e avisos.

[Filtragem de mensagens](#)

- Aviso** Este documento parece estar escrito em português. Considere adicionar `lang="pt"` (ou variante) à tag `html` start.
Da linha 6, coluna 4; para a linha 7, coluna 6
cense)<!--><html><head>
Para obter mais orientações, consulte [Declarando o idioma geral de uma página](#) e [Escolhendo marcas de idioma](#).
Se o verificador de HTML tiver identificado incorretamente o idioma deste documento, [registre um relatório](#) de problema ou [envie um e-mail para relatar o problema](#).
- Info** A barra à direita em elementos vazios não [tem efeito](#) e [interage mal com valores de atributo não citados](#).
Da linha 10, coluna 3; para a linha 10, coluna 26
/title><meta charset="utf-8" /><meta
- Aviso** Considere evitar valores de viewport que impeçam os usuários de redimensionar documentos.
Da linha 11, coluna 3; para a linha 11, coluna 90
f-8" /><meta name="viewport" content="width=device-width, initial-scale=1, user-scalable=no" /><li
- Info** A barra à direita em elementos vazios não [tem efeito](#) e [interage mal com valores de atributo não citados](#).
Da linha 11, coluna 3; para a linha 11, coluna 90

```
f-8" />↵      <meta name="viewport" content="width=device-width,  
initial-scale=1, user-scalable=no" />↵      <li
```

5. **Info** A barra à direita em elementos vazios não [tem efeito](#) e [interage mal com valores de atributo não citados](#).

Da linha 12, coluna 3; para a linha 12, coluna 54

```
=no" />↵      <link rel="stylesheet" href="assets/css/main.css" />↵  
</no
```

6. **Info** A barra à direita em elementos vazios não [tem efeito](#) e [interage mal com valores de atributo não citados](#).

Da linha 13, coluna 13; para a linha 13, coluna 68

```
<noscript><link rel="stylesheet" href="assets/css/noscript.css" /></nosc
```

7. **Info** A barra à direita em elementos vazios não [tem efeito](#) e [interage mal com valores de atributo não citados](#).

Da linha 29, coluna 72; até a linha 29, coluna 77

```
incrível.<br />↵
```

8. **Info** A barra à direita em elementos vazios não [tem efeito](#) e [interage mal com valores de atributo não citados](#).

Da linha 51, coluna 34; para a linha 51, coluna 70

```
age main"></span
```

9. **Info** A barra à direita em elementos vazios não [tem efeito](#) e [interage mal com valores de atributo não citados](#).

Da linha 65, coluna 34; até a linha 65, coluna 72

```
age main"></span
```

10. **Info** A barra à direita em elementos vazios não [tem efeito](#) e [interage mal com valores de atributo não citados](#).

Da linha 78, coluna 34; para a linha 78, coluna 73

```
age main"></span
```

11. **Erro** Atributo `href` não permitido no `botão` do elemento neste ponto.

Da linha 84, coluna 10; para a linha 84, coluna 40

```
↵  
-----  
<button href="#" type="button">Pedido
```

Atributos para [o botão do elemento](#):

[Atributos globais](#)

[disabled](#) — Se o controle de formulário está desabilitado

[form](#) — Associa o elemento a um elemento [form](#)

[formaction](#) — [URL](#) a ser usado para [envio de formulário](#)

[formenctype](#) — [Tipo](#) de codificação da lista de entradas a utilizar para [a apresentação de formulários](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the API [form.elements](#)

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

12. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 94, column 12; to line 94, column 54

```
<input type="text" name="name" id="name" />↵
```

13. **Error** Duplicate ID `name`.

From line 98, column 12; to line 98, column 54

```
<input type="text" name="name" id="name" />↵
```

14. **Warning** The first occurrence of ID `name` was here.

From line 94, column 12; to line 94, column 54

```
<input type="text" name="name" id="name" />↵
```

15. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 98, column 12; to line 98, column 54

```
<input type="text" name="name" id="name" />↵
```

16. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 102, column 12; to line 102, column 56

```
<input type="text" name="email" id="email" />
```

17. **Error** Duplicate ID `email`.

From line 106, column 12; to line 106, column 56

```
<input type="text" name="email" id="email" />
```

18. **Warning** The first occurrence of ID `email` was here.

From line 102, column 12; to line 102, column 56

```
<input type="text" name="email" id="email" />
```

19. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 106, column 12; to line 106, column 56

```
<input type="text" name="email" id="email" />
```

20. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 114, column 15; to line 115, column 53

```
<li><input type="submit"
onclick="alert('Obrigado pela preferência! Mensagem Enviada.')"
value="Enviar Mensagem" class="primary" /></li>
```

21. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 117, column 15; to line 117, column 51

```
<li><input type="reset"
value="Limpar" /></li>
```

22. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 137, column 10; to line 137, column 15

```
<hr />
```

23. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 143, column 10; to line 143, column 15

↵
.....
/>↵
.....

<hr

24. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 324, column 13; to line 324, column 97

```
<input type="text" name="demo-name" id="demo-name" value="" placeholder="Jane Doe" />↵  
.....
```

25. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 328, column 13; to line 328, column 109

```
<input type="email" name="demo-email" id="demo-email" value=""  
placeholder="jane@untitled.tld" />↵  
.....
```

26. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 362, column 16; to line 362, column 75

```
                                <li><input type="submit"  
value="Send Message" class="primary" /></li>↵  
.....
```

27. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 363, column 16; to line 363, column 51

```
                                <li><input type="reset"  
value="Reset" /></li>↵  
.....
```

28. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 82, column 10; to line 82, column 13

```
↵  
.....  
<h1>Catalo
```

Document checking completed.

Used the HTML parser.

Total execution time 22 milliseconds.

