ASSIGNMENT-12

PROBLEM STATEMENT : Deploy and run the project in AWS without using the port

1. Go to the EC2 Dashboard.



2. Click on Launch instance.and fill and choose all the given option and launch the instance.



3. Instance is created successfully.



4. Click on the instance ID and copy its public IPv4 address.



5. Paste the ipv4 address into Bitvise SSH Client and Login.



6. Type the following commands in New STFP Terminal:

sudo apt-get update

sudo apt-get upgrade

sudo apt-get install nginx

nginx -v

curl -SL https://deb.nodesource.com/setup_18.x|sudo -E bash-

sudo apt install nodejs

nodejs -v

pwd



7. Type: git clone http://github.com/sudip7407/Repo1.git

cd Repo1

npm install

node index.js



8. Now we copy public IPv4 address and paste it in browser. Nginx window opens – then we set port 4000

after : in that address



Hello World

9. Open another terminal. Type the following commands:

Cd /

pwd

cd /etc/nginx/site-available/

sudo nano default



10. Now in the nano editor go to location and paste the following code:

```
location / {
        proxy_pass http://localhost:4000;
        proxy_http_version 1.1;
        proxy_set_header Upgrade $http_upgrade;
        proxy_set_header Connection 'upgrade';
        proxy_set_header Host $host;
        proxy_cache_bypass $http_upgrade;
    }
```

Now back to bash shell

Type: sudo systemctl restart nginx

Then type: node index.js

11. Now copy the public ipv4 address and paste in browser. It will land directly to html page.