Assignment No 8:

Problem Statement: Deploy a project from a local machine to GitHub and vice versa.

Necessary Steps:

1.Create a new public Github repository. Click on “create a new repository” to process.



2. Repository has created, then Go to Setting → Developer settings.





3. Now click on Personal access tokens dropdown and then click on Tokens(classic).



4. Now click on Generate new tokens and then Generate new token(classic).



5. Set expiration date for as long as possible and select all scopes. Then Generate token.





6. After generating token click on copy option on for copying path and save it in text document.



7. Now go to Control Panel → User's account → Credential Manager → Window Credential from Generic Credential remove any existing GitHub account Credentials.



8.Go to the folder containing your project files. Right Click, and select 'Open Git Bash Here' from the pop-up menu.



9.Run the following commands..

Initialize Git-

```
git init
```

See content of the directory-

```
dir
```

Add all files to the current working tree-

```
git adds.
```

Status of the Working Tree-

```
git status
```

Set Global user Email-

```
git config --global user.email <user email address>
```

Set Global User Name-

```
git config --global user.name <username>
```

Commit changes to the working tree with a message-

```
git commit -m “<message>”
```

Add the repository address-

```
git remote add origin <https address of the repository>
```

Push The committed changes-

```
git push -u origin master
```

```
MINGW64:/c/Users/dipay/Desktop/aws project/testds
$ git config --global user.name "dev-dipayan809"

dipay@LAPTOP-SVA857D6 MINGW64 ~/Desktop/aws project/testds
$ git config --global user.email "dipayan.kanrar280904@gmail.com"

dipay@LAPTOP-SVA857D6 MINGW64 ~/Desktop/aws project/testds
$ git config --global --list
user.name=dev-dipayan809
user.email=dipayan.kanrar280904@gmail.com

dipay@LAPTOP-SVA857D6 MINGW64 ~/Desktop/aws project/testds
$ git init
Initialized empty Git repository in C:/Users/dipay/Desktop/aws project/testds/.g
it/

dipay@LAPTOP-SVA857D6 MINGW64 ~/Desktop/aws project/testds (master)
$ git add .

dipay@LAPTOP-SVA857D6 MINGW64 ~/Desktop/aws project/testds (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   .gitignore
        new file:   New Text Document.txt
        new file:   index.js
        new file:   package.json


dipay@LAPTOP-SVA857D6 MINGW64 ~/Desktop/aws project/testds (master)
$ git commit -m "done"
[master (root-commit) dd28a67] done
 4 files changed, 53 insertions(+)
 create mode 100644 .gitignore
 create mode 100644 New Text Document.txt
 create mode 100644 index.js
 create mode 100644 package.json

dipay@LAPTOP-SVA857D6 MINGW64 ~/Desktop/aws project/testds (master)
$ git remote add origin https://github.com/dev-dipayan809/Project_aws-1.git

dipay@LAPTOP-SVA857D6 MINGW64 ~/Desktop/aws project/testds (master)
$ git push -u origin master
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 834 bytes | 834.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/dev-dipayan809/Project_aws-1.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.

dipay@LAPTOP-SVA857D6 MINGW64 ~/Desktop/aws project/testds (master)
$
```

Visual Studio Code

10. After last command a new connect to GitHub window opened. Go to token portion and paste there the copied path during token generation and pasted in text document. Click on sign in.



11.Open the repository and see all files have been successfully added. On your repository.