

DEPLOYMENT GUIDE

Deploy LaunchFive Studio to Firebase

Complete browser-only deployment guide. Firebase pre-integrated codebase. No terminal needed.

Firebase
PLATFORM

\$0 / month
COST

15-25 min
SETUP TIME

Browser Only
METHOD

UPDATED FOR CURRENT CODEBASE

OVERVIEW

What You Will Get

Your LaunchFive Studio website hosted on Firebase for free, accessible worldwide, with HTTPS, custom domain support, and working contact form.

10GB

HOSTING

5GB

FILE STORAGE

2M

FUNCTIONS/MO

Free

SSL CERT

What's Already Pre-Configured in Your Codebase

The codebase is already set up for Firebase. No manual code changes needed:

FILE	WHAT'S DONE	STATUS
<code>next.config.ts</code>	Static export enabled (<code>output: "export"</code> , <code>images: { unoptimized: true }</code>)	Done
<code>public/.nojekyll</code>	Prevents Firebase from ignoring <code>_next/</code> folder	Done
<code>src/lib/firebase.ts</code>	Full Firebase init (App + Firestore + Auth + Storage)	Done
<code>src/lib/validations.ts</code>	Zod schema for contact form validation	Done
<code>ContactForm.tsx</code>	Writes directly to Firestore <code>contacts</code> collection	Done
<code>.env.example</code>	Firebase env vars template ready to fill	Done
<code>package.json</code>	<code>firebase</code> SDK already listed as dependency	Done
<code>/api/contact/route.ts</code>	Removed (not needed with Firestore client writes)	Removed

7 out of 10 steps are already done in code!

You only need to: (1) create Firebase project, (2) fill env vars, (3) set Firestore rules, (4) deploy. The code is ready.

Your Live URLs After Deployment

URL	PURPOSE
<code>launchfive-studio.web.app</code>	Primary website (auto-generated)
<code>launchfive-studio.firebaseio.com</code>	Alternative URL (auto-generated)
<code>launchfive.studio</code>	Custom domain (after Step 14-15)

Free Tier Cost Summary

SERVICE	FREE TIER	COST
Firebase Hosting	10GB storage, 360MB/day transfer	\$0
Firestore Database	1GB stored, 50K reads/day	\$0
Firebase Auth	Unlimited users, 10 providers	\$0
Firebase Storage	5GB stored, 1GB/day download	\$0
Cloud Functions	2M invocations/month	\$0
Firebase Analytics	Unlimited events	\$0
Custom Domain	~\$10-15/year (optional)	~\$1/mo

PHASE 1

Push Code to GitHub

Upload your pre-configured project files to a GitHub repository.

1 Create a GitHub Repository

Go to github.com/new and create a new repository:

- ☐ **Repository name:** `launchfive-studio`
- ☐ **Description:** LaunchFive Studio - Freelancer Team Portfolio Website
- ☐ **Visibility:** Public (required for free Firebase auto-deploy)

Click "**Create repository**" and leave this tab open for Step 3.

2 Download Your Project Files

From the Z.AI workspace, download the entire project folder as a ZIP archive to your computer. Extract the ZIP to a local folder named `launchfive-studio`.

3 Upload Code to GitHub

On your new GitHub repo page, click "**uploading an existing file**". Drag and drop ALL project files. Add commit message: `Initial commit - Firebase ready`. Click "**Commit changes**".

Easier Alternative

Install **GitHub Desktop** (desktop.github.com) to drag-and-drop files. Clone the repo, paste files, click Push.

PHASE 2

Create Firebase Project

Set up your Firebase project and register a web app.

4 Open Firebase Console

Go to console.firebase.google.com. Sign in with your Google account (any Gmail works).

5 Create a New Project

Click "**Create a project**". Fill in:

- ☐ **Project name:** `launchfive-studio`
- ☐ **Project ID:** Auto-generates as `launchfive-studio` (note this down)
- ☐ **Google Analytics:** Enable (recommended for visitor tracking)

Click "**Create project**". Wait ~30 seconds, then click "**Continue**".

6 Register a Web App

On the project overview page, click the **Web icon** (`</>`) to add a web app:

- ☐ **App nickname:** `LaunchFive Studio`
- ☐ **Firebase Hosting:** Check "Also set up Firebase Hosting"

Click **"Register app"**. Copy the `firebaseConfig` object shown on the next screen. Then click **"Next"** through remaining steps.

PHASE 3

Set Up Firebase Services

Enable Firestore for contact form and configure security rules.

7 Create Firestore Database

Go to Firebase Console → **Build** → **Firestore Database** → **Create database**. Choose **"Start in test mode"** (you'll add proper rules in Step 8). Select location: `asia-south1` (Mumbai). Click **"Create"**. Wait ~30 seconds for provisioning.

8 Set Firestore Security Rules

Go to **Firestore Database** → **Rules** tab. Replace the default rules with:

```
rules_version = '2'; service cloud.firestore { match /databases/{database}/documents { // Allow anyone to submit contact form match /contacts/{contactId} { allow create: if true; allow read, update, delete: if false; // Only via Firebase Console } // Block all other collections match /{document=**} { allow read, write: if false; } } }
```

Click **"Publish"**. These rules allow anyone to submit the contact form, but only you (via Firebase Console) can read submissions.

PHASE 4

Add Firebase Credentials

Fill in the environment variables that connect your codebase to your Firebase project.

9 Update .env with Your Firebase Config

Go to your GitHub repo, open `.env`, click the pencil icon to edit. Fill in each value from the `firebaseConfig` you copied in Step 6:

```
# Firebase Configuration NEXT_PUBLIC_FIREBASE_API_KEY=AIZA... NEXT_PUBLIC_FIREBASE_AUTH_DOMAIN=launchfive-studio.firebaseio.com NEXT_PUBLIC_FIREBASE_PROJECT_ID=launchfive-studio NEXT_PUBLIC_FIREBASE_STORAGE_BUCKET=launchfive-studio.appspot.com NEXT_PUBLIC_FIREBASE_MESSAGING_SENDER_ID=123456789 NEXT_PUBLIC_FIREBASE_APP_ID=1:123456789:web:abc123 NEXT_PUBLIC_FIREBASE_MEASUREMENT_ID=6-ABC123XYZ
```

Click **"Commit changes"** with message: `Add Firebase credentials`.

Security Note

These values are **safe to commit** — they are NOT secret API keys. Firebase security is handled by Firestore Rules + Authentication, not by hiding these values. They are designed to be public.

10 Verify Pre-Configured Files

ALREADY DONE

These files are already correctly configured — **no edits needed**:

FILE	WHAT IT DOES
<code>next.config.ts</code>	Static export: <code>output: "export"</code> , <code>images: { unoptimized: true }</code>
<code>public/.nojekyll</code>	Prevents Firebase from ignoring <code>_next/</code> assets
<code>src/lib/firebase.ts</code>	Reads env vars and initializes Firebase (App + Firestore + Auth + Storage)
<code>ContactForm.tsx</code>	Writes form data directly to Firestore <code>contacts</code> collection

PHASE 5

Deploy Your Website!

Connect GitHub to Firebase Hosting and trigger your first deployment.

11 Connect GitHub Repository to Firebase

In Firebase Console, go to **Build** → **Hosting**. Click **"Get started"**. Then:

- ☐ Click **"Connect to GitHub"**
- ☐ Authorize Firebase to access your GitHub account
- ☐ Select the repository: `launchfive-studio`
- ☐ Click **"Connect"**

12 Configure Build Settings

Firebase will ask for build configuration. Fill in:

FIELD	VALUE	WHY
Branch	<code>main</code>	Deploys from your main branch
Build command	<code>npm run build</code>	Runs Next.js static export
Output directory	<code>out</code>	Next.js exports to <code>/out</code> with <code>output: "export"</code>
Install command	<code>npm install</code>	Installs all dependencies including Firebase SDK

Check **"Automatically re-deploy on push"** and click **"Save and deploy"**.

What Happens

Firebase runs `npm install` then `npm run build`. Since `next.config.ts` has `output: "export"`, this produces a static `/out` folder that Firebase uploads as your live site.

13 Wait for Deployment

Go to **Firebase Console** → **Hosting** → **Deploy history**. Wait 2-3 minutes for the build to complete. You will see: **Deploy successful!**

Your site is now LIVE!

<https://launchfive-studio.web.app>

Click the URL to see your live website

PHASE 6

Connect Custom Domain

Add your own professional domain name with free HTTPS.

14 Add Custom Domain in Firebase

In Firebase Console, go to **Hosting** and click **"Add custom domain"**. Enter your domain (e.g., `launchfive.studio`). Optionally check **"Redirect to www"**. Click **"Continue"**.

15 Update DNS Records at Your Registrar

Firebase will display DNS records to add. Go to your domain registrar and add:

TYPE	NAME	VALUE
TXT	@	google-site-verification=XXXXX (from Firebase)
A	@	199.36.158.100
A	@	199.36.158.101
A	@	199.36.158.102
A	@	199.36.158.103


Go back to Firebase and click **"Finish"**. DNS propagation takes 1-24 hours. Firebase auto-provisions a **free SSL certificate** via Let's Encrypt.

ARCHITECTURE

How the Codebase Works with Firebase

Your codebase uses a client-side architecture. Firebase SDK runs in the browser, no server needed.

Contact Form Flow



Key Files in Your Codebase

`src/lib/ firebase.ts` ← *Firebase init (reads from .env)* `validations.ts` ← *Zod schema for form validation* `src/components/contact/ ContactForm.tsx` ← *Form UI + Firestore write* `src/data/ services.ts` ← *11 services for dropdown* `team.ts` ← *5 team members + 7-step process* `public/ .nojekyll` ← *Prevents _next/ being ignored* `Root .env` ← *Firebase credentials (YOU fill these)* `.env.example` ← *Template with empty values* `next.config.ts` ← *Static export config (already set)*

src/lib/firebase.ts (Pre-Configured)

```
import { initializeApp, getApps, getApp } from "firebase/app"; import { getFirestore } from "firebase/firestore"; import { getAuth } from "firebase/auth"; import { getStorage } from "firebase/storage"; const firebaseConfig = { apiKey: process.env.NEXT_PUBLIC_FIREBASE_API_KEY, authDomain: process.env.NEXT_PUBLIC_FIREBASE_AUTH_DOMAIN, projectId: process.env.NEXT_PUBLIC_FIREBASE_PROJECT_ID, storageBucket: process.env.NEXT_PUBLIC_FIREBASE_STORAGE_BUCKET, messagingSenderId: process.env.NEXT_PUBLIC_FIREBASE_MESSAGING_SENDER_ID, appId: process.env.NEXT_PUBLIC_FIREBASE_APP_ID, measurementId: process.env.NEXT_PUBLIC_FIREBASE_MEASUREMENT_ID, }; // Initialize once (prevents HMR re-init in dev) const app = getApps().length === 0 ? initializeApp(firebaseConfig) : getApp(); export const db = getFirestore(app); export const auth = getAuth(app); export const storage = getStorage(app);
```

Contact Form Firestore Write (Pre-Configured)

```
// Inside ContactForm.tsx onSubmit handler: import { db } from "@lib/firebase"; import { collection, addDoc } from "firebase/firestore"; await addDoc(collection(db, "contacts"), { name, email, phone, company, service, budget, timeline, description, referenceLink, status: "new", createdAt: new Date().toISOString(), });
```

View Submissions

Go to **Firebase Console** → **Firestore Database** → **contacts** collection. Each form submission appears as a document with all fields, plus `status: "new"` and `createdAt` timestamp.

STATUS

Feature Compatibility After Deploy

Everything works with static export + Firestore. No server needed.

FEATURE	STATUS	HOW IT WORKS
All pages and sections	Works	Hero, Services, Team, Portfolio, Process, Contact, Footer
Framer Motion animations	Works	All client-side animations render correctly
3D Hero Scene (R3F)	Works	Three.js renders client-side via WebGL (hidden on mobile)
Responsive / Mobile layout	Works	All Tailwind CSS breakpoints active
Dark theme + glassmorphism	Works	CSS backdrop-filter, gradients all work
Contact form submissions	Works	Writes directly to Firestore from browser (no API route)
Form validation (Zod)	Works	Client-side validation before Firestore write
Firestore security	Works	Rules allow create-only on contacts collection
Auto-deploy on push	Works	GitHub integration rebuilds on every commit to main
Custom domain + SSL	Works	Free Let's Encrypt certificate auto-provisioned
Server-side features (SSR/ISR)	Not available	Static export has no server — not needed for this site

TROUBLESHOOTING

Common Issues and Fixes

PROBLEM	WHY	FIX
Build fails on Firebase	Missing or wrong env vars	Check all 7 <code>NEXT_PUBLIC_FIREBASE_*</code> values in <code>.env</code> match your Firebase Console config
Site loads but styles broken	Missing <code>.nojekyll</code> file	Ensure <code>public/.nojekyll</code> exists in the repo (already included)
Contact form shows error	Firestore not created yet	Complete Step 7 (create Firestore database) before testing the form
Firestore permission denied	Rules still in default mode	Complete Step 8 (publish the security rules above)
3D scene not showing	WebGL not supported	3D hero auto-hides on mobile; check on desktop Chrome/Firefox
Custom domain not working	DNS propagation delay	Wait up to 24 hours after adding DNS records
Images appear broken	Using Next.js Image component	Already fixed: <code>images: { unoptimized: true }</code> in <code>next.config.ts</code>

QUICK REFERENCE

All Steps at a Glance

Print this page and check off each step as you complete it.

#	WHERE	ACTION	DONE
1	github.com	Create repository: <code>launchfive-studio</code>	☐
2	Local	Download project ZIP from Z.AI workspace	☐
3	github.com	Upload all project files to repository	☐
4	Firebase	Open <code>console.firebase.google.com</code>	☐
5	Firebase	Create project: <code>launchfive-studio</code>	☐
6	Firebase	Register web app + copy firebaseConfig	☐
7	Firebase	Create Firestore database (test mode, asia-south1)	☐
8	Firebase	Publish Firestore security rules (create-only on contacts)	☐
9	github.com	Fill in <code>.env</code> with 7 Firebase config values	☐
10	—	Verify pre-configured files (no action needed)	☐
11	Firebase	Connect GitHub repo to Firebase Hosting	☐
12	Firebase	Set build config (branch: main, build: npm run build, output: out)	☐
13	Firebase	Wait for auto-deploy to complete (2-3 min)	☐
14	Firebase	Add custom domain (optional)	☐
15	Registrar	Add DNS A + TXT records from Firebase	☐

Recommended Domain Registrars

REGISTRAR	URL	PRICE	BEST FOR
Google Domains	domains.google	~\$12/yr	Seamless Firebase integration
Namecheap	namecheap.com	~\$10/yr	Affordable, good DNS management
Cloudflare	cloudflare.com	At-cost	Fast DNS propagation

Top Pick

Domain: **launchfive.studio** (~\$10-15/year) - perfectly brand-aligned and professional.

Future Enhancements (After Deployment)

FEATURE	FIREBASE SERVICE	CODEBASE READY?	COST
Client portal (login)	Firebase Authentication	Yes (auth exported)	Free
Portfolio image uploads	Firebase Storage	Yes (storage exported)	Free
Real-time notifications	Cloud Messaging	Needs setup	Free
Visitor analytics	Firebase Analytics	Needs setup	Free
Contact form emails	Cloud Functions + Resend	Needs setup	Free
Inquiry dashboard	Firestore + Auth	Needs setup	Free
Project tracker	Firestore + Auth	Needs setup	Free

You Are All Set!

Follow the 15 steps above and your LaunchFive Studio website will be live on Firebase at zero cost. The codebase is Firebase-ready — you only need to create the Firebase project, fill in credentials, and deploy. Every future push to GitHub will automatically trigger a new deployment.