

Door No. P200 – Elevator Lobby

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 45 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Auto Operator	Record 8100 Series Operator
2	Push Button	Door Actuator Push Button – Round Stainless Steel
1	Door Presence Sensor	
1	Electric Strike	Adams Rite 7401
1	Wall Stop	231B x 26D
1	Card Reader	

Automatic door operator shall be disabled when door is in locked position. Provide relay for door operator and contacts to suit.

Door No. P201 – Service Room

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 60 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Electric Strike	Adams Rite 7401
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Card Reader	

Door No. P202 – Stair D

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Electric Strike	Adams Rite 7401
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Card Reader	

Door No. P203 – Service Room

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 60 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Electric Strike	Adams Rite 7401
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Card Reader	

Door No. P204 – Pet Wash Station

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 60 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Electric Strike	Adams Rite 7401
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Card Reader	

Door No. P205 – Service Room

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 60 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D

Door No. P206 – Stair C

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Electric Strike	Adams Rite 7401
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Card Reader	

Door No. P207 – Vestibule

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D

Door No. P208 – Service Room

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D

Door No. P100 – Elevator Lobby

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 45 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Auto Operator	Record 8100 Series Operator
2	Push Button	Door Actuator Push Button – Round Stainless Steel
1	Door Presence Sensor	
1	Electric Strike	Adams Rite 7401
1	Wall Stop	231B x 26D
1	Card Reader	

Automatic door operator shall be disabled when door is in locked position. Provide relay for door operator and contacts to suit.

Door No. P101 – Main Communication Room

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

60 min

3	Butts	STS CB 1901 – 4 1/2" x 4" x C26D
1	Lockset	Sargent LC-NAC-82271-24V-LNPx626
1	Wall Stops	231B X 26D
1	Door Closers	4040XP x 689

Door No. P102 – Bike Storage

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 60 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D
1	Lockset	ND80PD x 17Lever x 32D
1	Auto Operator	Record 8100 Series Operator
2	Push Button	Door Actuator Push Button – Round Stainless Steel
1	Door Presence Sensor	
1	Electric Strike	Adams Rite 7401
1	Wall Stop	231B x 26D
1	Card Reader	

Automatic door operator shall be disabled when door is in locked position. Provide relay for door operator and contacts to suit.

Door No. P103 – Stair C

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Electric Strike	Adams Rite 7401
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Card Reader	

Door No. P104 – Unit Substation Room

2- 3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Welded Pressed Steel Frame

Fire rated 90 min

6	Hinges	CB1901 x 4 1/2" x 4" x 32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Flush Bolts	FB458 x C26D with floor keeper
2	Closers	LCN 4011 x 389

Door No. P107 – Bike Maintenance

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 60 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D
1	Lockset	ND80PD x 17Lever x 32D
1	Auto Operator	Record 8100 Series Operator
2	Push Button	Door Actuator Push Button – Round Stainless Steel
1	Door Presence Sensor	
1	Electric Strike	Adams Rite 7401
1	Wall Stop	231B x 26D
1	Card Reader	

Automatic door operator shall be disabled when door is in locked position. Provide relay for door operator and contacts to suit.

Door No. P106 – Bike Storage #1Door No. P109 – Bike Storage #2Door No. P111 – Bike Storage #3Door No. P102 – Bike Storage #4Door No. P105 – Bike Storage #5

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 60 min

15	Hinges	CB1901 x 4 1/2" x 4" x C32D
5	Lockset	ND80PD x 17 Lever x 32D
5	Auto Operator	Record 8100 Series Operator
10	Push Button	Door Actuator Push Button – Round Stainless Steel
5	Door Presence Sensor	
5	Electric Strike	Adams Rite 7401
5	Wall Stop	231B x 26D
5	Card Reader	

Automatic door operator shall be disabled when door is in locked position. Provide relay for door operator and contacts to suit.

Door No. P108 – Stair D

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Electric Strike	Adams Rite 7401
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Card Reader	

Door No. P110 – Water Entry

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 60 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Electric Strike	Adams Rite 7401
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Card Reader	

Door No. P112 – Commercial Bike Storage

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 60 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D
1	Lockset	ND80PD x 17Lever x 32D
1	Electric Strike	Adams Rite 7401
1	Wall Stop	231B x 26D
1	Card Reader	

Door No. 113 - Parkade

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

2	Butts	STS CB 1901 – 4 1/2" x 4" x C26D
1	Electric Hinge	STS CB 1901 – 4 1/2" x 4"
1	Lockset	Sargent LC-NAC-82271-24V-LNPx626
1	Magnetic Locks	M490 P
1	Wall Stops	231B X 26D
1	Door Closers	4040XP x689
1	Power Supply	BPS 24-10
1	Card Reader	

Magnetic Lock shall be connected to fire alarm system and release upon fire alarm activation.

Door No. 100A – Residential Vestibule

2- 3'-0" x 8'-0" x 1 3/4" Aluminium Storefront Door

Aluminium Frame

2	Continuous Hinges	Ives XY Model x 95" x 628
1	Exit Device	Adams Rite 4590 Latch Paddle
1	Latch Set	Adams Rite 4520 Dead Latch
1	Cylinder	Schlage Core
2	Closer	LCN 4011 x 389
2	Push / Pull Handles	Hager 167D-V-B
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
1	Strike Protector	
2	Door Bottom	Pemko 308_V
1	Auto Operator	Record 8100 Series Operator
2	Push Button	Door Actuator Push Button – Round Stainless Steel
1	Door Presence Sensor	
1	Electric Strike	Adams Rite 7130
1	Power Transfer	Von Duprin EPT Series
1	Flush Bolts	
1	Card Reader	

Automatic door operator shall be disabled when door is in locked position. Provide relay for door operator and contacts to suit.

Door No. 101A– Residential Lobby

2 - 3'-0" x 8'-0" x 1 3/4" Aluminium Storefront Door

Aluminium Frame

2	Continuous Hinges	Ives XY Model x 95" x 628
2	Closer	LCN 4011 x 389
2	Push / Pull Handles	Hager 167D-V-B
1	Auto Operator	Record 8100 Series Operator
2	Push Button	Door Actuator Push Button – Round Stainless Steel
1	Flush Bolts	

Door No. 102A -Vestibule

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Exit Device	9875EO-F x C32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Strike Protector	

Door No. 102B - Corridor

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND10S x 17 Lever x 32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D

Door No. 103A – Stair A

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Exit Device	9875EO-F x C32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Door Bottom	Pemko 308_V
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
1	Strike Protector	

Door No. 104A – CRU #6

2- 3'-0" x 8'-0" x 1 3/4" Aluminium Storefront Door

Aluminium Frame

2	Continuous Hinges	Ives XY Model x 95" x 628
1	Cylinder	Schlage Core
2	Closer	LCN 4011 x 389
2	Push / Pull Handles	Hager 167D-V-B
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
2	Door Bottom	Pemko 308_V
1	Auto Operator	Record 8100 Series Operator
2	Push Button	Door Actuator Push Button – Round Stainless Steel
1	Door Presence Sensor	
1	Flush Bolts	

Door No. 104B

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Electric Strike	Adams Rite 7401
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Auto Operator	Record 8100 Series Operator
1	Card Reader	
2	Push Button	Door Actuator Push Button – Round Stainless Steel
1	Door Presence Sensor	

Door No. 105A – Stair C

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Exit Device	9875EO-F x C32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Door Bottom	Pemko 308_V
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
1	Strike Protector	

Door No. P106A –Commercial Refuge and Recycling

2 - 3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

6	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Flush Bolts	FB458 x C26D with floor keeper
1	Closer	LCN 4011 x 389
1	Weatherstripping	
1	Wall Stop	231B x 26D
1	Strike Protector	

Door No. P107A –Residential Refuge and Recycling

2 - 3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

6	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Flush Bolts	FB458 x C26D with floor keeper
1	Weatherstripping	Pemko 290_PK
1	Door Bottom	Pemko 308_V
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Strike Protector	

Door No. 107B – Residential Refuge and Recycling

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Electric Strike	Adams Rite 7401
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Card Reader	

Door No. 108A – Stair D

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Exit Device	9875EO-F x C32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Door Bottom	Pemko 308_V
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
1	Strike Protector	

Door No. 109A – Stair B

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Exit Device	9875EO-F x C32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Door Bottom	Pemko 308_V
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
1	Strike Protector	

Door No. 110A – CRU #5

2- 3'-0" x 8'-0" x 1 3/4" Aluminium Storefront Door

Aluminium Frame

2	Continuous Hinges	Ives XY Model x 95" x 628
1	Cylinder	Schlage Core
2	Closer	LCN 4011 x 389
2	Push / Pull Handles	Hager 167D-V-B
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
2	Door Bottom	Pemko 308_V
1	Auto Operator	Record 8100 Series Operator

Door No. 110B – CRU #5

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D

Door No. 111A – CRU #4

2- 3'-0" x 8'-0" x 1 3/4" Aluminium Storefront Door

Aluminium Frame

2	Continuous Hinges	Ives XY Model x 95" x 628
1	Cylinder	Schlage Core
2	Closer	LCN 4011 x 389
2	Push / Pull Handles	Hager 167D-V-B
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
2	Door Bottom	Pemko 308_V
1	Auto Operator	Record 8100 Series Operator

Door No. 111B – CRU #4

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D

Door No. 112A – CRU #3

2- 3'-0" x 8'-0" x 1 3/4" Aluminium Storefront Door

Aluminium Frame

2	Continuous Hinges	Ives XY Model x 95" x 628
1	Cylinder	Schlage Core
2	Closer	LCN 4011 x 389
2	Push / Pull Handles	Hager 167D-V-B
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
2	Door Bottom	Pemko 308_V
1	Auto Operator	Record 8100 Series Operator

Door No. 112B – CRU #3

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D

Door No. 113A – CRU #2

2- 3'-0" x 8'-0" x 1 3/4" Aluminium Storefront Door

Aluminium Frame

2	Continuous Hinges	Ives XY Model x 95" x 628
1	Cylinder	Schlage Core
2	Closer	LCN 4011 x 389
2	Push / Pull Handles	Hager 167D-V-B
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
2	Door Bottom	Pemko 308_V
1	Auto Operator	Record 8100 Series Operator

Door No. 113B – CRU #2

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D

Door No. 114A – CRU #1

2- 3'-0" x 8'-0" x 1 3/4" Aluminium Storefront Door

Aluminium Frame

2	Continuous Hinges	Ives XY Model x 95" x 628
1	Cylinder	Schlage Core
2	Closer	LCN 4011 x 389
2	Push / Pull Handles	Hager 167D-V-B
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
2	Door Bottom	Pemko 308_V
1	Auto Operator	Record 8100 Series Operator

Door No. 114B – CRU #1

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D

Door No. 115A – Corridor

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire rated 90 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Exit Device	9875EO-F x C32D
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Door Bottom	Pemko 308_V
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
1	Strike Protector	

Door No. 115B –Electrical Closet

2- 3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Pressed Steel Frame

Fire Rated 90 min.

6	Hinges	CB1901 x 4 1/2" x 4" x 32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
1	Flush Bolts	FB458 x C26D with floor keeper
2	Closers	LCN 4011

Door No. 115C Corridor

2- 3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Welded Pressed Steel Frame

6	Hinges	CB1901 x 4 1/2" x 4" x 32D x NRP
2	Closer	LCN 4011 x 389
2	Exit Device	Von Duprin 9849L-NL
2	Door Bottom	Pemko 308_V
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
1	Strike Protector	

Door No. 200A –Stair A

3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Welded Pressed Steel Frame

Fire rated 45min

3	Hinges	CB1901 x 4 1/2" x 4" x 32D
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389

Door No. 200B–Stair B

3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Welded Pressed Steel Frame

Fire rated 45min

3	Hinges	CB1901 x 4 1/2" x 4" x 32D
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389

Door No. 200C –Electrical Closet

2- 3'-0" x 7'-0" x 1 3/4" Hollow Metal Door
Pressed Steel Frame

6	Hinges	CB1901 x 4 1/2" x 4" x 32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
2	Closers	LCN 4011 x 389
1	Flush Bolts	FB458 x C26D with floor keeper

Door No. P200D – Amenity

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal
Welded Pressed Steel Frame
Fire rated 45 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D
1	Lockset	ND80PD x 17 Lever x 32D
1	Auto Operator	Record 8100 Series Operator
2	Push Button	Door Actuator Push Button – Round Stainless Steel
1	Door Presence Sensor	
1	Electric Strike	Adams Rite 7401
1	Wall Stop	231B x 26D
1	Card Reader	

Automatic door operator shall be disabled when door is in locked position. Provide relay for door operator and contacts to suit.

Door No. 300A –Stair A

3'-0" x 7'-0" x 1 3/4" Hollow Metal Door
Welded Pressed Steel Frame
Fire rated 45min

3	Hinges	CB1901 x 4 1/2" x 4" x 32D
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389

Door No. 300B –Stair B

3'-0" x 7'-0" x 1 3/4" Hollow Metal Door
Welded Pressed Steel Frame
Fire rated 45min

3	Hinges	CB1901 x 4 1/2" x 4" x 32D
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389

Door No. 300C –Electrical Closet

2- 3'-0" x 7'-0" x 1 3/4" Hollow Metal Door
Welded Pressed Steel Frame
Fire Rated 45 min

6	Hinges	CB1901 x 4 1/2" x 4" x 32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
2	Closers	LCN 4011 x 389
1	Flush Bolts	FB458 x C26D with floor keeper

Door No. 400A –Stair A

3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Welded Pressed Steel Frame

Fire rated 45min

3	Hinges	CB1901 x 4 1/2" x 4" x 32D
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389

Door No. 400B–Stair B

3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Welded Pressed Steel Frame

Fire rated 45min

3	Hinges	CB1901 x 4 1/2" x 4" x 32D
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389

Door No. 400C –Electrical Closet

2- 3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Welded Pressed Steel Frame

Fire Rated 45 min

6	Hinges	CB1901 x 4 1/2" x 4" x 32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
2	Closers	LCN 4011 x 389
1	Flush Bolts	FB458 x C26D with floor keeper

Door No. 500A –Stair A

3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Welded Pressed Steel Frame

Fire rated 45min

3	Hinges	CB1901 x 4 1/2" x 4" x 32D
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389

Door No. 500B–Stair B

3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Welded Pressed Steel Frame

Fire rated 45min

3	Hinges	CB1901 x 4 1/2" x 4" x 32D
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389

Door No. 500C –Electrical Closet

2- 3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Pressed Steel Frame

Fire Rated 45 min

6	Hinges	CB1901 x 4 1/2" x 4" x 32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
2	Closers	LCN 4011 x 389
1	Flush Bolts	FB458 x C26D with floor keeper

Door No. 600A –Stair A

3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Welded Pressed Steel Frame

Fire rated 45min

3	Hinges	CB1901 x 4 1/2" x 4" x 32D
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389

Door No. 600B –Stair B

3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Welded Pressed Steel Frame

Fire rated 45min

3	Hinges	CB1901 x 4 1/2" x 4" x 32D
1	Lockset	ND80PD x 17 Lever x 32D
1	Closer	LCN 4011 x 389

Door No. 600C –Electrical Closet

2- 3'-0" x 7'-0" x 1 3/4" Hollow Metal Door

Pressed Steel Frame

Fire Rated 45 min

6	Hinges	CB1901 x 4 1/2" x 4" x 32D x NRP
1	Lockset	ND80PD x 17 Lever x 32D
2	Closers	LCN 4011 x 389
1	Flush Bolts	FB458 x C26D with floor keeper

Door No. 700A – Stair A

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire Rated 45 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Exit Device	9875L-NL x Sparta Lever x C32D
1	Cylinder	
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Door Bottom	Pemko 308_V
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718

Door No. 700B – Stair B

3'-0" x 7'-0" x 1 3/4" Hollow Core Metal

Welded Pressed Steel Frame

Fire Rated 45 min

3	Hinges	CB1901 x 4 1/2" x 4" x C32D x NRP
1	Exit Device	9875L-NL x Sparta Lever x 32D
1	Cylinder	
1	Closer	LCN 4011 x 389
1	Wall Stop	231B x 26D
1	Door Bottom	Pemko 308_V
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718

Door No. 700C – Elevator Lobby

2 - 3'-0" x 8'-0" x 1 3/4" Aluminium Storefront Door

Aluminium Frame

2	Continuous Hinges	Ives XY Model x 95" x 628
1	Exit Device	9875LBE-F x Sparta Lever x 32D
1	Closer	LCN 4011 x 389
1	Set Weatherstripping	Pemko 290_PK
1	Threshold	Pemko 1718
1	Door Bottom	Pemko 308_V

Doors within Residential UnitsDoor S1 – Suite Entry

3'-0" x 7'-0" x 1 3/4" Solid Core Wood

Welded Pressed Steel Frame

Fire rated 20 min

3	Hinges	CB1901 x 4 1/2" x 4" x 32D
1	Lockset	See ID drawings
1	Closer	LCN 4011 x 389
1	Door Sweep	Pemko 234
1	Threshold	DS1
1	Weatherstrip	DS77
2	Peep Holes per door	Hager 1756

Doors S3 – Bathroom and Master Bedroom

Hardware for each door – Refer to Interior Design Drawings

3	Hinges	CB1901 x 4 1/2" x 4" x 32D
1	Lockset	Privacy Bathroom Lock
		Taymor Free Style Round Rose Lever
		Polished Chrome Finish
1	Door Stop	

Doors S2, S4, S5, S6, S7, S8, S9 and S10

Hardware for each door

3	Hinges	CB1901 x 4 1/2" x 4" x 32D
1	Passage set	
		Taymor Free Style Round Rose Lever
		Polished Chrome Finish
1	Door Stop	

End of Hardware Schedule