

Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	1109
Handing	Not Specified
Operation	Swing
Dimensions	24" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	HOLLOW METAL
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	45 MIN.
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET


AD09a	
3	Cont. Hinge McKinney • CA
3	Cont. Hinge McKinney • CA
1	Lock Set Sargent • 626
2	Cylinder Schlage • 626
1	Flushbolt Rockwood • 626
1	Closer Norton • 689
1	Keyswitch Securitron • 630
1	Connector ElectroLynx • N/A
1	Connector ElectroLynx • N/A
1	Operator Record • N/A
2	Thermal Pin Sargent • N/A
2	Sensor BEA • N/A
1	Gasket Pemko • N/A

AFFECTED DOOR TAGS

1109

2	Actuator
	Camden • 628
1	Power Supply
	Securitron • N/A
1	Battery
	Securitron • N/A
2	DPS
	Securitron • N/A

ELEVATION: A1



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	1111
Handing	Not Specified
Operation	Swing
Dimensions	24" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	HOLLOW METAL
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	N/A
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

SE02

No valid hardware set assigned.

No Elevation Linked

AFFECTED DOOR TAGS

1111

Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

3

DOOR PARAMETERS

Opening Number	2701
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-


HARDWARE SET

CA01	
3	Cont. Hinge Pemko • CA
1	Lock Set Sargent • 626
1	Cylinder Schlage • 626
1	Closer Norton • 689
1	Kick Plate Gallery • 630
1	Gasketing Pemko • N/A
1	Card Reader HID • N/A
1	Power Supply Securitron • N/A
1	Battery Securitron • N/A
1	DPS Securitron • N/A

ELEVATION: A2

AFFECTED DOOR TAGS

- 2701
- 2701A
- 2733



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

2

DOOR PARAMETERS

Opening Number	2704
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

WE01a


1	Continuous	Pemko • N/A
1	Stop	Pemko • N/A
1	Lock Set	Sargent • 626
1	Mort. Cyl.	Lawrence • 626
1	Operator	Record • 627
2	Actuator	Camden • 630
1	Actuator	Camden • 630
2	Annunciator	Camden • 630
1	Key Switch	Securitron • 630
1	Cylinder	Schlage • 626
1	Ball Contact	Edwards • N/A
1	Trans. Cable	Camden • CA
1	Controller	Camden • 630

AFFECTED DOOR TAGS

- 2704
- 2762

1	Latch. Relay
	N/A • N/A
1	Kick Plate
	Gallery • 630
1	W/F Stop
	Gallery • 630
2	Smoke Seal
	Pemko • 627

ELEVATION: A3



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2706
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

CA02

- 3

Cont. Hinge
Pemko • CA
- 1

Lock Set
Sargent • 626
- 1

Cylinder
Schlage • 626
- 1

Closer
Norton • 689
- 1

Kick Plate
Gallery • 630
- 1

Gasket
Pemko • 628
- 1

Door Bottom
Pemko • 628
- 1

Card Reader
HID • N/A
- 1

Power Supply
Securitron • N/A
- 1


Battery
Securitron • N/A
- 1

DPS
Securitron • N/A

ELEVATION: A1

AFFECTED DOOR TAGS

2706



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2708
Handing	Not Specified
Operation	Swing
Dimensions	24" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

AD01b

3	Cont. Hinge McKinney • CA
2	Exit Device Sargent • 626
3	Cylinder Schlage • 626
1	Keyswitch Securitron • 630
2	Connector ElectroLynx • N/A
2	Connector ElectroLynx • N/A
2	Operator Record • N/A
4	Sensor BEA • N/A
1	Gasket Pemko • N/A
2	Actuator Camden • 628
1	Power Supply Securitron • N/A
1	Battery Securitron • N/A
1	Card Reader HID • N/A

AFFECTED DOOR TAGS

2708

- 1


Rem. Release

N/A • N/A
- 2

DPS

Securitron • N/A

ELEVATION: A3



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2714
Handing	Not Specified
Operation	Swing
Dimensions	24" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	N/A
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

BD01

- 1

Track

KN Crowder • N/A
- 2

Hanger

KN Crowder • N/A
- 2

Stop

KN Crowder • 626
- 1

Floor Guide

KN Crowder • 626
- 1

Channel

KN Crowder • 626
- 1

Fascia

KN Crowder • N/A
- 2

End Cap

KN Crowder • N/A
- 1

Passage Set

Inox • 630
- 1


Wall Strike

Inox • 630

ELEVATION: A2

AFFECTED DOOR TAGS

2714



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2718
Handing	Not Specified
Operation	Swing
Dimensions	24" x 84" x 1.75"
Undercut	Standard
Leaf Count	
Core Type	AL
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	AL
Frame Type	-
Wall Type	-
Jamb Depth	-


HARDWARE SET

AD02a	
3	Cont. Hinge McKinney • CA
2	Exit Device Sargent • 626
2	Connector ElectroLynx • N/A
2	Connector ElectroLynx • N/A
2	Operator Record • N/A
4	Sensor BEA • N/A
1	Gasket Pemko • N/A
1	Meeting Stile Pemko • 628
2	Actuator Camden • 628
1	Power Supply Securitron • N/A
1	Battery Securitron • N/A
2	DPS Securitron • N/A

AFFECTED DOOR TAGS

2718

ELEVATION: A3



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2720
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1.75"
Undercut	Standard
Leaf Count	
Core Type	AL
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	AL
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

AD03a


3	Cont. Hinge McKinney • CA
2	Exit Device Sargent • 626
2	Cylinder Schlage • 626
1	Pushbutton Securitron • 630
2	Connector ElectroLynx • N/A
2	Connector ElectroLynx • N/A
2	Door Edge Rockwood • 626
2	Armor Plate Rockwood • 626
2	Operator Record • N/A
4	Sensor BEA • N/A
1	Gasket Pemko • N/A
1	Threshold Pemko • N/A
2	Wave Plate BEA • 630

AFFECTED DOOR TAGS

2720

1	Rdr./Keypad
	HID • N/A
1	Power Supply
	Securitron • N/A
1	Battery
	Securitron • N/A
2	DPS
	Securitron • N/A

ELEVATION: A2



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

6

DOOR PARAMETERS

Opening Number	2721
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1.75"
Undercut	Standard
Leaf Count	
Core Type	AL
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	AL
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

NOTE#2

No valid hardware set assigned.

No Elevation Linked

AFFECTED DOOR TAGS

- 2721
- 2723
- 2725
- 2746
- 2769
- 2771

Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2727
Handing	Not Specified
Operation	Swing
Dimensions	12" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

PA01


3	Cont. Hinge Pemko • C
2	Push/Pull Rockwood • 626
2	Closer Norton • 689
1	Gasket Pemko • N/A
1	Mtg. Stile Pemko • 630
2	Door Bottom Pemko • 628

ELEVATION: A3



AFFECTED DOOR TAGS

2727



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

3

DOOR PARAMETERS

Opening Number	2727A
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

AD07b

No valid hardware set assigned.

No Elevation Linked

AFFECTED DOOR TAGS

- 2727A
- 2727C
- 2729

Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2727B
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

WA01

- 1

Continuous

Pemko • N/A
- 1

Stop

Pemko • N/A
- 1

Passage Set

Sargent • 626
- 1

W/F Stop


Gallery • 630

ELEVATION: A1



AFFECTED DOOR TAGS

2727B



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2731
Handing	Not Specified
Operation	Swing
Dimensions	48" x 84" x 1.75"
Undercut	Standard
Leaf Count	
Core Type	AL
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	AL
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

NOTE#2

No valid hardware set assigned.

No Elevation Linked

AFFECTED DOOR TAGS

2731

Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2731A
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-


HARDWARE SET

AD07c	
1	Cont. Hinge Pemko • CA
1	Passage Set Sargent • 626
1	Operator Record • N/A
2	Sensor BEA • N/A
1	Gasket Pemko • N/A
1	Actuator Camden • 630
1	Actuator Camden • 630
1	Power Supply Securitron • N/A
1	Battery Securitron • N/A
1	DPS Securitron • N/A

ELEVATION: A1

AFFECTED DOOR TAGS

2731A



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2734
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

WA02

- 1

Continuous

Pemko • N/A
- 1

Stop

Pemko • N/A
- 1

Ind. Lock Set

Sargent • 626
- 1

Cylinder

Schlage • 626
- 1

W/F Stop


Gallery • 630

ELEVATION: A3



AFFECTED DOOR TAGS

2734



TYPE 'A3'
SINGLE DOOR
HALF VISION

Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2740
Handing	Not Specified
Operation	Swing
Dimensions	24" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	HOLLOW METAL
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	90 MIN.
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET


AD05e	
3	Cont. Hinge McKinney • CA
2	Exit Device Detex • N/A
1	Power Supply Detex • N/A
3	Cylinder Schlage • 626
2	Thermal Pin Sargent • N/A
2	Connector ElectroLynx • N/A
2	Connector ElectroLynx • N/A
2	Kick Plate Gallery • 630
2	Operator Record • N/A
4	Sensor BEA • N/A
1	Mtg. Stile Pemko • N/A
1	Gasketing Pemko • N/A
2	Door Bottom Pemko • 628

AFFECTED DOOR TAGS

2740

2	Actuator
	Camden • 630
2	Card Reader
	HID • N/A
1	Battery
	Securitron • N/A
2	DPS
	Securitron • N/A

ELEVATION: A2



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2742
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

SE01

- 1** Continuous
Pemko • N/A
- 1** Stop
Pemko • N/A
- 1** Lock Set
Sargent • 626
- 1** Cylinder
Schlage • 626
- 1** W/F Stop
Gallery • 630

No Elevation Linked

AFFECTED DOOR TAGS

2742

Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2742A
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

SE01

- 1

Continuous
Pemko • N/A
- 1

Stop
Pemko • N/A
- 1

Lock Set
Sargent • 626
- 1

Cylinder
Schlage • 626
- 1


W/F Stop
Gallery • 630

ELEVATION: A3



AFFECTED DOOR TAGS

2742A



TYPE 'A3'
SINGLE DOOR
HALF VISION

Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2743
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

WE01a

1	Continuous	Pemko • N/A
1	Stop	Pemko • N/A
1	Lock Set	Sargent • 626
1	Mort. Cyl.	Lawrence • 626
1	Operator	Record • 627
2	Actuator	Camden • 630
1	Actuator	Camden • 630
2	Annunciator	Camden • 630
1	Key Switch	Securitron • 630
1	Cylinder	Schlage • 626
1	Ball Contact	Edwards • N/A
1	Trans. Cable	Camden • CA
1	Controller	Camden • 630

AFFECTED DOOR TAGS

2743

1	Latch. Relay
	N/A • N/A
1	Kick Plate
	Gallery • 630
1	W/F Stop
	Gallery • 630
2	Smoke Seal
	Pemko • 627

No Elevation Linked

Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

2

DOOR PARAMETERS

Opening Number	2745
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

CA01

- 3

Cont. Hinge
Pemko • CA
- 1

Lock Set
Sargent • 626
- 1

Cylinder
Schlage • 626
- 1

Closer
Norton • 689
- 1

Kick Plate
Gallery • 630
- 1

Gasketing
Pemko • N/A
- 1

Card Reader
HID • N/A
- 1

Power Supply
Securitron • N/A
- 1

Battery
Securitron • N/A
- 1

DPS
Securitron • N/A

No Elevation Linked

AFFECTED DOOR TAGS

- 2745
- 2764



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2754
Handing	Not Specified
Operation	Swing
Dimensions	24" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

AD06a	
3	Cont. Hinge McKinney • CA
2	Exit Device Detex • N/A
1	Power Supply Detex • N/A
3	Cylinder Schlage • 626
2	Connector ElectroLynx • N/A
2	Connector ElectroLynx • N/A
2	Kick Plate Gallery • 630
2	Operator Record • N/A
4	Sensor BEA • N/A
1	Gasket Pemko • N/A
2	Actuator Camden • 630
1	Rdr./Keypad HID • N/A
1	Power Supply Securitron • N/A

AFFECTED DOOR TAGS

2754

- 1


Battery

Securitron • N/A
- 2

DPS

Securitron • N/A

ELEVATION: A2



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2756
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

WA02

- 1

Continuous
Pemko • N/A
- 1

Stop
Pemko • N/A
- 1

Ind. Lock Set
Sargent • 626
- 1

Cylinder
Schlage • 626
- 1


W/F Stop
Gallery • 630

ELEVATION: A1



AFFECTED DOOR TAGS

2756



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2758
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	HOLLOW METAL
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	0 HR
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

SE02a

- 3

Hinges
McKinney • 652
- 1

Lock Set
Sargent • 630
- 1

Cylinder
Schlage • 626
- 1

Closer
Norton • 689
- 1

Gasket
Pemko • 628
- 1

Kick Plate
Gallery • 630

No Elevation Linked

AFFECTED DOOR TAGS

2758

Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2767
Handing	Not Specified
Operation	Swing
Dimensions	12" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

SE03	
3	Cont. Hinge McKinney • CA
1	Lock Set Sargent • 626
1	Cylinder Schlage • 626
1	Flush Bolt Rockwood • 626
2	W/F Stop Gallery • 630
2	Stretch. Plate Gallery • 630
2	Kick Plate Gallery • 630



AFFECTED DOOR TAGS

2767

Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	2768
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	HM
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

CA03

- 3

Cont. Hinge
Pemko • CA
- 1

Lock Set
Sargent • 626
- 1

Cylinder
Schlage • 626
- 1

Closer
Norton • 689
- 1

Kick Plate
Gallery • 630
- 1

Gasketing
Pemko • N/A
- 1

Card Reader
HID • N/A
- 1

Power Supply
Securitron • N/A
- 1

Battery
Securitron • N/A
- 1

DPS
Securitron • N/A

No Elevation Linked

AFFECTED DOOR TAGS

2768



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	GATE-01
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1.75"
Undercut	Standard
Leaf Count	
Core Type	N/A
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	N/A
STC Rating	-
Frame Material	N/A
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

GA01

- 1

Lock Set
Sargent • 630
- 1

Cylinder
Schlage • 626
- 1

Closer
Sargent • 689

No Elevation Linked

AFFECTED DOOR TAGS

GATE-01

Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number	E2757
Handing	Not Specified
Operation	Swing
Dimensions	36" x 84" x 1"
Undercut	Standard
Leaf Count	
Core Type	WOOD, SOLIDE CORE
Face Type	-
Finish Base Prep	-
Finish Type	-
Fire Rating	-
STC Rating	-
Frame Material	Existing
Frame Type	-
Wall Type	-
Jamb Depth	-

HARDWARE SET

AD08b	
3	Hinges N/A • N/A
3	T/F Hinge McKinney • 626
1	Lock Set Sargent • 626
1	Cylinder Schlage • 626
1	Operator Record • N/A
2	Sensor BEA • N/A
1	Gasket Pemko • N/A
1	Door Bottom Pemko • 628
1	Actuator Camden • 630
1	Actuator Camden • 630
1	Card Reader HID • N/A
1	Power Supply Securitron • N/A
1	Battery Securitron • N/A

AFFECTED DOOR TAGS

E2757

1

DPS

Securitron • N/A



Door Type Specification

Submittal Data Sheet

TOTAL QUANTITY

1

DOOR PARAMETERS

Opening Number
E2759

Handing
Not Specified

Operation
Swing

Dimensions
36" x 84" x 1"

Undercut
Standard

Leaf Count

Core Type
HOLLOW METAL

Face Type
-

Finish Base Prep
-

Finish Type
-

Fire Rating
90 MIN.

STC Rating
-

Frame Material
Existing

Frame Type
-

Wall Type
-

Jamb Depth
-

HARDWARE SET

SE04

3 Hinges
N/A • N/A

1 Lock Set
N/A • N/A

1 Cylinder
N/A • N/A

1 Closer
Norton • 689

1 Gasket
Pemko • 628

1 Kick Plate
Gallery • 630

No Elevation Linked

AFFECTED DOOR TAGS

E2759