NCR report

Acme "Forgings" & Sons', All facilities you can see. 2026-08-03 to 2026-10-31. 120 rows.

NCRs raised in the period.

This report stops at 120 rows. Choose fewer dates to see the rest.

NCR	Title	Severity	Status	Source	Facility	Raised	Closed	Age (days)
NCR-2026-00001	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00002	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00003	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00004	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00005	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00006	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00007	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00008	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00009	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00010	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00011	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00012	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00013	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00014	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29

NCR	Title	Severity	Status	Source	Facility	Raised	Closed	Age (days)
NCR-2026-00015	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00016	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00017	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00018	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00019	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00020	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00021	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00022	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00023	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00024	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00025	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00026	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00027	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00028	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00029	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00030	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00031	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29

NCR	Title	Severity	Status	Source	Facility	Raised	Closed	Age (days)
NCR-2026-00032	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00033	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00034	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00035	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00036	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00037	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00038	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00039	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00040	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00041	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00042	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00043	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00044	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00045	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00046	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00047	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00048	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29

NCR	Title	Severity	Status	Source	Facility	Raised	Closed	Age (days)
NCR-2026-00049	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00050	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00051	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00052	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00053	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00054	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00055	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00056	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00057	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00058	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00059	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00060	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00061	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00062	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00063	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00064	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00065	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29

NCR	Title	Severity	Status	Source	Facility	Raised	Closed	Age (days)
NCR-2026-00066	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00067	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00068	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00069	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00070	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00071	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00072	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00073	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00074	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00075	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00076	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00077	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00078	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00079	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00080	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00081	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00082	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29

NCR	Title	Severity	Status	Source	Facility	Raised	Closed	Age (days)
NCR-2026-00083	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00084	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00085	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00086	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00087	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00088	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00089	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00090	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00091	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00092	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00093	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00094	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00095	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00096	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00097	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00098	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00099	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29

NCR	Title	Severity	Status	Source	Facility	Raised	Closed	Age (days)
NCR-2026-00100	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00101	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00102	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00103	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00104	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00105	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00106	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00107	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00108	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00109	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00110	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00111	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00112	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00113	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00114	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00115	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00116	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29

NCR	Title	Severity	Status	Source	Facility	Raised	Closed	Age (days)
NCR-2026-00117	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00118	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00119	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29
NCR-2026-00120	Audit AUD-2026-00004: Caliper VC-9 was in use without a calibration label	MAJOR	PENDING VERIFICATION	INSPECTION	Pune Plant	2026-10-02		29