Quality audit report

Acme Forgings (Acme Forgings Private Limited), Gat 121, Chakan, Pune 410501

Audit reference	AUD-2026-00004	Status	COMPLETED
Title	Annual supplier audit	Type	SUPPLIER
Facility	Pune Plant	Planned for	2026-10-20
Lead auditor	Meera Iyer	Checklist	Supplier process audit
Supplier	Bharat Steels		

Scope

Heat treatment and final inspection at the Chakan plant.

Summary

The plant follows its procedures, with the exceptions below.

Result

70 of 70 questions answered: 56 conforming, 14 nonconforming, 0 not applicable.

Findings

No.	Grade	Finding	Evidence	Clause	NCR and CAPA
1	Major nonconformity	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	NCR-2026-00011 (ACTION_REQUIRED) CAPA-2026-00003 (IMPLEMENTATION)
2	Major nonconformity	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	NCR-2026-00012 (ACTION_REQUIRED) CAPA-2026-00003 (IMPLEMENTATION)
3	Observation	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	

No.	Grade	Finding	Evidence	Clause	NCR and CAPA
4	Major nonconformity	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	NCR-2026-00014 (ACTION_REQUIRED) CAPA-2026-00003 (IMPLEMENTATION)
5	Major nonconformity	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	NCR-2026-00015 (ACTION_REQUIRED) CAPA-2026-00003 (IMPLEMENTATION)
6	Observation	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	
7	Major nonconformity	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	NCR-2026-00017 (ACTION_REQUIRED) CAPA-2026-00003 (IMPLEMENTATION)
8	Major nonconformity	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	NCR-2026-00018 (ACTION_REQUIRED) CAPA-2026-00003 (IMPLEMENTATION)
9	Observation	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	
10	Major nonconformity	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	NCR-2026-000110 (ACTION_REQUIRED) CAPA-2026-00003 (IMPLEMENTATION)
11	Major nonconformity	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	NCR-2026-000111 (ACTION_REQUIRED) CAPA-2026-00003 (IMPLEMENTATION)
12	Observation	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	
13	Major nonconformity	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	NCR-2026-000113 (ACTION_REQUIRED) CAPA-2026-00003 (IMPLEMENTATION)

No.	Grade	Finding	Evidence	Clause	NCR and CAPA
14	Major nonconformity	Caliper VC-9 was in use without a calibration label, and nobody could say when it was last checked.	Seen at station 4 on 20 October. Register page 12 shows no entry for this instrument since March.	7.1.5	NCR-2026-000114 (ACTION_REQUIRED) CAPA-2026-00003 (IMPLEMENTATION)

Checklist

No.	Question	Clause	Result	Note
1	Are measuring instruments labelled with their calibration status and stored safely? (1)	7.1.1	Conforming	
2	Are measuring instruments labelled with their calibration status and stored safely? (2)	7.1.2	Conforming	
3	Are measuring instruments labelled with their calibration status and stored safely? (3)	7.1.3	Conforming	
4	Are measuring instruments labelled with their calibration status and stored safely? (4)	7.1.4	Conforming	
5	Are measuring instruments labelled with their calibration status and stored safely? (5)	7.1.5	Nonconforming	See the findings.
6	Are measuring instruments labelled with their calibration status and stored safely? (6)	7.1.6	Conforming	
7	Are measuring instruments labelled with their calibration status and stored safely? (7)	7.1.7	Conforming	
8	Are measuring instruments labelled with their calibration status and stored safely? (8)	7.1.8	Conforming	
9	Are measuring instruments labelled with their calibration status and stored safely? (9)	7.1.9	Conforming	
10	Are measuring instruments labelled with their calibration status and stored safely? (10)	7.1.10	Nonconforming	See the findings.
11	Are measuring instruments labelled with their calibration status and stored safely? (11)	7.1.11	Conforming	
12	Are measuring instruments labelled with their calibration status and stored safely? (12)	7.1.12	Conforming	
13	Are measuring instruments labelled with their calibration status and stored safely? (13)	7.1.13	Conforming	

No.	Question	Clause	Result	Note
14	Are measuring instruments labelled with their calibration status and stored safely? (14)	7.1.14	Conforming	
15	Are measuring instruments labelled with their calibration status and stored safely? (15)	7.1.15	Nonconforming	See the findings.
16	Are measuring instruments labelled with their calibration status and stored safely? (16)	7.1.16	Conforming	
17	Are measuring instruments labelled with their calibration status and stored safely? (17)	7.1.17	Conforming	
18	Are measuring instruments labelled with their calibration status and stored safely? (18)	7.1.18	Conforming	
19	Are measuring instruments labelled with their calibration status and stored safely? (19)	7.1.19	Conforming	
20	Are measuring instruments labelled with their calibration status and stored safely? (20)	7.1.20	Nonconforming	See the findings.
21	Are measuring instruments labelled with their calibration status and stored safely? (21)	7.1.21	Conforming	
22	Are measuring instruments labelled with their calibration status and stored safely? (22)	7.1.22	Conforming	
23	Are measuring instruments labelled with their calibration status and stored safely? (23)	7.1.23	Conforming	
24	Are measuring instruments labelled with their calibration status and stored safely? (24)	7.1.24	Conforming	
25	Are measuring instruments labelled with their calibration status and stored safely? (25)	7.1.25	Nonconforming	See the findings.
26	Are measuring instruments labelled with their calibration status and stored safely? (26)	7.1.26	Conforming	
27	Are measuring instruments labelled with their calibration status and stored safely? (27)	7.1.27	Conforming	
28	Are measuring instruments labelled with their calibration status and stored safely? (28)	7.1.28	Conforming	
29	Are measuring instruments labelled with their calibration status and stored safely? (29)	7.1.29	Conforming	

No.	Question	Clause	Result	Note
30	Are measuring instruments labelled with their calibration status and stored safely? (30)	7.1.30	Nonconforming	See the findings.
31	Are measuring instruments labelled with their calibration status and stored safely? (31)	7.1.31	Conforming	
32	Are measuring instruments labelled with their calibration status and stored safely? (32)	7.1.32	Conforming	
33	Are measuring instruments labelled with their calibration status and stored safely? (33)	7.1.33	Conforming	
34	Are measuring instruments labelled with their calibration status and stored safely? (34)	7.1.34	Conforming	
35	Are measuring instruments labelled with their calibration status and stored safely? (35)	7.1.35	Nonconforming	See the findings.
36	Are measuring instruments labelled with their calibration status and stored safely? (36)	7.1.36	Conforming	
37	Are measuring instruments labelled with their calibration status and stored safely? (37)	7.1.37	Conforming	
38	Are measuring instruments labelled with their calibration status and stored safely? (38)	7.1.38	Conforming	
39	Are measuring instruments labelled with their calibration status and stored safely? (39)	7.1.39	Conforming	
40	Are measuring instruments labelled with their calibration status and stored safely? (40)	7.1.40	Nonconforming	See the findings.
41	Are measuring instruments labelled with their calibration status and stored safely? (41)	7.1.41	Conforming	
42	Are measuring instruments labelled with their calibration status and stored safely? (42)	7.1.42	Conforming	
43	Are measuring instruments labelled with their calibration status and stored safely? (43)	7.1.43	Conforming	
44	Are measuring instruments labelled with their calibration status and stored safely? (44)	7.1.44	Conforming	
45	Are measuring instruments labelled with their calibration status and stored safely? (45)	7.1.45	Nonconforming	See the findings.

No.	Question	Clause	Result	Note
46	Are measuring instruments labelled with their calibration status and stored safely? (46)	7.1.46	Conforming	
47	Are measuring instruments labelled with their calibration status and stored safely? (47)	7.1.47	Conforming	
48	Are measuring instruments labelled with their calibration status and stored safely? (48)	7.1.48	Conforming	
49	Are measuring instruments labelled with their calibration status and stored safely? (49)	7.1.49	Conforming	
50	Are measuring instruments labelled with their calibration status and stored safely? (50)	7.1.50	Nonconforming	See the findings.
51	Are measuring instruments labelled with their calibration status and stored safely? (51)	7.1.51	Conforming	
52	Are measuring instruments labelled with their calibration status and stored safely? (52)	7.1.52	Conforming	
53	Are measuring instruments labelled with their calibration status and stored safely? (53)	7.1.53	Conforming	
54	Are measuring instruments labelled with their calibration status and stored safely? (54)	7.1.54	Conforming	
55	Are measuring instruments labelled with their calibration status and stored safely? (55)	7.1.55	Nonconforming	See the findings.
56	Are measuring instruments labelled with their calibration status and stored safely? (56)	7.1.56	Conforming	
57	Are measuring instruments labelled with their calibration status and stored safely? (57)	7.1.57	Conforming	
58	Are measuring instruments labelled with their calibration status and stored safely? (58)	7.1.58	Conforming	
59	Are measuring instruments labelled with their calibration status and stored safely? (59)	7.1.59	Conforming	
60	Are measuring instruments labelled with their calibration status and stored safely? (60)	7.1.60	Nonconforming	See the findings.
61	Are measuring instruments labelled with their calibration status and stored safely? (61)	7.1.61	Conforming	

No.	Question	Clause	Result	Note
62	Are measuring instruments labelled with their calibration status and stored safely? (62)	7.1.62	Conforming	
63	Are measuring instruments labelled with their calibration status and stored safely? (63)	7.1.63	Conforming	
64	Are measuring instruments labelled with their calibration status and stored safely? (64)	7.1.64	Conforming	
65	Are measuring instruments labelled with their calibration status and stored safely? (65)	7.1.65	Nonconforming	See the findings.
66	Are measuring instruments labelled with their calibration status and stored safely? (66)	7.1.66	Conforming	
67	Are measuring instruments labelled with their calibration status and stored safely? (67)	7.1.67	Conforming	
68	Are measuring instruments labelled with their calibration status and stored safely? (68)	7.1.68	Conforming	
69	Are measuring instruments labelled with their calibration status and stored safely? (69)	7.1.69	Conforming	
70	Are measuring instruments labelled with their calibration status and stored safely? (70)	7.1.70	Nonconforming	See the findings.

This report records an organisation's own quality audit. It is not a certificate of compliance with any standard.