

Introduction to Arduino Kit and Robotics



CONTENTS

What Is a Robot?

Arduino Kit Components

Jumper Wires: Making Connections

Push Button

Core Parts of a Robot

Output Devices

SERVO MOTOR

LEDs (Light Emitting Diodes)

What Is a Robot?



What Is a Robot?

Definition

A robot is a machine that can sense, think, and act.

Automation

It follows programs (code) to perform tasks automatically or with guidance.

Key idea: robots = hardware + software working together.

ROBOTICS

Robotics is a study of science that studies the design, construction operation and control of robots using appropriate sofware.

It combines electronics Mechanical engineering and computer science

Rapid advancement of Artificial intelligence technology is also driving significant progress in the field of robotics today

Core Parts of a Robot

Core Parts of a Robot

Sensors

Cameras, microphones, distance sensors, and touch sensors that help robots perceive their environment.

Controller/Brain

A microcontroller or computer (Arduino, Raspberry Pi) that processes information and makes decisions.

Actuators

Motors, servos, wheels, arms, and grippers that allow robots to move and interact with the world.

Power

Batteries or external power sources that provide the energy needed for operation.

Frame/Chassis

The physical structure that holds all components together and gives the robot its form.

Arduino Kit Components



Arduino Kit Components

Component Types

Connectors

Sensors

Description

Jumper wires (various types)

IR sensor, LDR sensor, Push button

Arduino (Nano, UNO, Mega)

Arduino: The Robot's Brain

1 Definition
Small, low-cost
microcontroller
board.

2 Function

Acts as the "brain"

of many DIY

robots and

projects.

Connections

Connects to sensors (inputs) and motors/LEDs

(outputs).

4 Programming

Programs can be written in C/C++,
Python, or block coding in
PictoBlox.

Popular

Models


Arduino Uno,
Nano, Mega.

6 Learning

Great for beginners → simple, hands-on robotics learning.

The Arduino platform provides an accessible entry point to electronics and programming, making it ideal for learning robotics.





- 1. Atmega328P
- 2. DIGITAL I/O PINS
- 3. USB PORT
- 4. External Power Supply
- 5. 3.3V DC OUT Pin
- 6. 5V DC OUT Pin
- 7. GND
- 8. Analog Output

It is the micro controller present in arduino R3. Called as the brain of Arduino. Collects informations and controls devices.

Collects data from input devices. controls output devices the pins. marked with tiled (~) symbol can also be used for pwm.

It connects arduino to computer and helps in uploading programs and transferring data. also used as a source to give power to arduino.

4

It is only used to power the Arduino either through a battery or any other external power source 5

This provides a study 3.3 volt it is mainly used in sensors for giving power

6


This provides a study 5 volt this power is mainly used in servo motors and sensors like LDR and IR sensor

7

This provides thee ground potential zero volt to the arduino it is essential in making circuits with arduino

8

It is mainly used for measuring analogue voltage and it reads the readings from sensors in a special range.



Microcontroller chip

- A microcontroller is a small computer integrated into a single chip.
- It contains the main components of a computer system including processor Ram Rom and input output interfaces all within the microcontroller chip
- In daily life there abundantly seen in washing machine cars remote control etc
- They are also seen inside devices like calculator and mobile phone for making them more efficient.

Jumper Wires: Making Connections

Jumper Wires: Making Connections







Male-to-Male Jumper Wires: Used to connect two female header pins directly (e.g., on a breadboard or BIOS pins). They have metal pins on both ends that plug into sockets or connectors.



Male-to-Female Jumper Wires


One end has a pin (male), and the other has a socket (female). Commonly used for linking boards to modules, sensors, or other jumper wires.



Female-to-Female Jumper Wires

Both ends has sockets. Commonly used for connecting two male header (pins).

Jumper wires are essential for creating electrical connections between components in your robotics projects.




BREADBOARD CONNECTING DEVICES

Breadboard

It is a device that allows you to build and reuse circuits by connecting electronic components to each other without soldering.

The terminals of electronic components can be attached to the holes in the breadboard

These holes are internally connected to each other using conductive wires



Sensors: input devices

IR Sensor: Detecting Objects

What is an IR Sensor?

1

Function

Uses infrared light to detect objects or distance.

2

Components

Consists of an IR LED (emitter) and a photodiode (receiver).

3

Detection

Output changes when an object reflects IR light back to the sensor.





IR Sensor: Detecting Objects


Applications

IR sensors are widely used in obstacle detection, line-following robots, and remote controls. They allow your robot to "see" objects without physical contact, making them essential for navigation and interaction with the environment.



LDR Sensor: Detecting Light

Component Type	Function
What is an LDR?	An electronic component that changes resistance based on light intensity.
How it Works	High resistance in darkness, low resistance in bright light.
Connection	Used with microcontrollers to measure light levels (analog input).



allowing for behaviors like following light sources or activating in darkness.


SERVO MOTOR

SERVO MOTOR

What is a servo motor? How it Works

The server motors shaft rotates through angles from 0 to 180 in accordance with the signal voltage supply. control wires in server motors are usually controlled by arduino using pwm pins


Connection	Description
Used with microcontrollers	Makes physical changes in response to control signals.




Applications

Common in robotic arms, automation systems, and other precise control tasks.

Servo Motor Circuit Diagram





Push Button



Push Button

1

A simple switch used to control circuits manually.

2

Completes the circuit only when pressed (momentary switch).


3


Connected as a digital input to microcontrollers like Arduino.

4

Commonly found in start/stop controls, resets, and interactive robot projects.

Button Circuit Diagram





Output Devices

Output Devices

LED

Red, yellow, green; used in various signaling and lighting applications.

Buzzer

Used for sound alerts and notifications.

These components will form the building blocks of your robotics projects, allowing you to create interactive systems that can sense and respond to their environment.

LEDs (Light Emitting Diodes)



1

Diodes that emit visible light when current passes through them.

2

Available in many colors (red, green, blue, white, RGB, etc.).

3

Require correct polarity and usually a current-limiting resistor.


4


Used in indicators, displays, lighting, and robotics projects.

5

Three colors (red, yellow, green) in our kit.

LED Circuit Diagram









Buzzer: Adding Sound to Your Robot

- An electronic component that produces sound when powered
- Two main types:
 - Active (makes sound with just power)
 - Passive (needs signal/pulses)
 - Can be driven by microcontrollers like
 Arduino for alerts or tones
 - Commonly used in alarms, timers, notifications, and robot sound signals

Adding a buzzer to your robot allows it to communicate through sound, providing feedback or alerts to users.


Buzzer Circuit Diagram






Text book activities

Project 1 (LED BLINKING)





Project 2 (BUZZER)



Project 3 (Auto HAND SANITIZER)

