
```
Your public key has been saved in /c/Users/BJIT/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:+0H0VY1RhHj+zw8M606MywIRonfG9qr9Akh1hIoDZAY sharforaz.rahman@bjitacademy.com
The key's randomart image is:
+--[ED25519 256]--+
                   ..*=
 E+
       + 0
                     Ο.
 0
   0 0 + 0S . 0 .
        . . .0 0 + .
         .0 .0 = .0
        ...o..+.o o
       [SHA256]----+
 BJIT@DESKTOP-EQF83ID MINGW64 ~
$ ssh -T git@github.com
The authenticity of host 'github.com (20.205.243.166)' can't be established. ED25519 key fingerprint is SHA256:+DiY3wvvv6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCoqu.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'github.com' (ED25519) to the list of known hosts.
Hi sharforazBjit! You've successfully authenticated, but GitHub does not provide shell access.
 3JIT@DESKTOP-EQF83ID MINGW64 ~
```

# Creating SSH key



Accepting the Invitation

```
BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project
$ git clone git@github.com:dev-sharif-hasan/BJIT-Force.git
Cloning into 'BJIT-Force'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100\% (4/4), done.
BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project
$ git pull origin development
fatal: not a git repository (or any of the parent directories): .git
BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project
$ cd BJIT-Force
BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (development)
$ git pull origin development
From github.com:dev-sharif-hasan/BJIT-Force
* branch
                    development -> FETCH_HEAD
Already up to date.
            Q Search
                                                                 へ ENG 令 (4)) 🗁 12:43 PM
                        🏏 🔎 🗗 🚺 🧿 📋 🗓 🐠
```

Cloning into remote repository and pulling in the origin development

```
BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (development)

$ git checkout -b task4branch

Switched to a new branch 'task4branch'

BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (task4branch)

$ |
```

Creating a new Branch with the name of task4branch

# # Usage

- \*\*Search for Restaurants:\*\* Use the search functionality to find dining options based on your preferences.
- \*\*Explore Restaurant Profiles:\*\* Click on a restaurant to view its detailed profile, including menu items and reviews.
- \*\*Read and Write Reviews:\*\* Share your dining experiences by leaving reviews and ratings for restaurants.
- \*\*Save Favourites:\*\* Create an account to save your favourite restaurants and receive personalized recommendations.
- \*\*Get Directions:\*\* Click on the map integration to get directions to the selected restaurant.

---

#### ## Contributors

Thank you to the following contributors who have helped to improve this project:

Markdown code of task 4

```
BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (task4branch)

$ git status
On branch task4branch
Changes not staged for commit:
    (use "git add <file>..." to update what will be committed)
    (use "git restore <file>..." to discard changes in working directory)
        modified: README.md

no changes added to commit (use "git add" and/or "git commit -a")

BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (task4branch)

$ git add README.md


BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (task4branch)

$ git commit -m "Finishing Task 4 work"
[task4branch 51bb302] Finishing Task 4 work
1 file changed, 21 insertions(+), 2 deletions(-)

BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (task4branch)

$ |
```

Committing Task 4.



Approving a review

```
BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (task4branch)
$ git log --oneline
51bb302 (HEAD -> task4branch) Finishing Task 4 work
905a5d9 (origin/main) Initial commit
BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (task4branch)
$ git checkout development
Switched to branch 'development'
Your branch is up to date with 'origin/development'.
BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (development)
$ git pull origin development
From github.com:dev-sharif-hasan/BJIT-Force
                     development -> FETCH_HEAD
 * branch
Already up to date.
BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (development)
$ git checkout -b task4
Switched to a new branch 'task4'
```

## Working on a new branch task4

```
<<<<< HEAD (Current Change)
# Local Dining Guide
Web Based Dining Information Solution
Welcome to the Local Dining Guide project! This web-based software solution is designed to
provide users with comprehensive dining information, making it easy for them to explore
and discover local restaurants, cafes, and eateries. Whether you're a food enthusiast looking
for new culinary experiences or a traveller seeking the best dining spots in town, Local
Dining Guide has got you covered.
![BJIT logo](https://bjitgroup.com/static/svg/common/bjit-logo2.svg)
* Introduction
 * evelopment Technology
 * Features
* Getting Started
* Usage
* Contributors
* Contact Information
## Introduction
Local Dining Guide is a user-friendly platform that aims to connect users with local dining
options. It provides a rich and intuitive interface to search for restaurants, view their menus,
read reviews, and get directions. With a focus on enhancing the dining experience, this
```


```
[Blogger](https://img.shields.io/badge/Blogger-FF5/22?style=for-the-badge&logo=blogger&logoColor=white) ![PhpStorm
(https://img.shields.io/badge/phpstorm-143?style=for-the-badge&logo=phpstorm&logoColor=black&color=black&
labelColor=darkorchid)
## License
*This project is licensed under the [MIT License](https://www.bjitacademy.com/).*
## Development Technology
#### Front-End:
 HTML, CSS, JavaScript
 React (Front-end framework)
 Map integration libraries (e.g., Leaflet) for location-based features
 Responsive design for mobile and desktop devices
#### Back-End:
 . Node.js or Python (Server-side scripting)
  Express.js (Web application frameworks)
 MongoDB or PostgreSQL (Database management)
 . Geocoding APIs (for mapping and location data)
```

#### Conflict resolution


```
[task4 56416bf] Finishing Task 4 work
Date: Mon Nov 25 14:16:49 2024 +0600
1 file changed, 21 insertions(+)

BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (task4)
$ |
```

### Cherry-pick work



Creating a pull request



```
BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (task4)
$ git checkout development
Switched to branch 'development'
Your branch is up to date with 'origin/development'.
BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (development)
$ git pull origin development
remote: Enumerating objects: 9, done.
remote: Counting objects: 100% (9/9), done.
remote: Compressing objects: 100\% (4/4), done.
remote: Total 5 (delta 1), reused 3 (delta 1), pack-reused 0 (from 0) Unpacking objects: 100% (5/5), 2.35 KiB | 200.00 KiB/s, done.
From github.com:dev-sharif-hasan/BJIT-Force
 * branch
                     development -> FETCH_HEAD
   3251829..e0f4aab development -> origin/development
Updating 3251829..e0f4aab
Fast-forward
 1 file changed, 34 insertions(+)
BJIT@DESKTOP-EQF83ID MINGW64 ~/Desktop/Project/BJIT-Force (development)
```

Pull into the development