

TATI FARMOS · LIVESTOCK

Building the frontend for **African Agriculture**

Official Web/Mobile contract v2.2 · Livestock MVP Final Release Candidate · sandbox
`http://127.0.0.1:8082/api/v2/`

Release freeze: v2.2 is the frozen Livestock MVP Web/Mobile API contract. No additional MVP functionality or breaking contract change may be introduced without Product change approval.

How frontend should call this API

Base Nginx sandbox `http://127.0.0.1:8082` · direct app `http://127.0.0.1:8001`. Live stack is unchanged on 8081/8000.

Prefix Official contract is `/api/v2/` version **2.2**. Do not change the route prefix to `/api/v2.2/`. Legacy `/api/*` (240 routes) stays for existing clients. Do not mix envelopes. GET `/api/v2/registry/` lists v2 vs approved-legacy vs deprecated.

Auth POST `/api/auth/login` sets `client_access_token` (HTTP-only). Send cookies on v2 requests. Unauthenticated v2 calls return `AUTHENTICATION_REQUIRED`.

IDs Use `livestock_species_id`, `livestock_breed_id`, `housing_unit_id`, integer `farm_id` / `animal_id`, UUID `organization_id` / user ids. People screens use `display_name`. Tasks and timeline include actor, subject, source, result.

Idempotency On writes send `client_request_id` in JSON or header `X-Client-Request-Id`. Same key + same user returns the first JSON body and must not create a second vaccination/feed/sale.

Timezone Dashboard clocks use Africa/Lagos.

WHAT'S NEW IN 2.2

v2.2 Final RC: task timestamps, read-only schedule GET + independent scheduler, Operations capabilities, navigable farm alerts, correct task source/result, birth/offspring integrity, derived flags, `lifecycle_status`, farm people `display_name`, search role/farm context, and dashboard formulas. Feed, finance, reports, and movement stay approved legacy `/api/*`.

CONTRACT RULES WEB/MOBILE MUST NOT CONTRADICT

- `status=overdue` is a list filter for open tasks whose due time has passed. It is not a persisted lifecycle state. Rows return the real status plus `is_overdue=true`.

- Automatically generated work keeps its source: schedule tasks use `source.type=schedule`; vaccination follow-ups use `vaccination_follow_up`; treatment follow-ups use `treatment_follow_up`; observation tasks use `health_observation`. Do not treat these as manual.
- Animal `lifecycle_status` is authoritative. `status` is a deprecated alias. Consume `lifecycle_status`.
- Condition flags are read-only derived. Do not PATCH `is_pregnant` or `is_quarantine`.
- Farm dashboard `today.pending` is an aggregate of due-today open tasks that are not in progress. It is not a task lifecycle status.
- A domain task may be completed without Accept or Start. `accepted_at` and `started_at` may be null on a completed task.
- Navigate completed work with `result`, not `result_reference_table / result_reference_id`.

SUCCESS ENVELOPE (EVERY V2 200)

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Human-readable summary",
  "data": {},
  "meta": null
}
```

LIST ENVELOPE — READ META.PAGINATION (NEVER CURRENT_PAGE / NUM_PAGES)

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Fetched successfully.",
  "data": [
    {
      "id": 1
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 42,
      "total_pages": 2,
      "has_next": true,
      "has_previous": false
    }
  }
}
```

ERROR ENVELOPE (V2)

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
}
```

```
"retryable": false
}
```

Login errors are the old shape `{"status":"Error","message":"Invalid credentials"}` — only on `/api/auth/login`.

Today's implementation update · 2026-09-13

Use this section to identify the endpoints added or changed in today's backend update. The detailed endpoint cards below contain the method, URL, authentication requirement, request payload or query parameters, success response, and stable error response.

- **Access governance:** profile PATCH, user deactivate/reactivate, durable assignment create/update/revoke, owner protection, and active-account enforcement.
- **Profile media:** user avatar upload/remove and farm image upload. Uploads use `multipart/form-data`.
- **Pagination:** roles, permissions, farm people/units, organization reference lists, legacy role/user lists, and livestock master-data lists now accept `page` and `page_size` and return `meta.pagination`.
- **Response rule:** use `data` and `meta.pagination`; do not infer authorization from role labels or parse exception text.

For the exact cards, use the table of contents entries **Assignments**, **Pagination**, **Users**, and **Farms**.

Frontend screen map

Screen	Call these
App shell / nav	GET <code>/users/me/</code> then GET <code>/users/me/capabilities/</code>
Org home	GET <code>/dashboard/organization/</code> and GET <code>/organizations/{id}/summary/</code>
Farm home	GET <code>/dashboard/farm/{id}/</code> , overview, people, units, alerts
Herd list	GET <code>/animals/</code> with filters; PATCH for identity/housing only
Animal page	GET <code>/animals/{id}/profile/</code> + <code>/timeline/</code>
Scanner	GET <code>/animals/resolve-tag/{tag}/</code> or GET <code>/search/?q=</code>
My Work	GET <code>/operations/my-work/</code> , today, overdue; accept <code>/start/</code> <code>/complete/</code> <code>/unable-to-complete</code>
Ops manager	POST <code>/operations/tasks/</code> , assign, reopen, schedules, GET <code>/registry/</code>
People	GET <code>/users/</code> , <code>/roles/</code> , <code>/permissions/</code> — invite stays POST <code>/api/admin/invite/</code>
Health workspace	GET <code>/dashboard/health/</code> , cases, observations (<code>create_case</code>), <code>/health/alerts/</code>
Inbox	GET <code>/notifications/unread-count/</code> then GET <code>/notifications/</code> — not farm alerts

Ibrahim vaccination flow

1. Owner POST `/operations/tasks/` with `task_type: vaccination` and Ibrahim's assignee_id.
2. Ibrahim GET `/operations/my-work/` — task is in `data[]`.

3. POST .../accept/ then optional .../start/.
4. POST .../complete/ with vaccine_name + date_given (+ client_request_id).
5. Backend writes the existing VaccinationRecord, emits timeline events, creates a follow-up task if next_due_date is set, and the task leaves My Work.
6. Retry the same complete with the same client_request_id — still one vaccination row.

complete() JSON by task_type

task_type	Required JSON fields	Writes
vaccination	vaccine_name, optional date_given, next_due_date, notes	VaccinationRecord + follow-up task sourced as vaccination_follow_up
treatment	diagnosis, treatment, severity; optional drug_batch + quantity	TreatmentRecord (deducts drug stock) + follow-up task sourced as treatment_follow_up
feed_issuance	feed_inventory_id, quantity_issued, target_type	FeedIssuanceRecord (deducts feed)
sale	buyer_name, price; override_reason if restricted	SalesRecord (sale_readiness rules)
movement	to_housing_unit_id or to_unit_id	MovementRecord
observation	symptoms	HealthObservation
weight	weight, optional unit, measured_at	AnimalWeight (one per animal per day)
pregnancy_check	result (pregnant not_pregnant); expected_delivery_date if pregnant	PregnancyRecord + is_pregnant
mortality	optional cause, died_at	MortalityRecord + mark_dead + cancel open tasks
generic	none	Task only + timeline

Useful error codes: TASK_ASSIGNMENT_REQUIRED, TASK_ALREADY_COMPLETED, INSUFFICIENT_FEED_STOCK, INSUFFICIENT_DRUG_STOCK, INVALID_ANIMAL_STATE (sale blocked), SESSION_EXPIRED.

Endpoints

1. [Contract](#) (2)
2. [Session](#) (legacy login, still required) (1)
3. [Users](#) (13)
4. [Roles](#) (2)
5. [Organizations](#) (5)
6. [Farms](#) (8)
7. [Animals](#) (6)
8. [Operations](#) (19)
9. [Timeline](#) (1)

- 10. [Health](#) (7)
- 11. [Notifications](#) (4)
- 12. [Search](#) (1)
- 13. [Dashboard](#) (4)
- 14. [Reproduction](#) (2)
- 15. [Assignments](#) (3)
- 16. [Pagination](#) (5)

Contract

GET /api/v2/

Contract health

Ping the official frontend contract. No cookie required. Use this to confirm the app is talking to /api/v2/ rather than legacy /api/*.

Auth Public

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "v2.2 Livestock MVP Final Release Candidate is available.",
  "data": {
    "contract": "FarmOS Frontend API Contract v2.2",
    "release": "Livestock MVP Final Release Candidate",
    "legacy_prefix": "/api/",
    "this_prefix": "/api/v2/",
    "identifiers": [
      "livestock_species_id",
      "livestock_breed_id",
      "housing_unit_id",
      "farm_id",
      "organization_id",
      "animal_id",
      "group_id"
    ]
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/registry/

Endpoint registry

Machine-readable map of every MVP operation: v2, approved legacy, or deprecated. Cookie required. Use this instead of hard-coding which domains are still on /api/*.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Endpoint registry fetched successfully.",
  "data": {
    "contract": "2.2",
    "entries": [
      {
        "domain": "Auth",
        "operation": "Login",
        "endpoint": "POST /api/auth/login",
        "status": "legacy_approved",
        "notes": "Only approved non-v2 envelope."
      },
      {
        "domain": "Animals",
        "operation": "List",
        "endpoint": "GET /api/v2/animals/",
        "status": "v2"
      },
      {
        "domain": "Reproduction",
        "operation": "Pregnancy",
        "endpoint": "/api/reproduction/",
        "status": "legacy_approved"
      }
    ]
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
}
```

```
"retryable": false  
}
```

Session (legacy login, still required)

POST /api/auth/login

Sign in (sets cookies)

v2 does not replace login. POST email + password to the legacy auth route. Success JSON is small; the session is HTTP-only cookies `client_access_token`, `client_refresh_token`, `client_csrf_token`. Send those cookies on every `/api/v2/` call. Do not parse v2 fields on this response.

Auth Public

EXAMPLE REQUEST JSON

```
{
  "email": "ibrahim@farm.example",
  "password": "Str0ngPass!word"
}
```

EXAMPLE SUCCESS JSON

```
{
  "status": "Success",
  "message": "Login successful",
  "is_admin": false
}
```

EXAMPLE ERROR JSON · HTTP 401 — THIS SHAPE IS NOT THE V2 ENVELOPE

```
{
  "status": "Error",
  "message": "Invalid credentials"
}
```

Users

GET /api/v2/users/me/

Current user operational profile

Call once after login to bootstrap the shell: identity, organization, farm-role assignments, permission codes, and work_summary for My Work badges. Task counts are live.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "User profile fetched successfully.",
  "data": {
    "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "display_name": "Amina Owner",
    "email": "owner@farm.example",
    "username": "owner",
    "account_status": "Active",
    "is_admin": false,
    "organization": {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "name": "Zaima Farms",
      "code": "ZAIMA",
      "status": "active"
    },
    "assignments": [
      {
        "role_id": 3,
        "role_name": "Farm Manager",
        "role_code": "farm_manager",
        "farm_id": 1,
        "farm_name": "North Paddock"
      }
    ],
    "permissions": [
      "add_health",
      "view_animal_details",
      "view_health"
    ],
    "work_summary": {
      "open_tasks": 2,
      "due_today": 1,
      "overdue_tasks": 1,
      "completed_today": 1
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON - HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/users/me/capabilities/

Capabilities and navigation map

Drive UI chrome from capabilities and navigation booleans. Do not infer menus from raw permission strings alone. operations and my_work follow view_operation.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Capabilities fetched successfully.",
  "data": {
    "is_organization_owner": true,
    "permissions": [
      "add_health",
      "view_animal_details"
    ],
    "capabilities": {
      "view_animal_details": true,
      "add_animal_details": true,
      "update_animal_details": true,
      "view_health": true,
      "record_health": true,
      "record_health_observation": true,
      "manage_health_case": true,
      "view_feed": true,
      "record_feed_activity": true,
      "view_reproduction": true,
      "add_reproduction": true,
      "view_operation": true,
      "create_operation": true,
      "assign_operation": true,
      "reassign_operation": true,
      "complete_operation": true,
      "cancel_operation": true
    },
    "navigation": {
      "dashboard": true,
      "livestock": true,
      "health": true,
      "feed": true,
      "reproduction": true,
      "operations": true,
      "my_work": true,
      "people": true,
      "reports": true,
      "sales": false
    }
  }
},
```

```
"meta": null  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/users/me/activity/

Current user activity

Timeline of events this user created. Paginated via query page and page_size. Read meta.pagination — not current_page / num_pages.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	1-based page, default 1
page_size	int	no	Default 20, max 100

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Activity fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "reference": {
        "type": "vaccination",
        "id": 41
      },
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "actor": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa",
        "role_name": "Field Worker"
      },
      "created_at": "2026-08-27T09:15:00+00:00"
    }
  ],
  "meta": {
```

```
"pagination": {  
  "page": 1,  
  "page_size": 20,  
  "total_items": 1,  
  "total_pages": 1,  
  "has_next": false,  
  "has_previous": false  
}  
}  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/users/me/tasks/

Tasks assigned to me

Same records as My Work, including completed if you pass status. Use status=open for the inbox.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	1-based page
page_size	int	no	Default 20
status	string	no	open assigned accepted completed cancelled unable_to_complete overdue

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Tasks fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "is_overdue": false,
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "assignee": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa"
      },
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "actor": {
        "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "display_name": "Amina Owner",
        "role_name": "Farm Manager"
      },
      "accepted_at": null,
```

```

    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
    "result": null,
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 1,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}

```

EXAMPLE ERROR JSON · HTTP 401

```

{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

GET /api/v2/users/

People list

Org people picker. Requires Farm.UPDATE or org owner. Invite still uses approved legacy POST /api/admin/invite/.

Auth Cookie · manage people

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "People fetched successfully.",
  "data": [
    {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa",
      "email": "ibrahim@farm.example",
      "account_status": "Active"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
}
```

```
"retryable": false  
}
```

GET /api/v2/users/{user_id}/

User operational profile

Same people-auth as the list. Includes display_name, assignments, and work_summary.

Auth Cookie · manage people

URL PARAMETERS

Name	Type	What to send
user_id	uuid	User UUID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "User profile fetched successfully.",
  "data": {
    "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "display_name": "Ibrahim Musa",
    "email": "ibrahim@farm.example",
    "phone": null,
    "account_status": "Active",
    "organization": {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "name": "Zaima Farms",
      "code": "ZAIMA"
    },
    "assignments": [
      {
        "role_id": 4,
        "role_name": "Field Worker",
        "role_code": "e2e_field",
        "farm_id": 1,
        "farm_name": "North Paddock"
      }
    ],
    "work_summary": {
      "open_tasks": 2,
      "due_today": 1,
      "overdue_tasks": 0,
      "completed_today": 1
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
```

```
"code": "USER_NOT_FOUND",  
"message": "User could not be found.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

GET /api/v2/users/{user_id}/activity/

User activity

Timeline of events this user created. Same people-auth.

Auth Cookie · manage people

URL PARAMETERS

Name	Type	What to send
user_id	uuid	User UUID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Activity fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "reference": {
        "type": "vaccination",
        "id": 41
      },
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "actor": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa",
        "role_name": "Field Worker"
      }
    }
  ]
}
```

```
    },
    "created_at": "2026-08-27T09:15:00+00:00"
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 1,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/users/{user_id}/tasks/

Tasks assigned to a user

Manager view of one worker's queue. Same filters as /users/me/tasks/.

Auth Cookie · manage people

URL PARAMETERS

Name	Type	What to send
user_id	uuid	User UUID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
status	string	no	open assigned completed ...

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Tasks fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "is_overdue": false,
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "assignee": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa"
      },
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "actor": {
        "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
```

```

        "display_name": "Amina Owner",
        "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
        "type": "manual",
        "id": null
    },
    "result": null,
    "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
}
],
"meta": {
    "pagination": {
        "page": 1,
        "page_size": 20,
        "total_items": 1,
        "total_pages": 1,
        "has_next": false,
        "has_previous": false
    }
}
}

```

EXAMPLE ERROR JSON · HTTP 401

```

{
    "success": false,
    "code": "AUTHENTICATION_REQUIRED",
    "message": "Authentication is required.",
    "data": null,
    "errors": {},
    "retryable": false
}

```

Roles

GET /api/v2/roles/

Roles list

Org roles for people screens. Assigning a role still uses approved legacy POST /api/role/user-role/.

Auth Cookie · manage people

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Roles fetched successfully.",
  "data": [
    {
      "id": 3,
      "name": "Farm Manager",
      "code": "farm_manager",
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/permissions/

Permissions catalog

Permission codes the UI can show when editing roles.

Auth Cookie · manage people

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Permissions fetched successfully.",
  "data": [
    {
      "id": 1,
      "code": "view_animal_details",
      "name": "View animal details",
      "module": "animals"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Organizations

GET /api/v2/organizations/{organization_id}/

Organization profile

Operational org card for settings and home. organization_id is a UUID and must be the caller's org.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Caller's organization UUID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Organization fetched successfully.",
  "data": {
    "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "name": "Zaima Farms",
    "code": "ZAIMA",
    "status": "active",
    "industry": "Livestock",
    "country": "Nigeria",
    "state_region": "Kaduna",
    "logo": null,
    "is_owner": true,
    "counts": {
      "farms": 1,
      "people": 4,
      "animals": 120,
      "active_animals": 110,
      "open_tasks": 6
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "ORGANIZATION_NOT_FOUND",
  "message": "Organization could not be found.",
  "data": null,
  "errors": {}
}
```

```
"retryable": false
}
```

PATCH /api/v2/organizations/{organization_id}/

Update organization

Owner-only. Send only fields to change.

Auth Cookie · organization owner

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Organization UUID

EXAMPLE REQUEST JSON

```
{
  "name": "Zaima Farms Ltd",
  "status": "active"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Organization updated successfully.",
  "data": {
    "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "name": "Zaima Farms Ltd",
    "status": "active"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/organizations/{organization_id}/summary/

Organization summary counts

Compact counts for the org home header. Prefer this over chaining many legacy dashboard calls.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Organization UUID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Organization summary fetched successfully.",
  "data": {
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "farms": 1,
    "animals": {
      "total": 120,
      "active": 110,
      "sold": 6,
      "dead": 4,
      "quarantine": 2,
      "pregnant": 9
    },
    "open_tasks": 6,
    "roles": 3,
    "people": 4
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/organizations/{organization_id}/activity/

Organization activity

Unified event list across all farms in the org. Same event objects as /timeline/.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Organization UUID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Activity fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "reference": {
        "type": "vaccination",
        "id": 41
      },
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "actor": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa",
        "role_name": "Field Worker"
      }
    }
  ]
}
```

```
    },
    "created_at": "2026-08-27T09:15:00+00:00"
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 2,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/organizations/{organization_id}/farms/

List farms

Farm switcher. Each row includes animal_count.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Organization UUID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farms fetched successfully.",
  "data": [
    {
      "id": 1,
      "name": "North Paddock",
      "farm_code": "NP-01",
      "status": "active",
      "is_primary": true,
      "farm_type": "Livestock",
      "city": "Zaria",
      "animal_count": 120,
      "active_animals": 110
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Farms

GET /api/v2/farms/{farm_id}/

Farm profile

Farm settings card plus live counts (animals, tasks, alerts, units). farm_id is an integer.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm numeric ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm fetched successfully.",
  "data": {
    "id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "name": "North Paddock",
    "farm_code": "NP-01",
    "status": "active",
    "is_primary": true,
    "farm_type": "Livestock",
    "city": "Zaria",
    "location_address": "Kaduna\u2013Zaria road",
    "latitude": 11.11,
    "longitude": 7.72,
    "country": "Nigeria",
    "state_region": "Kaduna",
    "counts": {
      "animals": 120,
      "active_animals": 110,
      "sold": 6,
      "dead": 4,
      "quarantine": 2,
      "open_tasks": 6,
      "open_alerts": 3,
      "housing_units": 8,
      "farm_units": 4
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "FARM_NOT_FOUND",
}
```

```
"message": "Farm could not be found.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

PATCH /api/v2/farms/{farm_id}/

Update farm

Partial update. Setting `is_primary` true clears primary on other farms in the org.

Auth Cookie · `update_farm`

URL PARAMETERS

Name	Type	What to send
<code>farm_id</code>	int	Farm ID

EXAMPLE REQUEST JSON

```
{
  "name": "North Paddock",
  "city": "Zaria",
  "status": "active",
  "is_primary": true
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm updated successfully.",
  "data": {
    "id": 1,
    "name": "North Paddock",
    "is_primary": true
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/farms/{farm_id}/overview/

Farm overview

Profile plus health_breakdown and people_count for the farm home.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm overview fetched successfully.",
  "data": {
    "id": 1,
    "name": "North Paddock",
    "health_breakdown": {
      "healthy": 100,
      "sick": 8,
      "recovering": 2
    },
    "people_count": 3
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/farms/{farm_id}/timeline/

Farm timeline

Events for one farm. Optional event_type filter uses canonical names: vaccination, treatment, feeding, sale, task_created, task_completed.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
event_type	string	no	Canonical event name

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Timeline fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "reference": {
        "type": "vaccination",
        "id": 41
      },
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "actor": {
```

```
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa",
      "role_name": "Field Worker"
    },
    "created_at": "2026-08-27T09:15:00+00:00"
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 2,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/farms/{farm_id}/people/

Farm people

Staff assigned to this farm (plus org owner). Use for assign-task pickers.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "People fetched successfully.",
  "data": [
    {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa",
      "email": "ibrahim@farm.example",
      "username": "ibrahim",
      "account_status": "Active",
      "is_owner": false,
      "roles": [
        {
          "role": "Field Worker",
          "role_code": "e2e_field",
          "farm_id": 1
        }
      ]
    }
  ],
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/farms/{farm_id}/units/

Housing and farm units

housing_units are v2 livestock housing (housing_unit_id). farm_units are legacy pens. Prefer housing_units for new UI.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Units fetched successfully.",
  "data": {
    "housing_units": [
      {
        "id": 4,
        "kind": "housing_unit",
        "name": "Pen A",
        "status": "active",
        "capacity": 20,
        "occupancy": 12,
        "location": "North"
      }
    ],
    "farm_units": [
      {
        "id": 2,
        "kind": "farm_unit",
        "name": "Barn 1",
        "code": "B1",
        "status": "active",
        "capacity": 30,
        "unit_type": "barn"
      }
    ]
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
}
```

```
"data": null,  
"errors": {},  
"retryable": false  
}
```

GET /api/v2/farms/{farm_id}/alerts/

Farm attention alerts

These are farm attention items, not tasks and not the notification inbox. Do not merge with /operations or /notifications.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
status	string	no	open (default) or resolved

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Alerts fetched successfully.",
  "data": [
    {
      "id": 9,
      "alert_type": "vaccination_due",
      "priority": "warning",
      "title": "Vaccination due",
      "message": "COW-001 CBPP due",
      "status": "open",
      "due_date": "2026-08-29T00:00:00+00:00",
      "created_at": "2026-08-20T00:00:00+00:00",
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "reference": {
        "type": "vaccination_schedule",
        "id": 52
      },
      "available_actions": [
        "view_subject",
        "create_task"
      ]
    }
  ]
}
```

```
  },
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Animals

GET /api/v2/animals/

List animals

Herd cards. Each row is the same card shape as create/profile (id, tag_id, flags, lifecycle_status). status is a deprecated alias of lifecycle_status. Animal condition flags are read-only derived operational state — do not infer pregnancy/sold from this list's flags for writes.

Auth Cookie · view_animal_details

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm
search	string	no	Tag, notes, or numeric id
livestock_species_id	int	no	Species
livestock_breed_id	int	no	Breed
gender	string	no	female male
lifecycle_status	string	no	active sold dead transferred_out culled
health_status	string	no	healthy sick at_risk recovering
housing_unit_id	int	no	Housing unit
is_pregnant	bool	no	Filter pregnant
is_lactating	bool	no	Filter lactating
is_quarantine	bool	no	Filter quarantine
needs_attention	bool	no	sick, at_risk, or quarantine
sort	string	no	id -id tag_id -tag_id status created_at

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Animals fetched successfully.",
  "data": [
    {
      "id": 15,
      "tag_id": "COW-001",
      "farm_id": 1,
      "species": "Cattle",
```

```
    "breed": "White Fulani",
    "gender": "female",
    "age_months": 18,
    "lifecycle_status": "active",
    "health_status": "healthy",
    "housing_unit": {
      "id": 4,
      "name": "Pen A"
    },
    "flags": {
      "is_pregnant": false,
      "is_lactating": false,
      "is_quarantine": false,
      "needs_attention": false,
      "is_active": true,
      "_mutability": "read_only_derived"
    },
    "image_url": null
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 120,
    "total_pages": 2,
    "has_next": true,
    "has_previous": false
  }
}
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/animals/

Progressive animal create

Request field status is the lifecycle write value: active | sold | dead | transferred_out | culled (not pregnant/sick). Response uses lifecycle_status as the authoritative field; status is a deprecated alias. tag_id is optional; empty/null generates INT-{uuid}. Breed and housing are optional. Born animals still need mother_id and dob. Optional client_request_id for offline retries.

Auth Cookie · add_animal_details

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "tag_id": null,
  "gender": "female",
  "source_type": "opening_record",
  "status": "active",
  "livestock_species_id": 1,
  "livestock_breed_id": 2,
  "housing_unit_id": 4,
  "estimated_age_months": 18,
  "notes": "Untagged opening record",
  "client_request_id": "create-untagged-001"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Animal created successfully.",
  "data": {
    "id": 16,
    "tag_id": "INT-A1B2C3D4E5F6",
    "lifecycle_status": "active",
    "status": "active",
    "health_status": "healthy",
    "flags": {
      "is_pregnant": false,
      "is_lactating": false,
      "is_quarantine": false,
      "needs_attention": false,
      "is_active": true,
      "_mutability": "read_only_derived"
    },
  },
  "card": {
    "id": 16,
    "tag_id": "INT-A1B2C3D4E5F6",
    "farm_id": 1,
    "species": "Cattle",
    "breed": "White Fulani",
    "gender": "female",
    "age_months": 18,
    "lifecycle_status": "active",
  }
}
```

```
    "health_status": "healthy",
    "housing_unit": {
      "id": 4,
      "name": "Pen A"
    },
    "flags": {
      "is_pregnant": false,
      "is_lactating": false,
      "is_quarantine": false,
      "needs_attention": false,
      "is_active": true,
      "_mutability": "read_only_derived"
    },
    "image_url": null
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "DUPLICATE_RECORD",
  "message": "Tag ID already exists.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

PATCH /api/v2/animals/{animal_id}/

Partial animal update

Identity/housing/notes only. Animal condition flags are read-only derived operational state: is_pregnant from an active pregnancy record, is_lactating from reproduction/production state, is_quarantine from an active quarantine record, needs_attention from backend health/ops rules, is_active from lifecycle_status = active. Do not PATCH is_pregnant, is_lactating, is_quarantine, needs_attention, is_active, or lifecycle_status — those change through domain workflows. Sold/dead via PATCH is rejected.

Auth Cookie · update_animal_details

URL PARAMETERS

Name	Type	What to send
animal_id	int	Animal ID

EXAMPLE REQUEST JSON

```
{
  "notes": "Moved to Pen A",
  "housing_unit_id": 4,
  "tag_id": "COW-001"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Animal updated successfully.",
  "data": {
    "id": 15,
    "tag_id": "COW-001",
    "overview": {
      "farm_id": 1,
      "farm": "North Paddock",
      "housing_unit_id": 4
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 422

```
{
  "success": false,
  "code": "VALIDATION_ERROR",
  "message": "Sold or dead status must be recorded through operations.",
  "data": null,
  "errors": {},
}
```

```
"retryable": false  
}
```

GET /api/v2/animals/{animal_id}/profile/

Animal operational profile

Single screen payload: card, overview, reproduction, production, health, feeding, movement, sale_readiness, open_tasks. lifecycle_status is authoritative; status is a deprecated alias. Keep GET /api/animals/animal-profile/v2/{id} working for old clients; new UI should use this path.

Auth Cookie · view_animal_details

URL PARAMETERS

Name	Type	What to send
animal_id	int	Animal ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Animal profile fetched successfully.",
  "data": {
    "id": 15,
    "tag_id": "COW-001",
    "lifecycle_status": "active",
    "status": "active",
    "health_status": "healthy",
    "flags": {
      "is_pregnant": false,
      "is_lactating": false,
      "is_quarantine": false,
      "needs_attention": false,
      "is_active": true,
      "_mutability": "read_only_derived"
    },
    "card": {
      "id": 15,
      "tag_id": "COW-001",
      "farm_id": 1,
      "species": "Cattle",
      "breed": "White Fulani",
      "gender": "female",
      "age_months": 18,
      "lifecycle_status": "active",
      "health_status": "healthy",
      "housing_unit": {
        "id": 4,
        "name": "Pen A"
      },
      "flags": {
        "is_pregnant": false,
        "is_lactating": false,
        "is_quarantine": false,
        "needs_attention": false,
```

```
    "is_active": true,
    "_mutability": "read_only_derived"
  },
  "image_url": null
},
"overview": {
  "species": "Cattle",
  "livestock_species_id": 1,
  "breed": "White Fulani",
  "livestock_breed_id": 2,
  "housing_unit": "Pen A",
  "housing_unit_id": 4,
  "farm_id": 1,
  "farm": "North Paddock",
  "mother_tag": null,
  "source": "Purchased",
  "entry_date": "2026-01-10"
},
"reproduction": {
  "last_insemination_date": null,
  "expected_delivery_date": null,
  "pregnancy_status": "Not Pregnant"
},
"production": {
  "lactation_status": "Not Lactating",
  "milk_production_today": 0
},
"health": {
  "health_status": "healthy",
  "is_quarantine": false,
  "last_vaccination": {
    "vaccine_name": "CBPP",
    "date_given": "2026-08-27",
    "next_due_date": "2026-09-26"
  },
  "last_treatment": null
},
"feeding": {
  "last_feed_issuance": null
},
"movement": {
  "last_move_date": null,
  "from_unit": null,
  "to_unit": null
},
"sale_readiness": {
  "status": "not_ready_for_sale",
  "restrictions": [],
  "manual_review_reasons": [],
  "factors": {}
},
"open_tasks": [
  {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
```

```

        "group_id": null,
        "parent_id": null,
        "task_type": "vaccination",
        "title": "Vaccinate COW-001 \u2014 CBPP",
        "description": "Annual CBPP shot",
        "status": "assigned",
        "is_overdue": false,
        "priority": "high",
        "due_at": "2026-08-28T08:00:00+00:00",
        "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "assigned_to_email": "ibrahim@farm.example",
        "assignee": {
            "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
            "display_name": "Ibrahim Musa"
        },
        "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "actor": {
            "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
            "display_name": "Amina Owner",
            "role_name": "Farm Manager"
        },
        "accepted_at": null,
        "started_at": null,
        "completed_at": null,
        "cancelled_at": null,
        "unable_to_complete_at": null,
        "unable_reason_code": null,
        "source": {
            "type": "manual",
            "id": null
        },
        "result": null,
        "subject": {
            "type": "animal",
            "id": 15,
            "label": "COW-001"
        },
        "result_reference_table": null,
        "result_reference_id": null,
        "created_at": "2026-08-27T07:00:00+00:00"
    }
]
},
"meta": null
}

```

EXAMPLE ERROR JSON · HTTP 404

```

{
  "success": false,
  "code": "ANIMAL_NOT_FOUND",
  "message": "Animal could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

GET /api/v2/animals/{animal_id}/timeline/

Animal timeline

Convenience filter of the unified timeline for one animal.

Auth Cookie · view_animal_details

URL PARAMETERS

Name	Type	What to send
animal_id	int	Animal ID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Timeline fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "reference": {
        "type": "vaccination",
        "id": 41
      },
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "actor": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa",
        "role_name": "Field Worker"
      }
    }
  ]
}
```

```
    },
    "created_at": "2026-08-27T09:15:00+00:00"
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 1,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/animals/resolve-tag/{tag_id}/

Resolve ear tag

Scanner / search jump. Optional farm_id query scopes the lookup. Tags are unique in this backend.

Auth Cookie · view_animal_details

URL PARAMETERS

Name	Type	What to send
tag_id	string	Ear tag, e.g. COW-001

QUERY PARAMETERS

Name	Type	Required	What to send
farm_id	int	no	Limit to one farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Tag resolved successfully.",
  "data": {
    "id": 15,
    "tag_id": "COW-001",
    "farm_id": 1,
    "lifecycle_status": "active",
    "status": "active",
    "health_status": "healthy"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "TAG_NOT_FOUND",
  "message": "No animal found for this tag.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Operations

POST /api/v2/operations/tasks/

Create a task

task_type: vaccination | treatment | feed_issuance | sale | movement | observation | weight | pregnancy_check | mortality | generic. If assignee_id is set, status becomes assigned and the worker is notified.

Auth Cookie · create_operation

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "task_type": "vaccination",
  "title": "Vaccinate COW-001 \u2014 CBPP",
  "description": "Annual CBPP shot",
  "animal_id": 15,
  "due_at": "2026-08-28T08:00:00Z",
  "priority": "high",
  "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
  "client_request_id": "task-create-001"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task created successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    }
  }
}
```

```
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
  },
  "result": null,
  "subject": {
    "type": "animal",
    "id": 15,
    "label": "COW-001"
  },
  "result_reference_table": null,
  "result_reference_id": null,
  "created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 422

```
{
  "success": false,
  "code": "VALIDATION_ERROR",
  "message": "Invalid task type.",
  "data": null,
  "errors": {
    "task_type": "weigh"
  },
  "retryable": false
}
```

GET /api/v2/operations/tasks/

List tasks

Manager queue. status=open excludes completed/cancelled/unable_to_complete.
status=overdue is a filter shortcut for open tasks whose due_at has passed — it is not a persisted lifecycle state. Each matching row returns its real status (assigned, accepted, in_progress, ...) plus is_overdue=true.

Auth Cookie · view_operation

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Filter farm
status	string	no	open overdue assigned ...
task_type	string	no	vaccination, treatment, ...
assigned_to_me	bool	no	true to hide others' tasks

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Tasks fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "is_overdue": false,
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "assignee": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa"
      }
    }
  ],
}
```

```

    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
    "result": null,
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 1,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}

```

EXAMPLE ERROR JSON · HTTP 401

```

{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

GET /api/v2/operations/tasks/{task_id}/

Get task by ID

Single task. Persisted lifecycle states: draft, assigned, accepted, in_progress, completed, unable_to_complete, cancelled. Overdue is computed as is_overdue=true; status is never overdue.

Auth Cookie · view_operation

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task fetched successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
  }
}
```

```
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "TASK_NOT_FOUND",
  "message": "Task could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/tasks/{task_id}/assign/

Assign or reassign

Replaces the current assignee. Previous pending assignment is superseded. Worker gets a notification.

Auth Cookie · assign_operation / reassign_operation

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{
  "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task assigned successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
  }
}
```

```
"completed_at": null,
"cancelled_at": null,
"unable_to_complete_at": null,
"unable_reason_code": null,
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "TASK_INVALID_STATE",
  "message": "Completed or cancelled tasks cannot be assigned.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/tasks/{task_id}/accept/

Accept task

Only the assignee (or org owner). Empty JSON body is fine. Moves status to accepted.

Auth Cookie · assignee

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task accepted successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "accepted",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": "2026-08-27T08:05:00+00:00",
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
  }
}
```

```
"unable_reason_code": null,
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/tasks/{task_id}/start/

Start task

Optional. Auto-accepts if still assigned. Sets in_progress. complete() can skip this step.

Auth Cookie · assignee

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task started successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "in_progress",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": "2026-08-27T08:05:00+00:00",
    "started_at": "2026-08-27T08:06:00+00:00",
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
  }
}
```

```
"unable_reason_code": null,
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "TASK_INVALID_STATE",
  "message": "Task cannot be started.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/tasks/{task_id}/complete/

Complete task (writes the domain record)

This is the important call. It runs in one DB transaction: validate → write the domain record → mark task completed → emit timeline. A simple domain task may be completed directly without Accept or Start, so status=completed with accepted_at=null and started_at=null is valid. Body fields depend on task_type — see the complete() payload appendix. Weight writes AnimalWeight; pregnancy_check writes PregnancyRecord and sets is_pregnant; mortality writes MortalityRecord, marks the animal dead, and cancels incompatible open tasks. If stock is short the task stays incomplete. Send client_request_id (or header X-Client-Request-Id) so a retry does not double-write. New clients should navigate with result, not result_reference_table/result_reference_id.

Auth Cookie · complete_operation + domain write permission

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{
  "vaccine_name": "CBPP",
  "date_given": "2026-08-27",
  "next_due_date": "2026-09-26",
  "notes": "Given in paddock",
  "client_request_id": "complete-12"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task completed successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "completed",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
  }
}
```

```

"assignee": {
  "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
  "display_name": "Ibrahim Musa"
},
"created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
"actor": {
  "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
  "display_name": "Amina Owner",
  "role_name": "Farm Manager"
},
"accepted_at": null,
"started_at": null,
"completed_at": "2026-08-27T09:15:00+00:00",
"cancelled_at": null,
"unable_to_complete_at": null,
"unable_reason_code": null,
"source": {
  "type": "manual",
  "id": null
},
"result": {
  "type": "vaccination_record",
  "id": 41
},
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": "vaccination_record",
"result_reference_id": 41,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}

```

EXAMPLE ERROR JSON · HTTP 409

```

{
  "success": false,
  "code": "INSUFFICIENT_DRUG_STOCK",
  "message": "Insufficient stock available in the selected drug batch.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

POST /api/v2/operations/tasks/{task_id}/cancel/

Cancel task

Open tasks only. Notifies the assignee.

Auth Cookie · cancel_operation

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{
  "reason": "Animal sold before visit"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task cancelled successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "cancelled",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
  }
}
```

```
"cancelled_at": "2026-08-27T11:30:00+00:00",
"unable_to_complete_at": null,
"unable_reason_code": null,
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "TASK_INVALID_STATE",
  "message": "Task cannot be cancelled.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/tasks/{task_id}/unable-to-complete/

Unable to complete

Assignee (or owner) records that the work could not be done. reason_code: animal_unavailable | animal_moved | animal_sick | material_unavailable | medicine_unavailable | equipment_unavailable | incorrect_assignment | unable_to_identify_subject | unsafe_to_proceed | other. Status becomes unable_to_complete. Not the same as cancel.

Auth Cookie · assignee

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{
  "reason_code": "animal_unavailable",
  "notes": "Moved to another paddock",
  "client_request_id": "unable-12"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Unable-to-complete recorded.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "unable_to_complete",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",

```

```
    "role_name": "Farm Manager"
  },
  "accepted_at": null,
  "started_at": null,
  "completed_at": null,
  "cancelled_at": null,
  "unable_to_complete_at": "2026-08-27T11:00:00+00:00",
  "unable_reason_code": "animal_unavailable",
  "source": {
    "type": "manual",
    "id": null
  },
  "result": null,
  "subject": {
    "type": "animal",
    "id": 15,
    "label": "COW-001"
  },
  "result_reference_table": null,
  "result_reference_id": null,
  "created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "TASK_ALREADY_COMPLETED",
  "message": "Completed tasks cannot be marked unable.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/tasks/{task_id}/reopen/

Reopen task

Manager/owner only. Reopens `unable_to_complete` or cancelled tasks (not completed). Optional new `assignee_id` and `due_at`. Status becomes assigned if an assignee is set, otherwise draft.

Auth Cookie · `assign_operation` / owner

URL PARAMETERS

Name	Type	What to send
<code>task_id</code>	int	Task ID

EXAMPLE REQUEST JSON

```
{
  "reason": "Animal returned",
  "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task reopened successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    }
  }
}
```

```
"accepted_at": null,
"started_at": null,
"completed_at": null,
"cancelled_at": null,
"unable_to_complete_at": null,
"unable_reason_code": null,
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "TASK_CANNOT_BE_REOPENED",
  "message": "Ordinary workers must not reopen completed tasks.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/operations/my-work/

My Work inbox

Open tasks assigned to the current user. Primary field-worker screen.

Auth Cookie · view_operation

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Filter farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "My work fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "is_overdue": false,
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "assignee": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa"
      },
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "actor": {
        "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "display_name": "Amina Owner",
        "role_name": "Farm Manager"
      },
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
    }
  ]
}
```

```

    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
    "result": null,
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 1,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}

```

EXAMPLE ERROR JSON · HTTP 401

```

{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

GET /api/v2/operations/today/

Due today

Assigned to me, due_at date = today, not completed/cancelled.

Auth Cookie · view_operation

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Today's work fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "is_overdue": false,
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "assignee": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa"
      },
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "actor": {
        "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "display_name": "Amina Owner",
        "role_name": "Farm Manager"
      },
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
    }
  ]
}
```

```

    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
    "result": null,
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 1,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}

```

EXAMPLE ERROR JSON · HTTP 401

```

{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

GET /api/v2/operations/overdue/

Overdue work

Assigned to me, due_at in the past, still open. Each row returns its real lifecycle status plus is_overdue=true. status is never overdue.

Auth Cookie · view_operation

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Overdue work fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "is_overdue": true,
      "priority": "high",
      "due_at": "2026-08-20T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "assignee": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa"
      },
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "actor": {
        "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "display_name": "Amina Owner",
        "role_name": "Farm Manager"
      },
      "accepted_at": null,
      "started_at": null,
    }
  ]
}
```

```

    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
    "result": null,
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 1,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}

```

EXAMPLE ERROR JSON · HTTP 401

```

{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

GET /api/v2/operations/schedules/

List schedules

Read-only. GET never creates tasks. Due occurrences are generated by the `farmos_dev_scheduler` loop (`run_due_schedules`` every 60s) or `POST .../run/`. Two workers processing the same due occurrence still produce exactly one task.

Auth Cookie · `view_operation`

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedules fetched successfully.",
  "data": [
    {
      "id": 1,
      "farm_id": 1,
      "task_type": "vaccination",
      "title": "Monthly CBPP round",
      "description": "",
      "recurrence": "monthly",
      "next_run_at": "2026-09-01T07:00:00+00:00",
      "is_active": true,
      "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "animal_id": null,
      "group_id": null,
      "created_at": "2026-08-01T07:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/schedules/

Create schedule

recurrence: once | daily | weekly | monthly. run_now true immediately creates a task with source.type=schedule.

Auth Cookie · create_operation

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "task_type": "vaccination",
  "title": "Monthly CBPP round",
  "recurrence": "monthly",
  "next_run_at": "2026-09-01T07:00:00Z",
  "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
  "run_now": false
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedule created successfully.",
  "data": {
    "id": 1,
    "title": "Monthly CBPP round",
    "recurrence": "monthly",
    "is_active": true
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 422

```
{
  "success": false,
  "code": "VALIDATION_ERROR",
  "message": "Invalid recurrence.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/schedules/{schedule_id}/run/

Run schedule

Creates one task from the template and bumps next_run_at (or deactivates once schedules). The generated task source is always {type: schedule, id: schedule_id} even when a manager pressed Run Now. Actor records who triggered the run.

Auth Cookie · create_operation

URL PARAMETERS

Name	Type	What to send
schedule_id	int	Schedule ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedule run successfully.",
  "data": {
    "id": 302,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Monthly CBPP round",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
  }
}
```

```
"cancelled_at": null,
"unable_to_complete_at": null,
"unable_reason_code": null,
"source": {
  "type": "schedule",
  "id": 14
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "SCHEDULE_NOT_FOUND",
  "message": "Schedule could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/operations/schedules/{schedule_id}/

Schedule detail

One recurring template.

Auth Cookie · view_operation

URL PARAMETERS

Name	Type	What to send
schedule_id	int	Schedule ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedule fetched successfully.",
  "data": {
    "id": 1,
    "farm_id": 1,
    "task_type": "vaccination",
    "title": "Monthly CBPP round",
    "recurrence": "monthly",
    "next_run_at": "2026-09-01T07:00:00+00:00",
    "is_active": true
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "SCHEDULE_NOT_FOUND",
  "message": "Schedule could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

PATCH /api/v2/operations/schedules/{schedule_id}/

Update schedule

Partial update. Send only fields to change, including is_active.

Auth Cookie · create_operation

URL PARAMETERS

Name	Type	What to send
schedule_id	int	Schedule ID

EXAMPLE REQUEST JSON

```
{
  "title": "Monthly CBPP round",
  "next_run_at": "2026-10-01T07:00:00Z"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedule updated successfully.",
  "data": {
    "id": 1,
    "title": "Monthly CBPP round",
    "is_active": true
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/schedules/{schedule_id}/deactivate/

Deactivate schedule

Sets is_active false. Does not delete history. Reactivate with PATCH is_active true.

Auth Cookie · create_operation

URL PARAMETERS

Name	Type	What to send
schedule_id	int	Schedule ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedule deactivated successfully.",
  "data": {
    "id": 1,
    "title": "Monthly CBPP round",
    "is_active": false
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "SCHEDULE_NOT_FOUND",
  "message": "Schedule could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Timeline

GET /api/v2/timeline/

Unified timeline

Do not invent history in the client. Filter with farm_id, animal_id, event_type. Events are written when domain records and tasks save.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm
animal_id	int	no	Animal
event_type	string	no	vaccination, treatment, task_completed, ...

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Timeline fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "reference": {
        "type": "vaccination",
        "id": 41
      },
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "actor": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa",

```

```
    "role_name": "Field Worker"
  },
  "created_at": "2026-08-27T09:15:00+00:00"
}
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 2,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Health

POST /api/v2/health/observations/

Record observation

Thin clinical note. Optional case_id. create_case true opens a HealthCase; default false does not auto-create a case. create_task true opens a follow-up observation task. Treatments still use task complete() or legacy POST /api/health/treatment/.

Auth Cookie · add_health

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "animal_id": 15,
  "symptoms": "Limping on front left",
  "severity": "mild",
  "create_case": false,
  "create_task": false,
  "client_request_id": "obs-standalone-001"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Observation recorded successfully.",
  "data": {
    "id": 3,
    "farm_id": 1,
    "animal_id": 15,
    "group_id": null,
    "case_id": null,
    "observed_at": "2026-08-27T10:00:00+00:00",
    "symptoms": "Limping on front left",
    "severity": "mild",
    "created_at": "2026-08-27T10:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/health/observations/

List observations

Filter by farm_id and animal_id.

Auth Cookie · view_health

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm
animal_id	int	no	Animal

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Observations fetched successfully.",
  "data": [
    {
      "id": 3,
      "farm_id": 1,
      "animal_id": 15,
      "case_id": 1,
      "observed_at": "2026-08-27T10:00:00+00:00",
      "symptoms": "Limping on front left",
      "severity": "mild",
      "created_at": "2026-08-27T10:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
```

```
"message": "Authentication is required.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

POST /api/v2/health/cases/

Open health case

Groups observations. Does not replace TreatmentRecord.

Auth Cookie · add_health

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "animal_id": 15,
  "title": "Lameness",
  "notes": "Seen at morning check"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Health case opened successfully.",
  "data": {
    "id": 1,
    "farm_id": 1,
    "animal_id": 15,
    "group_id": null,
    "title": "Lameness",
    "notes": "Seen at morning check",
    "status": "open",
    "opened_at": "2026-08-27T10:00:00+00:00",
    "closed_at": null
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/health/cases/

List health cases

Default status=open.

Auth Cookie · view_health

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm
status	string	no	open closed

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Health cases fetched successfully.",
  "data": [
    {
      "id": 1,
      "farm_id": 1,
      "animal_id": 15,
      "title": "Lameness",
      "status": "open",
      "opened_at": "2026-08-27T10:00:00+00:00",
      "closed_at": null
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
}
```

```
"data": null,  
"errors": {},  
"retryable": false  
}
```

GET /api/v2/health/cases/{case_id}/

Health case detail

Case plus observations, treatments, follow_up, and open_tasks. Does not rewrite the Health engine.

Auth Cookie · view_health

URL PARAMETERS

Name	Type	What to send
case_id	int	Case ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Health case fetched successfully.",
  "data": {
    "id": 1,
    "farm_id": 1,
    "animal_id": 15,
    "title": "Lameness",
    "status": "open",
    "animal": {
      "id": 15,
      "tag_id": "COW-001"
    },
    "observations": [
      {
        "id": 3,
        "symptoms": "Limping on front left",
        "severity": "mild"
      }
    ],
    "diagnosis": null,
    "treatments": [],
    "follow_up": {
      "required": false,
      "next_due_at": null
    },
    "open_tasks": []
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "HEALTH_CASE_NOT_FOUND",
}
```

```
"message": "Health case could not be found.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

POST /api/v2/health/cases/{case_id}/close/

Close health case

Sets status closed. Optional notes are appended.

Auth Cookie · update_health

URL PARAMETERS

Name	Type	What to send
case_id	int	Case ID

EXAMPLE REQUEST JSON

```
{
  "notes": "Resolved after treatment"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Health case closed successfully.",
  "data": {
    "id": 1,
    "title": "Lameness",
    "status": "closed",
    "closed_at": "2026-08-28T16:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "CONFLICT",
  "message": "Health case is already closed.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/health/alerts/

Actionable health alerts

HealthAlert rows with subject (animal/farm) and reference. Distinct from farm attention alerts at /farms/{id}/alerts/ and from the notification inbox.

Auth Cookie · view_health

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm
status	string	no	open (default) or resolved

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Alerts fetched successfully.",
  "data": [
    {
      "id": 9,
      "alert_type": "vaccination_due",
      "priority": "warning",
      "title": "Vaccination Due",
      "message": "COW-001 CBPP due",
      "status": "open",
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "reference": {
        "type": "health_alert",
        "id": 9
      },
      "available_actions": [
        "view_subject",
        "create_task"
      ],
      "detected_date": "2026-08-20"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
```

```
    "total_items": 1,  
    "total_pages": 1,  
    "has_next": false,  
    "has_previous": false  
  }  
}  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

Notifications

GET /api/v2/notifications/unread-count/

Unread badge count

Lightweight badge. Prefer this over paging the inbox just to count unread.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Unread notification count fetched successfully.",
  "data": {
    "count": 4
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/notifications/

Notification inbox

Per-user inbox (task assigned, completed, cancelled). Not the same as farm alerts.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
unread_only	bool	no	true for badge list

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Notifications fetched successfully.",
  "data": [
    {
      "id": 21,
      "category": "task",
      "title": "Task assigned",
      "body": "Vaccinate COW-001 \u2014 CBPP",
      "is_read": false,
      "read_at": null,
      "farm_id": 1,
      "reference_table": "task",
      "reference_id": 12,
      "created_at": "2026-08-27T07:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
```

```
"message": "Authentication is required.",
"data": null,
"errors": {},
"retryable": false
}
```

POST /api/v2/notifications/{notification_id}/read/

Mark one read

Idempotent if already read.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
notification_id	int	Notification ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Notification marked as read.",
  "data": {
    "id": 21,
    "is_read": true,
    "read_at": "2026-08-27T07:10:00+00:00",
    "title": "Task assigned"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "NOTIFICATION_NOT_FOUND",
  "message": "Notification could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/notifications/read-all/

Mark all read

Clears the badge. Body optional.

Auth Cookie

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Notifications marked as read.",
  "data": {
    "updated": 4
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Search

GET /api/v2/search/

Search

q is required. Returns animals (tag + farm + species + lifecycle_status), people (display_name plus role/farm context when assignment data exists), and tasks (subject + assignee). Each bucket is omitted unless the caller has that capability. limit default 10, max 25.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
q	string	yes	Search text
farm_id	int	no	Scope to farm
limit	int	no	Max hits per bucket

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Search completed.",
  "data": {
    "query": "COW-001",
    "animals": [
      {
        "id": 15,
        "tag_id": "COW-001",
        "species": "Cattle",
        "breed": "White Fulani",
        "farm": "North Paddock",
        "farm_id": 1,
        "lifecycle_status": "active",
        "status": "active"
      }
    ],
    "people": [
      {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa",
        "email": "ibrahim@farm.example",
        "role": "Veterinarian",
        "farm": "Minna Farm",
        "farm_id": 1
      }
    ],
    "tasks": [
      {
        "id": 12,
        "title": "Vaccinate COW-001 \u2014 CBPP",
        "status": "assigned",
```

```
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "assignee": "Ibrahim Musa"
  }
]
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Dashboard

GET /api/v2/dashboard/organization/

Organization home

One call for org home. Timezone Africa/Lagos. livestock / operations / attention / upcoming / farm_breakdown / recent_activity / formulas. Do not fan out the 29 legacy dashboard routes for this screen. Do not reproduce these KPIs in the client.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Organization dashboard fetched successfully.",
  "data": {
    "organization": {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "name": "Zaima Farms",
      "status": "active",
      "timezone": "Africa/Lagos"
    },
    "livestock": {
      "total": 120,
      "active": 110,
      "sold": 6,
      "dead": 4
    },
    "operations": {
      "scheduled_today": 6,
      "completed_today": 2,
      "in_progress": 1,
      "overdue": 1
    },
    "attention": {
      "critical_health": 8,
      "feed_risk": 0,
      "quarantine": 2,
      "overdue_operations": 1
    },
    "upcoming": {
      "vaccinations_7_days": 3,
      "followups_7_days": 1,
      "expected_births_14_days": 2
    },
    "farm_breakdown": [
      {
        "farm_id": 1,
        "name": "North Paddock",
        "active_animals": 110,
        "open_alerts": 3,
        "overdue_tasks": 1,
        "work_completion_percent": 80
      }
    ]
  }
}
```

```

    ],
    "recent_activity": [
      {
        "id": 88,
        "farm_id": 1,
        "animal_id": 15,
        "animal_tag": "COW-001",
        "group_id": null,
        "event_type": "vaccination",
        "event_date": "2026-08-27T09:15:00+00:00",
        "event_title": "Vaccination - CBPP",
        "event_summary": "Administered in paddock",
        "reference_table": "vaccination",
        "reference_id": 41,
        "reference": {
          "type": "vaccination",
          "id": 41
        },
        "subject": {
          "type": "animal",
          "id": 15,
          "label": "COW-001"
        },
        "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "actor": {
          "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
          "display_name": "Ibrahim Musa",
          "role_name": "Field Worker"
        },
        "created_at": "2026-08-27T09:15:00+00:00"
      }
    ],
    "formulas": {
      "work_completion_percent": "completed eligible work today / scheduled eligible work today x 100; 100 when the denominator is 0",
      "active_animals": "count of animals whose lifecycle_status = active",
      "critical_health": "count of animals with health_status = sick",
      "feed_risk": "count of open HealthAlert rows whose alert_type contains 'feed'",
      "expected_births": "count of PregnancyRecord with result=pregnant and expected_delivery_date in the next 14 days"
    },
    "meta": null
  }
}

```

EXAMPLE ERROR JSON · HTTP 401

```

{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

GET /api/v2/dashboard/farm/{farm_id}/

Farm home

Role-aware farm aggregate. timezone Africa/Lagos. today.pending is an aggregate of due-today open tasks that are not in_progress (draft, assigned, or accepted). pending is not a task lifecycle status.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm dashboard fetched successfully.",
  "data": {
    "farm": {
      "id": 1,
      "name": "North Paddock",
      "status": "active",
      "timezone": "Africa/Lagos"
    },
    "livestock": {
      "total": 120,
      "active": 110,
      "sold": 6,
      "dead": 4,
      "quarantine": 2
    },
    "today": {
      "scheduled": 6,
      "completed": 2,
      "in_progress": 1,
      "pending": 3,
      "overdue": 1
    },
    "attention": [
      {
        "type": "alert",
        "id": 9,
        "title": "vaccination_due",
        "animal_id": 15
      }
    ],
    "upcoming": [
      {
        "id": 12,
        "farm_id": 1,
```

```
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
    "result": null,
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  }
],
"team_work": [
  {
    "user_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "display_name": "Ibrahim Musa",
    "assigned_today": 2,
    "completed_today": 1,
    "overdue": 0
  }
],
"recent_activity": [
  {
    "id": 88,
    "farm_id": 1,
```

```

        "animal_id": 15,
        "animal_tag": "COW-001",
        "group_id": null,
        "event_type": "vaccination",
        "event_date": "2026-08-27T09:15:00+00:00",
        "event_title": "Vaccination - CBPP",
        "event_summary": "Administered in paddock",
        "reference_table": "vaccination",
        "reference_id": 41,
        "reference": {
            "type": "vaccination",
            "id": 41
        },
        "subject": {
            "type": "animal",
            "id": 15,
            "label": "COW-001"
        },
        "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "actor": {
            "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
            "display_name": "Ibrahim Musa",
            "role_name": "Field Worker"
        },
        "created_at": "2026-08-27T09:15:00+00:00"
    }
],
"formulas": {
    "today.scheduled": "open tasks whose due_at date is today",
    "today.completed": "tasks with completed_at date = today",
    "today.in_progress": "due-today open tasks whose lifecycle status is
in_progress",
    "today.pending": "due-today open tasks that are not in_progress (draft,
assigned, or accepted). pending is an aggregate, not a task lifecycle status",
    "today.overdue": "open tasks whose due_at is in the past; each row still
returns its real lifecycle status plus is_overdue=true",
    "active_animals": "count of animals whose lifecycle_status = active"
}
},
"meta": null
}

```

EXAMPLE ERROR JSON · HTTP 404

```

{
  "success": false,
  "code": "FARM_NOT_FOUND",
  "message": "Farm could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

GET /api/v2/dashboard/my-work/

My Work dashboard

Buckets: today, overdue, upcoming. Optional farm_id.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
farm_id	int	no	Filter farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "My work dashboard fetched successfully.",
  "data": {
    "summary": {
      "open_tasks": 2,
      "overdue_tasks": 1,
      "completed_today": 1
    },
    "today": [
      {
        "id": 12,
        "farm_id": 1,
        "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "animal_id": 15,
        "animal_tag": "COW-001",
        "group_id": null,
        "parent_id": null,
        "task_type": "vaccination",
        "title": "Vaccinate COW-001 \u2014 CBPP",
        "description": "Annual CBPP shot",
        "status": "assigned",
        "is_overdue": false,
        "priority": "high",
        "due_at": "2026-08-28T08:00:00+00:00",
        "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "assigned_to_email": "ibrahim@farm.example",
        "assignee": {
          "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
          "display_name": "Ibrahim Musa"
        },
        "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "actor": {
          "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
          "display_name": "Amina Owner",
          "role_name": "Farm Manager"
        },
        "accepted_at": null,
      }
    ]
  }
}
```

```
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
    "result": null,
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  }
],
"overdue": [
  {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "is_overdue": true,
    "priority": "high",
    "due_at": "2026-08-20T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
  },
]
```

```
    "result": null,  
    "subject": {  
      "type": "animal",  
      "id": 15,  
      "label": "COW-001"  
    },  
    "result_reference_table": null,  
    "result_reference_id": null,  
    "created_at": "2026-08-27T07:00:00+00:00"  
  }  
],  
  "upcoming": []  
},  
  "meta": null  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/dashboard/health/

Health workspace

Veterinarian home: active cases, due treatments/vaccinations, quarantine, mortality count, and my_tasks. Optional farm_id.

Auth Cookie · view_health

QUERY PARAMETERS

Name	Type	Required	What to send
farm_id	int	no	Scope to one farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Health dashboard fetched successfully.",
  "data": {
    "active_health_cases": 4,
    "critical_cases": 1,
    "new_observations": 2,
    "treatments_due": 3,
    "followups_due": 1,
    "vaccinations_due": 5,
    "quarantined_animals": 2,
    "mortality_cases": 1,
    "withdrawal_animals": 2,
    "my_tasks": [
      {
        "id": 12,
        "farm_id": 1,
        "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "animal_id": 15,
        "animal_tag": "COW-001",
        "group_id": null,
        "parent_id": null,
        "task_type": "vaccination",
        "title": "Vaccinate COW-001 \u2014 CBPP",
        "description": "Annual CBPP shot",
        "status": "assigned",
        "is_overdue": false,
        "priority": "high",
        "due_at": "2026-08-28T08:00:00+00:00",
        "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "assigned_to_email": "ibrahim@farm.example",
        "assignee": {
          "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
          "display_name": "Ibrahim Musa"
        },
        "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "actor": {
```

```

        "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "display_name": "Amina Owner",
        "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
        "type": "manual",
        "id": null
    },
    "result": null,
    "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
}
]
},
"meta": null
}

```

EXAMPLE ERROR JSON · HTTP 401

```

{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

Reproduction

POST /api/v2/reproduction/births/

Record a birth

alive + dead must equal total_offspring. Creates one registration_required slot per live offspring. Dead offspring stay on the birth history only. Does not create animals for dead offspring.

Auth Cookie · add_reproduction

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "mother_id": 15,
  "birth_date": "2026-08-31",
  "number_of_offspring": 3,
  "number_alive": 2,
  "number_dead": 1,
  "client_request_id": "birth-001"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Birth recorded successfully.",
  "data": {
    "id": 8,
    "mother_id": 15,
    "total_offspring": 3,
    "alive": 2,
    "dead": 1,
    "pending_offspring_registration": 2,
    "registered": 0,
    "offspring": [
      {
        "offspring_sequence": 1,
        "registration_status": "registration_required",
        "animal_id": null
      },
      {
        "offspring_sequence": 2,
        "registration_status": "registration_required",
        "animal_id": null
      }
    ]
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 422

```
{
  "success": false,
```

```
"code": "VALIDATION_ERROR",  
"message": "alive + dead must equal total_offspring.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

POST /api/v2/reproduction/births/{birth_id}/register-offspring/

Register one live offspring

Consumes one registration_required slot and creates a born animal. Rejects a third live registration when only two live offspring were recorded.

Auth Cookie · add_animal_details

URL PARAMETERS

Name	Type	What to send
birth_id	int	Birth ID

EXAMPLE REQUEST JSON

```
{
  "gender": "female",
  "tag_id": "CALF-001",
  "client_request_id": "offspring-1"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Offspring registered successfully.",
  "data": {
    "animal_id": 44,
    "birth": {
      "pending_offspring_registration": 1,
      "registered": 1
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "DUPLICATE_RECORD",
  "message": "No live offspring registration slots remain.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Users

PATCH /api/v2/users/me/

Update your own profile

Updates profile-owned fields only. Do not send role, farm, permissions, account_status, organization_id, or owner fields; authority changes use assignment/account-management endpoints.

Auth Cookie

EXAMPLE REQUEST JSON

```
{
  "display_name": "Musa Bello",
  "phone": "+2348012345678"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Profile updated successfully.",
  "data": {
    "user": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Musa Bello",
      "display_label": "Musa Bello",
      "phone": "+2348012345678",
      "avatar_url": null
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 422

```
{
  "success": false,
  "code": "INVALID_PROFILE_FIELD",
  "message": "Only display_name and phone may be updated.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/users/{user_id}/deactivate/

Deactivate a user account

Managers deactivate an account without deleting the user, assignments, tasks, or historical activity. Existing cookies and fresh login attempts are denied immediately.

Auth Cookie · people management

URL PARAMETERS

Name	Type	What to send
user_id	uuid	Target user ID

EXAMPLE REQUEST JSON

```
{
  "reason": "Staff no longer works at the farm"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "User access has been deactivated.",
  "data": {
    "user_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "account_status": "deactivated",
    "deactivated_at": "2026-09-13T00:10:00+01:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "ACCOUNT_DEACTIVATED",
  "message": "Your account is currently deactivated.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/users/{user_id}/reactivate/

Reactivate a user account

Restores account access. Previously revoked farm assignments are not recreated automatically.

Auth Cookie · people management

URL PARAMETERS

Name	Type	What to send
user_id	uuid	Target user ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "User account reactivated successfully.",
  "data": {
    "user_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "account_status": "active"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You cannot manage user accounts.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/users/me/avatar/

Upload or replace your avatar

Send multipart/form-data with field avatar. JPG and PNG are accepted up to 5 MB. Uploading again replaces the active avatar.

Auth Cookie

EXAMPLE REQUEST JSON

```
{
  "content_type": "multipart/form-data",
  "field": "avatar",
  "file": "profile.jpg"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Profile picture updated successfully.",
  "data": {
    "avatar_url": "https://dev-api.tatifarmos.com/media/users/avatars/profile.jpg"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 422

```
{
  "success": false,
  "code": "INVALID_FILE_TYPE",
  "message": "Avatar must be JPG or PNG.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

DELETE /api/v2/users/me/avatar/

Remove your avatar

Removes the active profile image and returns avatar_url as null.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Profile picture removed successfully.",
  "data": {
    "avatar_url": null
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Farms

POST /api/v2/farms/{farm_id}/image/

Upload or replace a farm image

Send multipart/form-data with field image. The caller must have access to this farm and update_farm capability. Cross-farm uploads are denied.

Auth Cookie · update_farm + farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

EXAMPLE REQUEST JSON

```
{
  "content_type": "multipart/form-data",
  "field": "image",
  "file": "minna-farm.png"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm image updated successfully.",
  "data": {
    "farm_id": 12,
    "image_url": "https://dev-api.tatifarmos.com/media/farms/images/minna-farm.png"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "FARM_ACCESS_DENIED",
  "message": "You do not have access to this farm.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Assignments

POST /api/role/user-role/

Assign a user to a farm and role

Creates a durable active assignment. The response contains the authoritative assignment ID used for later change/revocation.

Auth Cookie · organization management

EXAMPLE REQUEST JSON

```
{
  "user_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
  "farm_id": 12,
  "role_id": 6
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "User assigned successfully.",
  "data": {
    "assignment": {
      "id": 91,
      "user_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "farm_id": 12,
      "role_id": 6,
      "status": "active"
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "CONFLICT",
  "message": "Role already exists.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

PATCH /api/role/user-role/{assignment_id}/

Change a user assignment

Changes the selected assignment's farm and/or role. It does not create a second assignment and cannot replace organization ownership.

Auth Cookie · organization management

URL PARAMETERS

Name	Type	What to send
assignment_id	int	Assignment ID

EXAMPLE REQUEST JSON

```
{
  "farm_id": 14,
  "role_id": 8
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "User assignment updated successfully.",
  "data": {
    "assignment": {
      "id": 91,
      "user_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "farm_id": 14,
      "role_id": 8,
      "status": "active"
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "ASSIGNMENT_NOT_FOUND",
  "message": "Assignment could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

DELETE /api/role/user-role/{assignment_id}/

Revoke a farm assignment

Revokes access without deleting the assignment or historical attribution. Revoked assignments stop contributing farm access, capabilities, and operations authority.

Auth Cookie · organization management

URL PARAMETERS

Name	Type	What to send
assignment_id	int	Assignment ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm assignment removed successfully.",
  "data": {
    "assignment_id": 91,
    "status": "revoked"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "ASSIGNMENT_ALREADY_REVOKED",
  "message": "Assignment already revoked.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Pagination

GET /api/v2/roles/

List roles with pagination

All list endpoints accept `page` and `page_size`. `page` is 1-based; `page_size` defaults to 20 and is capped at 100. Read `meta.pagination` instead of assuming a fixed page size.

Auth Cookie · people management

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	1-based page; default 1
page_size	int	no	1-100; default 20

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Roles fetched successfully.",
  "data": [
    {
      "id": 6,
      "name": "Field Worker",
      "code": "RL-FIELD"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
}
```

```
"retryable": false  
}
```

GET /api/v2/permissions/

List permissions with pagination

Returns structured permission records. Use code and module directly; do not derive modules from human-readable labels.

Auth Cookie · people management

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	1-based page; default 1
page_size	int	no	1-100; default 20

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Permissions fetched successfully.",
  "data": [
    {
      "id": 1,
      "code": "view_animal_details",
      "name": "View animal details",
      "module": "animals"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
}
```

```
"retryable": false  
}
```

GET /api/v2/farms/{farm_id}/people/

List farm people with pagination

Returns active owner/staff access for one farm. Revoked assignments are excluded. Use page and page_size for large farms.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	1-based page; default 1
page_size	int	no	1-100; default 20

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "People fetched successfully.",
  "data": [
    {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa",
      "roles": [
        {
          "role": "Field Worker",
          "farm_id": 12
        }
      ]
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{  
  "success": false,  
  "code": "FARM_ACCESS_DENIED",  
  "message": "You do not have access to this farm.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/farms/{farm_id}/units/

List farm units with pagination

Returns typed unit rows. Each row has kind housing_unit or farm_unit. Use pagination metadata for navigation.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	1-based page; default 1
page_size	int	no	1-100; default 20

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Units fetched successfully.",
  "data": [
    {
      "id": 4,
      "kind": "housing_unit",
      "name": "Pen A",
      "status": "active",
      "capacity": 40
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
```

```
"code": "AUTHENTICATION_REQUIRED",  
"message": "Authentication is required.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

GET /api/organization/get-lga/{state_region_id}

List LGAs with pagination

Returns Local Government Areas under one state. This legacy response now includes meta.pagination while keeping the existing success/message/data envelope.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
state_region_id	int	AdminLevel1/state ID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	1-based page; default 1
page_size	int	no	1-100; default 20

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "message": "lga fetched successfully",
  "data": [
    {
      "id": 1,
      "name": "Aba North"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON

```
{
  "success": false,
  "message": "Permission denied",
}
```

```
"data": null  
}
```

TATI FarmOS Frontend API Contract v2.2 Final RC · primary #209850 · do not parse legacy list keys (current_page, num_pages) on these routes. Evidence uploads, bootstrap, and retag history are deferred.