

TATI FARMOS · LIVESTOCK

Building the frontend for African Agriculture

Official Web/Mobile contract v2.2 · Livestock MVP Release Candidate · sandbox

<http://127.0.0.1:8082/api/v2/>

Release freeze: v2.2 closes the final Product/QA findings from v2.1. No new MVP functionality after this point without Product change approval.

How frontend should call this API

Base Nginx sandbox <http://127.0.0.1:8082> · direct app <http://127.0.0.1:8001>. Live stack is unchanged on 8081/8000.

Prefix Official contract is `/api/v2/` version **2.1**. Legacy `/api/*` (240 routes) stays for existing clients. Do not mix envelopes. GET `/api/v2/registry/` lists v2 vs approved-legacy vs deprecated.

Auth POST `/api/auth/login` sets `client_access_token` (HTTP-only). Send cookies on v2 requests. Unauthenticated v2 calls return `AUTHENTICATION_REQUIRED`.

IDs Use `livestock_species_id`, `livestock_breed_id`, `housing_unit_id`, integer `farm_id` / `animal_id`, UUID `organization_id` / user ids. People screens use `display_name`. Tasks and timeline include actor, subject, source, result.

Idempotency On writes send `client_request_id` in JSON or header `X-Client-Request-Id`. Same key + same user returns the first JSON body and must not create a second vaccination/feed/sale.

Timezone Dashboard clocks use Africa/Lagos.

WHAT'S NEW IN 2.1

v2.2 RC: task timestamps, read-only schedule GET + independent scheduler, Operations capabilities, navigable farm alerts, correct task source/result, birth/offspring integrity, derived flags, `lifecycle_status`, farm people `display_name`, search role/farm context, and dashboard formulas. Feed, finance, reports, and movement stay approved legacy `/api/*`.

SUCCESS ENVELOPE (EVERY V2 200)

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Human-readable summary",
  "data": {},
  "meta": null
}
```

LIST ENVELOPE — READ META.PAGINATION (NEVER CURRENT_PAGE / NUM_PAGES)

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Fetched successfully.",
  "data": [
    {
      "id": 1
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 42,
      "total_pages": 2,
      "has_next": true,
      "has_previous": false
    }
  }
}
```

ERROR ENVELOPE (V2)

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Login errors are the old shape `{"status":"Error","message":"Invalid credentials"}` — only on `/api/auth/login`.

Frontend screen map

Screen	Call these
App shell / nav	GET <code>/users/me/</code> then GET <code>/users/me/capabilities/</code>
Org home	GET <code>/dashboard/organization/</code> and GET <code>/organizations/{id}/summary/</code>
Farm home	GET <code>/dashboard/farm/{id}/</code> , overview, people, units, alerts
Herd list	GET <code>/animals/</code> with filters; PATCH for identity/housing only
Animal page	GET <code>/animals/{id}/profile/</code> + <code>/timeline/</code>
Scanner	GET <code>/animals/resolve-tag/{tag}/</code> or GET <code>/search/?q=</code>
My Work	GET <code>/operations/my-work/</code> , today, overdue; accept / start / complete / unable-to-complete
Ops manager	POST <code>/operations/tasks/</code> , assign, reopen, schedules, GET <code>/registry/</code>
People	GET <code>/users/</code> , <code>/roles/</code> , <code>/permissions/</code> — invite stays POST <code>/api/admin/invite/</code>

Health workspace	GET /dashboard/health/, cases, observations (create_case), /health/alerts/
Inbox	GET /notifications/unread-count/ then GET /notifications/ — not farm alerts

Ibrahim vaccination flow

1. Owner POST /operations/tasks/ with task_type: vaccination and Ibrahim's assignee_id.
2. Ibrahim GET /operations/my-work/ — task is in data[].
3. POST .../accept/ then optional .../start/.
4. POST .../complete/ with vaccine_name + date_given (+ client_request_id).
5. Backend writes the existing VaccinationRecord, emits timeline events, creates a follow-up task if next_due_date is set, and the task leaves My Work.
6. Retry the same complete with the same client_request_id — still one vaccination row.

complete() JSON by task_type

task_type	Required JSON fields	Writes
vaccination	vaccine_name, optional date_given, next_due_date, notes	VaccinationRecord + follow-up task
treatment	diagnosis, treatment, severity; optional drug_batch + quantity	TreatmentRecord (deducts drug stock)
feed_issuance	feed_inventory_id, quantity_issued, target_type	FeedIssuanceRecord (deducts feed)
sale	buyer_name, price; override_reason if restricted	SalesRecord (sale_readiness rules)
movement	to_housing_unit_id or to_unit_id	MovementRecord
observation	symptoms	HealthObservation
weight	weight, optional unit, measured_at	AnimalWeight (one per animal per day)
pregnancy_check	result (pregnant not_pregnant); expected_delivery_date if pregnant	PregnancyRecord + is_pregnant
mortality	optional cause, died_at	MortalityRecord + mark_dead + cancel open tasks
generic	none	Task only + timeline

Useful error codes: TASK_ASSIGNMENT_REQUIRED, TASK_ALREADY_COMPLETED, INSUFFICIENT_FEED_STOCK, INSUFFICIENT_DRUG_STOCK, INVALID_ANIMAL_STATE (sale blocked), SESSION_EXPIRED.

Endpoints

1. [Contract](#) (2)
2. [Session](#) (legacy login, still required) (1)
3. [Users](#) (8)
4. [Roles](#) (2)
5. [Organizations](#) (5)
6. [Farms](#) (7)

- 7. [Animals](#) (6)
- 8. [Operations](#) (19)
- 9. [Timeline](#) (1)
- 10. [Health](#) (7)
- 11. [Notifications](#) (4)
- 12. [Search](#) (1)
- 13. [Dashboard](#) (4)
- 14. [Reproduction](#) (2)

Contract

GET /api/v2/

Contract health

Ping the official frontend contract. No cookie required. Use this to confirm the app is talking to /api/v2/ rather than legacy /api/.

Auth Public

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "v2.2 Livestock MVP Release Candidate is available.",
  "data": {
    "contract": "FarmOS Frontend API Contract v2.2",
    "release": "Livestock MVP Release Candidate",
    "legacy_prefix": "/api/",
    "this_prefix": "/api/v2/",
    "identifiers": [
      "livestock_species_id",
      "livestock_breed_id",
      "housing_unit_id",
      "farm_id",
      "organization_id",
      "animal_id",
      "group_id"
    ]
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/registry/

Endpoint registry

Machine-readable map of every MVP operation: v2, approved legacy, or deprecated. Cookie required. Use this instead of hard-coding which domains are still on /api/*.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Endpoint registry fetched successfully.",
  "data": {
    "contract": "2.1",
    "entries": [
      {
        "domain": "Auth",
        "operation": "Login",
        "endpoint": "POST /api/auth/login",
        "status": "legacy_approved",
        "notes": "Only approved non-v2 envelope."
      },
      {
        "domain": "Animals",
        "operation": "List",
        "endpoint": "GET /api/v2/animals/",
        "status": "v2"
      },
      {
        "domain": "Reproduction",
        "operation": "Pregnancy",
        "endpoint": "/api/reproduction/",
        "status": "legacy_approved"
      }
    ]
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Session (legacy login, still required)

POST /api/auth/login

Sign in (sets cookies)

v2 does not replace login. POST email + password to the legacy auth route. Success JSON is small; the session is HTTP-only cookies client_access_token, client_refresh_token, client_csrf_token. Send those cookies on every /api/v2/ call. Do not parse v2 fields on this response.

Auth Public

EXAMPLE REQUEST JSON

```
{
  "email": "ibrahim@farm.example",
  "password": "Str0ngPass!word"
}
```

EXAMPLE SUCCESS JSON

```
{
  "status": "Success",
  "message": "Login successful",
  "is_admin": false
}
```

EXAMPLE ERROR JSON · HTTP 401 — THIS SHAPE IS NOT THE V2 ENVELOPE

```
{
  "status": "Error",
  "message": "Invalid credentials"
}
```

Users

GET /api/v2/users/me/

Current user operational profile

Call once after login to bootstrap the shell: identity, organization, farm-role assignments, permission codes, and work_summary for My Work badges. Task counts are live.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "User profile fetched successfully.",
  "data": {
    "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "display_name": "Amina Owner",
    "email": "owner@farm.example",
    "username": "owner",
    "account_status": "Active",
    "is_admin": false,
    "organization": {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "name": "Zaima Farms",
      "code": "ZAIMA",
      "status": "active"
    },
    "assignments": [
      {
        "role_id": 3,
        "role_name": "Farm Manager",
        "role_code": "farm_manager",
        "farm_id": 1,
        "farm_name": "North Paddock"
      }
    ],
    "permissions": [
      "add_health",
      "view_animal_details",
      "view_health"
    ],
    "work_summary": {
      "open_tasks": 2,
      "due_today": 1,
      "overdue_tasks": 1,
      "completed_today": 1
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/users/me/capabilities/

Capabilities and navigation map

Drive UI chrome from capabilities and navigation booleans. Do not infer menus from raw permission strings alone. operations and my_work are true when the user can view health/feed/animal work.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Capabilities fetched successfully.",
  "data": {
    "is_organization_owner": true,
    "permissions": [
      "add_health",
      "view_animal_details"
    ],
    "capabilities": {
      "view_animal_details": true,
      "add_animal_details": true,
      "update_animal_details": true,
      "view_health": true,
      "record_health": true,
      "record_health_observation": true,
      "manage_health_case": true,
      "view_feed": true,
      "record_feed_activity": true,
      "view_reproduction": true,
      "add_reproduction": true,
      "view_operation": true,
      "create_operation": true,
      "assign_operation": true,
      "reassign_operation": true,
      "complete_operation": true,
      "cancel_operation": true
    },
    "navigation": {
      "dashboard": true,
      "livestock": true,
      "health": true,
      "feed": true,
      "reproduction": true,
      "operations": true,
      "my_work": true,
      "people": true,
      "reports": true,
      "sales": false
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/users/me/activity/

Current user activity

Timeline of events this user created. Paginated via query page and page_size. Read meta.pagination — not current_page / num_pages.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	1-based page, default 1
page_size	int	no	Default 20, max 100

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Activity fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "reference": {
        "type": "vaccination",
        "id": 41
      },
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "actor": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa",
        "role_name": "Field Worker"
      },
      "created_at": "2026-08-27T09:15:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
```

```
"page": 1,  
"page_size": 20,  
"total_items": 1,  
"total_pages": 1,  
"has_next": false,  
"has_previous": false  
}  
}  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/users/me/tasks/

Tasks assigned to me

Same records as My Work, including completed if you pass status. Use status=open for the inbox.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	1-based page
page_size	int	no	Default 20
status	string	no	open assigned accepted completed cancelled unable_to_complete overdue

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Tasks fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "is_overdue": false,
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "assignee": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa"
      },
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "actor": {
        "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "display_name": "Amina Owner",
        "role_name": "Farm Manager"
      },
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
      "cancelled_at": null,
    }
  ]
}
```

```
"unable_to_complete_at": null,
"unable_reason_code": null,
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
}
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 1,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```


GET /api/v2/users/

People list

Org people picker. Requires Farm.UPDATE or org owner. Invite still uses approved legacy POST /api/admin/invite/.

Auth Cookie · manage people

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "People fetched successfully.",
  "data": [
    {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa",
      "email": "ibrahim@farm.example",
      "account_status": "Active"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
}
```

```
"retryable": false  
}
```

GET /api/v2/users/{user_id}/

User operational profile

Same people-auth as the list. Includes display_name, assignments, and work_summary.

Auth Cookie · manage people

URL PARAMETERS

Name	Type	What to send
user_id	uuid	User UUID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "User profile fetched successfully.",
  "data": {
    "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "display_name": "Ibrahim Musa",
    "email": "ibrahim@farm.example",
    "phone": null,
    "account_status": "Active",
    "organization": {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "name": "Zaima Farms",
      "code": "ZAIMA"
    },
    "assignments": [
      {
        "role_id": 4,
        "role_name": "Field Worker",
        "role_code": "e2e_field",
        "farm_id": 1,
        "farm_name": "North Paddock"
      }
    ],
    "work_summary": {
      "open_tasks": 2,
      "due_today": 1,
      "overdue_tasks": 0,
      "completed_today": 1
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "USER_NOT_FOUND",
```

```
"message": "User could not be found.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

GET /api/v2/users/{user_id}/activity/

User activity

Timeline of events this user created. Same people-auth.

Auth Cookie · manage people

URL PARAMETERS

Name	Type	What to send
user_id	uuid	User UUID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Activity fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "reference": {
        "type": "vaccination",
        "id": 41
      },
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "actor": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa",
        "role_name": "Field Worker"
      }
    }
  ]
}
```

```
      "created_at": "2026-08-27T09:15:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/users/{user_id}/tasks/

Tasks assigned to a user

Manager view of one worker's queue. Same filters as /users/me/tasks/.

Auth Cookie · manage people

URL PARAMETERS

Name	Type	What to send
user_id	uuid	User UUID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
status	string	no	open assigned completed ...

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Tasks fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "is_overdue": false,
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "assignee": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa"
      },
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "actor": {
        "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "display_name": "Amina Owner",

```

```

        "role_name": "Farm Manager"
      },
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
      "cancelled_at": null,
      "unable_to_complete_at": null,
      "unable_reason_code": null,
      "source": {
        "type": "manual",
        "id": null
      },
      "result": null,
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "result_reference_table": null,
      "result_reference_id": null,
      "created_at": "2026-08-27T07:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}

```

EXAMPLE ERROR JSON · HTTP 401

```

{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}

```


Roles

GET /api/v2/roles/

Roles list

Org roles for people screens. Assigning a role still uses approved legacy POST /api/role/user-role/.

Auth Cookie · manage people

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Roles fetched successfully.",
  "data": [
    {
      "id": 3,
      "name": "Farm Manager",
      "code": "farm_manager",
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/permissions/

Permissions catalog

Permission codes the UI can show when editing roles.

Auth Cookie · manage people

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Permissions fetched successfully.",
  "data": [
    {
      "id": 1,
      "code": "view_animal_details",
      "name": "View animal details",
      "module": "animals"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Organizations

GET /api/v2/organizations/{organization_id}/

Organization profile

Operational org card for settings and home. organization_id is a UUID and must be the caller's org.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Caller's organization UUID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Organization fetched successfully.",
  "data": {
    "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "name": "Zaima Farms",
    "code": "ZAIMA",
    "status": "active",
    "industry": "Livestock",
    "country": "Nigeria",
    "state_region": "Kaduna",
    "logo": null,
    "is_owner": true,
    "counts": {
      "farms": 1,
      "people": 4,
      "animals": 120,
      "active_animals": 110,
      "open_tasks": 6
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "ORGANIZATION_NOT_FOUND",
  "message": "Organization could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

PATCH /api/v2/organizations/{organization_id}/

Update organization

Owner-only. Send only fields to change.

Auth Cookie · organization owner

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Organization UUID

EXAMPLE REQUEST JSON

```
{
  "name": "Zaima Farms Ltd",
  "status": "active"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Organization updated successfully.",
  "data": {
    "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "name": "Zaima Farms Ltd",
    "status": "active"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/organizations/{organization_id}/summary/

Organization summary counts

Compact counts for the org home header. Prefer this over chaining many legacy dashboard calls.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Organization UUID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Organization summary fetched successfully.",
  "data": {
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "farms": 1,
    "animals": {
      "total": 120,
      "active": 110,
      "sold": 6,
      "dead": 4,
      "quarantine": 2,
      "pregnant": 9
    },
    "open_tasks": 6,
    "roles": 3,
    "people": 4
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/organizations/{organization_id}/activity/

Organization activity

Unified event list across all farms in the org. Same event objects as /timeline/.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Organization UUID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Activity fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "reference": {
        "type": "vaccination",
        "id": 41
      },
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "actor": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa",
        "role_name": "Field Worker"
      }
    }
  ]
}
```

```
      "created_at": "2026-08-27T09:15:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 2,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```


GET /api/v2/organizations/{organization_id}/farms/

List farms

Farm switcher. Each row includes animal_count.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Organization UUID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farms fetched successfully.",
  "data": [
    {
      "id": 1,
      "name": "North Paddock",
      "farm_code": "NP-01",
      "status": "active",
      "is_primary": true,
      "farm_type": "Livestock",
      "city": "Zaria",
      "animal_count": 120,
      "active_animals": 110
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

Farms

GET /api/v2/farms/{farm_id}/

Farm profile

Farm settings card plus live counts (animals, tasks, alerts, units). farm_id is an integer.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm numeric ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm fetched successfully.",
  "data": {
    "id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "name": "North Paddock",
    "farm_code": "NP-01",
    "status": "active",
    "is_primary": true,
    "farm_type": "Livestock",
    "city": "Zaria",
    "location_address": "Kaduna\u2013Zaria road",
    "latitude": 11.11,
    "longitude": 7.72,
    "country": "Nigeria",
    "state_region": "Kaduna",
    "counts": {
      "animals": 120,
      "active_animals": 110,
      "sold": 6,
      "dead": 4,
      "quarantine": 2,
      "open_tasks": 6,
      "open_alerts": 3,
      "housing_units": 8,
      "farm_units": 4
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "FARM_NOT_FOUND",
  "message": "Farm could not be found.",
}
```

```
"data": null,  
"errors": {},  
"retryable": false  
}
```

PATCH /api/v2/farms/{farm_id}/

Update farm

Partial update. Setting is_primary true clears primary on other farms in the org.

Auth Cookie · update_farm

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

EXAMPLE REQUEST JSON

```
{
  "name": "North Paddock",
  "city": "Zaria",
  "status": "active",
  "is_primary": true
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm updated successfully.",
  "data": {
    "id": 1,
    "name": "North Paddock",
    "is_primary": true
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/farms/{farm_id}/overview/

Farm overview

Profile plus health_breakdown and people_count for the farm home.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm overview fetched successfully.",
  "data": {
    "id": 1,
    "name": "North Paddock",
    "health_breakdown": {
      "healthy": 100,
      "sick": 8,
      "recovering": 2
    },
    "people_count": 3
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/farms/{farm_id}/timeline/

Farm timeline

Events for one farm. Optional event_type filter uses canonical names: vaccination, treatment, feeding, sale, task_created, task_completed.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
event_type	string	no	Canonical event name

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Timeline fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "reference": {
        "type": "vaccination",
        "id": 41
      },
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "actor": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
```



```
      "display_name": "Ibrahim Musa",
      "role_name": "Field Worker"
    },
    "created_at": "2026-08-27T09:15:00+00:00"
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 2,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/farms/{farm_id}/people/

Farm people

Staff assigned to this farm (plus org owner). Use for assign-task pickers.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "People fetched successfully.",
  "data": [
    {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa",
      "email": "ibrahim@farm.example",
      "username": "ibrahim",
      "account_status": "Active",
      "is_owner": false,
      "roles": [
        {
          "role": "Field Worker",
          "role_code": "e2e_field",
          "farm_id": 1
        }
      ]
    }
  ],
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/farms/{farm_id}/units/

Housing and farm units

housing_units are v2 livestock housing (housing_unit_id). farm_units are legacy pens. Prefer housing_units for new UI.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Units fetched successfully.",
  "data": {
    "housing_units": [
      {
        "id": 4,
        "kind": "housing_unit",
        "name": "Pen A",
        "status": "active",
        "capacity": 20,
        "occupancy": 12,
        "location": "North"
      }
    ],
    "farm_units": [
      {
        "id": 2,
        "kind": "farm_unit",
        "name": "Barn 1",
        "code": "B1",
        "status": "active",
        "capacity": 30,
        "unit_type": "barn"
      }
    ]
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
}
```

```
"errors": {},  
"retryable": false  
}
```

GET /api/v2/farms/{farm_id}/alerts/

Farm attention alerts

These are farm attention items, not tasks and not the notification inbox. Do not merge with /operations or /notifications.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
status	string	no	open (default) or resolved

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Alerts fetched successfully.",
  "data": [
    {
      "id": 9,
      "alert_type": "vaccination_due",
      "priority": "warning",
      "title": "Vaccination due",
      "message": "COW-001 CBPP due",
      "status": "open",
      "due_date": "2026-08-29T00:00:00+00:00",
      "created_at": "2026-08-20T00:00:00+00:00",
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "reference": {
        "type": "vaccination_schedule",
        "id": 52
      },
      "available_actions": [
        "view_subject",
        "create_task"
      ]
    }
  ]
}
```

```
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 1,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Animals

GET /api/v2/animals/

List animals

Herd cards. Each row is the same card shape as create/profile (id, tag_id, flags, lifecycle_status). Filter; do not infer pregnancy/sold from this list's flags for writes.

Auth Cookie · view_animal_details

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm
search	string	no	Tag, notes, or numeric id
livestock_species_id	int	no	Species
livestock_breed_id	int	no	Breed
gender	string	no	female male
lifecycle_status	string	no	active sold dead transferred_out culled
health_status	string	no	healthy sick at_risk recovering
housing_unit_id	int	no	Housing unit
is_pregnant	bool	no	Filter pregnant
is_lactating	bool	no	Filter lactating
is_quarantine	bool	no	Filter quarantine
needs_attention	bool	no	sick, at_risk, or quarantine
sort	string	no	id -id tag_id -tag_id status created_at

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Animals fetched successfully.",
  "data": [
    {
      "id": 15,
      "tag_id": "COW-001",
      "farm_id": 1,
      "species": "Cattle",
      "breed": "White Fulani",
      "gender": "female",
```



```
    "age_months": 18,
    "lifecycle_status": "active",
    "health_status": "healthy",
    "housing_unit": {
      "id": 4,
      "name": "Pen A"
    },
    "flags": {
      "is_pregnant": false,
      "is_lactating": false,
      "is_quarantine": false,
      "needs_attention": false
    },
    "image_url": null
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 120,
    "total_pages": 2,
    "has_next": true,
    "has_previous": false
  }
}
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/animals/

Progressive animal create

status must be active | sold | dead | transferred_out | culled (not pregnant/sick). tag_id is optional; empty/null generates INT-{uuid}. Breed and housing are optional. Born animals still need mother_id and dob. Optional client_request_id for offline retries.

Auth Cookie · add_animal_details

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "tag_id": null,
  "gender": "female",
  "source_type": "opening_record",
  "status": "active",
  "livestock_species_id": 1,
  "livestock_breed_id": 2,
  "housing_unit_id": 4,
  "estimated_age_months": 18,
  "notes": "Untagged opening record",
  "client_request_id": "create-untagged-001"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Animal created successfully.",
  "data": {
    "id": 16,
    "tag_id": "INT-A1B2C3D4E5F6",
    "status": "active",
    "health_status": "healthy",
    "flags": {
      "is_pregnant": false,
      "is_lactating": false,
      "is_quarantine": false,
      "needs_attention": false
    },
    "card": {
      "id": 16,
      "tag_id": "INT-A1B2C3D4E5F6",
      "farm_id": 1,
      "species": "Cattle",
      "breed": "White Fulani",
      "gender": "female",
      "age_months": 18,
      "lifecycle_status": "active",
      "health_status": "healthy",
      "housing_unit": {
        "id": 4,
        "name": "Pen A"
      }
    }
  }
}
```

```
    },
    "flags": {
      "is_pregnant": false,
      "is_lactating": false,
      "is_quarantine": false,
      "needs_attention": false
    },
    "image_url": null
  }
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "DUPLICATE_RECORD",
  "message": "Tag ID already exists.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

PATCH /api/v2/animals/{animal_id}/

Partial animal update

Identity/housing/notes only. Do not send is_pregnant, is_lactating, is_quarantine, or sold/dead via PATCH — those change through operations (pregnancy_check, mortality, sale). Sold/dead via PATCH is rejected.

Auth Cookie · update_animal_details

URL PARAMETERS

Name	Type	What to send
animal_id	int	Animal ID

EXAMPLE REQUEST JSON

```
{
  "notes": "Moved to Pen A",
  "housing_unit_id": 4,
  "tag_id": "COW-001"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Animal updated successfully.",
  "data": {
    "id": 15,
    "tag_id": "COW-001",
    "overview": {
      "farm_id": 1,
      "farm": "North Paddock",
      "housing_unit_id": 4
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 422

```
{
  "success": false,
  "code": "VALIDATION_ERROR",
  "message": "Sold or dead status must be recorded through operations.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/animals/{animal_id}/profile/

Animal operational profile

Single screen payload: card, overview, reproduction, production, health, feeding, movement, sale_readiness, open_tasks. Keep GET /api/animals/animal-profile/v2/{id} working for old clients; new UI should use this path.

Auth Cookie · view_animal_details

URL PARAMETERS

Name	Type	What to send
animal_id	int	Animal ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Animal profile fetched successfully.",
  "data": {
    "id": 15,
    "tag_id": "COW-001",
    "status": "active",
    "health_status": "healthy",
    "flags": {
      "is_pregnant": false,
      "is_lactating": false,
      "is_quarantine": false,
      "needs_attention": false
    },
    "card": {
      "id": 15,
      "tag_id": "COW-001",
      "farm_id": 1,
      "species": "Cattle",
      "breed": "White Fulani",
      "gender": "female",
      "age_months": 18,
      "lifecycle_status": "active",
      "health_status": "healthy",
      "housing_unit": {
        "id": 4,
        "name": "Pen A"
      },
      "flags": {
        "is_pregnant": false,
        "is_lactating": false,
        "is_quarantine": false,
        "needs_attention": false
      },
      "image_url": null
    },
    "overview": {
```

```
    "species": "Cattle",
    "livestock_species_id": 1,
    "breed": "White Fulani",
    "livestock_breed_id": 2,
    "housing_unit": "Pen A",
    "housing_unit_id": 4,
    "farm_id": 1,
    "farm": "North Paddock",
    "mother_tag": null,
    "source": "Purchased",
    "entry_date": "2026-01-10"
  },
  "reproduction": {
    "last_insemination_date": null,
    "expected_delivery_date": null,
    "pregnancy_status": "Not Pregnant"
  },
  "production": {
    "lactation_status": "Not Lactating",
    "milk_production_today": 0
  },
  "health": {
    "health_status": "healthy",
    "is_quarantine": false,
    "last_vaccination": {
      "vaccine_name": "CBPP",
      "date_given": "2026-08-27",
      "next_due_date": "2026-09-26"
    },
    "last_treatment": null
  },
  "feeding": {
    "last_feed_issuance": null
  },
  "movement": {
    "last_move_date": null,
    "from_unit": null,
    "to_unit": null
  },
  "sale_readiness": {
    "status": "not_ready_for_sale",
    "restrictions": [],
    "manual_review_reasons": [],
    "factors": {}
  },
  "open_tasks": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "is_overdue": false,
```

```

    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
    "result": null,
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  }
]
},
"meta": null
}

```

EXAMPLE ERROR JSON · HTTP 404

```

{
  "success": false,
  "code": "ANIMAL_NOT_FOUND",
  "message": "Animal could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

GET /api/v2/animals/{animal_id}/timeline/

Animal timeline

Convenience filter of the unified timeline for one animal.

Auth Cookie · view_animal_details

URL PARAMETERS

Name	Type	What to send
animal_id	int	Animal ID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Timeline fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "reference": {
        "type": "vaccination",
        "id": 41
      },
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "actor": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa",
        "role_name": "Field Worker"
      }
    }
  ],
}
```



```
      "created_at": "2026-08-27T09:15:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/animals/resolve-tag/{tag_id}/

Resolve ear tag

Scanner / search jump. Optional farm_id query scopes the lookup. Tags are unique in this backend.

Auth Cookie · view_animal_details

URL PARAMETERS

Name	Type	What to send
tag_id	string	Ear tag, e.g. COW-001

QUERY PARAMETERS

Name	Type	Required	What to send
farm_id	int	no	Limit to one farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Tag resolved successfully.",
  "data": {
    "id": 15,
    "tag_id": "COW-001",
    "farm_id": 1,
    "status": "active",
    "health_status": "healthy"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "TAG_NOT_FOUND",
  "message": "No animal found for this tag.",
  "data": null,
  "errors": {},
  "retryable": false
}
```


POST /api/v2/operations/tasks/

Create a task

task_type: vaccination | treatment | feed_issuance | sale | movement | observation | weight | pregnancy_check | mortality | generic. If assignee_id is set, status becomes assigned and the worker is notified.

Auth Cookie · create health/feed/animal

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "task_type": "vaccination",
  "title": "Vaccinate COW-001 \u2014 CBPP",
  "description": "Annual CBPP shot",
  "animal_id": 15,
  "due_at": "2026-08-28T08:00:00Z",
  "priority": "high",
  "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
  "client_request_id": "task-create-001"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task created successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
  }
}
```

```
"started_at": null,
"completed_at": null,
"cancelled_at": null,
"unable_to_complete_at": null,
"unable_reason_code": null,
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 422

```
{
  "success": false,
  "code": "VALIDATION_ERROR",
  "message": "Invalid task type.",
  "data": null,
  "errors": {
    "task_type": "weigh"
  },
  "retryable": false
}
```

GET /api/v2/operations/tasks/

List tasks

Manager queue. status=open excludes completed/cancelled. status=overdue is due_at in the past and still open.

Auth Cookie · view health/feed/animal

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Filter farm
status	string	no	open overdue assigned ...
task_type	string	no	vaccination, treatment, ...
assigned_to_me	bool	no	true to hide others' tasks

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Tasks fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "is_overdue": false,
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "assignee": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa"
      },
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "actor": {
        "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "display_name": "Amina Owner",

```

```

        "role_name": "Farm Manager"
      },
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
      "cancelled_at": null,
      "unable_to_complete_at": null,
      "unable_reason_code": null,
      "source": {
        "type": "manual",
        "id": null
      },
      "result": null,
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "result_reference_table": null,
      "result_reference_id": null,
      "created_at": "2026-08-27T07:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}

```

EXAMPLE ERROR JSON · HTTP 401

```

{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

GET /api/v2/operations/tasks/{task_id}/

Task detail

Single task. status may render as overdue when due_at is past and the task is still open.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task fetched successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    }
  }
}
```



```
    },
    "result": null,
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "TASK_NOT_FOUND",
  "message": "Task could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/tasks/{task_id}/assign/

Assign or reassign

Replaces the current assignee. Previous pending assignment is superseded. Worker gets a notification.

Auth Cookie · assign_operation / reassign_operation

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{
  "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task assigned successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
  }
}
```

```
"unable_to_complete_at": null,
"unable_reason_code": null,
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "TASK_INVALID_STATE",
  "message": "Completed or cancelled tasks cannot be assigned.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/tasks/{task_id}/accept/

Accept task

Only the assignee (or org owner). Empty JSON body is fine. Moves status to accepted.

Auth Cookie · assignee

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task accepted successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "accepted",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": "2026-08-27T08:05:00+00:00",
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
  }
}
```

```
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/tasks/{task_id}/start/

Start task

Optional. Auto-accepts if still assigned. Sets in_progress. complete() can skip this step.

Auth Cookie · assignee

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task started successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "in_progress",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": "2026-08-27T08:05:00+00:00",
    "started_at": "2026-08-27T08:06:00+00:00",
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
  }
}
```

```
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "TASK_INVALID_STATE",
  "message": "Task cannot be started.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/tasks/{task_id}/complete/

Complete task (writes the domain record)

This is the important call. It runs in one DB transaction: validate → write the domain record → mark task completed → emit timeline. Body fields depend on task_type — see the complete() payload appendix. Weight writes AnimalWeight; pregnancy_check writes PregnancyRecord and sets is_pregnant; mortality writes MortalityRecord, marks the animal dead, and cancels open tasks. If stock is short the task stays incomplete. Send client_request_id (or header X-Client-Request-Id) so a retry does not double-write.

Auth Cookie · complete_operation + domain write permission

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{
  "vaccine_name": "CBPP",
  "date_given": "2026-08-27",
  "next_due_date": "2026-09-26",
  "notes": "Given in paddock",
  "client_request_id": "complete-12"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task completed successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "completed",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
  },
  "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
}
```



```

    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": "2026-08-27T09:15:00+00:00",
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
    "result": {
      "type": "vaccination_record",
      "id": 41
    },
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": "vaccination_record",
    "result_reference_id": 41,
    "created_at": "2026-08-27T07:00:00+00:00"
  },
  "meta": null
}

```

EXAMPLE ERROR JSON · HTTP 409

```

{
  "success": false,
  "code": "INSUFFICIENT_DRUG_STOCK",
  "message": "Insufficient stock available in the selected drug batch.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

POST /api/v2/operations/tasks/{task_id}/cancel/

Cancel task

Open tasks only. Notifies the assignee.

Auth Cookie · cancel_operation

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{
  "reason": "Animal sold before visit"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task cancelled successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "cancelled",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": "2026-08-27T11:30:00+00:00",
  }
}
```

```
"unable_to_complete_at": null,
"unable_reason_code": null,
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "TASK_INVALID_STATE",
  "message": "Task cannot be cancelled.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/tasks/{task_id}/unable-to-complete/

Unable to complete

Assignee (or owner) records that the work could not be done. reason_code: animal_unavailable | animal_moved | animal_sick | material_unavailable | medicine_unavailable | equipment_unavailable | incorrect_assignment | unable_to_identify_subject | unsafe_to_proceed | other. Status becomes unable_to_complete. Not the same as cancel.

Auth Cookie · assignee

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{
  "reason_code": "animal_unavailable",
  "notes": "Moved to another paddock",
  "client_request_id": "unable-12"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Unable-to-complete recorded.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "unable_to_complete",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
  },
  "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
  "actor": {
    "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "display_name": "Amina Owner",
  },
}
```

```
    "role_name": "Farm Manager"
  },
  "accepted_at": null,
  "started_at": null,
  "completed_at": null,
  "cancelled_at": null,
  "unable_to_complete_at": "2026-08-27T11:00:00+00:00",
  "unable_reason_code": "animal_unavailable",
  "source": {
    "type": "manual",
    "id": null
  },
  "result": null,
  "subject": {
    "type": "animal",
    "id": 15,
    "label": "COW-001"
  },
  "result_reference_table": null,
  "result_reference_id": null,
  "created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "TASK_ALREADY_COMPLETED",
  "message": "Completed tasks cannot be marked unable.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/tasks/{task_id}/reopen/

Reopen task

Manager/owner only. Reopens unable_to_complete or cancelled tasks (not completed). Optional new assignee_id and due_at. Status becomes assigned if an assignee is set, otherwise draft.

Auth Cookie · assign_operation / owner

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{
  "reason": "Animal returned",
  "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task reopened successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
  }
}
```

```
"completed_at": null,
"cancelled_at": null,
"unable_to_complete_at": null,
"unable_reason_code": null,
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "TASK_CANNOT_BE_REOPENED",
  "message": "Ordinary workers must not reopen completed tasks.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/operations/my-work/

My Work inbox

Open tasks assigned to the current user. Primary field-worker screen.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Filter farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "My work fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "is_overdue": false,
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "assignee": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa"
      },
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "actor": {
        "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "display_name": "Amina Owner",
        "role_name": "Farm Manager"
      },
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
      "cancelled_at": null,
    }
  ]
}
```



```
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
    "result": null,
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 1,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/operations/today/

Due today

Assigned to me, due_at date = today, not completed/cancelled.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Today's work fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "is_overdue": false,
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "assignee": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa"
      },
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "actor": {
        "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "display_name": "Amina Owner",
        "role_name": "Farm Manager"
      },
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
      "cancelled_at": null,
    }
  ]
}
```

```
"unable_to_complete_at": null,
"unable_reason_code": null,
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
}
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 1,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/operations/overdue/

Overdue work

Assigned to me, due_at in the past, still open.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Overdue work fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "overdue",
      "is_overdue": false,
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "assignee": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa"
      },
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "actor": {
        "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "display_name": "Amina Owner",
        "role_name": "Farm Manager"
      },
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
      "cancelled_at": null,
    }
  ]
}
```

```
"unable_to_complete_at": null,
"unable_reason_code": null,
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
}
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 1,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/operations/schedules/

List schedules

Read-only. GET never creates tasks. Due occurrences are generated by the farmos_dev_scheduler loop (run_due_schedules` every 60s) or POST .../run/.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedules fetched successfully.",
  "data": [
    {
      "id": 1,
      "farm_id": 1,
      "task_type": "vaccination",
      "title": "Monthly CBPP round",
      "description": "",
      "recurrence": "monthly",
      "next_run_at": "2026-09-01T07:00:00+00:00",
      "is_active": true,
      "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "animal_id": null,
      "group_id": null,
      "created_at": "2026-08-01T07:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

POST /api/v2/operations/schedules/

Create schedule

recurrence: once | daily | weekly | monthly. run_now true immediately creates a task.

Auth Cookie

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "task_type": "vaccination",
  "title": "Monthly CBPP round",
  "recurrence": "monthly",
  "next_run_at": "2026-09-01T07:00:00Z",
  "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
  "run_now": false
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedule created successfully.",
  "data": {
    "id": 1,
    "title": "Monthly CBPP round",
    "recurrence": "monthly",
    "is_active": true
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 422

```
{
  "success": false,
  "code": "VALIDATION_ERROR",
  "message": "Invalid recurrence.",
  "data": null,
  "errors": {},
  "retryable": false
}
```


POST /api/v2/operations/schedules/{schedule_id}/run/

Run schedule

Creates one task from the template and bumps next_run_at (or deactivates once schedules).

Auth Cookie

URL PARAMETERS

Name	Type	What to send
schedule_id	int	Schedule ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedule run successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
  }
}
```

```
"source": {
  "type": "manual",
  "id": null
},
"result": null,
"subject": {
  "type": "animal",
  "id": 15,
  "label": "COW-001"
},
"result_reference_table": null,
"result_reference_id": null,
"created_at": "2026-08-27T07:00:00+00:00"
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "SCHEDULE_NOT_FOUND",
  "message": "Schedule could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/operations/schedules/{schedule_id}/

Schedule detail

One recurring template.

Auth Cookie · view_operation

URL PARAMETERS

Name	Type	What to send
schedule_id	int	Schedule ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedule fetched successfully.",
  "data": {
    "id": 1,
    "farm_id": 1,
    "task_type": "vaccination",
    "title": "Monthly CBPP round",
    "recurrence": "monthly",
    "next_run_at": "2026-09-01T07:00:00+00:00",
    "is_active": true
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "SCHEDULE_NOT_FOUND",
  "message": "Schedule could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

PATCH /api/v2/operations/schedules/{schedule_id}/

Update schedule

Partial update. Send only fields to change, including is_active.

Auth Cookie · create_operation

URL PARAMETERS

Name	Type	What to send
schedule_id	int	Schedule ID

EXAMPLE REQUEST JSON

```
{
  "title": "Monthly CBPP round",
  "next_run_at": "2026-10-01T07:00:00Z"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedule updated successfully.",
  "data": {
    "id": 1,
    "title": "Monthly CBPP round",
    "is_active": true
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/schedules/{schedule_id}/deactivate/

Deactivate schedule

Sets is_active false. Does not delete history. Reactivate with PATCH is_active true.

Auth Cookie · create_operation

URL PARAMETERS

Name	Type	What to send
schedule_id	int	Schedule ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedule deactivated successfully.",
  "data": {
    "id": 1,
    "title": "Monthly CBPP round",
    "is_active": false
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "SCHEDULE_NOT_FOUND",
  "message": "Schedule could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Timeline

GET /api/v2/timeline/

Unified timeline

Do not invent history in the client. Filter with farm_id, animal_id, event_type. Events are written when domain records and tasks save.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm
animal_id	int	no	Animal
event_type	string	no	vaccination, treatment, task_completed, ...

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Timeline fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "reference": {
        "type": "vaccination",
        "id": 41
      },
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "actor": {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa",
        "role_name": "Field Worker"
      }
    }
  ]
}
```

```
    },
    "created_at": "2026-08-27T09:15:00+00:00"
  }
],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 2,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```


POST /api/v2/health/observations/

Record observation

Thin clinical note. Optional case_id. create_case true opens a HealthCase; default false does not auto-create a case. create_task true opens a follow-up observation task. Treatments still use task complete() or legacy POST /api/health/treatment/.

Auth Cookie · add_health

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "animal_id": 15,
  "symptoms": "Limping on front left",
  "severity": "mild",
  "create_case": false,
  "create_task": false,
  "client_request_id": "obs-standalone-001"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Observation recorded successfully.",
  "data": {
    "id": 3,
    "farm_id": 1,
    "animal_id": 15,
    "group_id": null,
    "case_id": null,
    "observed_at": "2026-08-27T10:00:00+00:00",
    "symptoms": "Limping on front left",
    "severity": "mild",
    "created_at": "2026-08-27T10:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/health/observations/

List observations

Filter by farm_id and animal_id.

Auth Cookie · view_health

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm
animal_id	int	no	Animal

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Observations fetched successfully.",
  "data": [
    {
      "id": 3,
      "farm_id": 1,
      "animal_id": 15,
      "case_id": 1,
      "observed_at": "2026-08-27T10:00:00+00:00",
      "symptoms": "Limping on front left",
      "severity": "mild",
      "created_at": "2026-08-27T10:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
```

```
"message": "Authentication is required.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

POST /api/v2/health/cases/

Open health case

Groups observations. Does not replace TreatmentRecord.

Auth Cookie · add_health

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "animal_id": 15,
  "title": "Lameness",
  "notes": "Seen at morning check"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Health case opened successfully.",
  "data": {
    "id": 1,
    "farm_id": 1,
    "animal_id": 15,
    "group_id": null,
    "title": "Lameness",
    "notes": "Seen at morning check",
    "status": "open",
    "opened_at": "2026-08-27T10:00:00+00:00",
    "closed_at": null
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/health/cases/

List health cases

Default status=open.

Auth Cookie · view_health

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm
status	string	no	open closed

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Health cases fetched successfully.",
  "data": [
    {
      "id": 1,
      "farm_id": 1,
      "animal_id": 15,
      "title": "Lameness",
      "status": "open",
      "opened_at": "2026-08-27T10:00:00+00:00",
      "closed_at": null
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
}
```

```
"data": null,  
"errors": {},  
"retryable": false  
}
```

GET /api/v2/health/cases/{case_id}/

Health case detail

Case plus observations, treatments, follow_up, and open_tasks. Does not rewrite the Health engine.

Auth Cookie · view_health

URL PARAMETERS

Name	Type	What to send
case_id	int	Case ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Health case fetched successfully.",
  "data": {
    "id": 1,
    "farm_id": 1,
    "animal_id": 15,
    "title": "Lameness",
    "status": "open",
    "animal": {
      "id": 15,
      "tag_id": "COW-001"
    },
    "observations": [
      {
        "id": 3,
        "symptoms": "Limping on front left",
        "severity": "mild"
      }
    ],
    "diagnosis": null,
    "treatments": [],
    "follow_up": {
      "required": false,
      "next_due_at": null
    },
    "open_tasks": []
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "HEALTH_CASE_NOT_FOUND",
  "message": "Health case could not be found.",
  "data": null,
}
```



```
"errors": {},
"retryable": false
}
```

POST /api/v2/health/cases/{case_id}/close/

Close health case

Sets status closed. Optional notes are appended.

Auth Cookie · update_health

URL PARAMETERS

Name	Type	What to send
case_id	int	Case ID

EXAMPLE REQUEST JSON

```
{
  "notes": "Resolved after treatment"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Health case closed successfully.",
  "data": {
    "id": 1,
    "title": "Lameness",
    "status": "closed",
    "closed_at": "2026-08-28T16:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "CONFLICT",
  "message": "Health case is already closed.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/health/alerts/

Actionable health alerts

HealthAlert rows with subject (animal/farm) and reference. Distinct from farm attention alerts at /farms/{id}/alerts/ and from the notification inbox.

Auth Cookie · view_health

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm
status	string	no	open (default) or resolved

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Alerts fetched successfully.",
  "data": [
    {
      "id": 9,
      "alert_type": "vaccination_due",
      "priority": "warning",
      "title": "Vaccination Due",
      "message": "COW-001 CBPP due",
      "status": "open",
      "subject": {
        "type": "animal",
        "id": 15,
        "label": "COW-001"
      },
      "reference": {
        "type": "health_alert",
        "id": 9
      },
      "available_actions": [
        "view_subject",
        "create_task"
      ],
      "detected_date": "2026-08-20"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,

```

```
    "total_pages": 1,  
    "has_next": false,  
    "has_previous": false  
  }  
}  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

Notifications

GET /api/v2/notifications/unread-count/

Unread badge count

Lightweight badge. Prefer this over paging the inbox just to count unread.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Unread notification count fetched successfully.",
  "data": {
    "count": 4
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/notifications/

Notification inbox

Per-user inbox (task assigned, completed, cancelled). Not the same as farm alerts.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
unread_only	bool	no	true for badge list

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Notifications fetched successfully.",
  "data": [
    {
      "id": 21,
      "category": "task",
      "title": "Task assigned",
      "body": "Vaccinate COW-001 \u2014 CBPP",
      "is_read": false,
      "read_at": null,
      "farm_id": 1,
      "reference_table": "task",
      "reference_id": 12,
      "created_at": "2026-08-27T07:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
```

```
"message": "Authentication is required.",
"data": null,
"errors": {},
"retryable": false
}
```

POST /api/v2/notifications/{notification_id}/read/

Mark one read

Idempotent if already read.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
notification_id	int	Notification ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Notification marked as read.",
  "data": {
    "id": 21,
    "is_read": true,
    "read_at": "2026-08-27T07:10:00+00:00",
    "title": "Task assigned"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "NOTIFICATION_NOT_FOUND",
  "message": "Notification could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/notifications/read-all/

Mark all read

Clears the badge. Body optional.

Auth Cookie

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Notifications marked as read.",
  "data": {
    "updated": 4
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Search

GET /api/v2/search/

Search

q is required. Returns animals (tag + farm + species), people (display_name), and tasks (subject + assignee). Each bucket is omitted unless the caller has that capability. limit default 10, max 25.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
q	string	yes	Search text
farm_id	int	no	Scope to farm
limit	int	no	Max hits per bucket

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Search completed.",
  "data": {
    "query": "COW-001",
    "animals": [
      {
        "id": 15,
        "tag_id": "COW-001",
        "species": "Cattle",
        "breed": "White Fulani",
        "farm": "North Paddock",
        "farm_id": 1,
        "status": "active"
      }
    ],
    "people": [
      {
        "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa",
        "email": "ibrahim@farm.example",
        "role": null,
        "farm": null
      }
    ],
    "tasks": [
      {
        "id": 12,
        "title": "Vaccinate COW-001 \u2014 CBPP",
        "status": "assigned",
        "subject": {
          "type": "animal",
          "id": 15,
          "label": "COW-001"
        }
      }
    ]
  }
}
```

```
    },  
    "assignee": "Ibrahim Musa"  
  }  
]  
},  
"meta": null  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

Dashboard

GET /api/v2/dashboard/organization/

Organization home

One call for org home. Timezone Africa/Lagos. livestock / operations / attention / upcoming / farm_breakdown / recent_activity. Do not fan out the 29 legacy dashboard routes for this screen.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Organization dashboard fetched successfully.",
  "data": {
    "organization": {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "name": "Zaima Farms",
      "status": "active",
      "timezone": "Africa/Lagos"
    },
    "livestock": {
      "total": 120,
      "active": 110,
      "sold": 6,
      "dead": 4
    },
    "operations": {
      "scheduled_today": 6,
      "completed_today": 2,
      "in_progress": 1,
      "overdue": 1
    },
    "attention": {
      "critical_health": 8,
      "feed_risk": 0,
      "quarantine": 2,
      "overdue_operations": 1
    },
    "upcoming": {
      "vaccinations_7_days": 3,
      "followups_7_days": 1,
      "expected_births_14_days": 2
    },
    "farm_breakdown": [
      {
        "farm_id": 1,
        "name": "North Paddock",
        "active_animals": 110,
        "open_alerts": 3,
        "overdue_tasks": 1,
        "work_completion_percent": 80
      }
    ],
    "recent_activity": [
```

```

{
  "id": 88,
  "farm_id": 1,
  "animal_id": 15,
  "animal_tag": "COW-001",
  "group_id": null,
  "event_type": "vaccination",
  "event_date": "2026-08-27T09:15:00+00:00",
  "event_title": "Vaccination - CBPP",
  "event_summary": "Administered in paddock",
  "reference_table": "vaccination",
  "reference_id": 41,
  "reference": {
    "type": "vaccination",
    "id": 41
  },
  "subject": {
    "type": "animal",
    "id": 15,
    "label": "COW-001"
  },
  "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
  "actor": {
    "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "display_name": "Ibrahim Musa",
    "role_name": "Field Worker"
  },
  "created_at": "2026-08-27T09:15:00+00:00"
}
],
"meta": null
}

```

EXAMPLE ERROR JSON · HTTP 401

```

{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

GET /api/v2/dashboard/farm/{farm_id}/

Farm home

Role-aware farm aggregate. timezone Africa/Lagos. today bucket is scheduled/completed/in_progress/pending/overdue.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm dashboard fetched successfully.",
  "data": {
    "farm": {
      "id": 1,
      "name": "North Paddock",
      "status": "active",
      "timezone": "Africa/Lagos"
    },
    "livestock": {
      "total": 120,
      "active": 110,
      "sold": 6,
      "dead": 4,
      "quarantine": 2
    },
    "today": {
      "scheduled": 6,
      "completed": 2,
      "in_progress": 1,
      "pending": 3,
      "overdue": 1
    },
    "attention": [
      {
        "type": "alert",
        "id": 9,
        "title": "vaccination_due",
        "animal_id": 15
      }
    ],
    "upcoming": [
      {
        "id": 12,
        "farm_id": 1,
        "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",

```

```
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "is_overdue": false,
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "assignee": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa"
    },
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "actor": {
      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
    "result": null,
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  },
  {
    "team_work": [
      {
        "user_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "display_name": "Ibrahim Musa",
        "assigned_today": 2,
        "completed_today": 1,
        "overdue": 0
      }
    ],
    "recent_activity": [
      {
        "id": 88,
        "farm_id": 1,
        "animal_id": 15,
        "animal_tag": "COW-001",
```

```
    "group_id": null,
    "event_type": "vaccination",
    "event_date": "2026-08-27T09:15:00+00:00",
    "event_title": "Vaccination - CBPP",
    "event_summary": "Administered in paddock",
    "reference_table": "vaccination",
    "reference_id": 41,
    "reference": {
      "type": "vaccination",
      "id": 41
    },
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "actor": {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "display_name": "Ibrahim Musa",
      "role_name": "Field Worker"
    },
    "created_at": "2026-08-27T09:15:00+00:00"
  }
]
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "FARM_NOT_FOUND",
  "message": "Farm could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```


GET /api/v2/dashboard/my-work/

My Work dashboard

Buckets: today, overdue, upcoming. Optional farm_id.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
farm_id	int	no	Filter farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "My work dashboard fetched successfully.",
  "data": {
    "summary": {
      "open_tasks": 2,
      "overdue_tasks": 1,
      "completed_today": 1
    },
    "today": [
      {
        "id": 12,
        "farm_id": 1,
        "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "animal_id": 15,
        "animal_tag": "COW-001",
        "group_id": null,
        "parent_id": null,
        "task_type": "vaccination",
        "title": "Vaccinate COW-001 \u2014 CBPP",
        "description": "Annual CBPP shot",
        "status": "assigned",
        "is_overdue": false,
        "priority": "high",
        "due_at": "2026-08-28T08:00:00+00:00",
        "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "assigned_to_email": "ibrahim@farm.example",
        "assignee": {
          "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
          "display_name": "Ibrahim Musa"
        },
        "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "actor": {
          "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
          "display_name": "Amina Owner",
          "role_name": "Farm Manager"
        },
        "accepted_at": null,
        "started_at": null,
      }
    ]
  }
}
```

```
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
    "result": null,
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  }
],
"overdue": [],
"upcoming": []
},
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/dashboard/health/

Health workspace

Veterinarian home: active cases, due treatments/vaccinations, quarantine, mortality count, and my_tasks.
Optional farm_id.

Auth Cookie · view_health

QUERY PARAMETERS

Name	Type	Required	What to send
farm_id	int	no	Scope to one farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Health dashboard fetched successfully.",
  "data": {
    "active_health_cases": 4,
    "critical_cases": 1,
    "new_observations": 2,
    "treatments_due": 3,
    "followups_due": 1,
    "vaccinations_due": 5,
    "quarantined_animals": 2,
    "mortality_cases": 1,
    "withdrawal_animals": 2,
    "my_tasks": [
      {
        "id": 12,
        "farm_id": 1,
        "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "animal_id": 15,
        "animal_tag": "COW-001",
        "group_id": null,
        "parent_id": null,
        "task_type": "vaccination",
        "title": "Vaccinate COW-001 \u2014 CBPP",
        "description": "Annual CBPP shot",
        "status": "assigned",
        "is_overdue": false,
        "priority": "high",
        "due_at": "2026-08-28T08:00:00+00:00",
        "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "assigned_to_email": "ibrahim@farm.example",
        "assignee": {
          "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
          "display_name": "Ibrahim Musa"
        },
        "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "actor": {
```

```

      "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "display_name": "Amina Owner",
      "role_name": "Farm Manager"
    },
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "cancelled_at": null,
    "unable_to_complete_at": null,
    "unable_reason_code": null,
    "source": {
      "type": "manual",
      "id": null
    },
    "result": null,
    "subject": {
      "type": "animal",
      "id": 15,
      "label": "COW-001"
    },
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  }
]
},
"meta": null
}

```

EXAMPLE ERROR JSON · HTTP 401

```

{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

Reproduction

POST /api/v2/reproduction/births/

Record a birth

alive + dead must equal total_offspring. Creates one registration_required slot per live offspring. Dead offspring stay on the birth history only. Does not create animals for dead offspring.

Auth Cookie · add_reproduction

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "mother_id": 15,
  "birth_date": "2026-08-31",
  "number_of_offspring": 3,
  "number_alive": 2,
  "number_dead": 1,
  "client_request_id": "birth-001"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Birth recorded successfully.",
  "data": {
    "id": 8,
    "mother_id": 15,
    "total_offspring": 3,
    "alive": 2,
    "dead": 1,
    "pending_offspring_registration": 2,
    "registered": 0,
    "offspring": [
      {
        "offspring_sequence": 1,
        "registration_status": "registration_required",
        "animal_id": null
      },
      {
        "offspring_sequence": 2,
        "registration_status": "registration_required",
        "animal_id": null
      }
    ]
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 422

```
{
  "success": false,
  "code": "VALIDATION_ERROR",
}
```

```
"message": "alive + dead must equal total_offspring.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

POST /api/v2/reproduction/births/{birth_id}/register-offspring/

Register one live offspring

Consumes one registration_required slot and creates a born animal. Rejects a third live registration when only two live offspring were recorded.

Auth Cookie · add_animal_details

URL PARAMETERS

Name	Type	What to send
birth_id	int	Birth ID

EXAMPLE REQUEST JSON

```
{
  "gender": "female",
  "tag_id": "CALF-001",
  "client_request_id": "offspring-1"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Offspring registered successfully.",
  "data": {
    "animal_id": 44,
    "birth": {
      "pending_offspring_registration": 1,
      "registered": 1
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "DUPLICATE_RECORD",
  "message": "No live offspring registration slots remain.",
  "data": null,
  "errors": {},
  "retryable": false
}
```


TATI FarmOS Frontend API Contract v2.2 RC · primary #209850 · do not parse legacy list keys (current_page, num_pages) on these routes. Evidence uploads, bootstrap, retag history, and birth/offspring integrity enforcement are deferred.