

Building the frontend for African Agriculture

Official Web/Mobile contract v2.0 · sandbox <http://127.0.0.1:8082/api/v2/> · Swagger [/api/v2/docs](#)

Every route below is what new screens should call. Responses are JSON. Brand primary from tatifarmos.com: #209850.

How frontend should call this API

Base Nginx sandbox <http://127.0.0.1:8082> · direct app <http://127.0.0.1:8001>. Live stack is unchanged on 8081/8000.

Prefix Official contract is `/api/v2/`. Legacy `/api/*` (240 routes) stays for existing clients. Do not mix envelopes.

Auth POST `/api/auth/login` sets `client_access_token` (HTTP-only). Send cookies on v2 requests. Unauthenticated v2 calls return `AUTHENTICATION_REQUIRED`.

IDs Use `livestock_species_id`, `livestock_breed_id`, `housing_unit_id`, integer `farm_id` / `animal_id`, UUID `organization_id` / user ids.

Idempotency On writes send `client_request_id` in JSON or header `X-Client-Request-Id`. Same key + same user returns the first JSON body and must not create a second vaccination/feed/sale.

SUCCESS ENVELOPE (EVERY V2 200)

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Human-readable summary",
  "data": {},
  "meta": null
}
```

LIST ENVELOPE — READ META.PAGINATION (NEVER CURRENT_PAGE / NUM_PAGES)

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Fetched successfully.",
  "data": [
    {
      "id": 1
    }
  ]
}
```

```

],
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 42,
    "total_pages": 2,
    "has_next": true,
    "has_previous": false
  }
}
}

```

ERROR ENVELOPE (V2)

```

{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}

```

Login errors are the old shape `{"status": "Error", "message": "Invalid credentials"}` — only on `/api/auth/login`.

Frontend screen map

Screen	Call these
App shell / nav	GET <code>/users/me/</code> then GET <code>/users/me/capabilities/</code>
Org home	GET <code>/dashboard/organization/</code> and GET <code>/organizations/{id}/summary/</code>
Farm home	GET <code>/dashboard/farm/{id}/</code> , overview, people, units, alerts
Animal page	GET <code>/animals/{id}/profile/</code> + <code>/timeline/</code>
Scanner	GET <code>/animals/resolve-tag/{tag}/</code> or GET <code>/search?q=</code>
My Work	GET <code>/operations/my-work/</code> , today, overdue; accept / start / complete
Ops manager	POST <code>/operations/tasks/</code> , assign, list, schedules
Inbox	GET <code>/notifications/</code> — not farm alerts

Ibrahim vaccination flow

1. Owner POST `/operations/tasks/` with `task_type: vaccination` and Ibrahim's `assignee_id`.
2. Ibrahim GET `/operations/my-work/` — task is in `data[]`.
3. POST `.../accept/` then optional `.../start/`.
4. POST `.../complete/` with `vaccine_name` + `date_given` (+ `client_request_id`).
5. Backend writes the existing `VaccinationRecord`, emits timeline events, creates a follow-up task if `next_due_date` is set, and the task leaves My Work.
6. Retry the same complete with the same `client_request_id` — still one vaccination row.

complete() JSON by task_type

task_type	Required JSON fields	Writes
vaccination	vaccine_name, optional date_given, next_due_date, notes	VaccinationRecord + follow-up task
treatment	diagnosis, treatment, severity; optional drug_batch + quantity	TreatmentRecord (deducts drug stock)
feed_issuance	feed_inventory_id, quantity_issued, target_type	FeedIssuanceRecord (deducts feed)
sale	buyer_name, price; override_reason if restricted	SalesRecord (sale_readiness rules)
movement	to_housing_unit_id or to_unit_id	MovementRecord
observation	symptoms	HealthObservation
generic	none	Task only + timeline

Useful error codes: TASK_ASSIGNMENT_REQUIRED, TASK_ALREADY_COMPLETED, INSUFFICIENT_FEED_STOCK, INSUFFICIENT_DRUG_STOCK, INVALID_ANIMAL_STATE (sale blocked), SESSION_EXPIRED.

Endpoints

1. [Contract](#) (1)
2. [Session \(legacy login, still required\)](#) (1)
3. [Users](#) (4)
4. [Organizations](#) (5)
5. [Farms](#) (7)
6. [Animals](#) (4)
7. [Operations](#) (14)
8. [Timeline](#) (1)
9. [Health](#) (5)
10. [Notifications](#) (3)
11. [Search](#) (1)
12. [Dashboard](#) (3)

Contract

GET /api/v2/

Contract health

Ping the official frontend contract. No cookie required. Use this to confirm the app is talking to /api/v2/ rather than legacy /api/*.

Auth Public

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "v2 contract is available.",
  "data": {
    "contract": "FarmOS Frontend API Contract v2",
    "legacy_prefix": "/api/",
    "this_prefix": "/api/v2/",
    "identifiers": [
      "livestock_species_id",
      "livestock_breed_id",
      "housing_unit_id",
      "farm_id",
      "organization_id",
      "animal_id",
      "group_id"
    ]
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Session (legacy login, still required)

POST /api/auth/login

Sign in (sets cookies)

v2 does not replace login. POST email + password to the legacy auth route. Success JSON is small; the session is HTTP-only cookies client_access_token, client_refresh_token, client_csrf_token. Send those cookies on every /api/v2/ call. Do not parse v2 fields on this response.

Auth Public

EXAMPLE REQUEST JSON

```
{
  "email": "ibrahim@farm.example",
  "password": "Str0ngPass!word"
}
```

EXAMPLE SUCCESS JSON

```
{
  "status": "Success",
  "message": "Login successful",
  "is_admin": false
}
```

EXAMPLE ERROR JSON · HTTP 401 — THIS SHAPE IS NOT THE V2 ENVELOPE

```
{
  "status": "Error",
  "message": "Invalid credentials"
}
```

Users

GET /api/v2/users/me/

Current user operational profile

Call once after login to bootstrap the shell: identity, organization, farm-role assignments, permission codes, and work_summary for My Work badges. Task counts are live.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "User profile fetched successfully.",
  "data": {
    "id": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "email": "owner@farm.example",
    "username": "owner",
    "account_status": "Active",
    "is_admin": false,
    "organization": {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "name": "Zaima Farms",
      "code": "ZAIMA",
      "status": "active"
    },
    "assignments": [
      {
        "role_id": 3,
        "role_name": "Farm Manager",
        "role_code": "farm_manager",
        "farm_id": 1,
        "farm_name": "North Paddock"
      }
    ],
    "permissions": [
      "add_health",
      "view_animal_details",
      "view_health"
    ],
    "work_summary": {
      "open_tasks": 2,
      "overdue_tasks": 1,
      "completed_today": 1
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
```

```
"message": "Authentication is required.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

GET /api/v2/users/me/capabilities/

Capabilities and navigation map

Drive UI chrome from capabilities and navigation booleans. Do not infer menus from raw permission strings alone. operations and my_work are true when the user can view health/feed/animal work.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Capabilities fetched successfully.",
  "data": {
    "is_organization_owner": true,
    "permissions": [
      "add_health",
      "view_animal_details"
    ],
    "capabilities": {
      "view_animal_details": true,
      "add_animal_details": true,
      "view_health": true,
      "record_health": true,
      "view_feed": true,
      "record_feed_activity": true,
      "view_operation": true,
      "create_operation": true,
      "assign_operation": true,
      "complete_operation": true,
      "cancel_operation": true
    },
    "navigation": {
      "dashboard": true,
      "livestock": true,
      "health": true,
      "feed": true,
      "operations": true,
      "my_work": true,
      "people": true,
      "reports": true,
      "sales": false
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
}
```

```
"data": null,  
"errors": {},  
"retryable": false  
}
```

GET /api/v2/users/me/activity/

Current user activity

Timeline of events this user created. Paginated via query page and page_size. Read meta.pagination — not current_page / num_pages.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	1-based page, default 1
page_size	int	no	Default 20, max 100

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Activity fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "created_at": "2026-08-27T09:15:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/users/me/tasks/

Tasks assigned to me

Same records as My Work, including completed if you pass status. Use status=open for the inbox.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	1-based page
page_size	int	no	Default 20
status	string	no	open assigned accepted completed cancelled overdue

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Tasks fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
      "result_reference_table": null,
      "result_reference_id": null,
      "created_at": "2026-08-27T07:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
    }
  }
}
```

```
    "has_next": false,  
    "has_previous": false  
  }  
}  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

Organizations

GET /api/v2/organizations/{organization_id}/

Organization profile

Operational org card for settings and home. organization_id is a UUID and must be the caller's org.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Caller's organization UUID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Organization fetched successfully.",
  "data": {
    "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "name": "Zaima Farms",
    "code": "ZAIMA",
    "status": "active",
    "industry": "Livestock",
    "country": "Nigeria",
    "state_region": "Kaduna",
    "logo": null,
    "is_owner": true,
    "counts": {
      "farms": 1,
      "people": 4,
      "animals": 120,
      "active_animals": 110,
      "open_tasks": 6
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "ORGANIZATION_NOT_FOUND",
  "message": "Organization could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

PATCH /api/v2/organizations/{organization_id}/

Update organization

Owner-only. Send only fields to change.

Auth Cookie · organization owner

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Organization UUID

EXAMPLE REQUEST JSON

```
{
  "name": "Zaima Farms Ltd",
  "status": "active"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Organization updated successfully.",
  "data": {
    "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "name": "Zaima Farms Ltd",
    "status": "active"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/organizations/{organization_id}/summary/

Organization summary counts

Compact counts for the org home header. Prefer this over chaining many legacy dashboard calls.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Organization UUID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Organization summary fetched successfully.",
  "data": {
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "farms": 1,
    "animals": {
      "total": 120,
      "active": 110,
      "sold": 6,
      "dead": 4,
      "quarantine": 2,
      "pregnant": 9
    },
    "open_tasks": 6,
    "roles": 3,
    "people": 4
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/organizations/{organization_id}/activity/

Organization activity

Unified event list across all farms in the org. Same event objects as /timeline/.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Organization UUID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Activity fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "created_at": "2026-08-27T09:15:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 2,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

```
}  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/organizations/{organization_id}/farms/

List farms

Farm switcher. Each row includes animal_count.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
organization_id	uuid	Organization UUID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farms fetched successfully.",
  "data": [
    {
      "id": 1,
      "name": "North Paddock",
      "farm_code": "NP-01",
      "status": "active",
      "is_primary": true,
      "farm_type": "Livestock",
      "city": "Zaria",
      "animal_count": 120,
      "active_animals": 110
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

Farms

GET /api/v2/farms/{farm_id}/

Farm profile

Farm settings card plus live counts (animals, tasks, alerts, units). farm_id is an integer.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm numeric ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm fetched successfully.",
  "data": {
    "id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "name": "North Paddock",
    "farm_code": "NP-01",
    "status": "active",
    "is_primary": true,
    "farm_type": "Livestock",
    "city": "Zaria",
    "location_address": "Kaduna\u2013Zaria road",
    "latitude": 11.11,
    "longitude": 7.72,
    "country": "Nigeria",
    "state_region": "Kaduna",
    "counts": {
      "animals": 120,
      "active_animals": 110,
      "sold": 6,
      "dead": 4,
      "quarantine": 2,
      "open_tasks": 6,
      "open_alerts": 3,
      "housing_units": 8,
      "farm_units": 4
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "FARM_NOT_FOUND",
  "message": "Farm could not be found.",
}
```

```
"data": null,  
"errors": {},  
"retryable": false  
}
```

PATCH /api/v2/farms/{farm_id}/

Update farm

Partial update. Setting is_primary true clears primary on other farms in the org.

Auth Cookie · update_farm

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

EXAMPLE REQUEST JSON

```
{
  "name": "North Paddock",
  "city": "Zaria",
  "status": "active",
  "is_primary": true
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm updated successfully.",
  "data": {
    "id": 1,
    "name": "North Paddock",
    "is_primary": true
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
  "message": "You do not have permission to perform this action.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/farms/{farm_id}/overview/

Farm overview

Profile plus health_breakdown and people_count for the farm home.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm overview fetched successfully.",
  "data": {
    "id": 1,
    "name": "North Paddock",
    "health_breakdown": {
      "healthy": 100,
      "sick": 8,
      "recovering": 2
    },
    "people_count": 3
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/farms/{farm_id}/timeline/

Farm timeline

Events for one farm. Optional event_type filter uses canonical names: vaccination, treatment, feeding, sale, task_created, task_completed.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
event_type	string	no	Canonical event name

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Timeline fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "created_at": "2026-08-27T09:15:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 2,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

```
}  
}  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/farms/{farm_id}/people/

Farm people

Staff assigned to this farm (plus org owner). Use for assign-task pickers.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "People fetched successfully.",
  "data": [
    {
      "id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "email": "ibrahim@farm.example",
      "username": "ibrahim",
      "is_owner": false,
      "roles": [
        {
          "role": "Field Worker",
          "role_code": "e2e_field",
          "farm_id": 1
        }
      ]
    }
  ],
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/farms/{farm_id}/units/

Housing and farm units

housing_units are v2 livestock housing (housing_unit_id). farm_units are legacy pens. Prefer housing_units for new UI.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Units fetched successfully.",
  "data": {
    "housing_units": [
      {
        "id": 4,
        "kind": "housing_unit",
        "name": "Pen A",
        "status": "active",
        "capacity": 20,
        "occupancy": 12,
        "location": "North"
      }
    ],
    "farm_units": [
      {
        "id": 2,
        "kind": "farm_unit",
        "name": "Barn 1",
        "code": "B1",
        "status": "active",
        "capacity": 30,
        "unit_type": "barn"
      }
    ]
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
}
```

```
"errors": {},  
"retryable": false  
}
```

GET /api/v2/farms/{farm_id}/alerts/

Farm attention alerts

These are farm attention items, not tasks and not the notification inbox. Do not merge with /operations or /notifications.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
status	string	no	open (default) or resolved

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Alerts fetched successfully.",
  "data": [
    {
      "id": 9,
      "alert_type": "vaccination_due",
      "priority": "warning",
      "title": "Vaccination due",
      "message": "COW-001 CBPP due",
      "status": "open",
      "due_date": "2026-08-29T00:00:00+00:00",
      "created_at": "2026-08-20T00:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

Animals

POST /api/v2/animals/

Progressive animal create

status must be active | sold | dead only (not pregnant/sick). Breed and housing are optional. Born animals still need mother_id and dob. Optional client_request_id for offline retries.

Auth Cookie · add_animal_details

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "tag_id": "COW-001",
  "gender": "female",
  "source_type": "purchased",
  "status": "active",
  "livestock_species_id": 1,
  "livestock_breed_id": 2,
  "housing_unit_id": 4,
  "estimated_age_months": 18,
  "notes": "Opening record",
  "client_request_id": "create-cow-001"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Animal created successfully.",
  "data": {
    "id": 15,
    "tag_id": "COW-001",
    "status": "active",
    "health_status": "healthy",
    "flags": {
      "is_pregnant": false,
      "is_lactating": false,
      "is_quarantine": false,
      "is_active": true,
      "is_breeding_restricted": false
    },
    "card": {
      "id": 15,
      "tag_id": "COW-001",
      "species": "Cattle",
      "breed": "White Fulani",
      "gender": "female",
      "status": "active",
      "age_months": 18,
      "housing_unit": "Pen A",
      "image_url": null
    }
  }
},
```

```
"meta": null  
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{  
  "success": false,  
  "code": "DUPLICATE_RECORD",  
  "message": "Tag ID already exists.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/animals/{animal_id}/profile/

Animal operational profile

Single screen payload: card, overview, reproduction, production, health, feeding, movement, sale_readiness, open_tasks. Keep GET /api/animals/animal-profile/v2/{id} working for old clients; new UI should use this path.

Auth Cookie · view_animal_details

URL PARAMETERS

Name	Type	What to send
animal_id	int	Animal ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Animal profile fetched successfully.",
  "data": {
    "id": 15,
    "tag_id": "COW-001",
    "status": "active",
    "health_status": "healthy",
    "flags": {
      "is_pregnant": false,
      "is_lactating": false,
      "is_quarantine": false,
      "is_active": true,
      "is_breeding_restricted": false
    },
    "card": {
      "id": 15,
      "tag_id": "COW-001",
      "species": "Cattle",
      "breed": "White Fulani",
      "gender": "female",
      "status": "active",
      "age_months": 18,
      "housing_unit": "Pen A",
      "image_url": null
    },
    "overview": {
      "species": "Cattle",
      "livestock_species_id": 1,
      "breed": "White Fulani",
      "livestock_breed_id": 2,
      "housing_unit": "Pen A",
      "housing_unit_id": 4,
      "farm_id": 1,
      "farm": "North Paddock",
      "mother_tag": null,
      "source": "Purchased",

```

```
    "entry_date": "2026-01-10"
  },
  "reproduction": {
    "last_insemination_date": null,
    "expected_delivery_date": null,
    "pregnancy_status": "Not Pregnant"
  },
  "production": {
    "lactation_status": "Not Lactating",
    "milk_production_today": 0
  },
  "health": {
    "health_status": "healthy",
    "is_quarantine": false,
    "last_vaccination": {
      "vaccine_name": "CBPP",
      "date_given": "2026-08-27",
      "next_due_date": "2026-09-26"
    },
    "last_treatment": null
  },
  "feeding": {
    "last_feed_issuance": null
  },
  "movement": {
    "last_move_date": null,
    "from_unit": null,
    "to_unit": null
  },
  "sale_readiness": {
    "status": "not_ready_for_sale",
    "restrictions": [],
    "manual_review_reasons": [],
    "factors": {}
  },
  "open_tasks": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
      "result_reference_table": null,
      "result_reference_id": null,
      "created_at": "2026-08-27T07:00:00+00:00"
```

```
    }  
  ]  
},  
"meta": null  
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{  
  "success": false,  
  "code": "ANIMAL_NOT_FOUND",  
  "message": "Animal could not be found.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/animals/{animal_id}/timeline/

Animal timeline

Convenience filter of the unified timeline for one animal.

Auth Cookie · view_animal_details

URL PARAMETERS

Name	Type	What to send
animal_id	int	Animal ID

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Timeline fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "created_at": "2026-08-27T09:15:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

```
}  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/animals/resolve-tag/{tag_id}/

Resolve ear tag

Scanner / search jump. Optional farm_id query scopes the lookup. Tags are unique in this backend.

Auth Cookie · view_animal_details

URL PARAMETERS

Name	Type	What to send
tag_id	string	Ear tag, e.g. COW-001

QUERY PARAMETERS

Name	Type	Required	What to send
farm_id	int	no	Limit to one farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Tag resolved successfully.",
  "data": {
    "id": 15,
    "tag_id": "COW-001",
    "farm_id": 1,
    "status": "active",
    "health_status": "healthy"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "TAG_NOT_FOUND",
  "message": "No animal found for this tag.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Operations

POST /api/v2/operations/tasks/

Create a task

task_type: vaccination | treatment | feed_issuance | sale | movement | observation | generic. If assignee_id is set, status becomes assigned and the worker is notified.

Auth Cookie · create health/feed/animal

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "task_type": "vaccination",
  "title": "Vaccinate COW-001 \u2014 CBPP",
  "description": "Annual CBPP shot",
  "animal_id": 15,
  "due_at": "2026-08-28T08:00:00Z",
  "priority": "high",
  "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
  "client_request_id": "task-create-001"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task created successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 422

```
{  
  "success": false,  
  "code": "VALIDATION_ERROR",  
  "message": "Invalid task type.",  
  "data": null,  
  "errors": {  
    "task_type": "weigh"  
  },  
  "retryable": false  
}
```

GET /api/v2/operations/tasks/

List tasks

Manager queue. status=open excludes completed/cancelled. status=overdue is due_at in the past and still open.

Auth Cookie · view health/feed/animal

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Filter farm
status	string	no	open overdue assigned ...
task_type	string	no	vaccination, treatment, ...
assigned_to_me	bool	no	true to hide others' tasks

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Tasks fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
      "result_reference_table": null,
      "result_reference_id": null,
      "created_at": "2026-08-27T07:00:00+00:00"
    }
  ],
}
```

```
"meta": {
  "pagination": {
    "page": 1,
    "page_size": 20,
    "total_items": 1,
    "total_pages": 1,
    "has_next": false,
    "has_previous": false
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/operations/tasks/{task_id}/

Task detail

Single task. status may render as overdue when due_at is past and the task is still open.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task fetched successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "TASK_NOT_FOUND",
  "message": "Task could not be found.",
  "data": null,
  "errors": {},
}
```

```
"retryable": false  
}
```

POST /api/v2/operations/tasks/{task_id}/assign/

Assign or reassign

Replaces the current assignee. Previous pending assignment is superseded. Worker gets a notification.

Auth Cookie · update_farm / owner

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{
  "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task assigned successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{  
  "success": false,  
  "code": "TASK_INVALID_STATE",  
  "message": "Completed or cancelled tasks cannot be assigned.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

POST /api/v2/operations/tasks/{task_id}/accept/

Accept task

Only the assignee (or org owner). Empty JSON body is fine. Moves status to accepted.

Auth Cookie · assignee

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task accepted successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "accepted",
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "accepted_at": "2026-08-27T08:05:00+00:00",
    "started_at": null,
    "completed_at": null,
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 403

```
{
  "success": false,
  "code": "PERMISSION_DENIED",
```

```
"message": "You do not have permission to perform this action.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

POST /api/v2/operations/tasks/{task_id}/start/

Start task

Optional. Auto-accepts if still assigned. Sets in_progress. complete() can skip this step.

Auth Cookie · assignee

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task started successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "in_progress",
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "TASK_INVALID_STATE",

```

```
"message": "Task cannot be started.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

POST /api/v2/operations/tasks/{task_id}/complete/

Complete task (writes the domain record)

This is the important call. It runs in one DB transaction: validate → create vaccination / treatment / feed / sale / movement / observation using existing tables → mark task completed → emit timeline event. If stock is short the task stays incomplete. Send client_request_id (or header X-Client-Request-Id) so a retry does not double-write. Body fields depend on task_type — see the complete() payload appendix.

Auth Cookie · assignee with create permission

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{
  "vaccine_name": "CBPP",
  "date_given": "2026-08-27",
  "next_due_date": "2026-09-26",
  "notes": "Given in paddock",
  "client_request_id": "complete-12"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task completed successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "completed",
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "accepted_at": null,
    "started_at": null,
    "completed_at": "2026-08-27T09:15:00+00:00",
    "result_reference_table": "vaccination_record",
    "result_reference_id": 41,
    "created_at": "2026-08-27T07:00:00+00:00"
  }
}
```

```
},  
  "meta": null  
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{  
  "success": false,  
  "code": "INSUFFICIENT_DRUG_STOCK",  
  "message": "Insufficient stock available in the selected drug batch.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

POST /api/v2/operations/tasks/{task_id}/cancel/

Cancel task

Open tasks only. Notifies the assignee.

Auth Cookie · update_farm / owner

URL PARAMETERS

Name	Type	What to send
task_id	int	Task ID

EXAMPLE REQUEST JSON

```
{
  "reason": "Animal sold before visit"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Task cancelled successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "cancelled",
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "TASK_INVALID_STATE",
  "message": "Task cannot be cancelled.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/operations/my-work/

My Work inbox

Open tasks assigned to the current user. Primary field-worker screen.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Filter farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "My work fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
      "result_reference_table": null,
      "result_reference_id": null,
      "created_at": "2026-08-27T07:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
    }
  }
}
```

```
    "has_next": false,  
    "has_previous": false  
  }  
}  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/operations/today/

Due today

Assigned to me, due_at date = today, not completed/cancelled.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Today's work fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "assigned",
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
      "result_reference_table": null,
      "result_reference_id": null,
      "created_at": "2026-08-27T07:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
    }
  }
}
```

```
    "has_next": false,  
    "has_previous": false  
  }  
}  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/operations/overdue/

Overdue work

Assigned to me, due_at in the past, still open.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Overdue work fetched successfully.",
  "data": [
    {
      "id": 12,
      "farm_id": 1,
      "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "parent_id": null,
      "task_type": "vaccination",
      "title": "Vaccinate COW-001 \u2014 CBPP",
      "description": "Annual CBPP shot",
      "status": "overdue",
      "priority": "high",
      "due_at": "2026-08-28T08:00:00+00:00",
      "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "assigned_to_email": "ibrahim@farm.example",
      "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
      "accepted_at": null,
      "started_at": null,
      "completed_at": null,
      "result_reference_table": null,
      "result_reference_id": null,
      "created_at": "2026-08-27T07:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
    }
  }
}
```

```
    "has_next": false,  
    "has_previous": false  
  }  
}  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

GET /api/v2/operations/schedules/

List schedules

Recurring templates. Generating a task is a separate POST .../run/ — there is no background cron yet.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedules fetched successfully.",
  "data": [
    {
      "id": 1,
      "farm_id": 1,
      "task_type": "vaccination",
      "title": "Monthly CBPP round",
      "description": "",
      "recurrence": "monthly",
      "next_run_at": "2026-09-01T07:00:00+00:00",
      "is_active": true,
      "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "animal_id": null,
      "group_id": null,
      "created_at": "2026-08-01T07:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```

POST /api/v2/operations/schedules/

Create schedule

recurrence: once | daily | weekly | monthly. run_now true immediately creates a task.

Auth Cookie

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "task_type": "vaccination",
  "title": "Monthly CBPP round",
  "recurrence": "monthly",
  "next_run_at": "2026-09-01T07:00:00Z",
  "assignee_id": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
  "run_now": false
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedule created successfully.",
  "data": {
    "id": 1,
    "title": "Monthly CBPP round",
    "recurrence": "monthly",
    "is_active": true
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 422

```
{
  "success": false,
  "code": "VALIDATION_ERROR",
  "message": "Invalid recurrence.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/operations/schedules/{schedule_id}/run/

Run schedule

Creates one task from the template and bumps next_run_at (or deactivates once schedules).

Auth Cookie

URL PARAMETERS

Name	Type	What to send
schedule_id	int	Schedule ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Schedule run successfully.",
  "data": {
    "id": 12,
    "farm_id": 1,
    "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "animal_id": 15,
    "animal_tag": "COW-001",
    "group_id": null,
    "parent_id": null,
    "task_type": "vaccination",
    "title": "Vaccinate COW-001 \u2014 CBPP",
    "description": "Annual CBPP shot",
    "status": "assigned",
    "priority": "high",
    "due_at": "2026-08-28T08:00:00+00:00",
    "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
    "assigned_to_email": "ibrahim@farm.example",
    "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
    "accepted_at": null,
    "started_at": null,
    "completed_at": null,
    "result_reference_table": null,
    "result_reference_id": null,
    "created_at": "2026-08-27T07:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "SCHEDULE_NOT_FOUND",
}
```

```
"message": "Schedule could not be found.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

Timeline

GET /api/v2/timeline/

Unified timeline

Do not invent history in the client. Filter with farm_id, animal_id, event_type. Events are written when domain records and tasks save.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm
animal_id	int	no	Animal
event_type	string	no	vaccination, treatment, task_completed, ...

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Timeline fetched successfully.",
  "data": [
    {
      "id": 88,
      "farm_id": 1,
      "animal_id": 15,
      "animal_tag": "COW-001",
      "group_id": null,
      "event_type": "vaccination",
      "event_date": "2026-08-27T09:15:00+00:00",
      "event_title": "Vaccination - CBPP",
      "event_summary": "Administered in paddock",
      "reference_table": "vaccination",
      "reference_id": 41,
      "created_by": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
      "created_at": "2026-08-27T09:15:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 2,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

```
}  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```


POST /api/v2/health/observations/

Record observation

Thin clinical note. Optional case_id. create_task true opens a follow-up observation task. Treatments still use task complete() or legacy POST /api/health/treatment/.

Auth Cookie · add_health

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "animal_id": 15,
  "symptoms": "Limping on front left",
  "severity": "mild",
  "create_task": false
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Observation recorded successfully.",
  "data": {
    "id": 3,
    "farm_id": 1,
    "animal_id": 15,
    "group_id": null,
    "case_id": 1,
    "observed_at": "2026-08-27T10:00:00+00:00",
    "symptoms": "Limping on front left",
    "severity": "mild",
    "created_at": "2026-08-27T10:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/health/observations/

List observations

Filter by farm_id and animal_id.

Auth Cookie · view_health

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm
animal_id	int	no	Animal

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Observations fetched successfully.",
  "data": [
    {
      "id": 3,
      "farm_id": 1,
      "animal_id": 15,
      "case_id": 1,
      "observed_at": "2026-08-27T10:00:00+00:00",
      "symptoms": "Limping on front left",
      "severity": "mild",
      "created_at": "2026-08-27T10:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
```

```
"message": "Authentication is required.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

POST /api/v2/health/cases/

Open health case

Groups observations. Does not replace TreatmentRecord.

Auth Cookie · add_health

EXAMPLE REQUEST JSON

```
{
  "farm_id": 1,
  "animal_id": 15,
  "title": "Lameness",
  "notes": "Seen at morning check"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Health case opened successfully.",
  "data": {
    "id": 1,
    "farm_id": 1,
    "animal_id": 15,
    "group_id": null,
    "title": "Lameness",
    "notes": "Seen at morning check",
    "status": "open",
    "opened_at": "2026-08-27T10:00:00+00:00",
    "closed_at": null
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

GET /api/v2/health/cases/

List health cases

Default status=open.

Auth Cookie · view_health

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
farm_id	int	no	Farm
status	string	no	open closed

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Health cases fetched successfully.",
  "data": [
    {
      "id": 1,
      "farm_id": 1,
      "animal_id": 15,
      "title": "Lameness",
      "status": "open",
      "opened_at": "2026-08-27T10:00:00+00:00",
      "closed_at": null
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
}
```

```
"data": null,
"errors": {},
"retryable": false
}
```

POST /api/v2/health/cases/{case_id}/close/

Close health case

Sets status closed. Optional notes are appended.

Auth Cookie · update_health

URL PARAMETERS

Name	Type	What to send
case_id	int	Case ID

EXAMPLE REQUEST JSON

```
{
  "notes": "Resolved after treatment"
}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Health case closed successfully.",
  "data": {
    "id": 1,
    "title": "Lameness",
    "status": "closed",
    "closed_at": "2026-08-28T16:00:00+00:00"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 409

```
{
  "success": false,
  "code": "CONFLICT",
  "message": "Health case is already closed.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Notifications

GET /api/v2/notifications/

Notification inbox

Per-user inbox (task assigned, completed, cancelled). Not the same as farm alerts.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
page	int	no	Page
page_size	int	no	Page size
unread_only	bool	no	true for badge list

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Notifications fetched successfully.",
  "data": [
    {
      "id": 21,
      "category": "task",
      "title": "Task assigned",
      "body": "Vaccinate COW-001 \u2014 CBPP",
      "is_read": false,
      "read_at": null,
      "farm_id": 1,
      "reference_table": "task",
      "reference_id": 12,
      "created_at": "2026-08-27T07:00:00+00:00"
    }
  ],
  "meta": {
    "pagination": {
      "page": 1,
      "page_size": 20,
      "total_items": 1,
      "total_pages": 1,
      "has_next": false,
      "has_previous": false
    }
  }
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
```

```
"message": "Authentication is required.",
"data": null,
"errors": {},
"retryable": false
}
```

POST /api/v2/notifications/{notification_id}/read/

Mark one read

Idempotent if already read.

Auth Cookie

URL PARAMETERS

Name	Type	What to send
notification_id	int	Notification ID

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Notification marked as read.",
  "data": {
    "id": 21,
    "is_read": true,
    "read_at": "2026-08-27T07:10:00+00:00",
    "title": "Task assigned"
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "NOTIFICATION_NOT_FOUND",
  "message": "Notification could not be found.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

POST /api/v2/notifications/read-all/

Mark all read

Clears the badge. Body optional.

Auth Cookie

EXAMPLE REQUEST JSON

```
{}
```

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Notifications marked as read.",
  "data": {
    "updated": 4
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

Search

GET /api/v2/search/

Search

q is required. Returns animals (tag), people (email/username), and tasks (title). limit default 10, max 25.

Auth Cookie · view_animal_details

QUERY PARAMETERS

Name	Type	Required	What to send
q	string	yes	Search text
farm_id	int	no	Scope to farm
limit	int	no	Max hits per bucket

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Search completed.",
  "data": {
    "query": "COW-001",
    "animals": [
      {
        "id": 15,
        "tag_id": "COW-001",
        "farm_id": 1,
        "status": "active"
      }
    ],
    "people": [],
    "tasks": [
      {
        "id": 12,
        "farm_id": 1,
        "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "animal_id": 15,
        "animal_tag": "COW-001",
        "group_id": null,
        "parent_id": null,
        "task_type": "vaccination",
        "title": "Vaccinate COW-001 \u2014 CBPP",
        "description": "Annual CBPP shot",
        "status": "assigned",
        "priority": "high",
        "due_at": "2026-08-28T08:00:00+00:00",
        "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "assigned_to_email": "ibrahim@farm.example",
        "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "accepted_at": null,
        "started_at": null,
        "completed_at": null,
      }
    ]
  }
}
```

```
    "result_reference_table": null,  
    "result_reference_id": null,  
    "created_at": "2026-08-27T07:00:00+00:00"  
  }  
]  
,  
"meta": null  
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{  
  "success": false,  
  "code": "AUTHENTICATION_REQUIRED",  
  "message": "Authentication is required.",  
  "data": null,  
  "errors": {},  
  "retryable": false  
}
```


GET /api/v2/dashboard/organization/

Organization home

One call for org home. Do not fan out the 29 legacy dashboard routes for this screen.

Auth Cookie

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Organization dashboard fetched successfully.",
  "data": {
    "organization": {
      "id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
      "name": "Zaima Farms",
      "status": "active"
    },
    "farms": 1,
    "animals": {
      "total": 120,
      "active": 110,
      "sold": 6,
      "dead": 4,
      "sick": 8,
      "quarantine": 2
    },
    "tasks": {
      "open": 6,
      "overdue": 1
    },
    "my_work": {
      "open_tasks": 2,
      "overdue_tasks": 1,
      "completed_today": 1
    },
    "farm_breakdown": [
      {
        "id": 1,
        "name": "North Paddock",
        "status": "active",
        "animal_count": 120
      }
    ]
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
```

```
"message": "Authentication is required.",  
"data": null,  
"errors": {},  
"retryable": false  
}
```

GET /api/v2/dashboard/farm/{farm_id}/

Farm home

Role-aware farm aggregate.

Auth Cookie · farm access

URL PARAMETERS

Name	Type	What to send
farm_id	int	Farm ID

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "Farm dashboard fetched successfully.",
  "data": {
    "farm": {
      "id": 1,
      "name": "North Paddock",
      "status": "active"
    },
    "animals": {
      "total": 120,
      "active": 110,
      "sold": 6,
      "dead": 4,
      "sick": 8,
      "quarantine": 2,
      "pregnant": 9,
      "lactating": 5
    },
    "tasks": {
      "open": 6,
      "overdue": 1,
      "mine": 2
    }
  },
  "meta": null
}
```

EXAMPLE ERROR JSON · HTTP 404

```
{
  "success": false,
  "code": "FARM_NOT_FOUND",
  "message": "Farm could not be found.",
  "data": null,
  "errors": {},
}
```

```
"retryable": false  
}
```

GET /api/v2/dashboard/my-work/

My Work dashboard

Buckets: today, overdue, upcoming. Optional farm_id.

Auth Cookie

QUERY PARAMETERS

Name	Type	Required	What to send
farm_id	int	no	Filter farm

No JSON body. Input is the URL and query string.

EXAMPLE SUCCESS JSON

```
{
  "success": true,
  "code": "REQUEST_SUCCESSFUL",
  "message": "My work dashboard fetched successfully.",
  "data": {
    "summary": {
      "open_tasks": 2,
      "overdue_tasks": 1,
      "completed_today": 1
    },
    "today": [
      {
        "id": 12,
        "farm_id": 1,
        "organization_id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
        "animal_id": 15,
        "animal_tag": "COW-001",
        "group_id": null,
        "parent_id": null,
        "task_type": "vaccination",
        "title": "Vaccinate COW-001 \u2014 CBPP",
        "description": "Annual CBPP shot",
        "status": "assigned",
        "priority": "high",
        "due_at": "2026-08-28T08:00:00+00:00",
        "assigned_to": "0c1194a3-1e2b-4c5d-9f11-2a3b4c5d6e7f",
        "assigned_to_email": "ibrahim@farm.example",
        "created_by": "7c9e6679-7425-40de-944b-e07fc1f90ae7",
        "accepted_at": null,
        "started_at": null,
        "completed_at": null,
        "result_reference_table": null,
        "result_reference_id": null,
        "created_at": "2026-08-27T07:00:00+00:00"
      }
    ],
    "overdue": [],
    "upcoming": []
  },
}
```

```
"meta": null
}
```

EXAMPLE ERROR JSON · HTTP 401

```
{
  "success": false,
  "code": "AUTHENTICATION_REQUIRED",
  "message": "Authentication is required.",
  "data": null,
  "errors": {},
  "retryable": false
}
```

TATI FarmOS Frontend API Contract v2 · primary #209850 · do not parse legacy list keys (current_page, num_pages) on these routes.