Sign in to Veil Admin

Manage servers, AWS accounts, devices and rewards.

Email

you@company.com

Password Forgot password?

Enter your password

Authentication code

6-digit code

From your authenticator app.

Sign in

After 5 failed attempts, sign-in is locked for 15 minutes.

Search device ID, server or IP

Production · Updated 14:32

Veil
Admin console

- Dashboard 3

Infrastructure
- AWS accounts
- Servers 1
- Regions

Users
- Devices
- Rewards

System
- Settings

A Admin
[admin email]

Dashboard

Live overview of your VPN fleet. Numbers refresh every 60 seconds.

Needs attention 3

Server never registered
i-0a3f…091c in London (eu-west-2) has been provisioning for 12 minutes.
View server

AWS keys rejected
Account “Backup” can no longer connect to AWS. Its keys may have been deleted or rotated.
Update keys

Free data limit at 82%
Account “Main” has used 82 of 100 GB of free data transfer this month.
View usage

Active servers	Online now	New devices today	Ads watched today	Minutes granted today
6	214	87	1,342	40,260
in 5 regions	+18 vs this time yesterday	+12% vs yesterday	+7% vs yesterday	from verified ads

Free-tier usage this month

Warning at 80% of each limit

View accounts

	Compute	Data out
Main	466 / 750 h	82 / 100 GB
EU-2	310 / 750 h	37 / 100 GB
Asia-1	138 / 750 h	12 / 100 GB

Servers by region

View servers

Region	Servers	Online
DE Frankfurt	2	96
GB London	1	41
US Virginia	1	38
IN Mumbai	1	24
SG Singapore	1	15



Dashboard 3

Infrastructure

AWS accounts

Servers 1

Regions

Users

Devices

Rewards

System

Settings

A **Admin**
[admin email]

Search device ID, server or IP

Production

Updated 14:32

Search device ID, server or IP

Production Updated 14:32

Veil
Admin console

Dashboard 3

Infrastructure
AWS accounts
Servers 1
Regions

Users
Devices
Rewards

System
Settings

AWS accounts

The AWS accounts your servers run in. Keys are encrypted before they're stored.

+ Add AWS account

Use an IAM user that can only manage EC2, never root keys. Keep each account standalone: accounts linked in AWS Organizations share one free tier.

Account	Access key	Status	Servers	Compute this month	Data out this month	
Main Added Sep 2, 2026	AKIA…7Q2F	Working	3	466 of 750 h	82 of 100 GB	···
EU-2 Added Sep 18, 2026	AKIA…K9MD	Working	2	310 of 750 h	37 of 100 GB	···
Asia-1 Added Oct 1, 2026	AKIA…3XWB	Working	1	138 of 750 h	12 of 100 GB	···
Backup Added Oct 4, 2026	AKIA…P0LZ	Keys rejected	0	0 of 750 h	0 of 100 GB	···

4 accounts

AWS accounts

The AWS accounts your servers run in. Keys are encrypted before they're stored.

Use an IAM user that can only manage EC2, never root keys. Keep each account standalone: accounts li

Account	Access key	Status	Servers	Comp
Main Added Sep 2, 2026	AKIA…7Q2F	Working	3	466
EU-2 Added Sep 18, 2026	AKIA…K9MD	Working	2	310
Asia-1 Added Oct 1, 2026	AKIA…3XWB	Working	1	138
Backup Added Oct 4, 2026	AKIA…P0LZ	Keys rejected	0	0 of

4 accounts

Add AWS account

Paste an access key for an EC2-only IAM user.

Nickname

e.g. EU-3

Only you see this. Use something you'll recognise.

Access key ID

AKIA…

Secret access key

Paste the secret key

AWS shows the secret only once, when you create the key. How to create EC2-only keys

Test again

- Keys accepted by AWS
- Can launch and terminate EC2 instances
- Free-tier eligible

Cancel

Save account

Veil
Admin console

Dashboard 3

Infrastructure

AWS accounts

Servers 1

Regions

Users

Devices

Rewards

System

Settings

Servers

Every VPN server across all your AWS accounts.

+ Create server

All 6 | Active 4 | Provisioning 0 | Draining 1 | Failed 1

All accounts | All regions

Server	Account	Public IP	Status	Devices	CPU	Uptime	In app	
Frankfurt i-07c2…a14e · eu-central-1	Main	3.121.48.207	Active	58	22%	6d 4h	on	···
Frankfurt i-0b91…77f0 · eu-central-1	EU-2	18.194.10.63	Active	38	17%	2d 11h	on	···
London i-02de…c3b9 · eu-west-2	Main	35.177.92.14	Active	41	19%	9d 1h	on	···
London i-0a3f…091c · eu-west-2	EU-2	–	Failed	0	—	12m	off	···
Virginia i-0e44…5d21 · us-east-1	Main	44.201.7.180	Draining	12	8%	12d 6h	off	···
Mumbai i-09f1…e802 · ap-south-1	Asia-1	13.233.150.9	Active	24	9%	4d 20h	on	···

6 of 6 servers

Previous Next

Search device ID, server or IP

Veil
Admin console

Dashboard 3

Infrastructure
AWS accounts
Servers 1
Regions

Users
Devices
Rewards

System
Settings

Servers

Every VPN server across all your AWS accounts.

All 6 | Active 4 | Provisioning 0 | Draining 1 | Failed 1

Server	Account	Public IP	Status
Frankfurt i-07c2…a14e · eu-central-1	Main	3.121.48.207	Active
Frankfurt i-0b91…77f0 · eu-central-1	EU-2	18.194.10.63	Active
London i-02de…c3b9 · eu-west-2	Main	35.177.92.14	Active
London i-0a3f…091c · eu-west-2	EU-2	–	Failed
Virginia i-0e44…5d21 · us-east-1	Main	44.201.7.180	Draining
Mumbai i-09f1…e802 · ap-south-1	Asia-1	13.233.150.9	Active

6 of 6 servers

A Admin [admin email]

Create server

Launches a new VPN server on AWS.

AWS account

EU-2

440 free compute hours left this month in EU-2.

Region

Paris (eu-west-3)

Instance type

- (•) **t3.micro** — 2 vCPU, 1 GB memory. Recommended. — Free tier
- ( ) **t2.micro** — 1 vCPU, 1 GB memory. For regions without t3. — Free tier

What happens next

1. The instance launches with only UDP 51820 and TCP 443 open.
2. On first boot it installs WireGuard and the Veil agent.
3. It registers with the backend and turns Active, usually within 2 minutes.

Cancel | Create server

Servers

Every VPN server across all your AWS accounts.

+ Create server

All 6 | Active 4 | Provisioning 0 | Draining 1 | Failed 1

All accounts | All regions

Server	Account	Public IP	Status	Devices	CPU	Uptime	In app
Frankfurt i-07c2…a14e · eu-central-1	Main	3.121.48.207	Active	58	22%	6d 4h	
Frankfurt i-0b91…77f0 · eu-central-				38	17%	2d 11h	
London i-02de…c3b9 · eu-west-2				41	19%	9d 1h	
London i-0a3f…091c · eu-west-2				0	—	12m	
Virginia i-0e44…5d21 · us-east-1				12	8%	12d 6h	
Mumbai i-09f1…e802 · ap-south-1				24	9%	4d 20h	

6 of 6 servers

Previous Next

Terminate Frankfurt server?

58 connected devices will be moved to another server in the same region, or disconnected if there is none. The instance `i-07c2…a14e` is deleted from AWS. This can't be undone.

To move users without interruption, drain the server first and terminate it once it's empty.

Cancel | Drain instead | Terminate

Search device ID, server or IP

Production Updated 14:32

Veil
Admin console

Dashboard 3

Infrastructure
AWS accounts
Servers 1
Regions

Users
Devices
Rewards

System
Settings

Devices

Shows each device's current state only. Connection history and traffic are never stored.

All 12,408 | Connected 214 | Offline 12,173 | Blocked 21

Search by device ID

Device ID	Status	Balance	First seen	Last seen
4c1e…9a07	Connected · Frankfurt · UDP	42 min	Oct 2, 2026	Now
9e03…7b4c	Connected · London · TCP	1h 05m	Sep 28, 2026	Now
a71f…c2d8	Offline	0 min	Oct 9, 2026	12 min ago
b7d2…01fe	Blocked	3h 20m	Oct 10, 2026	1 h ago
1d88…e5a2	Connected · Mumbai · UDP	18 min	Oct 6, 2026	Now
f2b4…3c91	Offline	2h 10m	Sep 21, 2026	Yesterday
60ac…d417	Connected · Virginia · UDP	7 min	Oct 11, 2026	Now
c3e9…8f60	Offline	55 min	Oct 3, 2026	3 days ago

1–50 of 12,408 devices

Previous Next

Veil
Admin console

- Dashboard 3

Infrastructure
- AWS accounts
- Servers 1
- Regions

Users
- Devices
- Rewards

System
- Settings

A Admin
[admin email]

Admin > Devices

Search device ID, server or IP

Devices

Shows each device's current state only. Connection history and traffic are never stored.

All 12,408 | Connected 214 | Offline 12,173 | Blocked 21

Device ID	Status	Balance
4c1e…9a07	Connected · Frankfurt · UDP	42 min
9e03…7b4c	Connected · London · TCP	1h 05m
a71f…c2d8	Offline	0 min
b7d2…01fe	Blocked	3h 20m
1d88…e5a2	Connected · Mumbai · UDP	18 min
f2b4…3c91	Offline	2h 10m
60ac…d417	Connected · Virginia · UDP	7 min
c3e9…8f60	Offline	55 min

1–50 of 12,408 devices

4c1e…9a07

Connected · Frankfurt · UDP

Balance
42 min

Ads today
3 of 10

Current server
i-07c2…a14e

Protocol
UDP

First seen
Oct 2, 2026

Last seen
Now

Adjust minutes

+15 min | +30 min | +60 min

Custom, e.g. -10 Apply

Connection

Disconnect now

Ends the current session. The device can reconnect if it has minutes.

Block device

Reason (only admins see this)

Reward farming

Disconnects the device immediately and stops its rewards. The block also applies after a reinstall.

Block device

Veil
Admin console

Dashboard 3

Infrastructure

AWS accounts

Servers 1

Regions

Users

Devices

Rewards

System

Settings

Regions

Choose which locations appear in the app and how they're named. Hiding a region keeps its servers running.

Name in app	AWS region	Active servers	Visible to users	Shown in app
DE Frankfurt, Germany	eu-central-1	2	Yes	on
GB London, United Kingdom	eu-west-2	1	Yes	on
FR Paris, France	eu-west-3	0	No, no active servers	on
IE Dublin, Ireland	eu-west-1	0	No, no active servers	on
US Virginia, United States	us-east-1	1	Yes	on
IN Mumbai, India	ap-south-1	1	Yes	on
SG Singapore	ap-southeast-1	1	Yes	on
JP Tokyo, Japan	ap-northeast-1	0	No, hidden	off

A region only appears in the app when it's shown and has at least one active server.

A Admin
[admin email]

Veil
Admin console

Dashboard 3

Infrastructure

AWS accounts

Servers 1

Regions

Users

Devices

Rewards

System

Settings

Rewards


Minutes are granted only after AdMob's server confirms the ad was watched.

Ads watched today	Minutes granted today	Devices that watched	Rejected today
1,342	40,260	388	57
+7% vs yesterday	30 minutes per ad	3.5 ads per device on average	No minutes granted

Verified ads per day

Last 14 days · daily totals only

Avg **914** / day



Rejected callbacks today

Duplicate transaction The same ad callback was replayed	41
Invalid signature Not signed by AdMob	9
Over daily limit Device had already watched 10 ads	7

None of these granted minutes.

Most ads today

Daily limit is 10 per device

Device ID	Ads today	Reinstalls	
60ac…d417	10	4	Review
a71f…c2d8	10	1	Review
1d88…e5a2	9	1	Review
f2b4…3c91	8	2	Review
9e03…7b4c	8	1	Review

Many reinstalls on one phone with maximum ads is the usual sign of reward farming.

Search device ID, server or IP

Production Updated 14:32

Veil
Admin console

Dashboard 3

Infrastructure
AWS accounts
Servers 1
Regions

Users
Devices
Rewards

System
Settings

Settings

Changes reach every device the next time its app refreshes.

Minutes and rewards

How users earn and spend VPN time.

Minutes per ad
30 min
Credited after AdMob confirms the ad.

Starter minutes
60 min
Given once to every new device.

Ads per device per day
10 ads
Caps how much free time one device can earn.

Low-minutes warning
10 min
When the app shows its warning banner.

App defaults

What new devices start with.

Default protocol
Auto (recommended)
Auto uses UDP and switches to TCP when a network blocks UDP.

Support email
[support email]
Shown on the app's blocked and help screens.

Security

Protect the account that controls your AWS keys.

Two-factor authentication
On. A code from your authenticator app is required at sign-in.

Password
Last changed 21 days ago
Change password