# Madhushala Pro

## User Guide - Admin and User Flows

Bar and Liquor POS and management system. This guide walks through every screen and business flow for both the administrator and the counter / back-office user, from signing in and billing a sale to masters, reports, administration, state excise compliance and the connectionless Remote Tally Sync. Every flow is illustrated with a screenshot of the rebuilt application and a map back to the original WinForms form and SQL Server table.

Version 2.0 • 8 November 2026

Prepared for: shop owners, counter operators and accountants

# Contents

**How to use this guide . . . 5**

**Screenshots and the demo dataset . . . 5**

**Part A - Getting started . . . 6**

Signing in . . . 6

Signing out . . . 7

Changing your own PIN . . . 7

Understanding roles: Admin vs User . . . 8

**Part B - Daily operations . . . 10**

Dashboard (Sales / Stock status) . . . 10

**Sales . . . 13**

Billing a sale at the counter (Sale - POS) . . . 13

Viewing the Sales Register . . . 15

Day close (refresh the sale summary) . . . 16

**Purchases and stock . . . 17**

Recording a purchase (goods receipt) . . . 17

Opening stock . . . 18

Stock transfer between stores . . . 19

Recording breakage . . . 20

Counter / transfer sale . . . 21

Transfer receive . . . 22

**Accounts and vouchers . . . 23**

Payment entry . . . 23

Receipt entry . . . 24

Contra entry (cash / bank) . . . 25

Journal entry . . . 26

Debit note and Credit note . . . 27

On A/C adjustment . . . 29

A/C replace (ledger substitution) . . . 30

BRS entry (bank reconciliation) . . . 31

QRCode / UPI payment . . . 32

Excise fine . . . 33

Home delivery orders . . . 34

**Part C - Masters . . . 36**

**Product and party masters . . . 36**

Adding an item (Item Master) . . . 36

Maintaining other masters (generic add / edit / delete) . . . 37
Schemes and offers . . . 40
**Reports . . . 41**
Running a report . . . 41
**Part D - Administration . . . 44**
**Company setup . . . 44**
Company profile . . . 44
Company parameters . . . 45
Creating a new financial year . . . 48
**Users and access . . . 49**
Adding a user . . . 49
Resetting a user's PIN . . . 50
Setting user rights . . . 51
**Part E - Tools and utilities . . . 53**
**Everyday tools . . . 53**
Calculator . . . 53
SMS / WhatsApp messages . . . 54
PML print and reports . . . 55
Clean print garbage . . . 56
**Data and maintenance . . . 56**
Data back-up . . . 57
Data restore . . . 58
Data sync (multi-branch / central) . . . 59
Export to Tally (file export) . . . 60
**Part F - Remote Tally Sync . . . 61**
What Remote Tally Sync does . . . 61
Setting up the sync agent . . . 63
Queueing and delivering vouchers . . . 66
Ledger and tax auto-mapping . . . 69
Applying masters received from Tally . . . 72
Reading the sync log . . . 75
**State excise . . . 77**
State excise compliance sync . . . 78
**Account recovery . . . 78**
Forgot the admin PIN . . . 78
**Part G - Reference . . . 80**
Default accounts and sample data . . . 80

Getting help . . . . . 80

## How to use this guide

Every flow is written the same way: a small table of **who** can do it, **where** it lives in the menu, and **what** it is for, followed by numbered steps and any notes.

**Roles in this guide**
**Admin** - full menu, including company setup, users, rights and all tools.
**User** (non-admin) - counter and back-office work: billing, purchases, stock, vouchers, reports and everyday tools.
Screens are grouped into Parts A to G; the menu path is shown for each flow.

**Conventions**
Menu paths use a dash, for example **Tools - Change Password**.
Values you type or pick are shown in monospace, for example `CNT1`.
Money is shown in rupees.

## Screenshots and the demo dataset

Every flow below is shown with a real screenshot of the rebuilt application, captured from a running copy with the demo dataset loaded. Each flow also carries a small **legacy mapping** table that names the original WinForms form and SQL Server table it came from, so anyone who knows the old Madhushala Pro product can find their way immediately.

Load the demo dataset before you explore (it resets the database):

```
node scripts/seed_demo.js
```

**What the demo dataset contains**
Company 1, year 2024 (2024-2025).
Users: `A00001` / `admin` (Admin), `A00002` / `cashier` (User), `A00003` / `store` (User).
Six items (Royal Stag, Blenders Pride, Kingfisher Beer, Absolut Vodka, Magic Moments, Budweiser), three stores (`MAIN`, `CNT1`, `BAR1`).
3 purchases, 7 sales bills (net Rs `39,300`), a stock transfer, breakage, payment / receipt / contra / journal vouchers, notes, fine, BRS, UPI and a delivery order.
Remote Tally Sync configured with 10 queued vouchers (9 delivered, 1 failed); state excise sync configured for West Bengal with 11 captured bills and a closing balance.

**Forgot the admin PIN?**
Reset it in one command against the running database:
`node scripts/reset_admin_pin.js A00001 1234`
See the flow **Forgot the admin PIN** in Part F for the signed-in and server options.

## Part A - Getting started

Signing in


| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Start-up screen |
| **What for** | Open a session. Everything except the sign-in screen is locked until a user signs in. |

1. Start the application (or open the app URL). The sign-in screen appears.
2. Type your **User Code** (for example `A00001`) and your **Password** (PIN).
3. Select **Sign in**.
4. On success the shell opens: the sidebar menu on the left, the page area on the right, and the current company and year shown in the top bar.

> **Notes**
> The shipped administrator is `A00001` with password `admin`. A second demo account, `A00002` (Cashier), is a non-admin user.
> A wrong user code or password shows an inline error and keeps you on the sign-in screen.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_login / frm_sign_in (users table) | Login screen -> POST /api/login; users table |




The sign-in screen. Enter your User Code and PIN, then Sign in.

### Signing out

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Sidebar footer - Log out |
| **What for** | End the session and return to the sign-in screen. |


1 Select **Log out** at the bottom of the sidebar.

2 The session is cleared and the sign-in screen returns.

> **Notes**
> Always sign out on a shared counter so the next operator signs in with their own code.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_main session close | Sidebar footer - Log out |




The dashboard shell; Log out sits at the bottom of the sidebar.

### Changing your own PIN

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Tools - Change Password |
| **What for** | Set a new password (PIN) for the account that is currently signed in. |

1 Open **Tools - Change Password**.


2 Type the **New PIN**, then repeat it in **Confirm PIN**.

3 Select the save button. A confirmation toast appears.

> **Notes**
> The two PIN fields must match, otherwise the change is refused.
> If you have lost the administrator PIN entirely, see 'Forgot the admin PIN' in Part F.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_userinfo self-edit | Tools - Change Password |




Tools - Change Password.

Understanding roles: Admin vs User

| | |
|---|---|
| **Who** | Reference |
| **Where** | Admin - User (Access Level) |
| **What for** | Understand what each access level can do and how the menu changes. |

1 Every account has an **Access Level**: **Admin** or **User**.

2 **Admin** sees the full menu, including the whole **Admin** group (Company, Parameters, User, User Rights, New Year, Excise Audit, Deleted Bill).

3 **User** is intended for counter and back-office staff. The module rights below decide what they may do.

4 Module rights are set per user in **Admin - User Rights**: for each module (MASTERS, TRANSACTIONS, REPORTS, ADMIN, TOOLS) there are View, Add and Delete flags.

**Notes**
**Important:** in the current build the sidebar shows the same menu to both levels and the server does not yet block an API call by rights. The rights you record are the intended policy and are stored, but enforcement is on the roadmap. Treat Admin-level screens as administrator-only by convention.

## Part B - Daily operations

Dashboard (Sales / Stock status)


| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Dash Board - Sales Status (default page) |
| **What for** | See today's headline numbers at a glance: sales, purchases, stock and quick actions. |

1. Sign in. The Dashboard opens by default.
2. Read the top cards: **Sales Bills**, **Sales Net**, **Purchase Bills**, **Purchase Net**.
3. Under **Stock** read **Items**, **Stock Lines** and **Stock Value**.
4. Use the **Quick actions** card: **New Sale**, **Sales Reports** or **Item Master**.
5. For other views open **Dash Board - Stock Status**, **Purchase Status** or **Scheme / Spirit-Beer / CS**.


> **Notes**
> Status screens show a report table plus buttons for the related detailed reports.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_main status panels | Dashboard route; GET /api/dashboard |




Dashboard: today's sales, purchases, stock value and top items.



**Stock Status** Company 1 Year 2024


**Stock Status**

| STORECODE | ITEMCODE | ITEMNAME | ML | PACKING | QTY | VALUE |
|---|---|---|---|---|---|---|
| BAR1 | I00001 | Royal Stag 750ml | 750 | 12 | 36 | 9,000 |
| BAR1 | I00003 | Kingfisher Beer 650ml | 650 | 24 | 96 | 8,640 |
| BAR1 | I00004 | Absolut Vodka 750ml | 750 | 12 | -2 | -2,900 |
| BAR1 | I00005 | Magic Moments 750ml | 750 | 12 | -18 | -11,160 |
| CNT1 | I00001 | Royal Stag 750ml | 750 | 12 | -36 | -9,000 |
| CNT1 | I00002 | Blenders Pride 750ml | 750 | 12 | -18 | -5,760 |
| CNT1 | I00003 | Kingfisher Beer 650ml | 650 | 24 | -66 | -5,940 |
| CNT1 | I00006 | Budweiser 650ml | 650 | 24 | -24 | -3,600 |
| MAIN | I00001 | Royal Stag 750ml | 750 | 12 | 443 | 1,10,750 |
| MAIN | I00002 | Blenders Pride 750ml | 750 | 12 | 300 | 96,000 |
| MAIN | I00003 | Kingfisher Beer 650ml | 650 | 24 | 858 | 77,220 |
| MAIN | I00004 | Absolut Vodka 750ml | 750 | 12 | 120 | 1,74,000 |
| MAIN | I00005 | Magic Moments 750ml | 750 | 12 | 240 | 1,48,800 |
| MAIN | I00006 | Budweiser 650ml | 650 | 24 | 480 | 72,000 |

MORE

| | | | |
|---|---|---|---|
| Items Wise Closing | Value Wise Closing | Value Wise Detail | Brand-Category |
| Brand-ML Wise | Category-Brand Wise | Category-ML Wise | Manufacturer Wise |
| Stock ML Wise | Stock-In Litre | Min Quantity Item | Stock-BL/LPL |
| Case-Bottle Wise | MainGroup-Sub Group | Sub Group-Item Wise | Stock NAI Item wise |
| Expiry Report | Counter Wise Stock | Daily Stock Item Wise | ABC Report |

Dashboard - Stock status.




Dashboard - Purchase status.

## Sales

Billing a sale at the counter (Sale - POS)


| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Sale - POS |
| **What for** | The primary revenue flow: raise a bill, take payment, and update stock and accounts. |

1. Open **Transactions - Sale - POS**.
2. Set **Store / Counter** (for example `CNT1`).
3. Choose the **Sale Type**: FL (foreign liquor), CS (country spirit), NAI (non-alcoholic), CASH, CREDIT or RETURN.
4. Set the **Party Ledger** (for a walk-in, the default `C00001` Walk-in Customer).
5. Set the **Date** and, if any, the **Bill Discount**.
6. Add one line per item: pick the **Item**, enter **Qty** and the **Rate**. Use **+ Add line** for more items.
7. Watch the running **Total** pill update as you type.
8. Select **Save Sale**. A dialog shows the new **Bill No**, **Gross**, **Discount** and **Net**.


**Notes**
Bill numbers keep the legacy format: a type prefix (FL / CS / NAI) plus a running number, for example FL00001.
Saving writes the bill header and lines, posts the accounting entries (sale plus receipt against the cash or bank ledger) and updates stock.
The bill is also queued for Remote Tally Sync when that feature is switched on (see Part F).

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_countersales | Sale - POS |
| salesbillmain + salesbilldetail | sales.createSale() -> salesbillmain / salesbilldetail |




Sale - POS. Pick items on the left; the bill totals update on the right.




| BILL NO | DATE | TYPE | STORE | PARTY | GROSS | NET |
|---|---|---|---|---|---|---|
| FL00004 | 2024-04-09 | RETURN | CNT1 | C00001 | 540.00 | 540.00 |
| FL00003 | 2024-04-08 | FL | CNT1 | CU0003 | 9,840.00 | 9,740.00 |
| CS00002 | 2024-04-08 | CS | BAR1 | CU0002 | 7,440.00 | 7,440.00 |
| NAI00001 | 2024-04-07 | NAI | CNT1 | C00001 | 4,320.00 | 4,320.00 |
| FL00002 | 2024-04-07 | FL | BAR1 | C00001 | 6,620.00 | 6,620.00 |
| FL00001 | 2024-04-06 | FL | CNT1 | C00001 | 5,160.00 | 5,160.00 |
| CS00001 | 2024-04-06 | CS | CNT1 | CU0002 | 5,520.00 | 5,480.00 |

Sales Register lists every bill you just posted.


## Viewing the Sales Register

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Sales Register |
| **What for** | List saved bills with type, party, gross and net amounts. |

1. Open **Transactions - Sales Register**.
2. Read the table: Bill No, Date, Type, Store, Party, Gross, Net.
3. Use **+ New Sale** to jump straight to billing.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_bedit / sales grid | Sales Register (GET /api/sales) |




| BILL NO | DATE | TYPE | STORE | PARTY | GROSS | NET |
|---|---|---|---|---|---|---|
| FL00004 | 2024-04-09 | RETURN | CNT1 | C00001 | 540.00 | 540.00 |
| FL00003 | 2024-04-08 | FL | CNT1 | CU0003 | 9,840.00 | 9,740.00 |
| CS00002 | 2024-04-08 | CS | BAR1 | CU0002 | 7,440.00 | 7,440.00 |
| NAI00001 | 2024-04-07 | NAI | CNT1 | C00001 | 4,320.00 | 4,320.00 |
| FL00002 | 2024-04-07 | FL | BAR1 | C00001 | 6,620.00 | 6,620.00 |
| FL00001 | 2024-04-06 | FL | CNT1 | C00001 | 5,160.00 | 5,160.00 |
| CS00001 | 2024-04-06 | CS | CNT1 | CU0002 | 5,520.00 | 5,480.00 |

Sales Register.

## Day close (refresh the sale summary)


| | |
|---|---|
| **Who** | Admin |
| **Where** | Daily routine (backend day-close) |
| **What for** | Close the day's sales so totals and stock snapshots are finalised. |

1. Confirm all bills for the day are entered and printed.
2. Run the day-close action for the company and year.
3. The system stamps the unclosed bills with the close date and recomputes stock.

> **Notes**
> Day close is a routine that marks each bill as closed; run it once per business day.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_manualdayclose | POST /api/day-close |




| BILL NO | DATE | TYPE | STORE | PARTY | GROSS | NET |
|---|---|---|---|---|---|---|
| FL00004 | 2024-04-09 | RETURN | CNT1 | C00001 | 540.00 | 540.00 |
| FL00003 | 2024-04-08 | FL | CNT1 | CU0003 | 9,840.00 | 9,740.00 |
| CS00002 | 2024-04-08 | CS | BAR1 | CU0002 | 7,440.00 | 7,440.00 |
| NAI00001 | 2024-04-07 | NAI | CNT1 | C00001 | 4,320.00 | 4,320.00 |
| FL00002 | 2024-04-07 | FL | BAR1 | C00001 | 6,620.00 | 6,620.00 |
| FL00001 | 2024-04-06 | FL | CNT1 | C00001 | 5,160.00 | 5,160.00 |
| CS00001 | 2024-04-06 | CS | CNT1 | CU0002 | 5,520.00 | 5,480.00 |

Day close operates over the bills shown in the register.

## Purchases and stock

Recording a purchase (goods receipt)

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Purchase |
| **What for** | Enter a supplier bill so stock, supplier dues and purchase reports are up to date. |


1. Open **Transactions - Purchase**.
2. Set the **Date**, the **Supplier Ledger** (for example `S00001`) and the **Supplier Invoice No**.
3. Add one line per item: **Item**, **Qty**, **Rate**, **MRP** and **Batch**.
4. Select **Save Purchase**. A dialog shows the transaction number and the net amount.

> **Notes**
> Purchases feed stock, the purchase reports and the supplier outstanding balance.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_purchase | Purchase |

| | |
|---|---|
| purchasemain + purchasedetail | purchase.createPurchase() |




Purchase entry (goods receipt).


## Opening stock

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Opening Stock |
| **What for** | Enter the opening quantity of an item at the start of a year or when an item is first stocked. |

1. Open **Transactions - Opening Stock**.
2. Enter the **Store**, **Item Code**, **Quantity** and **Date**.
3. Save. The item's on-hand quantity is set for that store.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| openingstockmst | Opening Stock |




Opening stock for the financial year.


## Stock transfer between stores

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Stock Transfer |
| **What for** | Move stock from one store or counter to another. |

1. Open **Transactions - Stock Transfer**.
2. Set **From** and **To** stores and the **Date**.
3. Add the items and quantities to move.
4. Select **Save Transfer**.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_stocktransfer / stk_transfer_main | Stock Transfer |




Stock transfer from one store to another.


## Recording breakage

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Breakage |
| **What for** | Write off damaged or broken stock. |

1. Open **Transactions - Breakage**.
2. Set the **Store** and **Date**.
3. Add the broken items and quantities.
4. Select **Save Breakage**. Stock is reduced and the breakage expense is posted.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_breakageentry / breakagemain | Breakage |




Breakage entry.


### Counter / transfer sale

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Counter / Transfer Sale |
| **What for** | Move goods from the main store to a counter as a sale-style transfer. |

1. Open **Transactions - Counter / Transfer Sale**.
2. Set **From**, **To** and the **Date**.
3. Add items and quantities.
4. Select **Save**. The transfer appears in the **Recent** list.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_countersalesTransfer / frm_TransferSale | Counter / Transfer Sale |




Counter / transfer sale.


## Transfer receive

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Transfer Receive |
| **What for** | Acknowledge stock received at a counter from a transfer. |

1. Open **Transactions - Transfer Receive**.
2. Set **From**, **To**, the **Date**, the **Transfer No** and the **Amount**.
3. Save. The receipt appears in the **Recent** list.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_TransferReceive | Transfer Receive |




Transfer receive.

## Accounts and vouchers


Payment entry

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Payment Entry |
| **What for** | Pay a supplier or expense from cash or bank. |

1. Open **Transactions - Payment Entry**.
2. Set the **Date**, the **Head Account** (cash or bank ledger) and the **Client Account** (the supplier or party).
3. Enter the **Amount** and a **Narration**.
4. Save. The voucher is posted and listed under **Recent**.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_conpayrec_vch / payment_main | Payment Entry |




Payment entry.


## Receipt entry

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Receipt Entry |
| **What for** | Record money received from a customer or party. |

1. Open **Transactions - Receipt Entry**.
2. Set the **Date**, the **Head Account** (cash or bank) and the **Client Account** (the customer).
3. Enter the **Amount** and a **Narration**.
4. Save.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_receipt_voucher / receipt_main | Receipt Entry |




Receipt entry.


## Contra entry (cash / bank)

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Contra Entry |
| **What for** | Move money between cash and bank (deposit or withdrawal). |

1. Open **Transactions - Contra Entry**.
2. Set the **Date**, the **From Ledger** and the **To Ledger**, and the **Amount**.
3. Save.

### Where this lives: legacy form / table → rebuilt screen

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_contra_entry | Contra Entry |




Contra entry (cash / bank).

## Journal entry


| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Journal Entry |
| **What for** | Post a manual double-entry adjustment with any number of lines. |

1. Open **Transactions - Journal Entry**.
2. Set the **Date**.
3. Add lines: a **Ledger** with a **Debit** or a **Credit** amount for each.
4. Select **Post Journal**. The journal number is shown in a toast.

> **Notes**
> Debits must equal credits; the accounting service rejects an unbalanced journal.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_journal_vch / journaldetail | Journal Entry |




Journal entry.


## Debit note and Credit note

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Debit Note / Credit Note |
| **What for** | Adjust a party's account with a debit or credit note. |


1. Open **Transactions - Debit Note** (or **Credit Note**).
2. Set the **Date**, the **Party Ledger**, the **Amount** and a **Narration**.
3. Save. The note is listed under **Recent**.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| notes_main / notes_detail | Debit / Credit Note |


Debit Note
Company 1
Year 2024
DEBIT Note
Date
04/07/2024
Party Ledger
C00001
Amount
0
Narration
DEBIT note
Save
RECENT
NO
DATE
PARTY
AMOUNT
—
2024-04-09
—
2,200.00

Debit note.




Credit note.


### On A/C adjustment

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - On A/C Adjustment |
| **What for** | Adjust a ledger balance on account without a specific bill. |

1. Open **Transactions - On A/C Adjustment**.
2. Set the **Date**, the **Ledger**, the **Amount** and a **Narration**.
3. Save.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_OnAccountAdjustment | On A/C Adjustment |




On A/C adjustment.

A/C replace (ledger substitution)

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - A/C Replace |
| **What for** | Move a balance from one ledger to another. |


1 Open **Transactions - A/C Replace**.

2 Set the **Date**, the **From Ledger**, the **To Ledger** and the **Amount**.

3 Save.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_AccountTransfer | A/C Replace |




A/C replace.


BRS entry (bank reconciliation)

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - BRS Entry |
| **What for** | Reconcile bank transactions and clear them against the bank statement. |

1. Open **Transactions - BRS Entry**.
2. Add a reconciliation line: **Ledger**, **Amount**, **Date** and **Reference**.
3. In the **Reconciliation** table select **Clear** on a row to mark it cleared.
4. The **UPI Transactions** table below lists QR / UPI payments for matching.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_reconciliation / TransactionReconciliation | BRS Entry |




Bank reconciliation statement (BRS).


## QRCode / UPI payment

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - QRCode / UPI Payment |
| **What for** | Record a payment taken by QR code or UPI. |

1. Open **Transactions - QRCode / UPI Payment**.
2. Set the **Date**, the **Amount**, the **UPI Ref** and the **Party**.
3. Save. The payment appears under **Recent**.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_qrorder / tbl_UPIRespose | QRCode / UPI Payment |




QRCode / UPI payment status.


## Excise fine

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Excise Fine |
| **What for** | Record an excise fine or penalty against a shop. |

1. Open **Transactions - Excise Fine**.
2. Set the **Date**, the **Shop**, the **Amount** and the **Reason**.
3. Save. The fine is listed under **Recent**.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_fine / fine_details | Excise Fine |




Excise fine entry.


## Home delivery orders

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Transactions - Home Delivery |
| **What for** | Create a delivery order and track it to delivery. |

1. Open **Transactions - Home Delivery**.
2. Set the **Date**, the **Customer**, the **Address** and the **Amount**.
3. Save. The order appears in the **Orders** table with a status.
4. To progress an order, pick a new status (PENDING, OUT, DELIVERED, CANCELLED) in the row and select **Set**.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| delivery_orders | Home Delivery |




Home delivery orders.

## Part C - Masters

### Product and party masters

Adding an item (Item Master)


| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Masters - Item Master |
| **What for** | Create the liquor and non-alcoholic products that billing uses. |

1. Open **Masters - Item Master**.
2. Select **+ Add Item**.
3. Fill in the item code and name and the packing details (group, category, KFL, strength, ML, packing, barcode).
4. Enter the sale and purchase rates.
5. Save. The item appears in the list with category, ML, pack, sale and purchase rates.

> **Notes**
> Sample items: `I00001` Royal Stag 750ml, `I00002` Blenders Pride 750ml, `I00003` Kingfisher Beer 650ml. Items are used by Sale - POS, Purchase, stock flows and the reports.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_itemmstadd / itemmst | Item Master |




| CODE | NAME | CATEGORY | KFL | ML | PACK | SALE | PURCH | BARCODE |
|---|---|---|---|---|---|---|---|---|
| I00001 | Royal Stag 750ml | Whisky | IMFL | 750 | 12 | 250.00 | 200.00 | 8901000000011 |
| I00002 | Blenders Pride 750ml | Whisky | IMFL | 750 | 12 | 320.00 | 260.00 | 8901000000028 |
| I00003 | Kingfisher Beer 650ml | Beer | BEER | 650 | 24 | 90.00 | 70.00 | 8901000000035 |
| I00004 | Absolut Vodka 750ml | Vodka | IMFL | 750 | 12 | 1,450.00 | 1,150.00 | 8901000000042 |
| I00005 | Magic Moments 750ml | Vodka | IMFL | 750 | 12 | 620.00 | 480.00 | 8901000000059 |
| I00006 | Budweiser 650ml | Beer | BEER | 650 | 24 | 150.00 | 115.00 | 8901000000066 |

Item Master with the demo catalogue.

## Maintaining other masters (generic add / edit / delete)

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Masters - all master screens |
| **What for** | Every master screen works the same way: a table with Add, Edit and Del. |

1. Open any master, for example **Masters - Ledger**, **Category**, **KFL**, **Manufacturer**, **Strength**, **Measure and Packing**, **Sales Rate**, **Store Master**, **Counter Master**, **Customer Master**, **Area**, **Tax Schemes**, **Excise Item**, **Excise Report Tagging**, or an **NAI** master.
2. Select **+ Add** to create a record and fill the form.
3. Select **Edit** on a row to change it, or **Del** to remove it.

> **Notes**
> Masters must be set up before the transactions that depend on them: ledgers before vouchers, counters and items before billing.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|


| | |
|---|---|
| frm_masters / frm_ledger / frm_unit / Frm_ManufacturerMaster | Generic master screens |

**Ledger** Company 1 Year 2024


 Add 12 record(s)

| NAME | ACCODE | CONTPERSON | CITY | DISTRICT | STATE | PHONE | EMAIL | WWW | |
|---|---|---|---|---|---|---|---|---|---|
| Walk-in Customer | AC0002 | — | — | — | — | — | — | — | Edit Del |
| Cash | AC0001 | — | — | — | — | — | — | — | Edit Del |
| Bank | AC0001 | — | — | — | — | — | — | — | Edit Del |
| Sales | AC0004 | — | — | — | — | — | — | — | Edit Del |
| Purchase | AC0005 | — | — | — | — | — | — | — | Edit Del |
| Discount Allowed | AC0006 | — | — | — | — | — | — | — | Edit Del |
| Discount Received | AC0006 | — | — | — | — | — | — | — | Edit Del |
| Sundry Debtors | AC0002 | — | — | — | — | — | — | — | Edit Del |
| Sundry Creditors | AC0003 | — | — | — | — | — | — | — | Edit Del |
| Sales Return | AC0004 | — | — | — | — | — | — | — | Edit Del |
| Breakage | AC0006 | — | — | — | — | — | — | — | Edit Del |
| ABC Wines | AC0003 | — | — | — | — | — | — | — | Edit Del |

Ledger master.




Category master.




Customer master.

## Schemes and offers


| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Masters - Scheme / Offer |
| **What for** | Set up buy-one-get-one style schemes and percentage offers that POS can apply. |

1. Open **Masters - Scheme / Offer**.
2. The screen lists **Schemes** and **Offers**.
3. Maintain them from the master list (add / edit / delete).

> **Notes**
> Sample: scheme SC1 'Beer 1+1' and offer 0F1 'Whisky 5% off'.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_scheme / tbl_scheme, offermst | Schemes and offers |




Schemes and offers.

## Reports

Running a report


| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Reports - any group |
| **What for** | Open any of the 113 reports across eight groups. |

1. Open **Reports** and pick a group: Sales, Stock, Purchase, Accounts, MIS, Breakage, Stock Transfer or Excise.
2. A group shows a button per report with the number of reports in each group.
3. Select a report title. The report runs and shows a table with a row count.
4. Select **Back** to return to the group list.


> **Notes**
> Sales Reports (32), Stock (20), Purchase (10), Accounts (14), MIS (12), Breakage (2), Stock Transfer (2), Excise (21) - 113 in total.
> Examples: Sales Statement, Item Wise Sales, P/L Account, Balance Sheet, Trial Balance, Daily Stock Book, GST reports.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_ReportForm / frm_ReportsPreview | Reports (113 declarative reports) |




Reports - Sales group.




Reports - Stock group.

## Part D - Administration

### Company setup

Company profile

| | |
|---|---|
| **Who** | Admin |
| **Where** | Admin - Company |
| **What for** | Maintain the company name, address and statutory numbers. |


1 Open **Admin - Company**.

2 Edit the fields shown (name, address, city, phone, e-mail, TIN / CST / PAN / VAT / ST numbers).

3 Save.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_companyinfo / companymast | Company |




Company profile.

Company parameters


| | |
|---|---|
| **Who** | Admin |
| **Where** | Admin - Parameters |
| **What for** | Set defaults that drive accounting heads, printing, tax and POS behaviour. |

1. Open **Admin - Parameters**.
2. Review the parameter list: sale account head, cash / bank ledgers, breakage and sales-return heads, purchase account, discount accounts, rate code, expense and round-off heads, POS mode, print mode, surcharge, language, SMS flags, credit limit.
3. Change the values you need and select **Save Parameters**.


> **Notes**
> These heads point at ledgers, so set the ledgers up first.

**Where this lives: legacy form / table → rebuilt screen**


| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_companyparameter / companyparamtr | Parameters |




Company parameters. (part 1 of 3)




Company parameters. (part 2 of 3)




Company parameters. (part 3 of 3)

## Creating a new financial year

| | |
|---|---|
| **Who** | Admin |
| **Where** | Admin - New Year |
| **What for** | Open a new year and carry forward opening balances. |

1 Open **Admin - New Year**.


2 Enter the **Year Range** (for example 2025-2026), the **Start Date**, the **End Date** and the **Year Code**.

3 Save. The new year appears in the **Existing Years** table.

> **Notes**
> The current year is shown as a pill in the top bar.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_yearcreation / yearmst | New Year |




Create a new financial year.

## Users and access


Adding a user

| | |
|---|---|
| **Who** | Admin |
| **Where** | Admin - User |
| **What for** | Create an account for a staff member and set its access level. |

1. Open **Admin - User**.
2. Select **+ Add User**.
3. Enter the **User Code** and **Name**, choose the **Access Level** (User or Admin) and set a **PIN**.
4. Save. The user appears in the list with their level badge.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_userinfo / users | Admin - User |




Admin - User.

### Resetting a user's PIN


| | |
|---|---|
| **Who** | Admin |
| **Where** | Admin - User - Reset PIN |
| **What for** | Set a new PIN for a user who has forgotten theirs. |

1. Open **Admin - User**.
2. On the user's row select **Reset PIN**.
3. Type the **New PIN** and confirm it, then save.

> **Notes**
> A user can also change their own PIN from Tools - Change Password.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| users.password (plaintext) | Admin - User - Reset PIN / POST /api/users/:code/reset-pin |




Reset PIN from Admin - User.

## Setting user rights


| | |
|---|---|
| **Who** | Admin |
| **Where** | Admin - User Rights |
| **What for** | Record what each user may view, add and delete per module. |

1. Open **Admin - User** and select **Rights** on a user's row.
2. For each module (MASTERS, TRANSACTIONS, REPORTS, ADMIN, TOOLS) set the **View**, **Add** and **Delete** flags (Y or N).
3. Select **Save Rights**.

**Notes**
See the roles section in Part A for the current enforcement status of these flags.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_userrights / userrights | User Rights |




User rights per module.

## Part E - Tools and utilities

### Everyday tools

Calculator


| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Tools - Calculator |
| **What for** | A simple on-screen calculator. |

1 Open **Tools - Calculator**.

2 Type digits, then use +, -, x or / to apply an operation.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| tools.calculate | Calculator |




Calculator.

SMS / WhatsApp messages

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Tools - SMS / WhatsApp |
| **What for** | Queue a text or WhatsApp message and review the outbox. |


1 Open **Tools - SMS / WhatsApp**.

2 Enter the **To** number and the **Message**.

3 Save. The message is queued and listed in the **Outbox**.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_message / tbl_MessageLog | SMS / WhatsApp |




SMS / WhatsApp messages.

PML print and reports

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Tools - PML Print and Reports |
| **What for** | Record PML (bottles and ML) entries and review them. |


1 Open **Tools - PML Print and Reports**.

2 Enter the **Date**, **Bottles**, **ML** and **Remarks**.

3 Save. The entry appears in the **Entries** table.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| tbl_PML / tbl_PMLCAL | PML Print and Reports |




PML print and reports.

Clean print garbage


| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Tools - Clean Print Garbage |
| **What for** | Remove orphaned print records for the current company. |

1 Open **Tools - Clean Print Garbage**.

2 Select **Run Cleanup**.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| legacy print-clean utility | Clean Print Garbage |




Clean print garbage.

## Data and maintenance

Data back-up

| | |
|---|---|
| **Who** | Admin |
| **Where** | Tools - Data Back-Up |
| **What for** | Create a compressed backup of the database. |


1 Open **Tools - Data Back-Up**.

2 Enter the **Destination folder**.

3 Save. A confirmation toast appears when the backup is created.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| backup_upload company parameter | Data Back-Up |




Data back-up.

Data restore

| | |
|---|---|
| **Who** | Admin |
| **Where** | Tools - Data Restore |
| **What for** | Restore the database from a backup file. |


1 Open **Tools - Data Restore**.

2 Enter the **Backup file path**.

> **Notes**
> Restore is performed on the server: place the backup on the server and give its path. In this build the guided screen explains the step; the copy itself is done server-side.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_restore | Data Restore |




Data restore.

Data sync (multi-branch / central)

| | |
|---|---|
| **Who** | Admin |
| **Where** | Tools - Data Sync |
| **What for** | Push or pull data to a central server for multi-branch setups. |


1 Open **Tools - Data Sync**.

2 Choose the **Entity** (SALES, PURCHASE, ITEMS, LEDGER) and the **Direction** (PUSH or PULL).

3 Select **Sync now**. The status panel refreshes.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| AutoDataSync.exe / tbl_UploadDownloadStatus | Data Sync |




Data sync.

Export to Tally (file export)

| | |
|---|---|
| **Who** | Admin |
| **Where** | Tools - Export To Tally |
| **What for** | Produce a data extract for Tally in one step. |

1 Open **Tools - Export To Tally**.


2 Choose the data kind (SALES, PURCHASE or LEDGER).

3 Select **Export**. The exported data is shown on screen.

> **Notes**
> For the automatic, connectionless exchange with the accountant's Tally Prime, use Remote Tally Sync in Part F instead.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_tally_export | Export to Tally |




Export to Tally (file export).

## Part F - Remote Tally Sync


What Remote Tally Sync does

| | |
|---|---|
| **Who** | Admin (setup) and User (billing) |
| **Where** | Tools - Remote Tally Sync |
| **What for** | Exchange vouchers and masters with the accountant's Tally Prime without a live connection. |

1. The shop agent queues each sales and purchase voucher as it is saved.
2. When the connection is available the agent pushes the queued vouchers to a cloud broker.
3. The accountant's Tally Prime pulls the vouchers from the broker.
4. Ledger and stock-item masters flow back the other way, so the counter keeps the accountant's chart of accounts.
5. Billing and printing never depend on the connection: pending vouchers simply wait in the local queue.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| MadhushalaDataSync.dll | Remote Tally Sync |




Remote Tally Sync - connectionless twin-agent sync. (part 1 of 2)

**Ledger / tax auto-mapping**

Map POS values to Tally masters by string pattern (matched against the POS code or name).

Type: LEDGER | POS pattern | Tally master | Save

| TYPE | POS PATTERN | TALLY MASTER | PRIORITY | ACTIVE | |
|---|---|---|---|---|---|
| ITEM | I00001 | Royal Stag 750ml | 0 | Yes | Delete |
| LEDGER | L00003 | Sales @ 18% | 0 | Yes | Delete |
| LEDGER | L00004 | Purchase @ 18% | 0 | Yes | Delete |
| LEDGER | S00001 | ABC Wines (Tally) | 0 | Yes | Delete |

**Masters received from Tally**

No records found.

**SYNC LOG**

| WHEN | DIR | ACTION | STATUS | MESSAGE |
|---|---|---|---|---|
| 2026-11-09 03:31:04 | OUT | ACK | FAILED | Ledger not found in Tally company |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 3 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 2 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 1 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES NAI00001 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00004 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00003 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00002 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00001 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES CS00002 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES CS00001 |

Remote Tally Sync - connectionless twin-agent sync. (part 2 of 2)

## Setting up the sync agent


| | |
|---|---|
| **Who** | Admin |
| **Where** | Tools - Remote Tally Sync - Agent settings |
| **What for** | Connect this shop to the broker once. |

1. Open **Tools - Remote Tally Sync**.
2. In **Agent settings** enter the **Broker URL**, the **Tally company**, the **Agent ID** and the **Company GUID**.
3. Select **Generate token** to create the agent token, then tick **Enabled**.
4. Select **Save**. The status cards and the **Last pull** / **Last push** line update.

> **Notes**
> With the feature disabled no vouchers are queued and billing is unaffected.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| MadhushalaDataSync.dll config | Remote Tally Sync - Agent settings |




Agent settings, broker URL and company GUID. (part 1 of 2)

**Ledger / tax auto-mapping**

Map POS values to Tally masters by string pattern (matched against the POS code or name).

Type: LEDGER | POS pattern | Tally master | Save

| TYPE | POS PATTERN | TALLY MASTER | PRIORITY | ACTIVE | |
|---|---|---|---|---|---|
| ITEM | I00001 | Royal Stag 750ml | 0 | Yes | Delete |
| LEDGER | L00003 | Sales @ 18% | 0 | Yes | Delete |
| LEDGER | L00004 | Purchase @ 18% | 0 | Yes | Delete |
| LEDGER | S00001 | ABC Wines (Tally) | 0 | Yes | Delete |

**Masters received from Tally**

No records found.

**SYNC LOG**

| WHEN | DIR | ACTION | STATUS | MESSAGE |
|---|---|---|---|---|
| 2026-11-09 03:31:04 | OUT | ACK | FAILED | Ledger not found in Tally company |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 3 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 2 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 1 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES NAI00001 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00004 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00003 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00002 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00001 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES CS00002 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES CS00001 |

Agent settings, broker URL and company GUID. (part 2 of 2)

## Queueing and delivering vouchers


| | |
|---|---|
| **Who** | Admin |
| **Where** | Tools - Remote Tally Sync - Outbound queue |
| **What for** | Send saved vouchers to the broker and track delivery. |

1. Read the status cards: **Pending**, **Sent**, **Delivered**, **Failed**, **Total**.
2. Select **Queue pending bills** to add any un-queued vouchers.
3. Select **Preview Tally XML** to see the exact payload that will be sent.
4. The **Outbound queue** table shows each voucher: type, document number and date, amount, tries, status and last error.
5. Select **Retry failed** to requeue anything that failed.

> **Notes**
> Statuses: PENDING (waiting), SENT (handed to the broker), ACKED (delivered), FAILED (needs a retry).

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| tbl_TallySyncQueue | Remote Tally Sync - Outbound queue |




Outbound queue and delivery. (part 1 of 2)

**Ledger / tax auto-mapping**

Map POS values to Tally masters by string pattern (matched against the POS code or name).

Type: LEDGER | POS pattern | Tally master | Save

| TYPE | POS PATTERN | TALLY MASTER | PRIORITY | ACTIVE | |
|---|---|---|---|---|---|
| ITEM | I00001 | Royal Stag 750ml | 0 | Yes | Delete |
| LEDGER | L00003 | Sales @ 18% | 0 | Yes | Delete |
| LEDGER | L00004 | Purchase @ 18% | 0 | Yes | Delete |
| LEDGER | S00001 | ABC Wines (Tally) | 0 | Yes | Delete |

**Masters received from Tally**

No records found.

**SYNC LOG**

| WHEN | DIR | ACTION | STATUS | MESSAGE |
|---|---|---|---|---|
| 2026-11-09 03:31:04 | OUT | ACK | FAILED | Ledger not found in Tally company |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 3 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 2 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 1 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES NAI00001 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00004 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00003 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00002 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00001 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES CS00002 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES CS00001 |

Outbound queue and delivery. (part 2 of 2)


## Ledger and tax auto-mapping

| | |
|---|---|
| **Who** | Admin |
| **Where** | Tools - Remote Tally Sync - Ledger / tax auto-mapping |
| **What for** | Tell the sync how POS values map to Tally masters. |

1. In **Ledger / tax auto-mapping** choose a **Type** (LEDGER, ITEM, TAX or PAYMENT).
2. Enter the **POS pattern** (matched against the POS code or name) and the **Tally master** to map it to.
3. Select **Save**. The rule is listed with its priority and active flag.
4. Select **Delete** on a rule to remove it.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| tbl_TallyMapping | Remote Tally Sync - Ledger / tax auto-mapping |




Ledger and tax auto-mapping. (part 1 of 2)

**Ledger / tax auto-mapping**

Map POS values to Tally masters by string pattern (matched against the POS code or name).

Type: LEDGER | POS pattern | Tally master | Save

| TYPE | POS PATTERN | TALLY MASTER | PRIORITY | ACTIVE | |
|---|---|---|---|---|---|
| ITEM | I00001 | Royal Stag 750ml | 0 | Yes | Delete |
| LEDGER | L00003 | Sales @ 18% | 0 | Yes | Delete |
| LEDGER | L00004 | Purchase @ 18% | 0 | Yes | Delete |
| LEDGER | S00001 | ABC Wines (Tally) | 0 | Yes | Delete |

**Masters received from Tally**

No records found.

SYNC LOG

| WHEN | DIR | ACTION | STATUS | MESSAGE |
|---|---|---|---|---|
| 2026-11-09 03:31:04 | OUT | ACK | FAILED | Ledger not found in Tally company |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 3 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 2 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 1 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES NAI00001 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00004 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00003 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00002 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00001 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES CS00002 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES CS00001 |

Ledger and tax auto-mapping. (part 2 of 2)


## Applying masters received from Tally

| | |
|---|---|
| **Who** | Admin |
| **Where** | Tools - Remote Tally Sync - Masters received from Tally |
| **What for** | Bring the accountant's ledgers and stock items into the counter. |

1. In **Masters received from Tally** review each incoming master: type, code, name, status and received time.
2. For a row with status **PENDING**, select **Apply** to upsert it into the local masters.
3. The status changes to **APPLIED** and the **Sync log** records the action.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| inbound masters | Remote Tally Sync - Masters received |




Masters received from Tally. (part 1 of 2)

**Ledger / tax auto-mapping**

Map POS values to Tally masters by string pattern (matched against the POS code or name).

Type: LEDGER | POS pattern | Tally master | Save

| TYPE | POS PATTERN | TALLY MASTER | PRIORITY | ACTIVE | |
|---|---|---|---|---|---|
| ITEM | I00001 | Royal Stag 750ml | 0 | Yes | Delete |
| LEDGER | L00003 | Sales @ 18% | 0 | Yes | Delete |
| LEDGER | L00004 | Purchase @ 18% | 0 | Yes | Delete |
| LEDGER | S00001 | ABC Wines (Tally) | 0 | Yes | Delete |

**Masters received from Tally**

No records found.

SYNC LOG

| WHEN | DIR | ACTION | STATUS | MESSAGE |
|---|---|---|---|---|
| 2026-11-09 03:31:04 | OUT | ACK | FAILED | Ledger not found in Tally company |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 3 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 2 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 1 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES NAI00001 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00004 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00003 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00002 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00001 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES CS00002 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES CS00001 |

Masters received from Tally. (part 2 of 2)

## Reading the sync log


| | |
|---|---|
| **Who** | Admin |
| **Where** | Tools - Remote Tally Sync - Sync log |
| **What for** | Audit what the agent sent and received. |

1 Open **Tools - Remote Tally Sync** and scroll to **Sync log**.

2 Read when, the direction, the action, the status and the message for each entry.

### Where this lives: legacy form / table → rebuilt screen

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| sync log | Remote Tally Sync - Sync log |




Sync log. (part 1 of 2)

**Ledger / tax auto-mapping**

Map POS values to Tally masters by string pattern (matched against the POS code or name).

Type: LEDGER | POS pattern | Tally master | Save

| TYPE | POS PATTERN | TALLY MASTER | PRIORITY | ACTIVE | |
|---|---|---|---|---|---|
| ITEM | I00001 | Royal Stag 750ml | 0 | Yes | Delete |
| LEDGER | L00003 | Sales @ 18% | 0 | Yes | Delete |
| LEDGER | L00004 | Purchase @ 18% | 0 | Yes | Delete |
| LEDGER | S00001 | ABC Wines (Tally) | 0 | Yes | Delete |

**Masters received from Tally**

No records found.

**SYNC LOG**

| WHEN | DIR | ACTION | STATUS | MESSAGE |
|---|---|---|---|---|
| 2026-11-09 03:31:04 | OUT | ACK | FAILED | Ledger not found in Tally company |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ACK | ACKED | Delivered to Tally |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 3 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 2 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | PURCHASE 1 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES NAI00001 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00004 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00003 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00002 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES FL00001 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES CS00002 |
| 2026-11-09 03:31:04 | OUT | ENQUEUE | PENDING | SALES CS00001 |

Sync log. (part 2 of 2)

## State excise

State excise compliance sync

| | |
|---|---|
| **Who** | Admin (setup) and User (billing) |
| **Where** | Tools - Excise Sync |
| **What for** | Queue every sale line for the state excise portal by its excise identity, upload when online, push the daily closing balance, and apply indents / transport permits received from the portal. Billing never depends on the network. |

1. Open **Tools - Excise Sync**.
2. In **State settings**, pick the **State** (for example West Bengal, which uses the direct EODB API, or Odisha, which uses the portal agent), then enter the **Licensee ID**, **Endpoint base** and **Credential**, and save.
3. The status cards show the queue: **Pending**, **Sent to portal**, **Uploaded**, **Failed**, plus **Unmatched** and **Total**.
4. Bills are captured automatically as you post them; to backfill, select **Capture pending bills**.
5. Select **Upload to portal** (API states) or **Stage for portal agent** (portal states such as Odisha).
6. Fix any **Unmatched** lines (GTIN + pack size + MRP no longer match the item master) - they are skipped on upload until corrected.
7. For the closing balance: pick the **Date**, select **Build closing balance**, then **Upload closing balance**.
8. For portal states, export the batch with **Export batch (JSON)** and confirm with **Confirm all sent as uploaded** once the portal shows the lines accepted.
9. Review **Portal documents received** (indents / transport permits) and select **Apply** to post a document into purchase.
10. Check the **Sync log** for what was sent and received.

> **Notes**
> Offline-first: every sale and return line is queued locally by excise identity at billing, so printing and billing never wait for the network.
> The pre-validation gate compares GTIN + pack size + MRP against the item master before upload; mismatches are held back as unmatched.
> West Bengal uses the `api` adapter (token auth + push); Odisha uses the `portal` adapter (stage a batch + agent confirm).

### Account recovery

Forgot the admin PIN

| | |
|---|---|
| **Who** | Admin |
| **Where** | Tools - Change Password, Admin - User, or the API |
| **What for** | Regain access when the administrator PIN is lost. |

1. If you are already signed in: **Tools - Change Password** sets a new PIN for your own account.
2. If another admin is signed in: **Admin - User - Reset PIN** sets a new PIN for any user.


3 If nobody can sign in, reset it on the server with one command (it uses the same database as the app):

4 `node scripts/reset_admin_pin.js A00001 1234`

> **Notes**
> The script above resets the PIN to 1234 for user `A00001`; pass a different user code and PIN if you need to.
> You can also call the API directly: `curl -X POST localhost:7100/api/users/A00001/reset-pin -H 'content-type: application/json' -d '{"pin":"1234"}'`
> The admin PIN is stored in the `users` table (plaintext, as in the legacy app), so it can be reset directly if needed.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| users.password (plaintext) | Change Password / Reset PIN / scripts/reset_admin_pin.js |




Change Password, or reset the PIN for any user from Admin - User.

## Part G - Reference

Default accounts and sample data

| | |
|---|---|
| **Who** | Reference |
| **Where** | Seeded data |
| **What for** | Codes you can use to explore every flow. |

1. Sign in as `A00001` / `admin` (administrator) or `A00002` / `cashier` (user). If the admin PIN has been changed, use the current PIN or reset it - see **Forgot the admin PIN**.
2. Items: `I00001` Royal Stag 750ml, `I00002` Blenders Pride 750ml, `I00003` Kingfisher Beer 650ml, `I00004` Absolut Vodka 750ml, `I00005` Magic Moments 750ml, `I00006` Budweiser 650ml.
3. Ledgers: cash `L00001`, bank `L00002`, sales `L00003`, purchase `L00004`; supplier `S00001`; walk-in customer `C00001`.
4. Stores: `MAIN` (main store), `CNT1` (counter 1) and `BAR1` (main bar).
5. Year: 2024-2025. Company 1.


Getting help

| | |
|---|---|
| **Who** | Admin and User |
| **Where** | Help menu |
| **What for** | Where to look for help inside the app. |


1. Open **Help - Ask for Help** for the key flow pointers.
2. Open **Help - About Madhushala** for the product and stack summary.
3. Open **Help - List of Updates** for the recent change list.

**Where this lives: legacy form / table → rebuilt screen**

| Legacy (WinForms / SQL Server) | Rebuilt in Madhushala Pro |
|---|---|
| frm_ask4help / frm_AboutBox1 | Help menu |




Help - Ask for Help.




Help - About Madhushala Pro.