Madhushala Pro

Administrator Guide

The full manual for the administrator: the complete menu. Company setup and parameters, the financial year, users and rights, the everyday operations you also run, the data and maintenance tools, Remote Tally Sync and state excise compliance. Every flow is illustrated with a screenshot and a map back to the original WinForms form and SQL Server table.

Version 2.0 • 8 November 2026

Prepared for: administrators and system owners

Contents

How to use this guide . . . 5

Screenshots and the demo dataset . . . 5

Part A - Getting started . . . 6

Signing in . . . 6

Signing out . . . 7

Changing your own PIN . . . 7

Understanding roles: Admin vs User . . . 8

Part B - Daily operations . . . 10

Dashboard (Sales / Stock status) . . . 10

Sales . . . 13

Billing a sale at the counter (Sale - POS) . . . 13

Viewing the Sales Register . . . 15

Day close (refresh the sale summary) . . . 16

Purchases and stock . . . 17

Recording a purchase (goods receipt) . . . 17

Opening stock . . . 18

Stock transfer between stores . . . 19

Recording breakage . . . 20

Counter / transfer sale . . . 21

Transfer receive . . . 22

Accounts and vouchers . . . 23

Payment entry . . . 23

Receipt entry . . . 24

Contra entry (cash / bank) . . . 25

Journal entry . . . 26

Debit note and Credit note . . . 27

On A/C adjustment . . . 29

A/C replace (ledger substitution) . . . 30

BRS entry (bank reconciliation) . . . 31

QRCode / UPI payment . . . 32

Excise fine . . . 33

Home delivery orders . . . 34

Part C - Masters . . . 36

Product and party masters . . . 36

Adding an item (Item Master) . . . 36

Maintaining other masters (generic add / edit / delete) . . . 37
Schemes and offers . . . 40
Reports . . . 41
Running a report . . . 41
Part D - Administration . . . 44
Company setup . . . 44
Company profile . . . 44
Company parameters . . . 45
Creating a new financial year . . . 48
Users and access . . . 49
Adding a user . . . 49
Resetting a user's PIN . . . 50
Setting user rights . . . 51
Part E - Tools and utilities . . . 53
Everyday tools . . . 53
Calculator . . . 53
SMS / WhatsApp messages . . . 54
PML print and reports . . . 55
Clean print garbage . . . 56
Data and maintenance . . . 56
Data back-up . . . 57
Data restore . . . 58
Data sync (multi-branch / central) . . . 59
Export to Tally (file export) . . . 60
Part F - Remote Tally Sync . . . 61
What Remote Tally Sync does . . . 61
Setting up the sync agent . . . 63
Queueing and delivering vouchers . . . 66
Ledger and tax auto-mapping . . . 69
Applying masters received from Tally . . . 72
Reading the sync log . . . 75
State excise . . . 77
State excise compliance sync . . . 78
Account recovery . . . 78
Forgot the admin PIN . . . 78
Part G - Reference . . . 80
Default accounts and sample data . . . 80

Getting help 80

How to use this guide

Every flow is written the same way: a small table of **who** can do it, **where** it lives in the menu, and **what** it is for, followed by numbered steps and any notes.

Roles in this guide
Admin - the full menu: company setup, parameters, users, rights, every transaction, every tool and every sync.
Your job - set the company up, control who can do what, keep the data safe and the sync running. This guide covers the whole menu; the POS / Counter Operator and Accountant guides cover those roles in focus.

Conventions
Menu paths use a dash, for example **Tools - Change Password**.
Values you type or pick are shown in monospace, for example `CNT1`.
Money is shown in rupees.

Screenshots and the demo dataset

Every flow below is shown with a real screenshot of the rebuilt application, captured from a running copy with the demo dataset loaded. Each flow also carries a small **legacy mapping** table that names the original WinForms form and SQL Server table it came from, so anyone who knows the old Madhushala Pro product can find their way immediately.

Load the demo dataset before you explore (it resets the database):

```
node scripts/seed_demo.js
```

What the demo dataset contains
Company 1, year 2024 (2024-2025).
Users: `A00001` / `admin` (Admin), `A00002` / `cashier` (User), `A00003` / `store` (User).
Six items (Royal Stag, Blenders Pride, Kingfisher Beer, Absolut Vodka, Magic Moments, Budweiser), three stores (`MAIN`, `CNT1`, `BAR1`).
3 purchases, 7 sales bills (net Rs `39,300`), a stock transfer, breakage, payment / receipt / contra / journal vouchers, notes, fine, BRS, UPI and a delivery order.
Remote Tally Sync configured with 10 queued vouchers (9 delivered, 1 failed); state excise sync configured for West Bengal with 11 captured bills and a closing balance.

Forgot the admin PIN?
Reset it in one command against the running database:
`node scripts/reset_admin_pin.js A00001 1234`
See the flow **Forgot the admin PIN** in Part F for the signed-in and server options.

Part A - Getting started

Signing in


Who	Admin and User
Where	Start-up screen
What for	Open a session. Everything except the sign-in screen is locked until a user signs in.

1. Start the application (or open the app URL). The sign-in screen appears.
2. Type your **User Code** (for example `A00001`) and your **Password** (PIN).
3. Select **Sign in**.
4. On success the shell opens: the sidebar menu on the left, the page area on the right, and the current company and year shown in the top bar.

> **Notes**
> The shipped administrator is `A00001` with password `admin`. A second demo account, `A00002` (Cashier), is a non-admin user.
> A wrong user code or password shows an inline error and keeps you on the sign-in screen.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_login / frm_sign_in (users table)	Login screen -> POST /api/login; users table



The sign-in screen. Enter your User Code and PIN, then Sign in.

Signing out

Who	Admin and User
Where	Sidebar footer - Log out
What for	End the session and return to the sign-in screen.


1 Select **Log out** at the bottom of the sidebar.

2 The session is cleared and the sign-in screen returns.

> **Notes**
> Always sign out on a shared counter so the next operator signs in with their own code.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_main session close	Sidebar footer - Log out



The dashboard shell; Log out sits at the bottom of the sidebar.

Changing your own PIN

Who	Admin and User
Where	Tools - Change Password
What for	Set a new password (PIN) for the account that is currently signed in.

1 Open **Tools - Change Password**.


2 Type the **New PIN**, then repeat it in **Confirm PIN**.

3 Select the save button. A confirmation toast appears.

> **Notes**
> The two PIN fields must match, otherwise the change is refused.
> If you have lost the administrator PIN entirely, see 'Forgot the admin PIN' in Part F.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_userinfo self-edit	Tools - Change Password



Tools - Change Password.

Understanding roles: Admin vs User

Who	Reference
Where	Admin - User (Access Level)
What for	Understand what each access level can do and how the menu changes.

1 Every account has an **Access Level**: **Admin** or **User**.

2. **Admin** sees the full menu, including the whole **Admin** group (Company, Parameters, User, User Rights, New Year, Excise Audit, Deleted Bill).
3. **User** is intended for counter and back-office staff. The module rights below decide what they may do.
4. Module rights are set per user in **Admin - User Rights**: for each module (MASTERS, TRANSACTIONS, REPORTS, ADMIN, TOOLS) there are View, Add and Delete flags.

> **Notes**
> **Important:** in the current build the sidebar shows the same menu to both levels and the server does not yet block an API call by rights. The rights you record are the intended policy and are stored, but enforcement is on the roadmap. Treat Admin-level screens as administrator-only by convention.

Part B - Daily operations

Dashboard (Sales / Stock status)


Who	Admin and User
Where	Dash Board - Sales Status (default page)
What for	See today's headline numbers at a glance: sales, purchases, stock and quick actions.

1. Sign in. The Dashboard opens by default.
2. Read the top cards: **Sales Bills**, **Sales Net**, **Purchase Bills**, **Purchase Net**.
3. Under **Stock** read **Items**, **Stock Lines** and **Stock Value**.
4. Use the **Quick actions** card: **New Sale**, **Sales Reports** or **Item Master**.
5. For other views open **Dash Board - Stock Status**, **Purchase Status** or **Scheme / Spirit-Beer / CS**.

> **Notes**
> Status screens show a report table plus buttons for the related detailed reports.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_main status panels	Dashboard route; GET /api/dashboard



Dashboard: today's sales, purchases, stock value and top items.

Stock Status Company 1 Year 2024


Stock Status

STORECODE	ITEMCODE	ITEMNAME	ML	PACKING	QTY	VALUE
BAR1	I00001	Royal Stag 750ml	750	12	36	9,000
BAR1	I00003	Kingfisher Beer 650ml	650	24	96	8,640
BAR1	I00004	Absolut Vodka 750ml	750	12	-2	-2,900
BAR1	I00005	Magic Moments 750ml	750	12	-18	-11,160
CNT1	I00001	Royal Stag 750ml	750	12	-36	-9,000
CNT1	I00002	Blenders Pride 750ml	750	12	-18	-5,760
CNT1	I00003	Kingfisher Beer 650ml	650	24	-66	-5,940
CNT1	I00006	Budweiser 650ml	650	24	-24	-3,600
MAIN	I00001	Royal Stag 750ml	750	12	443	1,10,750
MAIN	I00002	Blenders Pride 750ml	750	12	300	96,000
MAIN	I00003	Kingfisher Beer 650ml	650	24	858	77,220
MAIN	I00004	Absolut Vodka 750ml	750	12	120	1,74,000
MAIN	I00005	Magic Moments 750ml	750	12	240	1,48,800
MAIN	I00006	Budweiser 650ml	650	24	480	72,000

MORE

Items Wise Closing	**Value Wise Closing**	**Value Wise Detail**	**Brand-Category**
Brand-ML Wise	**Category-Brand Wise**	**Category-ML Wise**	**Manufacturer Wise**
Stock ML Wise	**Stock-In Litre**	**Min Quantity Item**	**Stock-BL/LPL**
Case-Bottle Wise	**MainGroup-Sub Group**	**Sub Group-Item Wise**	**Stock NAI Item wise**
Expiry Report	**Counter Wise Stock**	**Daily Stock Item Wise**	**ABC Report**

Dashboard - Stock status.



Dashboard - Purchase status.

Sales

Billing a sale at the counter (Sale - POS)


Who	Admin and User
Where	Transactions - Sale - POS
What for	The primary revenue flow: raise a bill, take payment, and update stock and accounts.

1. Open **Transactions - Sale - POS**.
2. Set **Store / Counter** (for example `CNT1`).
3. Choose the **Sale Type**: FL (foreign liquor), CS (country spirit), NAI (non-alcoholic), CASH, CREDIT or RETURN.
4. Set the **Party Ledger** (for a walk-in, the default `C00001` Walk-in Customer).
5. Set the **Date** and, if any, the **Bill Discount**.
6. Add one line per item: pick the **Item**, enter **Qty** and the **Rate**. Use **+ Add line** for more items.
7. Watch the running **Total** pill update as you type.
8. Select **Save Sale**. A dialog shows the new **Bill No**, **Gross**, **Discount** and **Net**.


Notes
Bill numbers keep the legacy format: a type prefix (FL / CS / NAI) plus a running number, for example FL00001.
Saving writes the bill header and lines, posts the accounting entries (sale plus receipt against the cash or bank ledger) and updates stock.
The bill is also queued for Remote Tally Sync when that feature is switched on (see Part F).

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_countersales	Sale - POS
salesbillmain + salesbilldetail	sales.createSale() -> salesbillmain / salesbilldetail



Sale - POS. Pick items on the left; the bill totals update on the right.



BILL NO	DATE	TYPE	STORE	PARTY	GROSS	NET
FL00004	2024-04-09	RETURN	CNT1	C00001	540.00	540.00
FL00003	2024-04-08	FL	CNT1	CU0003	9,840.00	9,740.00
CS00002	2024-04-08	CS	BAR1	CU0002	7,440.00	7,440.00
NAI00001	2024-04-07	NAI	CNT1	C00001	4,320.00	4,320.00
FL00002	2024-04-07	FL	BAR1	C00001	6,620.00	6,620.00
FL00001	2024-04-06	FL	CNT1	C00001	5,160.00	5,160.00
CS00001	2024-04-06	CS	CNT1	CU0002	5,520.00	5,480.00

Sales Register lists every bill you just posted.


Viewing the Sales Register

Who	Admin and User
Where	Transactions - Sales Register
What for	List saved bills with type, party, gross and net amounts.

1. Open **Transactions - Sales Register**.
2. Read the table: Bill No, Date, Type, Store, Party, Gross, Net.
3. Use **+ New Sale** to jump straight to billing.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_bedit / sales grid	Sales Register (GET /api/sales)



Sales Register.

Day close (refresh the sale summary)


Who	Admin
Where	Daily routine (backend day-close)
What for	Close the day's sales so totals and stock snapshots are finalised.

1. Confirm all bills for the day are entered and printed.
2. Run the day-close action for the company and year.
3. The system stamps the unclosed bills with the close date and recomputes stock.

> **Notes**
> Day close is a routine that marks each bill as closed; run it once per business day.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_manualdayclose	POST /api/day-close



BILL NO	DATE	TYPE	STORE	PARTY	GROSS	NET
FL00004	2024-04-09	RETURN	CNT1	C00001	540.00	540.00
FL00003	2024-04-08	FL	CNT1	CU0003	9,840.00	9,740.00
CS00002	2024-04-08	CS	BAR1	CU0002	7,440.00	7,440.00
NAI00001	2024-04-07	NAI	CNT1	C00001	4,320.00	4,320.00
FL00002	2024-04-07	FL	BAR1	C00001	6,620.00	6,620.00
FL00001	2024-04-06	FL	CNT1	C00001	5,160.00	5,160.00
CS00001	2024-04-06	CS	CNT1	CU0002	5,520.00	5,480.00

Day close operates over the bills shown in the register.

Purchases and stock

Recording a purchase (goods receipt)

Who	Admin and User
Where	Transactions - Purchase
What for	Enter a supplier bill so stock, supplier dues and purchase reports are up to date.


1. Open **Transactions - Purchase**.
2. Set the **Date**, the **Supplier Ledger** (for example `S00001`) and the **Supplier Invoice No**.
3. Add one line per item: **Item**, **Qty**, **Rate**, **MRP** and **Batch**.
4. Select **Save Purchase**. A dialog shows the transaction number and the net amount.

> **Notes**
> Purchases feed stock, the purchase reports and the supplier outstanding balance.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_purchase	Purchase

purchasemain + purchasedetail	purchase.createPurchase()



Purchase entry (goods receipt).


Opening stock

Who	Admin and User
Where	Transactions - Opening Stock
What for	Enter the opening quantity of an item at the start of a year or when an item is first stocked.

1. Open **Transactions - Opening Stock**.
2. Enter the **Store**, **Item Code**, **Quantity** and **Date**.
3. Save. The item's on-hand quantity is set for that store.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
openingstockmst	Opening Stock



Opening stock for the financial year.


Stock transfer between stores

Who	Admin and User
Where	Transactions - Stock Transfer
What for	Move stock from one store or counter to another.

1. Open **Transactions - Stock Transfer**.
2. Set **From** and **To** stores and the **Date**.
3. Add the items and quantities to move.
4. Select **Save Transfer**.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_stocktransfer / stk_transfer_main	Stock Transfer



Stock transfer from one store to another.


Recording breakage

Who	Admin and User
Where	Transactions - Breakage
What for	Write off damaged or broken stock.

1. Open **Transactions - Breakage**.
2. Set the **Store** and **Date**.
3. Add the broken items and quantities.
4. Select **Save Breakage**. Stock is reduced and the breakage expense is posted.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_breakageentry / breakagemain	Breakage



Breakage entry.


Counter / transfer sale

Who	Admin and User
Where	Transactions - Counter / Transfer Sale
What for	Move goods from the main store to a counter as a sale-style transfer.

1. Open **Transactions - Counter / Transfer Sale**.
2. Set **From**, **To** and the **Date**.
3. Add items and quantities.
4. Select **Save**. The transfer appears in the **Recent** list.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_countersalesTransfer / frm_TransferSale	Counter / Transfer Sale



Counter / transfer sale.


Transfer receive

Who	Admin and User
Where	Transactions - Transfer Receive
What for	Acknowledge stock received at a counter from a transfer.

1. Open **Transactions - Transfer Receive**.
2. Set **From**, **To**, the **Date**, the **Transfer No** and the **Amount**.
3. Save. The receipt appears in the **Recent** list.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_TransferReceive	Transfer Receive



Transfer receive.

Accounts and vouchers


Payment entry

Who	Admin and User
Where	Transactions - Payment Entry
What for	Pay a supplier or expense from cash or bank.

1. Open **Transactions - Payment Entry**.
2. Set the **Date**, the **Head Account** (cash or bank ledger) and the **Client Account** (the supplier or party).
3. Enter the **Amount** and a **Narration**.
4. Save. The voucher is posted and listed under **Recent**.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_conpayrec_vch / payment_main	Payment Entry



Payment entry.


Receipt entry

Who	Admin and User
Where	Transactions - Receipt Entry
What for	Record money received from a customer or party.

1. Open **Transactions - Receipt Entry**.
2. Set the **Date**, the **Head Account** (cash or bank) and the **Client Account** (the customer).
3. Enter the **Amount** and a **Narration**.
4. Save.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_receipt_voucher / receipt_main	Receipt Entry



Receipt entry.

Contra entry (cash / bank)

Who	Admin and User
Where	Transactions - Contra Entry
What for	Move money between cash and bank (deposit or withdrawal).


1 Open **Transactions - Contra Entry**.

2 Set the **Date**, the **From Ledger** and the **To Ledger**, and the **Amount**.

3 Save.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_contra_entry	Contra Entry



Contra entry (cash / bank).

Journal entry


Who	Admin and User
Where	Transactions - Journal Entry
What for	Post a manual double-entry adjustment with any number of lines.

1. Open **Transactions - Journal Entry**.
2. Set the **Date**.
3. Add lines: a **Ledger** with a **Debit** or a **Credit** amount for each.
4. Select **Post Journal**. The journal number is shown in a toast.

> **Notes**
> Debits must equal credits; the accounting service rejects an unbalanced journal.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_journal_vch / journaldetail	Journal Entry



Journal entry.


Debit note and Credit note

Who	Admin and User
Where	Transactions - Debit Note / Credit Note
What for	Adjust a party's account with a debit or credit note.


1. Open **Transactions - Debit Note** (or **Credit Note**).
2. Set the **Date**, the **Party Ledger**, the **Amount** and a **Narration**.
3. Save. The note is listed under **Recent**.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
notes_main / notes_detail	Debit / Credit Note


Debit Note
Company 1
Year 2024
DEBIT Note
Date
04/07/2024
Party Ledger
C00001
Amount
0
Narration
DEBIT note
Save
RECENT
NO
DATE
PARTY
AMOUNT
—
2024-04-09
—
2,200.00

Debit note.



Credit note.


On A/C adjustment

Who	Admin and User
Where	Transactions - On A/C Adjustment
What for	Adjust a ledger balance on account without a specific bill.

1. Open **Transactions - On A/C Adjustment**.
2. Set the **Date**, the **Ledger**, the **Amount** and a **Narration**.
3. Save.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_OnAccountAdjustment	On A/C Adjustment



On A/C adjustment.

A/C replace (ledger substitution)

Who	Admin and User
Where	Transactions - A/C Replace
What for	Move a balance from one ledger to another.


1 Open **Transactions - A/C Replace**.

2 Set the **Date**, the **From Ledger**, the **To Ledger** and the **Amount**.

3 Save.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_AccountTransfer	A/C Replace



A/C replace.


BRS entry (bank reconciliation)

Who	Admin and User
Where	Transactions - BRS Entry
What for	Reconcile bank transactions and clear them against the bank statement.

1. Open **Transactions - BRS Entry**.
2. Add a reconciliation line: **Ledger**, **Amount**, **Date** and **Reference**.
3. In the **Reconciliation** table select **Clear** on a row to mark it cleared.
4. The **UPI Transactions** table below lists QR / UPI payments for matching.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_reconciliation / TransactionReconciliation	BRS Entry



Bank reconciliation statement (BRS).


QRCode / UPI payment

Who	Admin and User
Where	Transactions - QRCode / UPI Payment
What for	Record a payment taken by QR code or UPI.

1. Open **Transactions - QRCode / UPI Payment**.
2. Set the **Date**, the **Amount**, the **UPI Ref** and the **Party**.
3. Save. The payment appears under **Recent**.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_qrorder / tbl_UPIRespose	QRCode / UPI Payment



QRCode / UPI payment status.


Excise fine

Who	Admin and User
Where	Transactions - Excise Fine
What for	Record an excise fine or penalty against a shop.

1. Open **Transactions - Excise Fine**.
2. Set the **Date**, the **Shop**, the **Amount** and the **Reason**.
3. Save. The fine is listed under **Recent**.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_fine / fine_details	Excise Fine



Excise fine entry.


Home delivery orders

Who	Admin and User
Where	Transactions - Home Delivery
What for	Create a delivery order and track it to delivery.

1. Open **Transactions - Home Delivery**.
2. Set the **Date**, the **Customer**, the **Address** and the **Amount**.
3. Save. The order appears in the **Orders** table with a status.
4. To progress an order, pick a new status (PENDING, OUT, DELIVERED, CANCELLED) in the row and select **Set**.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
delivery_orders	Home Delivery



Home delivery orders.

Part C - Masters

Product and party masters

Adding an item (Item Master)


Who	Admin and User
Where	Masters - Item Master
What for	Create the liquor and non-alcoholic products that billing uses.

1. Open **Masters - Item Master**.
2. Select **+ Add Item**.
3. Fill in the item code and name and the packing details (group, category, KFL, strength, ML, packing, barcode).
4. Enter the sale and purchase rates.
5. Save. The item appears in the list with category, ML, pack, sale and purchase rates.

> **Notes**
> Sample items: `I00001` Royal Stag 750ml, `I00002` Blenders Pride 750ml, `I00003` Kingfisher Beer 650ml. Items are used by Sale - POS, Purchase, stock flows and the reports.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_itemmstadd / itemmst	Item Master



CODE	NAME	CATEGORY	KFL	ML	PACK	SALE	PURCH	BARCODE
I00001	Royal Stag 750ml	Whisky	IMFL	750	12	250.00	200.00	8901000000011
I00002	Blenders Pride 750ml	Whisky	IMFL	750	12	320.00	260.00	8901000000028
I00003	Kingfisher Beer 650ml	Beer	BEER	650	24	90.00	70.00	8901000000035
I00004	Absolut Vodka 750ml	Vodka	IMFL	750	12	1,450.00	1,150.00	8901000000042
I00005	Magic Moments 750ml	Vodka	IMFL	750	12	620.00	480.00	8901000000059
I00006	Budweiser 650ml	Beer	BEER	650	24	150.00	115.00	8901000000066

Item Master with the demo catalogue.

Maintaining other masters (generic add / edit / delete)

Who	Admin and User
Where	Masters - all master screens
What for	Every master screen works the same way: a table with Add, Edit and Del.

1. Open any master, for example **Masters - Ledger**, **Category**, **KFL**, **Manufacturer**, **Strength**, **Measure and Packing**, **Sales Rate**, **Store Master**, **Counter Master**, **Customer Master**, **Area**, **Tax Schemes**, **Excise Item**, **Excise Report Tagging**, or an **NAI** master.
2. Select **+ Add** to create a record and fill the form.
3. Select **Edit** on a row to change it, or **Del** to remove it.

> **Notes**
> Masters must be set up before the transactions that depend on them: ledgers before vouchers, counters and items before billing.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro


frm_masters / frm_ledger / frm_unit / Frm_ManufacturerMaster	Generic master screens

Ledger Company 1 Year 2024


 Add 12 record(s)

NAME	ACCODE	CONTPERSON	CITY	DISTRICT	STATE	PHONE	EMAIL	WWW	
Walk-in Customer	AC0002	—	—	—	—	—	—	—	Edit Del
Cash	AC0001	—	—	—	—	—	—	—	Edit Del
Bank	AC0001	—	—	—	—	—	—	—	Edit Del
Sales	AC0004	—	—	—	—	—	—	—	Edit Del
Purchase	AC0005	—	—	—	—	—	—	—	Edit Del
Discount Allowed	AC0006	—	—	—	—	—	—	—	Edit Del
Discount Received	AC0006	—	—	—	—	—	—	—	Edit Del
Sundry Debtors	AC0002	—	—	—	—	—	—	—	Edit Del
Sundry Creditors	AC0003	—	—	—	—	—	—	—	Edit Del
Sales Return	AC0004	—	—	—	—	—	—	—	Edit Del
Breakage	AC0006	—	—	—	—	—	—	—	Edit Del
ABC Wines	AC0003	—	—	—	—	—	—	—	Edit Del

Ledger master.



Category master.



Customer master.

Schemes and offers


Who	Admin and User
Where	Masters - Scheme / Offer
What for	Set up buy-one-get-one style schemes and percentage offers that POS can apply.

1. Open **Masters - Scheme / Offer**.
2. The screen lists **Schemes** and **Offers**.
3. Maintain them from the master list (add / edit / delete).

> **Notes**
> Sample: scheme SC1 'Beer 1+1' and offer 0F1 'Whisky 5% off'.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_scheme / tbl_scheme, offermst	Schemes and offers



Schemes and offers.

Reports

Running a report


Who	Admin and User
Where	Reports - any group
What for	Open any of the 113 reports across eight groups.

1. Open **Reports** and pick a group: Sales, Stock, Purchase, Accounts, MIS, Breakage, Stock Transfer or Excise.
2. A group shows a button per report with the number of reports in each group.
3. Select a report title. The report runs and shows a table with a row count.
4. Select **Back** to return to the group list.


> **Notes**
> Sales Reports (32), Stock (20), Purchase (10), Accounts (14), MIS (12), Breakage (2), Stock Transfer (2), Excise (21) - 113 in total.
> Examples: Sales Statement, Item Wise Sales, P/L Account, Balance Sheet, Trial Balance, Daily Stock Book, GST reports.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_ReportForm / frm_ReportsPreview	Reports (113 declarative reports)



Reports - Sales group.



Reports - Stock group.

Part D - Administration

Company setup

Company profile

Who	Admin
Where	Admin - Company
What for	Maintain the company name, address and statutory numbers.


1 Open **Admin - Company**.

2 Edit the fields shown (name, address, city, phone, e-mail, TIN / CST / PAN / VAT / ST numbers).

3 Save.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_companyinfo / companymast	Company



Company profile.

Company parameters

Who	Admin
Where	Admin - Parameters
What for	Set defaults that drive accounting heads, printing, tax and POS behaviour.

1. Open **Admin - Parameters**.
2. Review the parameter list: sale account head, cash / bank ledgers, breakage and sales-return heads, purchase account, discount accounts, rate code, expense and round-off heads, POS mode, print mode, surcharge, language, SMS flags, credit limit.
3. Change the values you need and select **Save Parameters**.

> **Notes**
> These heads point at ledgers, so set the ledgers up first.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_companyparameter / companyparamtr	Parameters

Parameters Company 1 Year 2024

Parameters

Csalebillno
0

Sale Account Head
L00003

Bankacc
L00002

Cashparty
C00001

Crcashparty
C00001

Breakacc
L00010

Saleretrnacc
L00009

Csalelmt

Printbill
N

Printer

Purchaseacchd
L00004

Cashhd
L00001

Discntacc
L00005

Defshpgdn
MAIN

Ratecode
G00001


Expenceacc
L00004

Rndoffacc
L00005


Autorefcurrsal

Actposmode
Y

Company parameters. (part 1 of 3)



Company parameters. (part 2 of 3)



Company parameters. (part 3 of 3)

Creating a new financial year

Who	Admin
Where	Admin - New Year
What for	Open a new year and carry forward opening balances.

1 Open **Admin - New Year**.


2 Enter the **Year Range** (for example 2025-2026), the **Start Date**, the **End Date** and the **Year Code**.

3 Save. The new year appears in the **Existing Years** table.

> **Notes**
> The current year is shown as a pill in the top bar.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_yearcreation / yearmst	New Year



Create a new financial year.

Users and access

Adding a user

Who	Admin
Where	Admin - User
What for	Create an account for a staff member and set its access level.

1 Open **Admin - User**.


2 Select **+ Add User**.

3 Enter the **User Code** and **Name**, choose the **Access Level** (User or Admin) and set a **PIN**.

4 Save. The user appears in the list with their level badge.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_userinfo / users	Admin - User



Admin - User.

Resetting a user's PIN

Who	Admin
Where	Admin - User - Reset PIN
What for	Set a new PIN for a user who has forgotten theirs.

1 Open **Admin - User**.


2 On the user's row select **Reset PIN**.

3 Type the **New PIN** and confirm it, then save.

> **Notes**
> A user can also change their own PIN from Tools - Change Password.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
users.password (plaintext)	Admin - User - Reset PIN / POST /api/users/:code/reset-pin



Reset PIN from Admin - User.

Setting user rights


Who	Admin
Where	Admin - User Rights
What for	Record what each user may view, add and delete per module.

1. Open **Admin - User** and select **Rights** on a user's row.
2. For each module (MASTERS, TRANSACTIONS, REPORTS, ADMIN, TOOLS) set the **View**, **Add** and **Delete** flags (Y or N).
3. Select **Save Rights**.

Notes
See the roles section in Part A for the current enforcement status of these flags.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_userrights / userrights	User Rights



User rights per module.

Part E - Tools and utilities

Everyday tools

Calculator


Who	Admin and User
Where	Tools - Calculator
What for	A simple on-screen calculator.

1 Open **Tools - Calculator**.

2 Type digits, then use +, -, x or / to apply an operation.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
tools.calculate	Calculator



Calculator.

SMS / WhatsApp messages

Who	Admin and User
Where	Tools - SMS / WhatsApp
What for	Queue a text or WhatsApp message and review the outbox.


1 Open **Tools - SMS / WhatsApp**.

2 Enter the **To** number and the **Message**.

3 Save. The message is queued and listed in the **Outbox**.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_message / tbl_MessageLog	SMS / WhatsApp



SMS / WhatsApp messages.

PML print and reports

Who	Admin and User
Where	Tools - PML Print and Reports
What for	Record PML (bottles and ML) entries and review them.


1 Open **Tools - PML Print and Reports**.

2 Enter the **Date**, **Bottles**, **ML** and **Remarks**.

3 Save. The entry appears in the **Entries** table.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
tbl_PML / tbl_PMLCAL	PML Print and Reports



PML print and reports.

Clean print garbage


Who	Admin and User
Where	Tools - Clean Print Garbage
What for	Remove orphaned print records for the current company.

1 Open **Tools - Clean Print Garbage**.

2 Select **Run Cleanup**.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
legacy print-clean utility	Clean Print Garbage



Clean print garbage.

Data and maintenance

Data back-up

Who	Admin
Where	Tools - Data Back-Up
What for	Create a compressed backup of the database.


1 Open **Tools - Data Back-Up**.

2 Enter the **Destination folder**.

3 Save. A confirmation toast appears when the backup is created.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
backup_upload company parameter	Data Back-Up



Data back-up.

Data restore

Who	Admin
Where	Tools - Data Restore
What for	Restore the database from a backup file.


1 Open **Tools - Data Restore**.

2 Enter the **Backup file path**.

> **Notes**
> Restore is performed on the server: place the backup on the server and give its path. In this build the guided screen explains the step; the copy itself is done server-side.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_restore	Data Restore



Data restore.

Data sync (multi-branch / central)

Who	Admin
Where	Tools - Data Sync
What for	Push or pull data to a central server for multi-branch setups.


1 Open **Tools - Data Sync**.

2 Choose the **Entity** (SALES, PURCHASE, ITEMS, LEDGER) and the **Direction** (PUSH or PULL).

3 Select **Sync now**. The status panel refreshes.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
AutoDataSync.exe / tbl_UploadDownloadStatus	Data Sync



Data sync.

Export to Tally (file export)

Who	Admin
Where	Tools - Export To Tally
What for	Produce a data extract for Tally in one step.

1 Open **Tools - Export To Tally**.


2 Choose the data kind (SALES, PURCHASE or LEDGER).

3 Select **Export**. The exported data is shown on screen.

> **Notes**
> For the automatic, connectionless exchange with the accountant's Tally Prime, use Remote Tally Sync in Part F instead.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_tally_export	Export to Tally



Export to Tally (file export).

Part F - Remote Tally Sync

What Remote Tally Sync does

Who	Admin (setup) and User (billing)
Where	Tools - Remote Tally Sync
What for	Exchange vouchers and masters with the accountant's Tally Prime without a live connection.

1. The shop agent queues each sales and purchase voucher as it is saved.
2. When the connection is available the agent pushes the queued vouchers to a cloud broker.
3. The accountant's Tally Prime pulls the vouchers from the broker.
4. Ledger and stock-item masters flow back the other way, so the counter keeps the accountant's chart of accounts.
5. Billing and printing never depend on the connection: pending vouchers simply wait in the local queue.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
MadhushalaDataSync.dll	Remote Tally Sync

Remote Tally Sync

Company 1 Year 2024

Remote Tally Sync

Connectionless twin-agent sync: the shop agent pushes sales and purchase vouchers to the cloud broker for your accountant's Tally Prime, and supported ledger / stock-item masters flow back to the counter. Billing and printing keep working offline; pending vouchers wait in the local queue and deliver when the connection returns.

STATUS

PENDING	SENT	DELIVERED	FAILED
0	0	9	1

TOTAL **10**

Queue pending bills | Retry failed | Refresh

Agent settings

Broker URL: https://tally-broker.example/api

Tally company: ABM TECHNOMATRIX (P) LTD.

Agent ID: SHOP-KOL-01

Company GUID: abm-technomatrix-1

Agent token: TALLY-OG48JF6X2QGTR02V

Enabled: ☑

Save | Generate token

Last pull: — · Last push: —

Outbound queue

#	TYPE	DOC	DATE	AMOUNT	TRIES	STATUS	LAST ERROR
10	PURCHASE	3.0	2024-04-05	1,26,600.00	0	ACKED	—
9	PURCHASE	2.0	2024-04-04	61,200.00	0	ACKED	—
8	PURCHASE	1.0	2024-04-03	79,200.00	0	ACKED	—
7	SALES	NAI00001	2024-04-07	4,320.00	0	ACKED	—
6	SALES	FL00004	2024-04-09	540.00	0	ACKED	—
5	SALES	FL00003	2024-04-08	9,740.00	0	ACKED	—
4	SALES	FL00002	2024-04-07	6,620.00	0	ACKED	—
3	SALES	FL00001	2024-04-06	5,160.00	0	ACKED	—
2	SALES	CS00002	2024-04-08	7,440.00	0	ACKED	—
1	SALES	CS00001	2024-04-06	5,480.00	1	FAILED	Ledger not found in Tally company

VOUCHER XML

Preview Tally XML

Remote Tally Sync - connectionless twin-agent sync. (part 1 of 2)

Ledger / tax auto-mapping

Map POS values to Tally masters by string pattern (matched against the POS code or name).

Type: LEDGER | POS pattern | Tally master | Save

TYPE	POS PATTERN	TALLY MASTER	PRIORITY	ACTIVE	
ITEM	I00001	Royal Stag 750ml	0	Yes	Delete
LEDGER	L00003	Sales @ 18%	0	Yes	Delete
LEDGER	L00004	Purchase @ 18%	0	Yes	Delete
LEDGER	S00001	ABC Wines (Tally)	0	Yes	Delete

Masters received from Tally

No records found.

SYNC LOG

WHEN	DIR	ACTION	STATUS	MESSAGE
2026-11-09 03:31:04	OUT	ACK	FAILED	Ledger not found in Tally company
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 3
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 2
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 1
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES NAI00001
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00004
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00003
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00002
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00001
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES CS00002
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES CS00001

Remote Tally Sync - connectionless twin-agent sync. (part 2 of 2)

Setting up the sync agent

Who	Admin
Where	Tools - Remote Tally Sync - Agent settings
What for	Connect this shop to the broker once.

1. Open **Tools - Remote Tally Sync**.
2. In **Agent settings** enter the **Broker URL**, the **Tally company**, the **Agent ID** and the **Company GUID**.
3. Select **Generate token** to create the agent token, then tick **Enabled**.
4. Select **Save**. The status cards and the **Last pull** / **Last push** line update.

> **Notes**
> With the feature disabled no vouchers are queued and billing is unaffected.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
MadhushalaDataSync.dll config	Remote Tally Sync - Agent settings

Remote Tally Sync Company 1 Year 2024

Remote Tally Sync

Connectionless twin-agent sync: the shop agent pushes sales and purchase vouchers to the cloud broker for your accountant's Tally Prime, and supported ledger / stock-item masters flow back to the counter. Billing and printing keep working offline; pending vouchers wait in the local queue and deliver when the connection returns.

STATUS

PENDING	SENT	DELIVERED	FAILED
0	0	9	1

TOTAL 10

Queue pending bills | Retry failed | Refresh

Agent settings

Broker URL: https://tally-broker.example/api

Tally company: ABM TECHNOMATRIX (P) LTD.

Agent ID: SHOP-KOL-01

Company GUID: abm-technomatrix-1

Agent token: TALLY-OG48JF6X2QGTR02V

Enabled: ☑

Save | Generate token

Last pull: — · Last push: —

Outbound queue

#	TYPE	DOC	DATE	AMOUNT	TRIES	STATUS	LAST ERROR
10	PURCHASE	3.0	2024-04-05	1,26,600.00	0	ACKED	—
9	PURCHASE	2.0	2024-04-04	61,200.00	0	ACKED	—
8	PURCHASE	1.0	2024-04-03	79,200.00	0	ACKED	—
7	SALES	NAI00001	2024-04-07	4,320.00	0	ACKED	—
6	SALES	FL00004	2024-04-09	540.00	0	ACKED	—
5	SALES	FL00003	2024-04-08	9,740.00	0	ACKED	—
4	SALES	FL00002	2024-04-07	6,620.00	0	ACKED	—
3	SALES	FL00001	2024-04-06	5,160.00	0	ACKED	—
2	SALES	CS00002	2024-04-08	7,440.00	0	ACKED	—
1	SALES	CS00001	2024-04-06	5,480.00	1	FAILED	Ledger not found in Tally company

VOUCHER XML

Preview Tally XML

Agent settings, broker URL and company GUID. (part 1 of 2)

Ledger / tax auto-mapping

Map POS values to Tally masters by string pattern (matched against the POS code or name).

Type: LEDGER | POS pattern | Tally master | Save

TYPE	POS PATTERN	TALLY MASTER	PRIORITY	ACTIVE	
ITEM	I00001	Royal Stag 750ml	0	Yes	Delete
LEDGER	L00003	Sales @ 18%	0	Yes	Delete
LEDGER	L00004	Purchase @ 18%	0	Yes	Delete
LEDGER	S00001	ABC Wines (Tally)	0	Yes	Delete

Masters received from Tally

No records found.

SYNC LOG

WHEN	DIR	ACTION	STATUS	MESSAGE
2026-11-09 03:31:04	OUT	ACK	FAILED	Ledger not found in Tally company
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 3
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 2
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 1
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES NAI00001
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00004
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00003
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00002
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00001
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES CS00002
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES CS00001

Agent settings, broker URL and company GUID. (part 2 of 2)

Queueing and delivering vouchers


Who	Admin
Where	Tools - Remote Tally Sync - Outbound queue
What for	Send saved vouchers to the broker and track delivery.

1. Read the status cards: **Pending**, **Sent**, **Delivered**, **Failed**, **Total**.
2. Select **Queue pending bills** to add any un-queued vouchers.
3. Select **Preview Tally XML** to see the exact payload that will be sent.
4. The **Outbound queue** table shows each voucher: type, document number and date, amount, tries, status and last error.
5. Select **Retry failed** to requeue anything that failed.

> **Notes**
> Statuses: PENDING (waiting), SENT (handed to the broker), ACKED (delivered), FAILED (needs a retry).

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
tbl_TallySyncQueue	Remote Tally Sync - Outbound queue



Outbound queue and delivery. (part 1 of 2)

Ledger / tax auto-mapping

Map POS values to Tally masters by string pattern (matched against the POS code or name).

Type: LEDGER | POS pattern | Tally master | Save

TYPE	POS PATTERN	TALLY MASTER	PRIORITY	ACTIVE	
ITEM	I00001	Royal Stag 750ml	0	Yes	Delete
LEDGER	L00003	Sales @ 18%	0	Yes	Delete
LEDGER	L00004	Purchase @ 18%	0	Yes	Delete
LEDGER	S00001	ABC Wines (Tally)	0	Yes	Delete

Masters received from Tally

No records found.

SYNC LOG

WHEN	DIR	ACTION	STATUS	MESSAGE
2026-11-09 03:31:04	OUT	ACK	FAILED	Ledger not found in Tally company
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 3
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 2
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 1
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES NAI00001
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00004
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00003
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00002
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00001
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES CS00002
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES CS00001

Outbound queue and delivery. (part 2 of 2)


Ledger and tax auto-mapping

Who	Admin
Where	Tools - Remote Tally Sync - Ledger / tax auto-mapping
What for	Tell the sync how POS values map to Tally masters.


1. In **Ledger / tax auto-mapping** choose a **Type** (LEDGER, ITEM, TAX or PAYMENT).
2. Enter the **POS pattern** (matched against the POS code or name) and the **Tally master** to map it to.
3. Select **Save**. The rule is listed with its priority and active flag.
4. Select **Delete** on a rule to remove it.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
tbl_TallyMapping	Remote Tally Sync - Ledger / tax auto-mapping



Ledger and tax auto-mapping. (part 1 of 2)



Ledger and tax auto-mapping. (part 2 of 2)


Applying masters received from Tally

Who	Admin
Where	Tools - Remote Tally Sync - Masters received from Tally
What for	Bring the accountant's ledgers and stock items into the counter.

1. In **Masters received from Tally** review each incoming master: type, code, name, status and received time.
2. For a row with status **PENDING**, select **Apply** to upsert it into the local masters.
3. The status changes to **APPLIED** and the **Sync log** records the action.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
inbound masters	Remote Tally Sync - Masters received



Masters received from Tally. (part 1 of 2)

Ledger / tax auto-mapping

Map POS values to Tally masters by string pattern (matched against the POS code or name).

Type: LEDGER | POS pattern | Tally master | Save

TYPE	POS PATTERN	TALLY MASTER	PRIORITY	ACTIVE	
ITEM	I00001	Royal Stag 750ml	0	Yes	Delete
LEDGER	L00003	Sales @ 18%	0	Yes	Delete
LEDGER	L00004	Purchase @ 18%	0	Yes	Delete
LEDGER	S00001	ABC Wines (Tally)	0	Yes	Delete

Masters received from Tally

No records found.

SYNC LOG

WHEN	DIR	ACTION	STATUS	MESSAGE
2026-11-09 03:31:04	OUT	ACK	FAILED	Ledger not found in Tally company
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 3
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 2
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 1
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES NAI00001
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00004
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00003
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00002
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00001
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES CS00002
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES CS00001

Masters received from Tally. (part 2 of 2)

Reading the sync log


Who	Admin
Where	Tools - Remote Tally Sync - Sync log
What for	Audit what the agent sent and received.

1 Open **Tools - Remote Tally Sync** and scroll to **Sync log**.

2 Read when, the direction, the action, the status and the message for each entry.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
sync log	Remote Tally Sync - Sync log



Sync log. (part 1 of 2)

Ledger / tax auto-mapping

Map POS values to Tally masters by string pattern (matched against the POS code or name).

Type: LEDGER | POS pattern | Tally master | Save

TYPE	POS PATTERN	TALLY MASTER	PRIORITY	ACTIVE	
ITEM	I00001	Royal Stag 750ml	0	Yes	Delete
LEDGER	L00003	Sales @ 18%	0	Yes	Delete
LEDGER	L00004	Purchase @ 18%	0	Yes	Delete
LEDGER	S00001	ABC Wines (Tally)	0	Yes	Delete

Masters received from Tally

No records found.

SYNC LOG

WHEN	DIR	ACTION	STATUS	MESSAGE
2026-11-09 03:31:04	OUT	ACK	FAILED	Ledger not found in Tally company
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ACK	ACKED	Delivered to Tally
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 3
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 2
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	PURCHASE 1
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES NAI00001
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00004
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00003
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00002
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES FL00001
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES CS00002
2026-11-09 03:31:04	OUT	ENQUEUE	PENDING	SALES CS00001

Sync log. (part 2 of 2)

State excise

State excise compliance sync

Who	Admin (setup) and User (billing)
Where	Tools - Excise Sync
What for	Queue every sale line for the state excise portal by its excise identity, upload when online, push the daily closing balance, and apply indents / transport permits received from the portal. Billing never depends on the network.

1. Open **Tools - Excise Sync**.
2. In **State settings**, pick the **State** (for example West Bengal, which uses the direct EODB API, or Odisha, which uses the portal agent), then enter the **Licensee ID**, **Endpoint base** and **Credential**, and save.
3. The status cards show the queue: **Pending**, **Sent to portal**, **Uploaded**, **Failed**, plus **Unmatched** and **Total**.
4. Bills are captured automatically as you post them; to backfill, select **Capture pending bills**.
5. Select **Upload to portal** (API states) or **Stage for portal agent** (portal states such as Odisha).
6. Fix any **Unmatched** lines (GTIN + pack size + MRP no longer match the item master) - they are skipped on upload until corrected.
7. For the closing balance: pick the **Date**, select **Build closing balance**, then **Upload closing balance**.
8. For portal states, export the batch with **Export batch (JSON)** and confirm with **Confirm all sent as uploaded** once the portal shows the lines accepted.
9. Review **Portal documents received** (indents / transport permits) and select **Apply** to post a document into purchase.
10. Check the **Sync log** for what was sent and received.

> **Notes**
> Offline-first: every sale and return line is queued locally by excise identity at billing, so printing and billing never wait for the network.
> The pre-validation gate compares GTIN + pack size + MRP against the item master before upload; mismatches are held back as unmatched.
> West Bengal uses the `api` adapter (token auth + push); Odisha uses the `portal` adapter (stage a batch + agent confirm).

Account recovery

Forgot the admin PIN

Who	Admin
Where	Tools - Change Password, Admin - User, or the API
What for	Regain access when the administrator PIN is lost.

1. If you are already signed in: **Tools - Change Password** sets a new PIN for your own account.
2. If another admin is signed in: **Admin - User - Reset PIN** sets a new PIN for any user.


3 If nobody can sign in, reset it on the server with one command (it uses the same database as the app):

4 `node scripts/reset_admin_pin.js A00001 1234`

Notes
The script above resets the PIN to 1234 for user `A00001`; pass a different user code and PIN if you need to.
You can also call the API directly: `curl -X POST localhost:7100/api/users/A00001/reset-pin -H 'content-type: application/json' -d '{"pin":"1234"}'`
The admin PIN is stored in the `users` table (plaintext, as in the legacy app), so it can be reset directly if needed.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
users.password (plaintext)	Change Password / Reset PIN / scripts/reset_admin_pin.js



Change Password, or reset the PIN for any user from Admin - User.

Part G - Reference

Default accounts and sample data

Who	Reference
Where	Seeded data
What for	Codes you can use to explore every flow.

1. Sign in as `A00001` / `admin` (administrator) or `A00002` / `cashier` (user). If the admin PIN has been changed, use the current PIN or reset it - see **Forgot the admin PIN**.
2. Items: `I00001` Royal Stag 750ml, `I00002` Blenders Pride 750ml, `I00003` Kingfisher Beer 650ml, `I00004` Absolut Vodka 750ml, `I00005` Magic Moments 750ml, `I00006` Budweiser 650ml.
3. Ledgers: cash `L00001`, bank `L00002`, sales `L00003`, purchase `L00004`; supplier `S00001`; walk-in customer `C00001`.
4. Stores: `MAIN` (main store), `CNT1` (counter 1) and `BAR1` (main bar).
5. Year: 2024-2025. Company 1.


Getting help

Who	Admin and User
Where	Help menu
What for	Where to look for help inside the app.


1. Open **Help - Ask for Help** for the key flow pointers.
2. Open **Help - About Madhushala** for the product and stack summary.
3. Open **Help - List of Updates** for the recent change list.

Where this lives: legacy form / table → rebuilt screen

Legacy (WinForms / SQL Server)	Rebuilt in Madhushala Pro
frm_ask4help / frm_AboutBox1	Help menu



Help - Ask for Help.



Help - About Madhushala Pro.