

# Develop your Google Cloud Network: Challenge Lab

GSP321



## Introduction

In a challenge lab you're given a scenario and a set of tasks. Instead of following step-by-step instructions, you will use the skills learned from the labs in the course to figure out how to complete the tasks on your own! An automated scoring system (shown on this page) will provide feedback on whether you have completed your tasks correctly.

When you take a challenge lab, you will not be taught new Google Cloud concepts. You are expected to extend your learned skills, like changing default values and reading and researching error messages to fix your own mistakes.

To score 100% you must successfully complete all tasks within the time period!

This lab is recommended for students who have completed the labs in the [Develop your Google Cloud Network](#) skill badge. Are you up for the challenge?

Dashboard

Catalog

Paths

Collections

Contents

Develop your Google Cloud Network: Challenge Lab

Lab setup instructions and requirements

End Lab 00:53:29

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. [Learn more.](#)

Open Google Cloud console

Username 1

student-02-6ccadb8be6ec1

Username 2

student-03-bcb7caac72ff1

Password

zrMSerN1VdRE

Project ID

qwiklabs-gcp-01-6150fd0

Task 1. Create development VPC manually

- Create a VPC called `griffin-dev-vpc` with the following subnets only:
  - `griffin-dev-wp`
    - IP address block: `192.168.16.0/20`
  - `griffin-dev-mgmt`
    - IP address block: `192.168.32.0/20`

Click *Check my progress* to verify the objective.

✓

Create development VPC manually

Check my progress

Assessment Completed!

Lab instructions and tasks

4/100

GSP321

Introduction

Setup

Challenge scenario

Task 1. Create development VPC manually

Task 2. Create production VPC manually

Task 3. Create bastion host

Task 4. Create and configure Cloud SQL Instance

Task 5. Create Kubernetes cluster

< Previous

Next >

Dashboard – qwiklabs-gcp-01-6150fd0ab912

+

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-6150fd0ab912&pli=1&cloudshell=true

🔍

📄

🗨

☰

Free AI Paraphrasin...

📄 Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-6150fd0ab912

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

S

Dashboard

Activity

Recommendations

✎ Customize

📄

CLOUD SHELL

Terminal

🔗 (qwiklabs-gcp-01-6150fd0ab912)

+

▼

✎ Open Editor

📄

⚙

📺

📄

⋮

—

⬆

📄

✕

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.  
Your Cloud Platform project in this session is set to **qwiklabs-gcp-01-6150fd0ab912**.  
Use ``gcloud config set project [PROJECT_ID]`` to change to a different project.  
student\_02\_6ccadb8be6ec@cloudshell:~ (**qwiklabs-gcp-01-6150fd0ab912**)\$ gcloud auth list  
Credentialed Accounts  
  
ACTIVE: \*  
ACCOUNT: student-02-6ccadb8be6ec@qwiklabs.net  
  
To set the active account, run:  
\$ gcloud config set account `ACCOUNT`  
  
student\_02\_6ccadb8be6ec@cloudshell:~ (**qwiklabs-gcp-01-6150fd0ab912**)\$ gcloud config list project  
INFORMATION: Project 'qwiklabs-gcp-01-6150fd0ab912' has no 'environment' tag set. Use either 'Production', 'Development', 'Test', or 'Staging'. Add an 'environment' tag using `gcloud resource -manager tags bindings create`.  
[core]  
project = qwiklabs-gcp-01-6150fd0ab912  
  
Your active configuration is: [cloudshell-19411]  
student\_02\_6ccadb8be6ec@cloudshell:~ (**qwiklabs-gcp-01-6150fd0ab912**)\$ export REGION=us-east1  
export ZONE=us-east1-c  
student\_02\_6ccadb8be6ec@cloudshell:~ (**qwiklabs-gcp-01-6150fd0ab912**)\$ echo \$REGION  
echo \$ZONE  
us-east1  
us-east1-c  
student\_02\_6ccadb8be6ec@cloudshell:~ (**qwiklabs-gcp-01-6150fd0ab912**)\$ gcloud compute networks create griffin-dev-vpc --subnet-mode custom  
Created [https://www.googleapis.com/compute/v1/projects/qwiklabs-gcp-01-6150fd0ab912/global/networks/griffin-dev-vpc].  
NAME: griffin-dev-vpc  
SUBNET\_MODE: CUSTOM  
BGP\_ROUTING\_MODE: REGIONAL  
IPV4\_RANGE:  
GATEWAY\_IPV4:

9+ Air: Poor Saturday

🪟 🔍 Search 🏠 🌳 🖨 🗨 📁 🔄 📄 📄 📄

⬆ 📶 🔊 🔌

07:39 PM 26-11-2025 🔔

Dashboard – qwiklabs-gcp-01-6

+

< > ↺ 🏠

🔖

🌐

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-6150fd0ab912&pli=1&cloudshell=true

🔍

📄

🗨️

☰

Free AI Paraphrasin...

📄 Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-6150fd0ab912

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

❓

⋮

🟠 S

Dashboard

Activity

Recommendations

✎ Customize

🖥️

CLOUD SHELL

Terminal

📄 (qwiklabs-gcp-01-6150fd0ab912) ✕ + ▾

✎ Open Editor

📄

⚙️

📺

📄

⋮

⎵

↕

🗑️

✕

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

IPv4\_RANGE:  
GATEWAY\_IPV4:  
INTERNAL\_IPV6\_RANGE:

Instances on this network will not be reachable until firewall rules are created. As an example, you can allow all internal traffic between instances as well as SSH, RDP, and ICMP by running:

\$ gcloud compute firewall-rules create <FIREWALL\_NAME> --network griffin-dev-vpc --allow tcp,udp,icmp --source-ranges <IP\_RANGE>  
\$ gcloud compute firewall-rules create <FIREWALL\_NAME> --network griffin-dev-vpc --allow tcp:22,tcp:3389,icmp

student\_02\_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912)\$ gcloud compute networks subnets create griffin-dev-wp --network griffin-dev-vpc --range 192.168.16.0/20 --region \$REGION  
Created [https://www.googleapis.com/compute/v1/projects/qwiklabs-gcp-01-6150fd0ab912/regions/us-east1/subnetworks/griffin-dev-wp].  
NAME: griffin-dev-wp  
REGION: us-east1  
NETWORK: griffin-dev-vpc  
RANGE: 192.168.16.0/20  
STACK\_TYPE: IPV4\_ONLY  
IPV6\_ACCESS\_TYPE:  
INTERNAL\_IPV6\_PREFIX:  
EXTERNAL\_IPV6\_PREFIX:  
student\_02\_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912)\$ gcloud compute networks subnets create griffin-dev-mgmt --network griffin-dev-vpc --range 192.168.32.0/20 --region \$REGION  
Created [https://www.googleapis.com/compute/v1/projects/qwiklabs-gcp-01-6150fd0ab912/regions/us-east1/subnetworks/griffin-dev-mgmt].  
NAME: griffin-dev-mgmt  
REGION: us-east1  
NETWORK: griffin-dev-vpc  
RANGE: 192.168.32.0/20  
STACK\_TYPE: IPV4\_ONLY  
IPV6\_ACCESS\_TYPE:  
INTERNAL\_IPV6\_PREFIX:  
EXTERNAL\_IPV6\_PREFIX:  
student\_02\_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912)\$

📶 9+ Air: Poor Saturday

🪟 🔍 Search

🏰

🗂️

💬

📁

🌐

🛒

🔥

🛡️

📄

⬆️

ENG IN

📶 🔊 🔌

07:39 PM 26-11-2025

🔔

223

YouTube

DC Infotech Internshi

Develop Your Google

Develop your Go

DEV

GSP321: Develop you

Mk

Develop your Google

GSP321: Develop you

GSP-321-Set-Up-and

+

—

×

<

>

↺

🏠

🔖

🔗

https://partner.skills.google/course\_templates/625/labs/592706

🔍

🔗

🛡️

🚩

🔍

📄

📄

📄

🌟

🛡️

☰

🗃️

Free AI Paraphrasin...

📄

Transcript of Case St...

📁

GCP-LAB

📁

Hydra

📁

datawarehouse

☰

Google Skills

Partner

What do you want to learn today?

🔍

★ 5336

🔥 1

🔍

?

🌐

👤

🔍

🏠 > Develop Your Google Cloud Network > Develop your Google Cloud Network: Challenge Lab

Contents

Develop your Google Cloud Network: Challenge Lal

Lab setup instructions and requirements

End Lab

00:50:26

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. [Learn more.](#)

Open Google Cloud console

Username 1

student-02-6ccadb8be6ecf

Username 2

student-03-bcb7caac72fffi

Password

zrMSerN1VdRE

Project ID

qwiklabs-gcp-01-6150fd0i

advice.

Task 2. Create production VPC manually

• Create a VPC called griffin-prod-vpc with the following subnets only:

• griffin-prod-wp

• IP address block: 192.168.48.0/20

• griffin-prod-mgmt

• IP address block: 192.168.64.0/20

Click *Check my progress* to verify the objective.

✓

Create production VPC manually

Check my progress

Assessment Completed!

Lab instructions and tasks

10/100

GSP321

Introduction

Setup

Challenge scenario

Task 1. Create development VPC manually

Task 2. Create production VPC manually

Task 3. Create bastion host

Task 4. Create and configure Cloud SQL Instance

Task 5. Create Kubernetes cluster

< Previous

Next >

9+

Trending videos

Stranger Things...

🪟

🔍

Search

🏰

📁

💬

📁

🌐

📁

🔥

🛡️

📄

⬆️

ENG

IN

📶

🔊

🔌

07:42 PM

26-11-2025

🔔





Dashboard – qwiklabs-gcp-01-6

+

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-6150fd0ab912&pli=1&cloudshell=true

🔍

📄

🗨

☰

Free AI Paraphrasin... Transcript of Case St... GCP-LAB Hydra datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-6150fd0ab912

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

S

☰

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-6150fd0ab912) × + ▾

📄

🔍

⚙

📺

📄

⋮

▬

⬆

🗑

✕

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

```
NAME: griffin-prod-vpc
SUBNET_MODE: CUSTOM
BGP_ROUTING_MODE: REGIONAL
IPV4_RANGE:
GATEWAY_IPV4:
INTERNAL_IPV6_RANGE:

Instances on this network will not be reachable until firewall rules
are created. As an example, you can allow all internal traffic between
instances as well as SSH, RDP, and ICMP by running:

$ gcloud compute firewall-rules create <FIREWALL_NAME> --network griffin-prod-vpc --allow tcp,udp,icmp --source-ranges <IP_RANGE>
$ gcloud compute firewall-rules create <FIREWALL_NAME> --network griffin-prod-vpc --allow tcp:22,tcp:3389,icmp

student_02_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912)$ gcloud compute networks subnets create griffin-prod-wp --network griffin-prod-vpc --range 192.168.48.0/20 --region $REGION
Created [https://www.googleapis.com/compute/v1/projects/qwiklabs-gcp-01-6150fd0ab912/regions/us-east1/subnetworks/griffin-prod-wp].
NAME: griffin-prod-wp
REGION: us-east1
NETWORK: griffin-prod-vpc
RANGE: 192.168.48.0/20
STACK_TYPE: IPV4_ONLY
IPV6_ACCESS_TYPE:
INTERNAL_IPV6_PREFIX:
EXTERNAL_IPV6_PREFIX:
student_02_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912)$ gcloud compute networks subnets create griffin-prod-mgmt --network griffin-prod-vpc --range 192.168.64.0/20 --region $REGION
Created [https://www.googleapis.com/compute/v1/projects/qwiklabs-gcp-01-6150fd0ab912/regions/us-east1/subnetworks/griffin-prod-mgmt].
NAME: griffin-prod-mgmt
REGION: us-east1
NETWORK: griffin-prod-vpc
RANGE: 192.168.64.0/20
STACK_TYPE: IPV4_ONLY
IPV6_ACCESS_TYPE:
INTERNAL_IPV6_PREFIX:
EXTERNAL_IPV6_PREFIX:
student_02_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912)$
```

9+ 16°C Clear

🪟 🔍 Search 🏠 🗑 🗨 📁 🌐 🛒 🔍 📄 📄

⬆ ⬆ ⬆ ⬆ ⬆ ⬆ ⬆ ⬆

ENG IN 📶 🔊 🔋 07:43 PM 26-11-2025 🔔





Dashboard – qwiklabs-gcp-01-6

+

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-6150fd0ab912&pli=1&cloudshell=true

🔍

📄

🗨

☰

Free AI Paraphrasin... Transcript of Case St... GCP-LAB Hydra datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-6150fd0ab912

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

S

☰

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-6150fd0ab912) × + ▾

📄

Open Editor

📄

⚙

📄

📄

⋮

▬

⬆

🗑

×

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

EXTERNAL\_IPV6\_PREFIX:

student\_02\_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912)\$ gcloud compute instances create bastion --network-interface=network=griffin-dev-vpc,subnet=griffin-dev-mgmt --network-inte

rface=network=griffin-prod-vpc,subnet=griffin-prod-mgmt --tags=ssh --zone=\$ZONE

Created [https://www.googleapis.com/compute/v1/projects/qwiklabs-gcp-01-6150fd0ab912/zones/us-east1-c/instances/bastion].

NAME: bastion

ZONE: us-east1-c

MACHINE\_TYPE: n1-standard-1

PREEMPTIBLE:

INTERNAL\_IP: 192.168.32.2

192.168.64.2

EXTERNAL\_IP: 35.243.251.206

34.74.200.180

STATUS: RUNNING

student\_02\_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912)\$ gcloud compute firewall-rules create fw-ssh-dev --network=griffin-dev-vpc --source-ranges=0.0.0.0/0 --target-tags ssh --al

low=tcp:22

Creating firewall...working..Created [https://www.googleapis.com/compute/v1/projects/qwiklabs-gcp-01-6150fd0ab912/global/firewalls/fw-ssh-dev].

Creating firewall...done.

NAME: fw-ssh-dev

NETWORK: griffin-dev-vpc

DIRECTION: INGRESS

PRIORITY: 1000

ALLOW: tcp:22

DENY:

DISABLED: False

student\_02\_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912)\$ gcloud compute firewall-rules create fw-ssh-prod --network=griffin-prod-vpc --source-ranges=0.0.0.0/0 --target-tags ssh --

allow=tcp:22

Creating firewall...working..Created [https://www.googleapis.com/compute/v1/projects/qwiklabs-gcp-01-6150fd0ab912/global/firewalls/fw-ssh-prod].

Creating firewall...done.

NAME: fw-ssh-prod

NETWORK: griffin-prod-vpc

DIRECTION: INGRESS

PRIORITY: 1000

ALLOW: tcp:22

DENY:

DISABLED: False

student\_02\_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912)\$

9+ 16°C Clear

🪟 🔍 Search 🏠 🗑 🗨 📁 🌐 🛒 🔍 📄 📄

⬆ ⬆ ⬆ ⬆ ⬆ ⬆ ⬆ ⬆

ENG IN 📶 🔊 🔋 07:45 PM 26-11-2025 🔔



Dashboard – qwiklabs-gcp-01-6

+

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-6150fd0ab912&pli=1&cloudshell=true

🔍

📄

🗨️

☰

Free AI Paraphrasin...

📄 Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-6150fd0ab912

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

S

📄

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-6150fd0ab912) × + ▾

🔗 Open Editor

📄

⚙️

📄

📄

⋮

▬

⬆️

📄

✕

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

student\_02\_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912) \$

student\_02\_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912) \$ gcloud sql instances create griffin-dev-db --root-password password --region \$REGION

Creating Cloud SQL instance for MYSQL\_8\_0...done.

Created [https://sqladmin.googleapis.com/sql/v1beta4/projects/qwiklabs-gcp-01-6150fd0ab912/instances/griffin-dev-db].

NAME: griffin-dev-db

DATABASE\_VERSION: MYSQL\_8\_0

LOCATION: us-east1-c

TIER: db-n1-standard-1

PRIMARY\_ADDRESS: 35.227.53.36

PRIVATE\_ADDRESS: -

STATUS: RUNNABLE

student\_02\_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912) \$ gcloud sql connect griffin-dev-db

Allowlisting your IP for incoming connection for 5 minutes...done.

Connecting to database with SQL user [root].Enter password:

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 26

Server version: 8.0.41-google (Google)

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE wordpress;

Query OK, 1 row affected (0.23 sec)

mysql> CREATE USER "wp\_user"@"%" IDENTIFIED BY "stormwind\_rules";

Query OK, 0 rows affected (0.23 sec)

mysql> GRANT ALL PRIVILEGES ON wordpress.\* TO "wp\_user"@"%";

Query OK, 0 rows affected (0.23 sec)

mysql> FLUSH PRIVILEGES;

9+

Air: Poor

Saturday

🪟

🔍 Search

🏰

📁

💬

📁

🌐

🛒

🔥

🛡️

📄

⬆️

ENG IN

📶

🔊

🔋

07:52 PM

26-11-2025

🔔

Dashboard – qwiklabs-gcp-01-6

+

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-6150fd0ab912&pli=1&cloudshell=true

🔍

📄

🗨️

☰

Free AI Paraphrasin... Transcript of Case St... GCP-LAB Hydra datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-6150fd0ab912

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

S

📄

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-6150fd0ab912) × + ▾

🔗 Open Editor

📄

⚙️

📷

📺

⋮

—

⬆️

📄

✕

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

Created [https://sqladmin.googleapis.com/sql/v1beta4/projects/qwiklabs-gcp-01-6150fd0ab912/instances/griffin-dev-db].

NAME: griffin-dev-db

DATABASE\_VERSION: MYSQL\_8\_0

LOCATION: us-east1-c

TIER: db-n1-standard-1

PRIMARY\_ADDRESS: 35.227.53.36

PRIVATE\_ADDRESS: -

STATUS: RUNNABLE

student\_02\_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912)\$ gcloud sql connect griffin-dev-db

Allowlisting your IP for incoming connection for 5 minutes...done.

Connecting to database with SQL user [root].Enter password:

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 26

Server version: 8.0.41-google (Google)

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE wordpress;

Query OK, 1 row affected (0.23 sec)

mysql> CREATE USER "wp\_user"@"%" IDENTIFIED BY "stormwind\_rules";

Query OK, 0 rows affected (0.23 sec)

mysql> GRANT ALL PRIVILEGES ON wordpress.\* TO "wp\_user"@"%";

Query OK, 0 rows affected (0.23 sec)

mysql> FLUSH PRIVILEGES;

Query OK, 0 rows affected (0.23 sec)

mysql>

9+ Air: Poor Saturday

🪟 🔍 Search 🏠 🗺️ 🗨️ 📁 🔄 📄 📄 📄

⬆️

ENG IN 📶 🔊 🔌

07:53 PM 26-11-2025 🔔



Dashboard – qwiklabs-gcp-01-6

+

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-6150fd0ab912&pli=1&cloudshell=true

🔍

📄

🗨️

☰

Free AI Paraphrasin... Transcript of Case St... GCP-LAB Hydra datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-6150fd0ab912

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

S

☰

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-6150fd0ab912) × + ▾

📄

Open Editor

📄

⚙️

📷

📄

⋮

▬

⬆️

🗑️

✕

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> CREATE DATABASE wordpress;
Query OK, 1 row affected (0.23 sec)

mysql> CREATE USER "wp_user"@"%" IDENTIFIED BY "stormwind_rules";
Query OK, 0 rows affected (0.23 sec)

mysql> GRANT ALL PRIVILEGES ON wordpress.* TO "wp_user"@"%";
Query OK, 0 rows affected (0.23 sec)

mysql> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.23 sec)

mysql> exit
Bye
student_02_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912)$ gcloud container clusters create griffin-dev --machine-type e2-standard-4 --num-nodes 2 --network griffin-dev-vpc --subnet work griffin-dev-wp --zone $ZONE
Note: Your Pod address range (`--cluster-ipv4-cidr`) can accommodate at most 1008 node(s).
Creating cluster griffin-dev in us-east1-c... Cluster is being health-checked (Kubernetes Control Plane is healthy)...done.
Created [https://container.googleapis.com/v1/projects/qwiklabs-gcp-01-6150fd0ab912/zones/us-east1-c/clusters/griffin-dev].
To inspect the contents of your cluster, go to: https://console.cloud.google.com/kubernetes/workload/_gcloud/us-east1-c/griffin-dev?project=qwiklabs-gcp-01-6150fd0ab912
kubeconfig entry generated for griffin-dev.
NAME: griffin-dev
LOCATION: us-east1-c
MASTER_VERSION: 1.33.5-gke.1201000
MASTER_IP: 34.74.146.118
MACHINE_TYPE: e2-standard-4
NODE_VERSION: 1.33.5-gke.1201000
NUM_NODES: 2
STATUS: RUNNING
STACK_TYPE: IPV4
student_02_6ccadb8be6ec@cloudshell:~ (qwiklabs-gcp-01-6150fd0ab912)$
```

9+ 15°C Clear

🪟 🔍 Search 🏠 🗑️ 🗨️ 📁 🌐 🛒 🔍 📄

⬆️ ENG IN 📶 🔊 🔌 08:01 PM 26-11-2025 🔔



Dashboard

Catalog

Paths

Collections

Home > Develop Your Google Cloud Network > Develop your Google Cloud Network: Challenge Lab

Contents

Develop your Google Cloud Network: Challenge Lab

Lab setup instructions and requirements

End Lab 00:28:22

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. [Learn more.](#)

Open Google Cloud console

Username 1  
student-02-6ccadb8be6eci

Username 2  
student-03-bcb7caac72ff1

Password  
zrMSerN1VdRE

Project ID  
qwiklabs-gcp-01-6150fd0

## Task 6. Prepare the Kubernetes cluster

1. From Cloud Shell copy all files from `gs://spl1s/gsp321/wp-k8s`.
2. You do this by setting the values as secrets. **WordPress** also needs to store its working files outside the container, so you need to create a volume.
3. Add the following secrets and volume to the cluster using `wp-env.yaml`.
4. Make sure you configure the `username` to `wp_user` and `password` to `stormwind_rules` before creating the configuration.
5. Use the command below to create the key, and then add the key to the Kubernetes environment:

```
gcloud iam service-accounts keys create key.json \
--iam-account=cloud-sql-
```

VPC manually 55/100

Task 3. Create bastion host

Task 4. Create and configure Cloud SQL Instance

Task 5. Create Kubernetes cluster

Task 6. Prepare the Kubernetes cluster

Task 7. Create a WordPress deployment

Task 8. Enable monitoring

Task 9. Provide access for an additional engineer

Congratulations!

**Note:** If you don't get a green check mark, click on the **Score** fly-out on the top right and click **Check my progress** on the relevant step. A hint pop up opens to give you advice.

Dashboard – qwiklabs-gcp-01-6150fd0ab912

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-6150fd0ab912&pli=1&cloudshell=true

Free AI Paraphrasin... Transcript of Case St... GCP-LAB Hydra datawarehouse

Google Cloud

qwiklabs-gcp-01-6150fd0ab912

Search (/) for resources, docs, products, and more

Search

Cloud Shell

Terminal (qwiklabs-gcp-01-6150fd0ab912)

Open Editor

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

GNU nano 7.2

wp-env.yaml

```
kind: PersistentVolumeClaim
apiVersion: v1
metadata:
  name: wordpress-volumeclaim
spec:
  accessModes:
    - ReadWriteOnce
  resources:
    requests:
      storage: 200Gi
---
apiVersion: v1
kind: Secret
metadata:
  name: database
type: Opaque
stringData:
  username: wp_user
  password: stormwind_rules
```

[ Read 19 lines ]

^G Help

^X Exit

^O Write Out

^R Read File

^W Where Is

^N Replace

^K Cut

^U Paste

^T Execute

^J Justify

^C Location

^\_ Go To Line

M-U Undo

M-E Redo

M-A Set Mark

M-6 Copy

M-] To Bracket

^Q Where Was

M-O Previous

M-W Next

^B Back

^F Forward

9+ 15°C Clear

Search

ENG IN

08:05 PM 26-11-2025



Dashboard – qwiklabs-gcp-01-615...

Instances – Cloud SQL – qwiklab

+

< > ↺ 🏠

🔖

🌐 https://console.cloud.google.com/sql/instances?cloudshell=true&project=qwiklabs-gcp-01-6150fd0ab912

🔍

📅

📄

🗨️

☰

Free AI Paraphrasin...

Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰ Google Cloud

🔍 qwiklabs-gcp-01-6150fd0ab912

🔍 Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

❓

⋮

👤 S

☰ Cloud SQL

📌

Instances

➕ Create Instance

↔️ Migrate Database

Show info panel

🎓 Learn

☰ Get Started

☰ Instances

☰ Backups

📘

Starting Feb 1, 2025, all instances running community end-of-life versions of PostgreSQL and MySQL are under extended support. These instances will be charged for extended support from May 1, 2025. Upgrade your instances running end-of-life versions before May 1, 2025 to prevent additional charges. [Learn more](#)

View affected instances

Dismiss

☰ Filter

Enter property name or value

❓

☰

| <input type="checkbox"/> | Status | Instance ID ⓘ ↑ | Cloud SQL edition | Type      | Public IP address | Private IP address | Instance connection name                             | High avail | Actions |
|--------------------------|--------|-----------------|-------------------|-----------|-------------------|--------------------|------------------------------------------------------|------------|---------|
| <input type="checkbox"/> | 🟢      | griffin-dev-db  | Enterprise        | MySQL 8.0 | 35.227.53.36      |                    | qwiklabs-gcp-01-6150fd0ab912:us-east1:griffin-dev-db | ⤴️ Enable  | ⋮       |

📄 Release Notes

<|

🖥️ CLOUD SHELL

Terminal

+

⌵

🔗 Open Editor

📄

⚙️

📄

🖥️

⋮

⌵

⌵

🗑️

🌤️ 9+ 15°C Clear

🔍 Search

🏰

📄

💬

📁

🌐

📄

🔥

📄

⌵

ENG IN

📶

🔊

🔋

08:07 PM 26-11-2025

🔔



Dashboard – qwiklabs-gcp-01-6

+

< > ↺ 🏠

🔖

🌐

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-6150fd0ab912&pli=1&cloudshell=true

🔍

📄

🗨

☰

Free AI Paraphrasin...

📄 Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-6150fd0ab912

🔍 Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

❓

⋮

🟠 S

📡

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-6150fd0ab912) × + ▾

🔗 Open Editor

📄

⚙

📷

🖨

⋮

—

⬆

🗑

✕

```
created key [80844a31dcc92904df4a3ad19fc5e4633deeac70] of type [json] as [key.json] for [cloud-sql-proxy@qwiklabs-gcp-01-6150fd0ab912.iam.gserviceaccount.com]
error: failed to create secret secrets "cloudsql-instance-credentials" already exists
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ nano wp-env.yaml
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ nano wp-deployment.yaml
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl create -f wp-deployment.yaml
error: error parsing wp-deployment.yaml: error converting YAML to JSON: yaml: line 23: did not find expected key
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ nano wp-deployment.yaml
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ nano wp-deployment.yaml
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl create -f wp-deployment.yaml
error: error validating "wp-deployment.yaml": error validating data: [apiVersion not set, kind not set]; if you choose to ignore these errors, turn validation off with --validate=false
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl create -f wp-deployment.yaml
error: error validating "wp-deployment.yaml": error validating data: [apiVersion not set, kind not set]; if you choose to ignore these errors, turn validation off with --validate=false
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ nano wp-deployment.yaml
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl create -f wp-deployment.yaml
deployment.apps/wordpress created
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl create -f wp-service.yaml
service/wordpress created
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl get deployments
kubectl get services
NAME      READY  UP-TO-DATE  AVAILABLE  AGE
wordpress 0/1     1           0          37s
NAME      TYPE      CLUSTER-IP  EXTERNAL-IP  PORT(S)    AGE
kubernetes ClusterIP  34.118.224.1 <none>       443/TCP    28m
wordpress LoadBalancer 34.118.235.3 <pending>    80:32459/TCP 12s
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl get services
NAME      TYPE      CLUSTER-IP  EXTERNAL-IP  PORT(S)    AGE
```

🔥 9+ 15°C Clear

🔍 Search

🌳

🖨

💬

📁

🌀

🛒

🔥

📄

📄

⬆

ENG IN

📶

🔊

🔌

08:30 PM 26-11-2025

🔔



Dashboard – qwiklabs-gcp-01-6

+

< > ↺ 🏠

🔖

🌐

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-6150fd0ab912&pli=1&cloudshell=true

🔍

📄

🗨

☰

Free AI Paraphrasin...

📄

Transcript of Case St...

📁

GCP-LAB

📁

Hydra

📁

datawarehouse

☰

Google Cloud

🔍

qwiklabs-gcp-01-6150fd0ab912

Search (/) for resources, docs, products, and more

🔍

Search

✦

📄

🔔

?

⋮

S

📄

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-6150fd0ab912) × + ▾

🔗

Open Editor

📄

⚙

📺

🖥

⋮

▬

⬆

🗑

×

```
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl create -f wp-deployment.yaml
error: error parsing wp-deployment.yaml: error converting YAML to JSON: yaml: line 23: did not find expected key
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ nano wp-deployment.yaml
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ nano wp-deployment.yaml
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl create -f wp-deployment.yaml
error: error validating "wp-deployment.yaml": error validating data: [apiVersion not set, kind not set]; if you choose to ignore these errors, turn validation off with --validate=false
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl create -f wp-deployment.yaml
error: error validating "wp-deployment.yaml": error validating data: [apiVersion not set, kind not set]; if you choose to ignore these errors, turn validation off with --validate=false
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ nano wp-deployment.yaml
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl create -f wp-deployment.yaml
deployment.apps/wordpress created
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl create -f wp-service.yaml
service/wordpress created
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl get deployments
kubectl get services
NAME      READY   UP-TO-DATE   AVAILABLE   AGE
wordpress 0/1      1            0           37s
NAME      TYPE          CLUSTER-IP   EXTERNAL-IP   PORT(S)          AGE
kubernetes ClusterIP    34.118.224.1 <none>        443/TCP          28m
wordpress LoadBalancer 34.118.235.3 <pending>     80:32459/TCP    12s
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl get services
NAME      TYPE          CLUSTER-IP   EXTERNAL-IP   PORT(S)          AGE
kubernetes ClusterIP    34.118.224.1 <none>        443/TCP          28m
wordpress LoadBalancer 34.118.235.3 <pending>     80:32459/TCP    18s
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl get services
NAME      TYPE          CLUSTER-IP   EXTERNAL-IP   PORT(S)          AGE
kubernetes ClusterIP    34.118.224.1 <none>        443/TCP          28m
wordpress LoadBalancer 34.118.235.3 <pending>     80:32459/TCP    27s
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl get deployments
NAME      READY   UP-TO-DATE   AVAILABLE   AGE
wordpress 0/1      1            0           57s
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ ^C
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ gcloud monitoring uptime create wp-uptime-check \
--resource-type=uptime-url \
--resource-labels=host=EXTERNAL_IP_ADDRESS
ERROR: (gcloud.monitoring.uptime.create) INVALID_ARGUMENT: uptime_url check has malformed host
student_02_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)$ kubectl get services
NAME      TYPE          CLUSTER-IP   EXTERNAL-IP   PORT(S)          AGE
```

9+ 15°C Clear

🪟 🔍 Search 🌳 🖨 🗨 📁 🔄 📄 🔒 📄

⬆ ENG IN 📶 🔊 🔌 08:30 PM 26-11-2025 🔔

Dashboard – qwiklabs-gcp-01-6

+

< > ↺ 🏠

🔖

🌐 https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-6150fd0ab912&pli=1&cloudshell=true

🔍

📄 🖨️ 🗨️ ☰

🔖 Free AI Paraphrasin...

📄 Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰ Google Cloud

🔗 qwiklabs-gcp-01-6150fd0ab912

🔍 Search (/) for resources, docs, products, and more

🔍 Search

✦ 🖨️ 🔔 ? ⋮

🟠 S

🖨️ CLOUD SHELL

Terminal (qwiklabs-gcp-01-6150fd0ab912) ✕ + ▾

🔗 🖨️ ⚙️ 📺 📄 ⋮

🔗 Open Editor

⌵ ⬆️ ↗️ ✕

error: error validating "wp-deployment.yaml": error validating data: [apiVersion not set, kind not set]; if you choose to ignore these errors, turn validation off with --validate=false

student\_02\_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)\$ nano wp-deployment.yaml

student\_02\_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)\$ kubectl create -f wp-deployment.yaml

deployment.apps/wordpress created

student\_02\_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)\$ kubectl create -f wp-service.yaml

service/wordpress created

student\_02\_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)\$ kubectl get deployments

kubectl get services

| NAME      | READY | UP-TO-DATE | AVAILABLE | AGE |
|-----------|-------|------------|-----------|-----|
| wordpress | 0/1   | 1          | 0         | 37s |

| NAME       | TYPE         | CLUSTER-IP   | EXTERNAL-IP | PORT(S)      | AGE |
|------------|--------------|--------------|-------------|--------------|-----|
| kubernetes | ClusterIP    | 34.118.224.1 | <none>      | 443/TCP      | 28m |
| wordpress  | LoadBalancer | 34.118.235.3 | <pending>   | 80:32459/TCP | 12s |

student\_02\_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)\$ kubectl get services

| NAME       | TYPE         | CLUSTER-IP   | EXTERNAL-IP | PORT(S)      | AGE |
|------------|--------------|--------------|-------------|--------------|-----|
| kubernetes | ClusterIP    | 34.118.224.1 | <none>      | 443/TCP      | 28m |
| wordpress  | LoadBalancer | 34.118.235.3 | <pending>   | 80:32459/TCP | 18s |

student\_02\_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)\$ kubectl get services

| NAME       | TYPE         | CLUSTER-IP   | EXTERNAL-IP | PORT(S)      | AGE |
|------------|--------------|--------------|-------------|--------------|-----|
| kubernetes | ClusterIP    | 34.118.224.1 | <none>      | 443/TCP      | 28m |
| wordpress  | LoadBalancer | 34.118.235.3 | <pending>   | 80:32459/TCP | 27s |

student\_02\_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)\$ kubectl get deployments

| NAME      | READY | UP-TO-DATE | AVAILABLE | AGE |
|-----------|-------|------------|-----------|-----|
| wordpress | 0/1   | 1          | 0         | 57s |

student\_02\_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)\$ ^C

student\_02\_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)\$ gcloud monitoring uptime create wp-uptime-check \

--resource-type=uptime-url \

--resource-labels=host=EXTERNAL\_IP\_ADDRESS

ERROR: (gcloud.monitoring.uptime.create) INVALID\_ARGUMENT: uptime\_url check has malformed host

student\_02\_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)\$ kubectl get services

| NAME       | TYPE         | CLUSTER-IP   | EXTERNAL-IP   | PORT(S)      | AGE   |
|------------|--------------|--------------|---------------|--------------|-------|
| kubernetes | ClusterIP    | 34.118.224.1 | <none>        | 443/TCP      | 30m   |
| wordpress  | LoadBalancer | 34.118.235.3 | 34.75.236.147 | 80:32459/TCP | 2m17s |

student\_02\_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)\$ ^C

student\_02\_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)\$ gcloud monitoring uptime create wp-uptime-check --resource-type=uptime-url --resource-labels=host=34.75.236.147

Created uptime [projects/qwiklabs-gcp-01-6150fd0ab912/uptimeCheckConfigs/wp-uptime-check-DWm1EzfqNfk].

student\_02\_6ccadb8be6ec@cloudshell:~/wp-k8s (qwiklabs-gcp-01-6150fd0ab912)\$

🟡 9+ 15°C Clear

🔍 Search

🌳 🖨️ 🗨️ 📁 🔄 📄 📅 🔒

📶 🔊 🔌

ENG IN

🕒 08:30 PM 26-11-2025

🔔

(224) YouTube

DC Infotech Intern

Develop Your Goo

Develop your

DEV

GSP321: Develop

GSP321: Develop

Mk

Develop your Goo

GSP-321-Set-Up-8

Command list for

<

>

↺

🏠

🔖

🔗

https://partner.skills.google/course\_templates/625/labs/592706

🔍

🔗

🛡️<sup>2</sup>

🚩

🔍

📁

📁

📁

🌟

🛡️

☰

🗖️

Free AI Paraphrasin...

📄 Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Skills

Partner

What do you want to learn today?

🔍

★ 5336

🔥 1

🔍

?

🌐

👤

🔍

Dashboard

Catalog

Paths

Collections

🏠 > Develop Your Google Cloud Network > Develop your Google Cloud Network: Challenge Lab

Contents

Develop your Google Cloud Network: Challenge Lal

Lab setup instructions and requirements

End Lab

00:02:04

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. [Learn more.](#)

Open Google Cloud console

Username 1

student-02-6ccadb8be6ecf

Username 2

student-03-bcb7caac72fffi

Password

zrMSerN1VdRE

Project ID

qwiklabs-gcp-01-6150fd0i

Task 8. Enable monitoring

• Create an uptime check for your WordPress development site.

Click *Check my progress* to verify the objective.

Enable monitoring

✓

Check my progress

Assessment Completed!

Note: If you don't get a green check mark, click on the **Score** fly-out on the top right and click **Check my progress** on the relevant step. A hint pop up opens to give you advice.

Task 9. Provide access for an additional engineer

VPC manually

Task 3. Create bastion host

Task 4. Create and configure Cloud SQL Instance

Task 5. Create Kubernetes cluster

Task 6. Prepare the Kubernetes cluster

Task 7. Create a WordPress deployment

Task 8. Enable monitoring

Task 9. Provide access for an additional engineer

Congratulations!

90/100

< Previous

Next >

9+ 15°C Clear

🪟

🔍 Search

🌳

📁

💬

📁

🌀

📅

🔥

🛡️

📄

📄

ENG IN

🔊

🔌

🕒 08:30 PM 26-11-2025

🔔

Dashboard

Catalog

Paths

Collections

Home > Develop Your Google Cloud Network > Develop your Google Cloud Network: Challenge Lab

Contents

Develop your Google Cloud Network: Challenge Lab

Lab setup instructions and requirements

End Lab 00:00:00

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. [Learn more.](#)

Open Google Cloud console

Username 1  
student-02-6ccadb8be6ec1

Username 2  
student-03-bcb7caac72ff1

Password  
zrMSerN1VdRE

Project ID  
qwiklabs-gcp-01-6150fd0

Task 9. Provide access for an additional engineer

- You have an additional engineer starting and you want to ensure they have access to the project. Grant them the editor role to the project.

The second user account for the lab represents the additional engineer.

Click *Check my progress* to verify the objective.

Provide access for an additional engineer

Check my progress

Assessment Completed!

Note: If you don't get a green check mark, click on the **Score** fly-out on the top right

Note: Task 8 might take some time and the yellow score might not record the score even if Task 9 is complete

Develop your Google Cloud Ne...

IAM - IAM & Admin - q...

VPC manually 90/100

Task 3. Create bastion host

Task 4. Create and configure Cloud SQL Instance

Task 5. Create Kubernetes cluster

Task 6. Prepare the Kubernetes cluster

Task 7. Create a WordPress deployment

Task 8. Enable monitoring

Task 9. Provide access for an additional engineer

Congratulations!

Previous

Next

IAM – IAM & Admin – qwiklabs- x

+

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/iam-admin/iam?project=qwiklabs-gcp-01-6150fd0ab912

🔍

📄

🗨️

☰

Free AI Paraphrasin...

Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

👤 qwiklabs-gcp-01-6150fd0ab912

Search (/) for resources

🛡️ IAM & Admin / IAM

+ 👤 IAM

🛡️ PAM

🔍 Security Insights ...

🔒 Principal Access Boun...

👤 Identity & Organization

🔧 Policy Troubleshooter

📋 Policy Analyzer

📋 Organization Policies

👤 Service Accounts

🔒 Workload Identity Fede...

👤 Workforce Identity Fed...

🏷️ Labels

🏷️ Tags

⚙️ Settings

🔧 Manage Resources

📄 Release Notes

<|

IAM

Allow

Deny

Recommendations history

View by principals

View by roles

+ 👤 Grant access

- 👤 Remove access

🔍 Filter

Enter property name or value

☐

Type

Principal ↑

☐

📧

1097939457262-compute@developer.gserviceaccount.com

☐

📧

admiral@qwiklabs-services-prod.iam.gserviceaccount.com

☐

📧

cloud-sql-proxy@qwiklabs-gcp-01-6150fd0ab912.iam.gserviceaccount.com

☐

📧

qwiklabs-gcp-01-6150fd0ab912@qwiklabs-gcp-01-6150fd0ab912.iam.gserviceaccount.com

☐

👤

student-02-6ccadb8be6ec@qwiklabs.net

☐

👤

student-03-bcb7caac72ff@qwiklabs.net

Edit access to "qwiklabs-gcp-01-6150fd0ab912"

Principal ?

student-03-bcb7caac72ff@qwiklabs.net

Project

qwiklabs-gcp-01-6150fd0ab912

Assign roles

Roles are composed of sets of permissions and determine what the principal can do with this resource. [Learn more](#)

Role

Editor

IAM condition (optional) ?

+ Add IAM condition

🗑️

View, create, update, and delete most Google Cloud resources. See the list of included permissions.

+ Add another role

🔍 Help me choose roles

Save

Test changes

📘

Cancel

Summary of changes

Test changes

📘

🌤️ 9+ 15°C Clear

🏠

🔍 Search

🌳

📁

💬

📁

🔄

📁

🔥

🛡️

📄

📄

⬆️

ENG IN

📶

🔊

🔌

08:31 PM

26-11-2025

🔔