


Deploying a Containerized Application on Cloud Run

- Cloud Run provides fully managed serverless execution for stateless containers invocable via HTTP requests.
- Supports any language through container images, with source-based builds for Go, Node.js, Python, Java, .NET, and Ruby.
- Runs on Google's scalable infrastructure or GKE clusters, built on Knative for automatic scaling.
- This lab uses Cloud Build to create Docker container images from application source code.
- Deploy the container to Cloud Run and test the fully functional serverless application.

Cloud Build and Deploy process



Dashboard – qwiklabs-gcp-01-34fc77261b7d

qwiklabs-gcp-01-34f... – Google Cloud

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📄

🗨

☰

Free AI Paraphrasin... Transcript of Case St... GCP-LAB Hydra datawarehouse

☰ Google Cloud

qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦ 📄 🔔 ? ⋮

👤

☰

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-34fc77261b7d) ✕ + ▾

Open Editor

📄 ⚙️ 📷 📄 ⋮

▬ ⚡ 📄 ✕

📘 Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
Your Cloud Platform project in this session is set to **qwiklabs-gcp-01-34fc77261b7d**.
Use ``gcloud config set project [PROJECT_ID]`` to change to a different project.
student_02_0a4ce3bb8de3@cloudshell:~ (**qwiklabs-gcp-01-34fc77261b7d**)\$ `gcloud auth list`
Credentialed Accounts

ACTIVE: *
ACCOUNT: student-02-0a4ce3bb8de3@qwiklabs.net

To set the active account, run:
\$ `gcloud config set account `ACCOUNT``

student_02_0a4ce3bb8de3@cloudshell:~ (**qwiklabs-gcp-01-34fc77261b7d**)\$ `gcloud config list project`
[core]
project = qwiklabs-gcp-01-34fc77261b7d

Your active configuration is: [cloudshell-24221]
student_02_0a4ce3bb8de3@cloudshell:~ (**qwiklabs-gcp-01-34fc77261b7d**)\$

🔴 9+ Air: Poor Tomorrow

🪟 🔍 Search 🧭 📁 🗨 📄 🌐 🛒 🔒 📅

⬆️ ENG IN 📶 🔊 🔌 09:12 PM 08-12-2025 🔔



Lab setup instructions and requirements



Dashboard



Catalog



Paths



Collections

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. [Learn more.](#)

[Open Google Cloud Console](#)

Google Cloud Username

student-02-0a4ce3bb8de30



Google Cloud Password

tBSnLbY2Jw0R



Google Cloud Project

qwiklabs-gcp-01-34fc7720



Task 1. Configure your project and environment

In this task, you set environment variables for your Cloud Shell environment, and enable the relevant Google APIs for use in this lab.

1. Sign in to the Google Cloud console with your lab credentials, and open the **Cloud Shell** terminal window.
2. To set your project ID and region environment variables, in Cloud Shell, run the following commands:

```
PROJECT_ID=$(gcloud config get-value project)
REGION=us-west1
```



3. To enable relevant APIs, run the following command:

```
gcloud services enable artifactregistry.googleapis.com \
cloudbuild.googleapis.com \
run.googleapis.com
```



To verify the objective, click **Check my progress**.

Enable relevant APIs.

[Check my progress](#)

Overview

Objectives

Setup

Task 1. Configure your project and environment

Task 2. Test the application locally

Task 3. Containerize the application with Cloud Build

Task 4. Deploy the container to Cloud Run

Task 5. Test the application on Cloud Run

Congratulations!

Dashboard – qwiklabs-gcp-01-34fc77261b7d

qwiklabs-gcp-01-34f... – Google Cloud

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📄

🗨

☰

Free AI Paraphrasin... Transcript of Case St... GCP-LAB Hydra datawarehouse

☰ Google Cloud

qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦ 📄 🔔 ? ⋮

👤 S

☰

CLOUD SHELL

Terminal (qwiklabs-gcp-01-34fc77261b7d) ✕ + ▾

🔗 Open Editor

📄 ⚙️ 📷 🖨 ⋮

▬ ⏏ 🗑 ✕

📘 Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
Your Cloud Platform project in this session is set to **qwiklabs-gcp-01-34fc77261b7d**.
Use ``gcloud config set project [PROJECT_ID]`` to change to a different project.
student_02_0a4ce3bb8de3@cloudshell:~ (**qwiklabs-gcp-01-34fc77261b7d**)\$ `gcloud auth list`
Credentialed Accounts

ACTIVE: *
ACCOUNT: student-02-0a4ce3bb8de3@qwiklabs.net

To set the active account, run:
\$ `gcloud config set account `ACCOUNT``

student_02_0a4ce3bb8de3@cloudshell:~ (**qwiklabs-gcp-01-34fc77261b7d**)\$ `gcloud config list project`
[core]
project = qwiklabs-gcp-01-34fc77261b7d

Your active configuration is: [cloudshell-24221]
student_02_0a4ce3bb8de3@cloudshell:~ (**qwiklabs-gcp-01-34fc77261b7d**)\$ `PROJECT_ID=$(gcloud config get-value project)`
REGION=us-west1
Your active configuration is: [cloudshell-24221]
student_02_0a4ce3bb8de3@cloudshell:~ (**qwiklabs-gcp-01-34fc77261b7d**)\$ `gcloud services enable artifactregistry.googleapis.com \`
`cloudbuild.googleapis.com \`
`run.googleapis.com`
Operation "operations/acf.p2-960645959118-9692bf81-27aa-4a88-88c2-e5b4fec48c5a" finished successfully.
student_02_0a4ce3bb8de3@cloudshell:~ (**qwiklabs-gcp-01-34fc77261b7d**)\$

🔔 9+ Air: Poor Tomorrow

🪟 🔍 Search

🎮 📁 🗨 📄 🌐 🛒 🔒 📅

⬆️ ENG IN 📶 🔊 🔌

🕒 09:13 PM 08-12-2025 📧

DC Infotech Internship Portal

Deploying a Containerized Appli x

(287) YouTube

+

< > ↺ 🏠

🔖

🔗 https://partner.skills.google/focuses/60092?catalog_rank=%7B"rank"%3A1%2C"num_filters"%3A0%2C"has_search"...

🔍 📄 🔄 🛡️

🔍 📄 🔄 🛡️

🗄️ | 📄 Free AI Paraphrasin... 📄 Transcript of Case St... 📄 GCP-LAB 📄 Hydra 📄 datawarehouse

☰

Google Skills

Partner

What do you want to learn today?

🔍

🔗 🔍 ⭐ 5646 🔥 1 ? 🌐 👤

🏠 > Deploying a Containerized Application on Cloud Run

🔍

Lab setup instructions and requirements >

End Lab

01:27:03

⚠️ Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. Learn more.

Open Google Cloud Console

Google Cloud Username

student-02-0a4ce3bb8de3f

📄

Google Cloud Password

tBSnLbY2Jw0R

📄

Google Cloud Project

qwiklabs-gcp-01-34fc772f

📄

Task 2. Test the application locally

In this task, you copy a sample Node.js application. Then, you build and run it locally in your Cloud Shell environment.

Copy the application

1. Create an `app` directory, and make it the current working directory:

```
mkdir app && cd app
```

2. To copy the app from Cloud Storage, and extract it's files, execute the following command:

```
gsutil cp gs://cloud-training/CBL515/sample-apps/sample-node-app.zip . && unzip sample-node-app
```

Install application dependencies

1. Change to the app directory:

```
cd sample-node-app
```

Lab instructions and tasks 0/100

Overview

Objectives

Setup

Task 1. Configure your project and environment

Task 2. Test the application locally

Task 3. Containerize the application with Cloud Build

Task 4. Deploy the container to Cloud Run

Task 5. Test the application on Cloud Run

Congratulations!

9+ Air: Poor Tomorrow


🪟 🔍 Search 🎮 📁 🗂️ 🌐 📄 📄 📄

ENG IN 📶 🔊 🔌 09:14 PM 08-12-2025 🔔

 Gemini CLI is available in Cloud Shell terminal! Type `gemini` to try it. [Learn more](#)

Don't show again [Dismiss](#)

[illegible]



End Lab

01:26:09

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. [Learn more.](#)

[Open Google Cloud Console](#)

Google Cloud Username

student-02-0a4ce3bb8de30

Google Cloud Password

tBSnLbY2Jw0R

Google Cloud Project

qwiklabs-gcp-01-34fc7726

Install application dependencies

1. Change to the app directory:

```
cd sample-node-app
```

2. To view the application source code, view the contents of the `server.js` file in the top-level directory:

```
cat server.js
```

This is the main application entry point. This sample application is a basic retail service that provides an API that returns product data when requests are made to the application over HTTP.

3. To install the app's dependency modules locally, execute the following command:

```
npm install
```

Lab instructions and tasks 20/100

Overview

Objectives

Setup

Task 1. Configure your project and environment

Task 2. Test the application locally

Task 3. Containerize the application with Cloud Build

Task 4. Deploy the container to Cloud Run

Task 5. Test the application on Cloud Run

Congratulations!

Dashboard – qwiklabs-gcp-01-34f...

qwiklabs-gcp-01-34f... – Google Cloud

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📄

🗨

☰

Free AI Paraphrasin...

Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

👤 S

☰

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-34fc77261b7d) ✕ + ▾

🔗 Open Editor

📄

⚙

📺

📄

⋮

–

⬆

🗑

✕

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

```
student_02_0a4ce3bb8de3@cloudshell:~/app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app (qwiklabs-gcp-01-34fc77261b7d) $ cd sample-node-app
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $ cat server.js
/*
Copyright 2019 Google LLC

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

    https://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
*/
const express = require("express");
const path = require("path");
const app = express();
const port = process.env.PORT || 8080;

//Load products for pseudo database
const products = require("../data/products.json").products;

//Get all products
app.get("/service/products", (req, res) => res.json(products));

//Get products by ID
app.get("/service/products/:id", (req, res) =>
  res.json(products.find((product) => product.id === req.params.id))
);

//Client side routing fix on page refresh or direct browsing to non-root directory
```

🔔 9+ Air: Poor Tomorrow

🪟 🔍 Search

🎮 📁 🗨 📄 📅 📁 📄

⬆

ENG IN

📶 🔊 🔌

🕒 09:15 PM 08-12-2025

🔔

Dashboard – qwiklabs-gcp-01-34fc77261b7d

qwiklabs-gcp-01-34f... – Google Cloud

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📄

🗨

☰

Free AI Paraphrasin... Transcript of Case St... GCP-LAB Hydra datawarehouse

☰

Google Cloud

qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

S

☰

CLOUD SHELL

Terminal

qwiklabs-gcp-01-34fc77261b7d

+

⌵

Open Editor

📄

⚙

📺

📄

⋮

–

⬆

🗑

✕

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

```
limitations under the License.
*/
const express = require("express");
const path = require("path");
const app = express();
const port = process.env.PORT || 8080;

//Load products for pseudo database
const products = require("../data/products.json").products;

//Get all products
app.get("/service/products", (req, res) => res.json(products));

//Get products by ID
app.get("/service/products/:id", (req, res) =>
  res.json(products.find((product) => product.id === req.params.id))
);

//Client side routing fix on page refresh or direct browsing to non-root directory
app.get("/*", (req, res) =>
  res.status(404).send("Not found.")
);

//Start the server
app.listen(port, () => console.log(`Sample-node-app listening on port ${port}!`));
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $ npm install

added 75 packages, and audited 76 packages in 5s

15 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
```

9+ Air: Very poor Now

🪟 🔍 Search

🎮 📁 🗨 📄 🌐 🛒 🔒 📅

⬆

ENG IN

📶 🔊 🔌

09:15 PM 08-12-2025

🔔

Dashboard – qwiklabs-gcp-01-34f...

qwiklabs-gcp-01-34f... – Google Cloud

+

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📄

🗨️

☰

Free AI Paraphrasin...

Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

👤 S

📄

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-34fc77261b7d) ×

(qwiklabs-gcp-01-34fc77261b7d) ×

+

⌵

🔗 Open Editor

📄

⚙️

📺

📄

⋮

–

⬆️

🗑️

✕

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

```
//Get products by ID
app.get("/service/products/:id", (req, res) =>
  res.json(products.find((product) => product.id === req.params.id))
);

//Client side routing fix on page refresh or direct browsing to non-root directory
app.get("/*", (req, res) =>
  res.status(404).send("Not found.")
);

//Start the server
app.listen(port, () => console.log(`Sample-node-app listening on port ${port}!`));
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d)$ npm install

added 75 packages, and audited 76 packages in 5s

15 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d)$
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d)$
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d)$
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d)$
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d)$
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d)$
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d)$
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d)$ npm start

> sample-node-app@1.0.0 start
> node server.js

Sample-node-app listening on port 8080!
█
```

9+ Air: Very poor Now

🪟 🔍 Search 🌐 📁 🗨️ 📄 📺 📄 📄

⬆️

ENG IN

📶 🔊 🔌

09:17 PM 08-12-2025

🔔

Dashboard – qwiklabs-gcp-01-34fc77261b7d

qwiklabs-gcp-01-34f... – Google Cloud

< > ↺ 🏠

🔖

🌐

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📅

🖨

🗨

☰

Free AI Paraphrasin... Transcript of Case St... GCP-LAB Hydra datawarehouse

☰ Google Cloud

qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦ 📄 🔔 ? ⋮

👤 S

☰

CLOUD SHELL

Terminal (qwiklabs-gcp-01-34fc77261b7d) × (qwiklabs-gcp-01-34fc77261b7d) × + ▾

📄 ⚙️ 📺 🖨 ⋮ | _ ⏏️ ✕

🔗 Open Editor

📘 Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
Your Cloud Platform project in this session is set to **qwiklabs-gcp-01-34fc77261b7d**.
Use `gcloud config set project [PROJECT_ID]` to change to a different project.
student_02_0a4ce3bb8de3@cloudshell:~ (qwiklabs-gcp-01-34fc77261b7d) \$ curl http://localhost:8080/service/products | jq

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
100	1300	100	1300	0	0	108k	0
				--:--:--	--:--:--	--:--:--	115k

[
 {
 "id": "1YMWWN1N4O",
 "name": "Home Barista Kit",
 "description": "Always wanted to brew coffee with Chemex and Aeropress at home?",
 "picture": "static/img/products/barista-kit.jpg",
 "cost": 124,
 "categories": [
 "cookware"
]
 },
 {
 "id": "L9ECAV7KIM",
 "name": "Terrarium",
 "description": "This terrarium will look great in your white painted living room.",
 "picture": "static/img/products/terrarium.jpg",
 "cost": 36.45,
 "categories": [
 "gardening"
]
 },
 {
 "id": "2ZYFJ3GM2N",
 "name": "Film Camera",
 "description": "This camera looks like it's a film camera, but it's actually digital.",
 "picture": "static/img/products/film-camera.jpg",
 "cost": 2245,
 "categories": [

9+ Air: Very poor Now

🪟 🔍 Search

🎮 📁 🗨 📂 🌐 🛒 🔒 📄

⬆️ ENG IN 🔊 🔌 📶

09:17 PM 08-12-2025 🔔

Dashboard – qwiklabs-gcp-01-34f...

qwiklabs-gcp-01-34f... – Google Cloud

+

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📅

🖨

🔊

☰

Free AI Paraphrasin...

Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

👤 S

📄

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-34fc77261b7d) ×

(qwiklabs-gcp-01-34fc77261b7d) ×

+

⌵

🔗 Open Editor

📄

⚙

📷

📄

⋮

–

⌵

🗑

×

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

```
"vintage"
]
},
{
  "id": "LS4PSXUNUM",
  "name": "Metal Camping Mug",
  "description": "You probably don't go camping that often but this is better than plastic cups.",
  "picture": "static/img/products/camp-mug.jpg",
  "cost": 24.33,
  "categories": [
    "cookware"
  ]
},
{
  "id": "9SIQT8TOJO",
  "name": "City Bike",
  "description": "This single-gear bike probably cannot climb the hills of San Francisco.",
  "picture": "static/img/products/city-bike.jpg",
  "cost": 789.5,
  "categories": [
    "cycling"
  ]
},
{
  "id": "6E92ZMYFZ",
  "name": "Air Plant",
  "description": "Have you ever wondered whether air plants need water? Buy one and figure out.",
  "picture": "static/img/products/air-plant.jpg",
  "cost": 12.3,
  "categories": [
    "gardening"
  ]
}
]
student_02_0a4ce3bb8de3@cloudshell:~ (qwiklabs-gcp-01-34fc77261b7d) $
```

9+ Air: Very poor
Now

🪟

🔍 Search

🎮

📁

💬

📁

🌐

📊

🔥

🛡

📄

⬆

ENG
IN

📶

🔊

🔋

09:17 PM
08-12-2025

🔔

Dashboard – qwiklabs-gcp-01-34fc77261b7d

qwiklabs-gcp-01-34f... – Google Cloud

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📄

🗨️

☰

Free AI Paraphrasin... Transcript of Case St... GCP-LAB Hydra datawarehouse

☰ Google Cloud

qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦ 📄 🔔 ? ⋮

👤

📄 CLOUD SHELL

Terminal (qwiklabs-gcp-01-34fc77261b7d) × (qwiklabs-gcp-01-34fc77261b7d) × + ▾

📄 ⌨️ ⚙️ 📺 📄 ⋮ | _ ⏴ ⏵ ↗️ ✕

📄 Open Editor

📘 Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again Dismiss

```
"id": "9SIQT8TOJO",
"name": "City Bike",
"description": "This single-gear bike probably cannot climb the hills of San Francisco.",
"picture": "static/img/products/city-bike.jpg",
"cost": 789.5,
"categories": [
  "cycling"
]
},
{
  "id": "6E92ZMYFZ",
  "name": "Air Plant",
  "description": "Have you ever wondered whether air plants need water? Buy one and figure out.",
  "picture": "static/img/products/air-plant.jpg",
  "cost": 12.3,
  "categories": [
    "gardening"
  ]
}
]
student_02_0a4ce3bb8de3@cloudshell:~ (qwiklabs-gcp-01-34fc77261b7d)$ curl http://localhost:8080/service/products/1YMWWN1N4O | jq
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total     Spent    Left  Speed
100    210    100    210     0     0  50700      0 --:--:-- --:--:-- --:--:-- 52500
{
  "id": "1YMWWN1N4O",
  "name": "Home Barista Kit",
  "description": "Always wanted to brew coffee with Chemex and Aeropress at home?",
  "picture": "static/img/products/barista-kit.jpg",
  "cost": 124,
  "categories": [
    "cookware"
  ]
}
]
student_02_0a4ce3bb8de3@cloudshell:~ (qwiklabs-gcp-01-34fc77261b7d)$
```

9+ Air: Very poor Now

🪟 🔍 Search

🎮 📁 🗨️ 📂 🌐 🛒 🔒 📄

⬆️ ENG IN 📶 🔊 🔌

09:17 PM 08-12-2025 🔔

Task 3. Containerize the application with Cloud Build

Cloud Build is a service that executes your builds on Google Cloud. With Cloud Build, you can continuously build, test, and deploy your application by using a continuous integration and delivery (CI/CD) pipeline.

To provide instructions to Cloud Build, you create a build configuration file that contains a set of tasks. These instructions can configure builds to fetch dependencies, run unit and integration tests, perform static analysis, and create artifacts with build tools like docker, gradle, maven, and others.

In this task, you use Cloud Build to build a Docker container for your application, and push the resulting container image to a repository in Artifact Registry.

Create the repository

1. On the Google Cloud console title bar, in the **Search** field, type **Artifact Registry**, click **Search**, and then click **Artifact Registry**.
2. Click the ( **Pin**) next to **Artifact Registry**.
3. Click **Create Repository**.
4. In the **Create repository** page, provide the following information, and leave the remaining settings as their defaults:

Lab setup instructions and requirements

End Lab

01:23:11

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. [Learn more.](#)

[Open Google Cloud Console](#)

Google Cloud Username

student-02-0a4ce3bb8de30

Google Cloud Password

tBSnLbY2Jw0R

Google Cloud Project

qwiklabs-gcp-01-34fc7720

Lab instructions and tasks: 20/100

Overview

Objectives

Setup

Task 1. Configure your project and environment


Task 2. Test the application locally

Task 3. Containerize the application with Cloud Build

Task 4. Deploy the container to Cloud Run

Task 5. Test the application on Cloud Run

Congratulations!



Artifact Registry

Search

Top results

-  **Artifact Registry**
Product · Universal build artifact management
-  **Repositories**
Product page · Artifact Registry
-  **Quickstart: Store Docker container images in Artifact Registry**
Documentation · Artifact Registry provides a single location for managing private packages an...

Products & pages

-  **Artifact Registry**
Product · Universal build artifact management
-  **Repositories**
Product page · Artifact Registry
-  **Settings**
Product page · Artifact Registry

Documentation & tutorials

Show more

-  **Artifact Registry documentation**
Documentation · A universal package manager for all your build artifacts and dependencies...
-  **Artifact Registry overview**
Documentation · Artifact Registry lets you centrally store artifacts and build dependencies as...
-  **Create a Docker repository in Artifact Registry**



You're working in **qwiklabs-gcp-01-34fc77261b7d**

Project number: 960645959118

[Dashboard](#) [Cloud Hub](#) [New](#)

+ Create a VM

+ Run a query in BI

+ Create a storage bucket

Quick access

APIs & Services

IAM & Admin

Billing

Compute Engine

https://console.cloud.google.com/artifacts?referrer=search&project=qwiklabs-gcp-01-34fc77261b7d



🌤️ 9+ 15°C Clear

☰ 🔍 Search

🎮 📁 🗨️ 📁 🌐 📄 🔒 📄

⬆️ ENG IN 🔊 🔌 🔋

🕒 09:20 PM 08-12-2025 🔔

Dashboard – qwiklabs-gcp-01-34f...

Create repository – Artifact Regis

< > ↺ 🏠

🔖

https://console.cloud.google.com/artifacts/create-repo?project=qwiklabs-gcp-01-34fc77261b7d

🔍

📄

🗨️

☰

Free AI Paraphrasin...

Transcript of Case St...

GCP-LAB

Hydra

datawarehouse

☰ Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

S

👤 Artifact Registry / Create repository

☰ Repositories

⚙️ Settings

← Create repository

Learn

Name *

my-repo

Format

Docker

Mode

☒ Standard

☐ Remote

☐ Virtual

Location type

☒ Region

☐ Multi-region

Region *

us-west1 (Oregon)

Description

Labels

+ Add label

📄 Release Notes

<|


🌤️ 9+ 15°C Clear

🪟 🔍 Search

🎮 📁 💬 📂 🌀 🛒 🚀 📄

⬆️ ENG IN 📶 🔊 🔌

🕒 09:21 PM 08-12-2025 🔔



Dashboard – qwiklabs-gcp-01-34fc77261b7d

Images for my-repo – Artifact Registry

< > ↺ 🏠

🔖

🌐

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📄

🗨

☰

Free AI Paraphrasin...

Transcript of Case St...

GCP-LAB

Hydra

datawarehouse

☰ Google Cloud

qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

S

📄 CLOUD SHELL

Terminal

(qwiklabs-gcp-01-34fc77261b7d) ×

(qwiklabs-gcp-01-34fc77261b7d) ×

+

⌵

🔗 Open Editor

📄

⚙

📷

📺

⋮

–

⬆

🗑

×

📘 Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

```
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d)$
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d)$ gcloud auth configure-docker ${REGION}-docker.pkg.dev
WARNING: Your config file at [/home/student_02_0a4ce3bb8de3/.docker/config.json] contains these credential helper entries:

{
  "credHelpers": {
    "gcr.io": "gcloud",
    "us.gcr.io": "gcloud",
    "eu.gcr.io": "gcloud",
    "asia.gcr.io": "gcloud",
    "staging-k8s.gcr.io": "gcloud",
    "marketplace.gcr.io": "gcloud",
    "africa-south1-docker.pkg.dev": "gcloud",
    "docker.africa-south1.rep.pkg.dev": "gcloud",
    "asia-docker.pkg.dev": "gcloud",
    "asia-east1-docker.pkg.dev": "gcloud",
    "docker.asia-east1.rep.pkg.dev": "gcloud",
    "asia-east2-docker.pkg.dev": "gcloud",
    "docker.asia-east2.rep.pkg.dev": "gcloud",
    "asia-northeast1-docker.pkg.dev": "gcloud",
    "docker.asia-northeast1.rep.pkg.dev": "gcloud",
    "asia-northeast2-docker.pkg.dev": "gcloud",
    "docker.asia-northeast2.rep.pkg.dev": "gcloud",
    "asia-northeast3-docker.pkg.dev": "gcloud",
    "docker.asia-northeast3.rep.pkg.dev": "gcloud",
    "asia-south1-docker.pkg.dev": "gcloud",
    "docker.asia-south1.rep.pkg.dev": "gcloud",
    "asia-south2-docker.pkg.dev": "gcloud",
    "docker.asia-south2.rep.pkg.dev": "gcloud",
    "asia-southeast1-docker.pkg.dev": "gcloud",
    "docker.asia-southeast1.rep.pkg.dev": "gcloud",
    "asia-southeast2-docker.pkg.dev": "gcloud",
    "docker.asia-southeast2.rep.pkg.dev": "gcloud",
    "australia-southeast1-docker.pkg.dev": "gcloud",
    "docker.australia-southeast1.rep.pkg.dev": "gcloud",
```

9+ 15°C Clear

🪟 🔍 Search

🎮 📁 🗨 📄 🌐 🛒 📶

⬆

ENG IN

📶 🔊 🔌

09:24 PM 08-12-2025

🔔

Dashboard – qwiklabs-gcp-01-34fc77261b7d

Images for my-repo – Artifact Registry

+

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📄

🗨

☰

Free AI Paraphrasin...

Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

👤 S

📄

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-34fc77261b7d) ×

(qwiklabs-gcp-01-34fc77261b7d) ×

+

⌵

🔗 Open Editor

📄

⚙

📷

📺

⋮

–

⌵

🗑

×

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

```
"docker.northamerica-northeast2.rep.pkg.dev": "gcloud",
"northamerica-south1-docker.pkg.dev": "gcloud",
"southamerica-east1-docker.pkg.dev": "gcloud",
"docker.southamerica-east1.rep.pkg.dev": "gcloud",
"southamerica-west1-docker.pkg.dev": "gcloud",
"docker.southamerica-west1.rep.pkg.dev": "gcloud",
"us-docker.pkg.dev": "gcloud",
"us-central1-docker.pkg.dev": "gcloud",
"docker.us-central1.rep.pkg.dev": "gcloud",
"us-central2-docker.pkg.dev": "gcloud",
"docker.us-central2.rep.pkg.dev": "gcloud",
"us-east1-docker.pkg.dev": "gcloud",
"docker.us-east1.rep.pkg.dev": "gcloud",
"us-east4-docker.pkg.dev": "gcloud",
"docker.us-east4.rep.pkg.dev": "gcloud",
"us-east5-docker.pkg.dev": "gcloud",
"docker.us-east5.rep.pkg.dev": "gcloud",
"us-east7-docker.pkg.dev": "gcloud",
"docker.us-east7.rep.pkg.dev": "gcloud",
"us-south1-docker.pkg.dev": "gcloud",
"docker.us-south1.rep.pkg.dev": "gcloud",
"us-west1-docker.pkg.dev": "gcloud",
"docker.us-west1.rep.pkg.dev": "gcloud",
"us-west2-docker.pkg.dev": "gcloud",
"docker.us-west2.rep.pkg.dev": "gcloud",
"us-west3-docker.pkg.dev": "gcloud",
"docker.us-west3.rep.pkg.dev": "gcloud",
"us-west4-docker.pkg.dev": "gcloud",
"docker.us-west4.rep.pkg.dev": "gcloud",
"us-west8-docker.pkg.dev": "gcloud"
}
}
Adding credentials for: us-west1-docker.pkg.dev
gcloud credential helpers already registered correctly.
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
```

9+ 15°C Clear

🪟 🔍 Search

🎮 📁 🗨 🌐 📄 📊 🔒 📅

⬆️ ENG IN 📶 🔊 🔌

09:24 PM 08-12-2025 🔔

Dashboard – qwiklabs-gcp-01-34fc77261b7d

Images for my-repo – Artifact Registry

+

< > ↺ 🏠

🔖

🌐

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📄

🗨️

☰

Free AI Paraphrasin...

Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

👤 S

📄

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-34fc77261b7d) ×

(qwiklabs-gcp-01-34fc77261b7d) ×

+

⌵

📄

🔗 Open Editor

📄

⚙️

📷

📄

⋮

–

⌵

📄

✕

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

```
"docker.us-central1.rep.pkg.dev": "gcloud",
"us-central2-docker.pkg.dev": "gcloud",
"docker.us-central2.rep.pkg.dev": "gcloud",
"us-east1-docker.pkg.dev": "gcloud",
"docker.us-east1.rep.pkg.dev": "gcloud",
"us-east4-docker.pkg.dev": "gcloud",
"docker.us-east4.rep.pkg.dev": "gcloud",
"us-east5-docker.pkg.dev": "gcloud",
"docker.us-east5.rep.pkg.dev": "gcloud",
"us-east7-docker.pkg.dev": "gcloud",
"docker.us-east7.rep.pkg.dev": "gcloud",
"us-south1-docker.pkg.dev": "gcloud",
"docker.us-south1.rep.pkg.dev": "gcloud",
"us-west1-docker.pkg.dev": "gcloud",
"docker.us-west1.rep.pkg.dev": "gcloud",
"us-west2-docker.pkg.dev": "gcloud",
"docker.us-west2.rep.pkg.dev": "gcloud",
"us-west3-docker.pkg.dev": "gcloud",
"docker.us-west3.rep.pkg.dev": "gcloud",
"us-west4-docker.pkg.dev": "gcloud",
"docker.us-west4.rep.pkg.dev": "gcloud",
"us-west8-docker.pkg.dev": "gcloud"
}
}
Adding credentials for: us-west1-docker.pkg.dev
gcloud credential helpers already registered correctly.
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $ REPO=${REGION}-docker.pkg.dev/${PROJECT_ID}/my-repo
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $ cat > cloudbuild.yaml <<EOF
steps:
- name: 'gcr.io/cloud-builders/docker'
  args: [ 'build', '-t', '${REPO}/sample-node-app-image', '.' ]
images:
- '${REPO}/sample-node-app-image'
EOF
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
```

9+ 15°C Clear

🪟 🔍 Search

🎮 📁 🗨️ 📄 📅 📁 📄

⬆️ 📶 🔊 🔌

ENG IN

09:25 PM 08-12-2025

🔔



qwiklabs-gcp-01-34fc7720

```
gcloud builds submit --region=$REGION --
config=cloudbuild.yaml
```

Congratulations!

Dashboard – qwiklabs-gcp-01-34fc77261b7d

Images for my-repo – Artifact Registry

+

< > ↺ 🏠

🔖

🌐

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📄

🗨

☰

Free AI Paraphrasin...

Transcript of Case St...

GCP-LAB

Hydra

datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

👤 S

📄

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-34fc77261b7d) ×

(qwiklabs-gcp-01-34fc77261b7d) ×

+

⌵

📄

🔗

⚙

📷

📄

⋮

–

⌵

🗨

✕

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

```
"docker.us-east4.rep.pkg.dev": "gcloud",
"us-east5-docker.pkg.dev": "gcloud",
"docker.us-east5.rep.pkg.dev": "gcloud",
"us-east7-docker.pkg.dev": "gcloud",
"docker.us-east7.rep.pkg.dev": "gcloud",
"us-south1-docker.pkg.dev": "gcloud",
"docker.us-south1.rep.pkg.dev": "gcloud",
"us-west1-docker.pkg.dev": "gcloud",
"docker.us-west1.rep.pkg.dev": "gcloud",
"us-west2-docker.pkg.dev": "gcloud",
"docker.us-west2.rep.pkg.dev": "gcloud",
"us-west3-docker.pkg.dev": "gcloud",
"docker.us-west3.rep.pkg.dev": "gcloud",
"us-west4-docker.pkg.dev": "gcloud",
"docker.us-west4.rep.pkg.dev": "gcloud",
"us-west8-docker.pkg.dev": "gcloud"
}
}
Adding credentials for: us-west1-docker.pkg.dev
gcloud credential helpers already registered correctly.
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $ REPO=${REGION}-docker.pkg.dev/${PROJECT_ID}/my-repo
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $ cat > cloudbuild.yaml <<EOF
steps:
- name: 'gcr.io/cloud-builders/docker'
  args: [ 'build', '-t', '${REPO}/sample-node-app-image', '.' ]
images:
- '${REPO}/sample-node-app-image'
EOF
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $ cat cloudbuild.yaml
steps:
- name: 'gcr.io/cloud-builders/docker'
  args: [ 'build', '-t', 'us-west1-docker.pkg.dev/qwiklabs-gcp-01-34fc77261b7d/my-repo/sample-node-app-image', '.' ]
images:
- 'us-west1-docker.pkg.dev/qwiklabs-gcp-01-34fc77261b7d/my-repo/sample-node-app-image'
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
```

9+ 15°C Clear

🪟 🔍 Search

🎮 📁 🗨 📅 🌐 📄 📄

⬆️ 📶 🔊 🔌

ENG IN

09:26 PM 08-12-2025

🔔



Lab setup instructions and requirements

End Lab

01:14:16

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. [Learn more.](#)

[Open Google Cloud Console](#)

Google Cloud Username

student-02-0a4ce3bb8de30

Google Cloud Password

tBSnLbY2Jw0R

Google Cloud Project

qwiklabs-gcp-01-34fc7720

Build the container

1. To build the container with **Cloud Build**, execute the following command:

```
gcloud builds submit --region=$REGION --
config=cloudbuild.yaml
```

Here's similar (partial) output from the command:

```
...
...
b3389e626b47: Pushed
38610c0cfc18: Pushed
latest: digest:
sha256:b6007afa5e8fb05d8ac617ddf5fee8d58cc6ba8901038c97f8e360520c5fdb
size: 3051
DONE
-----
-----
----
ID: f803a828-dc50-41cb-bc94-71dfb8c83648
CREATE_TIME: 2023-02-28T18:28:41+00:00
DURATION: 1M23S
SOURCE: gs://qwiklabs-gcp-02-
26de4317fac8_cloudbuild/source/1677608919.352478-
c157fa4ae8544b3dbba23b5f29145286.tgz
IMAGES: asia-east1-docker.pkg.dev/qwiklabs-gcp-02-26de4317fac8/my-
```

Lab instructions and tasks 20/100

Overview

Objectives

Setup

Task 1. Configure your project and environment

Task 2. Test the application locally

Task 3. Containerize the application with Cloud Build

Task 4. Deploy the container to Cloud Run

Task 5. Test the application on Cloud Run

Congratulations!

Dashboard – qwiklabs-gcp-01-34fc77261b7d

Images for my-repo – Artifact Registry

+

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📄

🗨

☰

Free AI Paraphrasin...

Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

👤 S

📄

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-34fc77261b7d) ×

(qwiklabs-gcp-01-34fc77261b7d) ×

+

⌵

🔗 Open Editor

📄

⚙

📷

📺

⋮

–

⌵

🗑

×

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

```
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $ gcloud builds submit --region=$REGION --config=cloudbuild.yaml
Creating temporary archive of 658 file(s) totalling 2.3 MiB before compression.
Uploading tarball of [.] to [gs://qwiklabs-gcp-01-34fc77261b7d_cloudbuild/source/1765209421.414308-75d1ed00e6a14dd6b63a66e59d3a8a84.tgz]
Created [https://cloudbuild.googleapis.com/v1/projects/qwiklabs-gcp-01-34fc77261b7d/locations/us-west1/builds/fb600d75-7e39-4cf9-867a-d1ed1248c5ed].
Logs are available at [ https://console.cloud.google.com/cloud-build/builds;region=us-west1/fb600d75-7e39-4cf9-867a-d1ed1248c5ed?project=960645959118 ].
Waiting for build to complete. Polling interval: 1 second(s).
----- REMOTE BUILD OUTPUT -----
starting build "fb600d75-7e39-4cf9-867a-d1ed1248c5ed"

FETCHSOURCE
Fetching storage object: gs://qwiklabs-gcp-01-34fc77261b7d_cloudbuild/source/1765209421.414308-75d1ed00e6a14dd6b63a66e59d3a8a84.tgz#1765209424742971
Copying gs://qwiklabs-gcp-01-34fc77261b7d_cloudbuild/source/1765209421.414308-75d1ed00e6a14dd6b63a66e59d3a8a84.tgz#1765209424742971...
/ [1 files][738.7 KiB/738.7 KiB]
Operation completed over 1 objects/738.7 KiB.
BUILD
Already have image (with digest): gcr.io/cloud-builders/docker
Sending build context to Docker daemon 3.024MB
Step 1/7 : FROM node:16
16: Pulling from library/node
311da6c465ea: Pulling fs layer
7e9bf114588c: Pulling fs layer
ffd9397e94b7: Pulling fs layer
513d77925604: Pulling fs layer
ae3b95bbaa61: Pulling fs layer
0e421f66aff4: Pulling fs layer
ca266fd61921: Pulling fs layer
ee7d78be1eb9: Pulling fs layer
ca266fd61921: Waiting
ee7d78be1eb9: Waiting
ae3b95bbaa61: Verifying Checksum
ae3b95bbaa61: Download complete
7e9bf114588c: Verifying Checksum
```

9+ 15°C Clear

🪟 🔍 Search 🎮 📁 🗨 📄 📅 📁 📁 📁 📁

⬆️ ENG IN 📶 🔊 🔌 09:28 PM 08-12-2025 📧

Dashboard – qwiklabs-gcp-01-34fc77261b7d

Images for my-repo – Artifact Registry

+

< > ↺ 🏠

🔖

🔗

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📄

🗨️

☰

Free AI Paraphrasin...

Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

👤 S

📄

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-34fc77261b7d) ×

(qwiklabs-gcp-01-34fc77261b7d) ×

+

⌵

🔗 Open Editor

📄

⚙️

📷

📺

⋮

–

⌵

🗑️

✕

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

8d483aded9b6: Preparing

af3549c1b8c6: Preparing

2fb07e4cba18: Preparing

be322b479aee: Preparing

d41bcd3a037b: Preparing

fe0d845e767b: Preparing

f25ec1d93a58: Preparing

794ce8b1b516: Preparing

3220beed9b06: Preparing

684f82921421: Preparing

9af5f53e8f62: Preparing

684f82921421: Waiting

9af5f53e8f62: Waiting

2fb07e4cba18: Pushed

af3549c1b8c6: Pushed

be322b479aee: Pushed

f25ec1d93a58: Pushed

d41bcd3a037b: Pushed

1b9cbf4f128c: Pushed

8d483aded9b6: Pushed

fe0d845e767b: Pushed

684f82921421: Pushed

3220beed9b06: Pushed

9af5f53e8f62: Pushed

794ce8b1b516: Pushed

latest: digest: sha256:d403cf0c4acf92460d03f942f43db187989663fdde4558bc38dfad3b6c18123e size: 2840

DONE

ID: fb600d75-7e39-4cf9-867a-d1ed1248c5ed

CREATE_TIME: 2025-12-08T15:57:05+00:00

DURATION: 1M16S

SOURCE: gs://qwiklabs-gcp-01-34fc77261b7d_cloudbuild/source/1765209421.414308-75d1ed00e6a14dd6b63a66e59d3a8a84.tgz

IMAGES: us-west1-docker.pkg.dev/qwiklabs-gcp-01-34fc77261b7d/my-repo/sample-node-app-image (+1 more)

STATUS: SUCCESS

student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) \$

🌤️ 9+ 15°C Clear

🪟 🔍 Search

🎮

🗂️

💬

📁

🌀

🛒

🔥

🛡️

📅


⬆️

ENG IN

📶 🔊 🔌

🕒 09:28 PM 08-12-2025

🔔



Cloud Build

Search

Top results



Cloud Build

Product · Continuous integration delivery platform



Private SKU 1 Apache Kafka® & Apache Flink® on Confluent Cloud™

Marketplace · Apache Kafka, reinvented for the modern data stack



OroDevbox VM

Marketplace · OroDevbox VM

Products & pages

Show more



Cloud Build

Product · Continuous integration delivery platform



Triggers

Product page · Cloud Build



Repositories

Product page · Cloud Build

Documentation & tutorials

Show more



Cloud Build serverless CI/CD platform

Documentation · A fully managed continuous integration, delivery & deployment platform that...



Cloud Build documentation

Documentation · Cloud Build is a service that executes your builds on Google Cloud...



Building a Custom Website with Google Cloud

No images to display

Dashboard – qwiklabs-gcp-01-34f...

Build history – Cloud Build – qwi

< > ↺ 🏠

🔖

🌐

https://console.cloud.google.com/cloud-build/builds?referrer=search&project=qwiklabs-gcp-01-34fc77261b7d

🔍

📄

🗨️

☰

Free AI Paraphrasin... Transcript of Case St... GCP-LAB Hydra datawarehouse

☰ Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦ 📄 🔔 ⓘ ⋮

👤 S

☑️ Cloud Build / History

☰ Dashboard

☑️ History

🔗 Repositories

➡️ Triggers

👥 Worker Pools

⚙️ Permissions

📄 Release Notes

<|

Build history

⏸ Stop streaming builds

🎓 Learn

This page shows your builds, sorted by the most recently started. Explore the build details to see logs, execution details, and build artifacts.

☰ Filter Enter property name or value ⓘ ⋮

☐	Status	Build	Region	Source	Ref	Commit	Trigger Name	Created ⓘ	Duration	Security Insights	
☐	✅	fb600d75	us-west1	–	–	–	–	12/8/25, 9:27 PM	1 min 15 sec	View	⋮

🌤 15°C Clear

🪟 🔍 Search

🏠 📁 💬 📧 🌐 🛒 🔒 📅

⬆️ ENG IN 🔊 🔌 🖱️ 09:30 PM 08-12-2025 🔔

Dashboard – qwiklabs-gcp-01-34f...

Build details – Cloud Build – qwil

< > ↺ 🏠

🔖

🔗

🔍

📅

🖨

🗨

☰

Free AI Paraphrasin... Transcript of Case St... GCP-LAB Hydra datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦ 🗨 🔔 ? ⋮

👤

☰ Cloud Build / History / Build details: fb600d75-7e39-4cf9-867a-d1ed1248c5ed

☰ Dashboard

☰ History

☞ Repositories

↔ Triggers

👤 Worker Pools

⚙ Permissions

📄 Release Notes

<|

← Build details

↺ Retry build

📄 Copy url

📖 Learn

✔ Successful: fb600d75-7e39-4cf9-867a-d1ed1248c5ed

Started on Dec 8, 2025, 9:27:09 PM

Source

[gs://qwiklabs-gcp-01-34fc77261b7d_cloudbuild/source/1765209421.414308-75d1ed00e6a14dd6b63a66e59d3a8a84.tgz](#)

Steps	Duration
✔ Build Summary 1 Step	00:01:15
✔ 0: gcr.io/cloud-builders/docker build -t us-west1-docker.pkg.dev/qwiklabs-gc...	00:00:27

Build Summary

Build log Execution details Build artifacts

☐ Wrap lines

☐ Show newest entries first

⌆ ⌇

🔍 Expand

🔗 View raw

1

starting build "fb600d75-7e39-4cf9-867a-d1ed1248c5ed"

2

3

FETCHSOURCE

4

Fetching storage object: gs://qwiklabs-gcp-01-34fc77261b7d_cloudbuild/source/1765209421.414308-75d1ed00e6a14dd6b63a66e59d3a8a84.tgz#1765209424742971

5

Copying gs://qwiklabs-gcp-01-34fc77261b7d_cloudbuild/source/1765209421.414308-75d1ed00e6a14dd6b63a66e59d3a8a84.tgz#1765209424742971...

6

/ [0 files][0.0 B/738.7 KiB]

7

/ [1 files][738.7 KiB/738.7 KiB]

8

Operation completed over 1 objects/738.7 KiB.

9

BUILD

10

Already have image (with digest): gcr.io/cloud-builders/docker

11

Sending build context to Docker daemon 3.024MB

12

13

Step 1/7 : FROM node:16

14

16: Pulling from library/node

15

311da6c465ea: Pulling fs layer

16

7e9bf114588c: Pulling fs layer

17

ffd9397e94b7: Pulling fs layer

18

513d77925604: Pulling fs layer

19

ae3b95bbaa61: Pulling fs layer

20

0e421f66aff4: Pulling fs layer

21

ca266fd61921: Pulling fs layer

22

ee7d78be1eb9: Pulling fs layer

23

ca266fd61921: Waiting

24

ee7d78be1eb9: Waiting

25

ae3b95bbaa61: Verifying Checksum

26

ae3b95bbaa61: Download complete

27

7e9bf114588c: Verifying Checksum

28

7e9bf114588c: Download complete

9+ 15°C Clear

🪟 🔍 Search

🎮 📁 🗨 🌐 📊 🔒 📄

⬆️ 📶 🔊 🔌

ENG IN 09:31 PM 08-12-2025

🔔

Dashboard – qwiklabs-gcp-01-34f...

Build details – Cloud Build – qwil

< > ↺ 🏠

🔖

🌐

https://console.cloud.google.com/cloud-build/builds;region=us-west1/fb600d75-7e39-4cf9-867a-d1ed1248c5ed?project=qwiklabs-gcp-01-3...

🔍 | 📱

📅 | 🖨️ | 🌙 | ☰

🔗 Free AI Paraphrasin...

📄 Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰ Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

🔍 Search (/) for resources, docs, products, and more

🔍 Search

✦ 📄 🔔 ⓘ ⋮

🟡 S

🏠 Cloud Build / History / Build details: fb600d75-7e39-4cf9-867a-d1ed1248c5ed

🏠 Dashboard

☰ History

🔗 Repositories

↔ Triggers

👤 Worker Pools

⚙ Permissions

📄 Release Notes

<|

🔍 Build details

🔄 Retry build

📄 Copy url

🎓 Learn

🟢 Successful: fb600d75-7e39-4cf9-867a-d1ed1248c5ed

Started on Dec 8, 2025, 9:27:09 PM

Source

gs://qwiklabs-gcp-01-34fc77261b7d_cloudbuild/source/1765209421.414308-75d1ed00e6a14dd6b63a66e59d3a8a84.tgz

Steps	Duration
🟢 Build Summary 1 Step	00:01:15
🟢 0: gcr.io/cloud-builders/docker build -t us-west1-docker.pkg.dev/qwiklabs-gc...	00:00:27

Build Summary

Build log Execution details Build artifacts

☐ Wrap lines ☐ Show newest entries first ⌵ ⌴

🔍 Expand View raw 📄

85 8d483aded9b6: Preparing

86 af3549c1b8c6: Preparing

87 2fb07e4cba18: Preparing

88 be322b479aee: Preparing

89 d41bcd3a037b: Preparing

90 fe0d845e767b: Preparing

91 f25ec1d93a58: Preparing

92 794ce8b1b516: Preparing

93 3220beed9b06: Preparing

94 684f82921421: Preparing

95 9af5f53e8f62: Preparing

96 684f82921421: Waiting

97 9af5f53e8f62: Waiting

98 2fb07e4cba18: Pushed

99 af3549c1b8c6: Pushed

100 be322b479aee: Pushed

101 f25ec1d93a58: Pushed

102 d41bcd3a037b: Pushed

103 1b9cbf4f128c: Pushed

104 8d483aded9b6: Pushed

105 fe0d845e767b: Pushed

106 684f82921421: Pushed

107 3220beed9b06: Pushed

108 9af5f53e8f62: Pushed

109 794ce8b1b516: Pushed

110 latest: digest: sha256:d403cf0c4ac92460d03f942f43db187989663fdde4558bc38dfad3b6c18123e size: 2840

111 DONE

🌡️ 15°C Clear

🪟 🔍 Search

🎮 📁 💬 📂 🌐 🛒 📄 📱

⬆️ ENG IN 🔊 🔌 🔋

🕒 09:31 PM 08-12-2025 🔔

Dashboard – qwiklabs-gcp-01-34f...

Images for my-repo – Artifact Re

<>↻🏠

🔖

https://console.cloud.google.com/artifacts/docker/qwiklabs-gcp-01-34fc77261b7d/us-west1/my-repo?project=qwiklabs-gcp-01-34fc77261b7d

🔍

📄

🗨️

☰

Free AI Paraphrasin...

Transcript of Case St...

GCP-LAB

Hydra

datawarehouse

☰Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦📄🔔🔗⋮👤 S

👤Artifact Registry / Project: qwiklabs-gcp-01-34fc77261b7d / Location: us-west1 / Repository: my-repo

☰Repositories

⚙️Settings

🔍FilterEnter property name or value

☐

Name ↑

Connection

Created

Updated

☐

 [sample-node-app-image](#)

–

4 minutes ago

4 minutes ago

📄Release Notes

<|

←Images for my-repo

🗑️Delete

✎️Edit repository

📄Setup instructions

📄Copy path

🔄Refresh

Repository Details

Format

Docker

Type

Standard

📄Show more

🌤️15°C

Clear

🪟🔍 Search🎮📁💬📁🌐📊🔥📄

⬆️ENG IN📶🔊🔌09:33 PM08-12-2025🔔

DC Infotech Internship Portal

Deploying a Containerized Appli

(287) YouTube

< > ↺ 🏠

🔖

🔗 https://partner.skills.google/focuses/60092?catalog_rank=%7B"rank"%3A1%2C"num_filters"%3A0%2C"has_search"...

🔍 📄 🔄 🛡️

🔍 📄 🔄 🛡️

🗄️

Free AI Paraphrasin...

Transcript of Case St...

GCP-LAB

Hydra

datawarehouse

☰

Google Skills

Partner

What do you want to learn today?

🔍

🔗 🔍 ⭐ 5646 🔥 1 ? 🌐 👤

🏠 > Deploying a Containerized Application on Cloud Run

🔍

Lab setup instructions and requirements >

End Lab

01:07:29

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. Learn more.

Open Google Cloud Console

Google Cloud Username

student-02-0a4ce3bb8de3f

📋

Google Cloud Password

tBSnLbY2Jw0R

📋

Google Cloud Project

qwiklabs-gcp-01-34fc772f

📋

Task 4. Deploy the container to Cloud Run

With the container image built, you can now deploy it to Cloud Run. There are two approaches for deploying to Cloud Run:

- Managed Cloud Run: A fully managed service model where the entire container lifecycle is managed by Cloud Run. You use this approach in this lab.
- Cloud Run on Anthos: Cloud Run with an extra layer of control, which lets you bring your own clusters and pods from GKE.

In this task, you deploy your container image to the fully managed Cloud Run service on Google Cloud.

1. To deploy the container image, in Cloud Shell, execute the following command:

```
gcloud run deploy sample-node-app --image ${REPO}/sample-node-app-image --region $REGION --allow-unauthenticated
```

The `allow-unauthenticated` option enables access to the service without requiring any authentication.

2. After the command completes, in the Google Cloud console, in the navigation menu (☰) click **Cloud Run**.

3. To display the details of the Cloud Run service, click the sample-node-app

Lab instructions and task 50/100

Overview

Objectives

Setup

Task 1. Configure your project and environment

Task 2. Test the application locally

Task 3. Containerize the application with Cloud Build

Task 4. Deploy the container to Cloud Run

Task 5. Test the application on Cloud Run

Congratulations!

9+ 15°C Clear

🪟 🔍 Search 🎮 📁 🗂️ 🌐 📱 📧

ENG IN 📶 🔊 🔋 09:33 PM 08-12-2025 🔔

DC Infotech Internship Portal

Deploying a Containerized Appli x

(287) YouTube

+

< > ↺ 🏠

🔖

🔗 https://partner.skills.google/focuses/60092?catalog_rank=%7B"rank"%3A1%2C"num_filters"%3A0%2C"has_search"...

🔍 📄 📌 📌 📌 📌 📌 📌

🗃️ | 🟠 Free AI Paraphrasin... 📄 Transcript of Case St... 📁 GCP-LAB 📁 Hydra 📁 datawarehouse

☰

Google Skills

Partner

What do you want to learn today?

🔍

🔗 🔍 ⭐ 5646 🔥 1 ? 🌐 👤

🏠 > Deploying a Containerized Application on Cloud Run

🔍

Dashboard

Catalog

Paths

Collections

Lab setup instructions and requirements >

End Lab 01:07:13

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. Learn more.

Open Google Cloud Console

Google Cloud Username student-02-0a4ce3bb8de3f 📄

Google Cloud Password tBSnLbY2Jw0R 📄

Google Cloud Project qwiklabs-gcp-01-34fc772f 📄

- Cloud Run on Anthos: Cloud Run with an extra layer of control, which lets you bring your own clusters and pods from GKE.

In this task, you deploy your container image to the fully managed Cloud Run service on Google Cloud.

- To deploy the container image, in Cloud Shell, execute the following command:

gcloud run deploy sample-node-app --image \${REPO}/sample-node-app-image --region \$REGION --allow-unauthenticated 📄

The *allow-unauthenticated* option enables access to the service without requiring any authentication.
- After the command completes, in the Google Cloud console, in the navigation menu (☰) click **Cloud Run**.
- To display the details of the Cloud Run service, click the **sample-node-app** service name.

To verify the objective, Click **Check my progress**.

○

Deploy the container image to Cloud Run.

Check my progress

Lab instructions and task 50/100

Overview

Objectives

Setup

Task 1. Configure your project and environment

Task 2. Test the application locally

Task 3. Containerize the application with Cloud Build

Task 4. Deploy the container to Cloud Run

Task 5. Test the application on Cloud Run

Congratulations!

9+ 15°C Clear

🪟 🔍 Search 🎮 🗂️ 💬 📁 🌐 🛒 📄 📄

⬆️ ENG IN 📶 🔊 🔌 09:33 PM 08-12-2025 🔔

Dashboard – qwiklabs-gcp-01-34fc77261b7d

Images for my-repo – Artifact Registry

Free AI Paraphrasin...

Transcript of Case St...

GCP-LAB

Hydra

datawarehouse

Google Cloud

qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

Search

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-34fc77261b7d) x

(qwiklabs-gcp-01-34fc77261b7d) x

+

Open Editor

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

1b9cbf4f128c: Pushed

8d483aded9b6: Pushed

fe0d845e767b: Pushed

684f82921421: Pushed

3220beed9b06: Pushed

9af5f53e8f62: Pushed

794ce8b1b516: Pushed

latest: digest: sha256:d403cf0c4acf92460d03f942f43db187989663fdde4558bc38dfad3b6c18123e size: 2840

DONE

ID: fb600d75-7e39-4cf9-867a-d1ed1248c5ed

CREATE_TIME: 2025-12-08T15:57:05+00:00

DURATION: 1M16S

SOURCE: gs://qwiklabs-gcp-01-34fc77261b7d_cloudbuild/source/1765209421.414308-75d1ed00e6a14dd6b63a66e59d3a8a84.tgz

IMAGES: us-west1-docker.pkg.dev/qwiklabs-gcp-01-34fc77261b7d/my-repo/sample-node-app-image (+1 more)

STATUS: SUCCESS

student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) \$

student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) \$

student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) \$

student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) \$

student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) \$

student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) \$

student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) \$

student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) \$

student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) \$

student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) \$

student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) \$ gcloud run deploy sample-node-app --image \${REPO}/sample-node-app-image --region \$REGION --allow-unaut

henticated

Deploying container to Cloud Run service [sample-node-app] in project [qwiklabs-gcp-01-34fc77261b7d] region [us-west1]

Deploying new service...

Setting IAM Policy...done

Creating Revision...done

Routing traffic...done

Done.

Service [sample-node-app] revision [sample-node-app-00001-zcm] has been deployed and is serving 100 percent of traffic.

Service URL: https://sample-node-app-960645959118.us-west1.run.app

student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) \$

9+ 15°C

Clear

Search

ENG IN

09:34 PM

08-12-2025

Dashboard – qwiklabs-gcp-01-34f...

Services – Cloud Run – qwiklabs

< > ↺ 🏠

🔖 https://console.cloud.google.com/run?referrer=search&project=qwiklabs-gcp-01-34fc77261b7d

🔍 | 📄 🗨️ ☰

📄 Free AI Paraphrasin...

📄 Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰ Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

🔍 Search (/) for resources, docs, products, and more

🔍 Search

✦ 📄 🔔 ⓘ ⋮ 👤 S

☰ Cloud Run 🔖

🏠 Overview

👤 Services

☰ Jobs

⚙️ Worker pools

🗺️ Domain mappings

📄 Release Notes

<|

Services

➕ Deploy container

🔄 Connect repo

⋮ Write a function

🔄 Refresh

A service exposes a unique endpoint and automatically scales the underlying infrastructure to handle incoming requests.
Deploy a container image, source code or a function to create a service.

☰ Filter

Filter services

🔍 ⓘ ☰

☐	●	Name ↑	Deployment type	Req/sec ⓘ	Region	Authentication ⓘ	Ingress ⓘ	Last deployed	Deployed by
☐	✓	sample-node-app	🐳 Container	0	us-west1	Public access	All	Just now	student-02-0a4ce3bb8de3@qv

9+ 15°C Clear

🪟 🔍 Search 🎮 📁 💬 📄 🌐 🛒 📅

⬆️ ENG IN 🔌 🔊 🔋 09:35 PM 08-12-2025 🔔

DC Infotech Internship Portal

Deploying a Containerized Appli x

(287) YouTube

+

< > ↺ 🏠

🔖

🔗 https://partner.skills.google/focuses/60092?catalog_rank=%7B"rank"%3A1%2C"num_filters"%3A0%2C"has_search"...

🔍 📄 🔄 🛡️ 2 🚩

🗃️

Free AI Paraphrasin...

📄 Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Skills

Partner

What do you want to learn today?

🔍

🔗 🔍 ⭐ 5646 🔥 1 ? 🌐 👤

🏠 > Deploying a Containerized Application on Cloud Run

🔍

Dashboard

Catalog

Paths

Collections

Lab setup instructions and requirements >

End Lab

01:05:02

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. Learn more.

Open Google Cloud Console

Google Cloud Username

student-02-0a4ce3bb8de3f

Google Cloud Password

tBSnLbY2Jw0R

Google Cloud Project

qwiklabs-gcp-01-34fc772f

Task 5. Test the application on Cloud Run

1. To verify that the service is running, and available to accept requests, in Cloud Shell, execute the following command:

gcloud run services list

The output of the command is similar to:

✓
SERVICE: sample-node-app
REGION: asia-east1
URL: https://sample-node-app-dduno3adrq-uc.a.run.app
LAST DEPLOYED BY: student-04-329a97f025fd@qwiklabs.net
LAST DEPLOYED AT: 2023-02-28T22:21:04.803928Z

2. From the command output, copy the value of the URL, and paste it in the curl command appending service/products to the end of the URL as shown. Pipe the output to the jq command, and press ENTER:

curl https://sample-node-app-dduno3adrq-uc.a.run.app/service/products

Lab instructions and tasks 80/100

Overview

Objectives

Setup

Task 1. Configure your project and environment

Task 2. Test the application locally

Task 3. Containerize the application with Cloud Build

Task 4. Deploy the container to Cloud Run

Task 5. Test the application on Cloud Run

Congratulations!

9+ 15°C Clear

🪟 🔍 Search

🎮 📁 🗂️ 🌐 📄 📅 📧

⬆️ 📶 🔊 🔌

ENG IN 09:36 PM 08-12-2025

 Gemini CLI is available in Cloud Shell terminal! Type `gemini` to try it. [Learn more](#)

Don't show again [Dismiss](#)

```
ID: fb600d75-7e39-4cf9-867a-d1ed1248c5ed
CREATE_TIME: 2025-12-08T15:57:05+00:00
DURATION: 1M16S
SOURCE: gs://qwiklabs-gcp-01-34fc77261b7d_cloudbuild/source/1765209421.414308-75d1ed00e6a14dd6b63a66e59d3a8a84.tgz
IMAGES: us-west1-docker.pkg.dev/qwiklabs-gcp-01-34fc77261b7d/my-repo/sample-node-app-image (+1 more)
STATUS: SUCCESS
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $ gcloud run deploy sample-node-app --image ${REPO}/sample-node-app-image --region $REGION --allow-unaut
henticated
Deploying container to Cloud Run service [sample-node-app] in project [qwiklabs-gcp-01-34fc77261b7d] region [us-west1]
Deploying new service...
  Setting IAM Policy...done
  Creating Revision...done
  Routing traffic...done
Done.
Service [sample-node-app] revision [sample-node-app-00001-zcm] has been deployed and is serving 100 percent of traffic.
Service URL: https://sample-node-app-960645959118.us-west1.run.app
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $ gcloud run services list
✓
SERVICE: sample-node-app
REGION: us-west1
URL: https://sample-node-app-960645959118.us-west1.run.app
LAST DEPLOYED BY: student-02-0a4ce3bb8de3@qwiklabs.net
LAST DEPLOYED AT: 2025-12-08T16:04:31.589457Z
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
```



Lab setup instructions and requirements



Dashboard



Catalog



Paths



Collections

Caution: When you are in the console, do not deviate from the lab instructions. Doing so may cause your account to be blocked. [Learn more.](#)

[Open Google Cloud Console](#)

Google Cloud Username

student-02-0a4ce3bb8de30



Google Cloud Password

tBSnLbY2Jw0R



Google Cloud Project

qwiklabs-gcp-01-34fc7720



2. From the command output, copy the value of the URL, and paste it in the curl command appending `service/products` to the end of the URL as shown. Pipe the output to the `jq` command, and press ENTER:

```
https://sample-node-app-dduno3adrq-uc.a.run.app/service/products | jq
```

The output should be similar to that received from the application when you run it locally in an earlier task.

To verify the objective, click **Check my progress**.



Test the application that is deployed on Cloud Run.

Check my progress

Assessment Completed!

Congratulations!

In this lab, you:

- Used Cloud Build to create a Docker container image for your application, and deployed the container image to Cloud Run.
- You also tested the application locally and on Cloud Run to verify that it works as

<https://sample-node-app-960645959118.us-west1.run.app>

```
curl https://sample-node-app-960645959118.us-west1.run.app/service/products | jq
```

Lab instructions and tasks 100/100

Overview

Objectives

Setup

Task 1. Configure your project and environment

Task 2. Test the application locally

Task 3. Containerize the application with Cloud Build

Task 4. Deploy the container to Cloud Run

Task 5. Test the application on Cloud Run

Congratulations!

Dashboard – qwiklabs-gcp-01-34fc77261b7d

Metrics – ...-node-app – Services – Cl

+

< > ↺ 🏠

🔖

🌐

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📄

🗨️

☰

Free AI Paraphrasin...

Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

👤 S

📄

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-34fc77261b7d) ×

(qwiklabs-gcp-01-34fc77261b7d) ×

+

⌵

🔗 Open Editor

📄

⚙️

📷

📺

⋮

–

⌵

🗨️

✕

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

```
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $ curl https://sample-node-app-960645959118.us-west1.run.app/service/products | jq
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload   Total   Spent    Left   Speed

100 1300    100 1300    0     0  1303      0 --:--:-- --:--:-- --:--:-- 1302

[
  {
    "id": "1YMWWN1N4O",
    "name": "Home Barista Kit",
    "description": "Always wanted to brew coffee with Chemex and Aeropress at home?",
    "picture": "static/img/products/barista-kit.jpg",
    "cost": 124,
    "categories": [
      "cookware"
    ]
  },
  {
    "id": "L9ECAV7KIM",
    "name": "Terrarium",
    "description": "This terrarium will look great in your white painted living room.",
    "picture": "static/img/products/terrarium.jpg",
    "cost": 36.45,
    "categories": [
      "gardening"
    ]
  },
  {
    "id": "2ZYFJ3GM2N",
    "name": "Film Camera",
    "description": "This camera looks like it's a film camera, but it's actually digital.",
    "picture": "static/img/products/film-camera.jpg",
    "cost": 2245,
    "categories": [
```

9+ Air: Poor Tomorrow

🪟 🔍 Search

🎮

🗂️

💬

📁

🌐

🛒

🔥

🛡️

📄

⬆️

ENG IN

📶 🔊 🔌

09:47 PM 08-12-2025

🔔

Dashboard – qwiklabs-gcp-01-34fc77261b7d

Metrics – ...-node-app – Services – Cl

+

< > ↺ 🏠

🔖

🌐

https://console.cloud.google.com/home/dashboard?project=qwiklabs-gcp-01-34fc77261b7d&pli=1&cloudshell=true

🔍

📅

🖨

🗨

☰

Free AI Paraphrasin...

Transcript of Case St...

📁 GCP-LAB

📁 Hydra

📁 datawarehouse

☰

Google Cloud

🔗 qwiklabs-gcp-01-34fc77261b7d

Search (/) for resources, docs, products, and more

🔍 Search

✦

📄

🔔

?

⋮

👤 S

📄

CLOUD SHELL

Terminal

(qwiklabs-gcp-01-34fc77261b7d) ×

(qwiklabs-gcp-01-34fc77261b7d) ×

+

⌵

📄 Open Editor

📄

⚙

📷

📄

⋮

–

⌵

🗑

×

📘

Gemini CLI is available in Cloud Shell terminal! Type gemini to try it. [Learn more](#)

Don't show again

Dismiss

```
    "vintage"
  ],
  {
    "id": "LS4PSXUNUM",
    "name": "Metal Camping Mug",
    "description": "You probably don't go camping that often but this is better than plastic cups.",
    "picture": "static/img/products/camp-mug.jpg",
    "cost": 24.33,
    "categories": [
      "cookware"
    ]
  },
  {
    "id": "9SIQT8TOJO",
    "name": "City Bike",
    "description": "This single-gear bike probably cannot climb the hills of San Francisco.",
    "picture": "static/img/products/city-bike.jpg",
    "cost": 789.5,
    "categories": [
      "cycling"
    ]
  },
  {
    "id": "6E922MYZFZ",
    "name": "Air Plant",
    "description": "Have you ever wondered whether air plants need water? Buy one and figure out.",
    "picture": "static/img/products/air-plant.jpg",
    "cost": 12.3,
    "categories": [
      "gardening"
    ]
  }
]
student_02_0a4ce3bb8de3@cloudshell:~/app/sample-node-app (qwiklabs-gcp-01-34fc77261b7d) $
```

9+ Trending videos

The Hunger Ga...

🪟

🔍 Search

🎮

📁

💬

📁

🌐

📄

🔥

🛡

📄

⌵

ENG IN

📶

🔊

🔋

09:48 PM

08-12-2025

🔔