

Class-Imbalance Mitigation in Computational Pathology: Methods for Patch Classification and WSI-Level MIL

Yannik Queisler

August 13, 2026

Abstract

Class imbalance in computational pathology depends on the input regime: labeled image patches support ordinary classification, whereas whole-slide image (WSI) diagnosis is commonly modeled as weakly supervised learning over patch-feature bags. This report is the authoritative method reference for the class-imbalance benchmark. It defines sampling, loss, prior-correction, decoupled-classifier, set-learning, feature-mixing, contrastive-MIL, and dual-expert interventions in the input form each consumes, with cross-entropy as the no-mitigation reference. The methods are characterized along two orthogonal axes: the signal that identifies a class or example as needing mitigation—prevalence, independent evidence, difficulty, or coverage—and the level at which the intervention acts. Read along the first axis, the roster is concentrated on prevalence, which locates the mechanisms the benchmark can separate and those it cannot. The report also distinguishes faithful source implementations from deliberately adapted variants and states the output semantics and assumptions needed to interpret each intervention.

Contents

1	Introduction	2
2	Taxonomy	2
2.1	Notation	3
2.2	Intervention Levels	3
2.3	Mitigation Signals	3
3	Methods	8
3.1	Cross-Entropy Baseline	8
3.2	Data-Level Sampling and Augmentation	8
3.3	Algorithm-Level Losses	9
3.4	Hybrid Sampling–Loss Methods	12
3.5	Representation and Architecture-Level Methods	15
4	Summary	17

1 Introduction

Class imbalance changes what a pathology classifier is rewarded for learning. When common tumor types dominate training data, high aggregate accuracy can coexist with unreliable rare-class recall, especially if evaluation emphasizes prevalence-sensitive metrics. Long-tailed learning and medical-image evaluation literature therefore motivate classwise recall, macro F1, balanced accuracy, and calibration-aware probability metrics as primary outcomes in imbalanced settings (Saini and Susan, 2023; Zhang et al., 2023; Mosquera et al., 2024).

Imbalance methods often assume a specific prediction unit. Image-level methods use labeled images, image embeddings, or directly generated image samples, whereas WSI-level methods use weak labels over bags of instances together with attention, instance ranking, or bag-level representation learning. Each method family is therefore described in the input form it is designed to consume. The broader computational-pathology pipeline these regimes sit in—whole-slide imaging, patching into tiles, and weakly supervised multiple-instance learning over frozen foundation-model features—is introduced in the companion datasets report (Queisler, 2026).

This report defines the class-imbalance mitigation methods themselves, organized by the level at which they intervene and stated in enough mathematical detail to make the imbalance mechanism explicit. Established methods differ not only in that intervention level but also in the signal they use to infer which observations require mitigation, and most of them use class frequency for that purpose. A low class count, however, conflates several distinct shortages: a small share relative to the other classes, a small absolute amount of independent evidence, intrinsic difficulty under the available representation, and poor coverage of the class’s own variation. Section 2 therefore makes both readings of the roster explicit, so that frequency is treated as a proxy for mitigation need rather than as its established cause. The aim is not to introduce a new mitigation method, but to fix the method definitions, assumptions, and fidelity qualifications used when instantiating these methods on specific pathology datasets. The companion experimental protocol defines the controlled datasets, validation grids, evaluation endpoints, calibration procedure, aggregation units, and statistical analysis.

Prediction regimes. Two prediction regimes recur throughout the benchmarks. In the *patch* regime, each labeled crop is an independent example: a frozen foundation-model encoder such as Virchow2 embeds the patch once, and a lightweight classifier head is trained on the resulting embedding (Zimmermann et al., 2024; Vorontsov et al., 2024). In the *WSI-bag* regime, a slide is represented as a bag of frozen patch-feature instances that share one weak slide-level label, and an attention-based MIL head aggregates the instances into a slide prediction. Both regimes consume embeddings from the same pathology foundation-model family but differ in supervision unit. Freezing the encoder isolates imbalance interventions from end-to-end backbone learning. Each non-baseline method exposes one imbalance-specific control; the concrete validation grids are reported in the companion experimental protocol.

2 Taxonomy

Two questions organize the benchmarked methods. The first asks which signal a method consults to infer *that* a class or an example needs help; the second asks at which level of the training pipeline it acts on that inference. The questions are independent, and neither answers the other: class-weighted CE gives example i a weight $w_i = f(n_{y_i})$ that depends only on how many training examples share its class, while focal loss gives it a weight $w_i = f(p_{y_i})$ that depends only on how confidently the model already predicts its label, so two methods that are both loss reweighting can rest on entirely different assumptions about what causes tail failure. This section fixes the notation used throughout and then defines both axes.

2.1 Notation

Let C be the number of target classes and let n_c denote the number of training examples from class c , so that $N = \sum_{j=1}^C n_j$ is the training-set size and $\pi_c = n_c/N$ is the empirical prevalence of class c . For a labeled patch or slide-level bag with label $y \in \{1, \dots, C\}$, the model outputs logits $\mathbf{z} \in \mathbb{R}^C$ and class probabilities

$$p_c = \frac{\exp(z_c)}{\sum_{j=1}^C \exp(z_j)}. \quad (1)$$

For WSI-bag methods, a slide is represented as a bag $B = \{\mathbf{x}_1, \dots, \mathbf{x}_m\}$ of frozen patch-feature instances. The attention-MIL backbone maps each bag to a bag embedding $\mathbf{b}(B)$ and class logits. Unless a method explicitly changes the sampler, objective, or representation loss, the empirical class frequencies in the training set define the optimization signal.

2.2 Intervention Levels

The intervention axis records where in the learning problem a method acts. Cross-entropy (CE) is the no-mitigation reference condition on this axis: it uses the observed training distribution as given and does not rebalance samples, labels, costs, or representations. The remaining methods group as data-level sampling and augmentation, algorithm-level losses and prior corrections, hybrid sampling-loss methods, and representation or architecture-level methods (Saini and Susan, 2023; Zhang et al., 2023). Figure 1 places the tested roster in these families, and Section 3 defines the methods in that order, since a shared intervention level implies shared machinery to describe.




Figure 1: Intervention-level organization of the benchmarked methods. Cross-entropy is the no-mitigation reference; alternatives intervene through sampling, objectives, prior correction, feature mixing, or representation and classifier design. Table 2 adds the orthogonal signal axis.

2.3 Mitigation Signals

The signal axis records what a method must observe before it concludes that mitigation is warranted. It is a descriptive reading of the prespecified roster rather than the criterion by which that roster was assembled: the methods were selected as established class-imbalance interventions, and the axis states which quantity each of them actually consults.

Four signals suffice to describe the tested roster (Table 1). They are stated as properties of a class or example, independently of the intervention that acts on them.

Signal	What it describes	Representative quantity
Prevalence	Share of class c relative to the remaining classes	π_c , support rank, imbalance ratio ρ
Evidence	Absolute amount of independent observation available for c	n_c , distinct slides or patients, effective support $N_{\text{eff},c}$
Difficulty	How hard a class or example is to classify under a fixed representation	Loss, predicted confidence p_y , decision margin, class difficulty d_c
Coverage	How well the observed examples span the within-class variation of c	Manifold coverage cov_c , effective rank of the class spectrum

Table 1: Signals a mitigation method can use to decide that a class or example needs help. Prevalence is relative and evidence is absolute; difficulty and coverage are properties of the data rather than of the class-size profile.

2.3.1 Prevalence

Prevalence is the share π_c of class c in the training distribution, together with the monotone summaries derived from it: the support rank of a class and the head-to-tail imbalance ratio $\rho = \max_c n_c / \min_c n_c$. It is a relative quantity. Rescaling every class count by a common factor leaves all prevalences unchanged, so a prevalence-aware rule behaves identically on a small and a large copy of the same class profile. This is the signal long-tailed learning has developed most thoroughly, and it underlies inverse-frequency weights, class-balanced samplers, and prior-corrected decision rules alike, all of which target a uniform posterior over classes rather than the observed one.

Prevalence is easily conflated with the amount of data a class actually carries, because both are usually read off the same counts n_c . The two come apart as soon as the profile changes shape rather than scale. Consider the training profiles $[8, 8, 8, 8]$ and $[64, 32, 16, 8]$. The scarcest class holds eight examples in both, so the material available for it is identical; its prevalence is $\frac{1}{4}$ in the first profile and $\frac{1}{15}$ in the second. A prevalence-aware rule treats that class very differently across the two profiles, whereas a rule driven by the absolute amount of evidence should treat it much the same. That absolute reading is the second signal.

2.3.2 Independent Evidence

Evidence is the absolute amount of independent observation available for a class, and in pathology it is not the raw example count. A patch is a training example, but patches drawn from one case are not independent observations of the class that case carries: they share its staining, scanner, preparation, and much of its morphology. Thousands of crops from a handful of participants therefore supply far less evidence than their number suggests, and the same holds inside a slide bag, whose instances share a single weak label. Evidence is consequently counted in *split units*—the patients or cases over which partitions are drawn—together with the distinct slides beneath them. At WSI level the labelled slide is itself the independent unit, so a rare diagnosis represented by a few slides is evidence-poor however many instances those slides contain.

Unique unit counts are the primary measure, but they are coarse: two classes with the same number of cases can still differ in how interchangeable their patches are. *Effective support* refines the count by discounting within-case redundancy. For class c , let G_c be the number of split-unit or slide clusters contributing to it, let m_{gc} be their sizes, and let $n_c = \sum_g m_{gc}$. Redundancy is summarized by the intraclass correlation (ICC) of a scalar per-example score, computed from the between-cluster and within-cluster mean squares $\text{MS}_{B,c}$ and $\text{MS}_{W,c}$ with the usual correction $m_{0,c}$ for unequal cluster sizes:

$$m_{0,c} = \frac{n_c - \sum_{g=1}^{G_c} m_{gc}^2 / n_c}{G_c - 1}, \quad \text{ICC}_c = \frac{\text{MS}_{B,c} - \text{MS}_{W,c}}{\text{MS}_{B,c} + (m_{0,c} - 1)\text{MS}_{W,c}}, \quad (2)$$

clipped to $[0, 1]$. An ICC near zero means that examples from one case are no more alike than examples from different cases; an ICC near one means the case is effectively a single observation repeated. The corresponding effective support is

$$N_{\text{eff},c} = \frac{n_c}{1 + (\bar{m}_c - 1) \text{ICC}_c}, \quad (3)$$

where $\bar{m}_c$ is the mean cluster size. The two limits make the quantity readable: with $\text{ICC}_c = 0$ the class retains its full count n_c , and with $\text{ICC}_c = 1$ it collapses to $n_c/\bar{m}_c$, one observation per contributing case. Equations (2)–(3) adjust a patch count for redundancy; they do not replace independent-unit counts, and the choice of per-example score, its cross-fitting, and the reference sets used to compute it are experimental decisions rather than part of the definition. A method is evidence-aware when a quantity of this kind— n_c read absolutely, a case or slide count, or $N_{\text{eff},c}$ —enters its weights or its sampler, rather than the relative share π_c .

2.3.3 Difficulty

Difficulty is how hard a class or an example is to classify under a fixed representation, independently of how often it occurs. At example level it is read from the model’s own state during training: the current loss, the predicted probability p_y of the true class, or the margin between the true-class score and its strongest competitor. At class level it is measured as a probe error, for instance

$$d_c = 1 - \text{recall}_c, \quad (4)$$

where recall_c is obtained from a class-balanced probe fitted on frozen features and evaluated out of fold, so that class size does not enter the score. A class whose morphology overlaps a neighbouring class is then difficult even when its support is ample, which is precisely what distinguishes this signal from the previous two. Two readings are worth separating. Intrinsic difficulty is a property of the representation and holds across training conditions; condition-specific learnability describes what remains recoverable from one particular training set and therefore moves with allocated support. Example-level and class-level difficulty are also not interchangeable: a loss-based weight adapts continuously during training and can chase label noise, whereas d_c is estimated once and is stable but blind to which individual examples are hard.

2.3.4 Coverage

Coverage is how well the observed examples span the within-class variation of their class. A class can hold many independent cases and still cover its own distribution poorly, if those cases present one growth pattern, one grade, or one preparation while the population it is deployed on contains several. Coverage is therefore a property of the spread of a class in feature space rather than of any count, and it is the one signal the imbalance literature has left largely implicit. Stating it operationally requires a reference sample that stands for what the class actually looks like, since spanning is only defined relative to a target distribution. The natural, unmanipulated held-out cohort serves that role here.

Let $\{r_1, \dots, r_{M_c}\}$ be the M_c reference embeddings of class c and $\{t_1, \dots, t_{n_c}\}$ its n_c observed training embeddings, both taken from the frozen encoder. Write $\text{NND}_k(r_j)$ for the distance from r_j to its k -th nearest neighbour among the remaining reference embeddings of the same class, which sets a local radius adapted to how densely the class populates that region; the neighbourhood size k is fixed in advance. Coverage is the fraction of reference examples that have at least one training example inside their own neighbourhood,

$$\text{cov}_c = \frac{1}{M_c} \sum_{j=1}^{M_c} \mathbf{1} \left[\exists i \in \{1, \dots, n_c\} : \|r_j - t_i\| < \text{NND}_k(r_j) \right]. \quad (5)$$




Figure 2: Coverage is not a count. Both panels show the same reference cloud, whose class has two morphological modes, and both training samples contain the same number of examples; the circles are the reference neighbourhoods of radius $\text{NND}_k(r_j)$ that Equation (5) tests. In (a) the training material sits entirely in one mode, so the second mode stays unreached and half the class is uncovered. In (b) the same budget is spread across both modes and coverage rises accordingly. Prevalence and evidence are identical across the two panels, which is why coverage is a separate signal.

This is the manifold-coverage construction of Naeem et al. (2020), which anchors the neighbourhood radii on the reference sample rather than on the observed one and is for that reason more robust to outlying training examples than the recall metric it refines (Kynkäänniemi et al., 2019). A region of the class that the training material never reaches lowers cov_c regardless of how many examples crowd the regions it does reach, which is exactly the failure mode a count cannot express and which Figure 2 illustrates for a class with two morphological modes. Where no reference cohort is available, the covariance matrix of the class embeddings gives a reference-free substitute. Let $\lambda_1 \geq \dots \geq \lambda_D$ be its eigenvalues, each the variance of the class along one principal direction of the D -dimensional embedding space, and let $\hat{\lambda}_i = \lambda_i / \sum_{j=1}^D \lambda_j$ be the same spectrum normalized to sum to one. With the Shannon entropy of that normalized spectrum,

$$H(\hat{\lambda}) = - \sum_{i=1}^D \hat{\lambda}_i \log \hat{\lambda}_i, \quad \text{erank}_c = \exp(H(\hat{\lambda})), \quad (6)$$

the effective rank erank_c counts how many directions the class occupies: it equals one when all variance lies along a single direction and D when the spectrum is flat (Roy and Vetterli, 2007). The participation ratio $(\sum_i \lambda_i)^2 / \sum_i \lambda_i^2$ summarizes the same spectrum with a different weighting. Either statistic detects collapse within the observed material but is silent about what was missed.

Two conditions keep Equation (5) from re-measuring a signal already defined above. Coverage estimated on more examples is mechanically larger, so classes must be compared at a matched sample size, by subsampling every class to the scarcest count and averaging over draws; otherwise the estimate tracks n_c and reproduces prevalence or evidence under a different name. For the same reason the sampling unit must be the case rather than the patch, since several hundred crops of one biopsy occupy a single neighbourhood and would otherwise read as broad coverage. A further caution applies whenever training support is itself manipulated: subsampling a class changes which regions of it remain represented, so coverage of a constructed

training manifest is partly an outcome of the allocation rather than a fixed property of the class. Read as a property of the class, it must be estimated on the eligible pool; read as a property of a training condition, it describes what that condition preserved. Neither reading is consulted by any method in the roster below.

2.3.5 Reading the Roster along Both Axes

Signals are not to be confused with side effects. A method is treated as aware of a signal only when a quantity of that type enters its sampler, its objective, or its decision rule. Several methods reshape a property they never measure: RankMix-inspired mixing interpolates feature subsequences and thereby broadens coverage, SC-MIL compacts and separates bag embeddings, and the CFAL diversity regularizer spreads class prototypes apart. None of them computes a coverage statistic and adapts its behaviour to it. Table 2 therefore records what each method consults alongside what it changes, and marks the difference between shaping a property and measuring it.

Method	Mitigation signal	Intervention
Both regimes <i>patch and WSI-bag</i>		
CE, MIL CE	None; observed distribution used as given	None (reference)
Balanced sampling	Prevalence, through $n_{y_i}^{-s}$	Minibatch composition
Weighted CE	Prevalence, through n_c^{-s}	Per-example loss weight
Logit adjustment	Prevalence, through $\hat{\pi}_c$ explicitly	Logit and prior correction
cRT	Prevalence, through balanced stage-two exposure	Classifier refit on a frozen representation
Focal loss	Difficulty, through the per-example confidence p_y	Per-example loss weight
Patch regime <i>only</i>		
CFAL	Evidence, through the effective number E_c of class c ; difficulty, through $(1 - a_{i,y_i})^\gamma$; shapes coverage without measuring it	Prototype head and margin objective
CE + soft F1	Prevalence, through balanced sampling and equal classwise weight in the macro term	Sampler and auxiliary objective
CE + soft MCC	Prevalence, through balanced sampling and the batch marginals t_c, p_c	Sampler and auxiliary objective
OKO	Prevalence, through uniform pair-class sampling	Set construction and set-aggregated loss
WSI-bag regime <i>only</i>		
RankMix-inspired	Difficulty, through teacher instance ranking; shapes coverage without measuring it	Bag-level feature augmentation
SC-MIL	Label structure only; prevalence enters through class-aware batching; shapes coverage without measuring it	Contrastive term and CE curriculum
MDE-inspired	Prevalence, through paired natural and balanced loaders	Dual experts and consistency term

Table 2: Each tested method read along both axes: the signal it consults to identify mitigation need, and the mechanism it changes to act on it, grouped by the prediction regime the method applies to. Methods sharing an intervention family can consult different signals, and methods sharing a signal can intervene at different levels. Method-specific symbols name the mechanism responsible and are defined with the method in Section 3.

Read this way, the roster is concentrated on one signal. Eight of the twelve interventions consult prevalence alone, and SC-MIL adds a ninth partial case through class-aware batching. Focal loss is the only objective driven purely by difficulty, joined by the teacher ranking inside RankMix-inspired mixing at instance level. CFAL is the only method whose class weighting derives from an absolute count rather than a relative share, since its effective number E_c is a function of n_c and β alone. No tested method measures coverage. That concentration is a property

of the established literature these methods come from, and it identifies where the benchmark can and cannot separate mechanisms: contrasts between prevalence-aware methods vary the intervention while holding the signal fixed, whereas the difficulty and evidence dimensions are represented too sparsely for a comparable within-signal contrast. The companion experimental protocol takes up the quantities defined above— d_c , $N_{\text{eff},c}$, and their alignment with allocated support—as exploratory predictors, which is where the difficulty and evidence dimensions are examined directly rather than through the method roster.

3 Methods

Each method is defined below in the input form it consumes, following the intervention families of Figure 1. The comparison is regime-specific. Patch methods consume frozen Virchow2 embeddings of controlled patches and optimize one shared MLP classifier head; CE-based patch methods use the same linear output layer, while CFAL replaces that layer with class prototypes and affinity-based prediction. WSI-bag methods consume complete eligible frozen-feature bags and optimize one shared attention-MIL head. Both regimes therefore rely on the same pathology foundation-model family, but they differ in supervision unit: one embedding per selected patch versus aggregation over every eligible instance on a slide, without bag truncation.

3.1 Cross-Entropy Baseline

Unweighted cross-entropy is the baseline because it is the standard supervised objective without an explicit class-imbalance correction. For an example with label y , the loss is

$$\mathcal{L}_{\text{CE}}(\mathbf{z}, y) = -\log p_y. \quad (7)$$

In the patch regime, this objective trains the shared linear head on frozen Virchow2 patch embeddings from the controlled manifest. In the WSI-bag regime, the same objective trains the shared attention-MIL model on slide-level feature bags. In both cases, CE uses the observed class distribution directly: majority classes appear more often in minibatches and therefore contribute more loss terms over an epoch. This makes CE an appropriate reference for asking whether an imbalance-specific intervention actually improves the rare-class tradeoff.

3.2 Data-Level Sampling and Augmentation

Data-level methods change what the optimizer sees, rather than changing the mathematical penalty assigned to one observed example. In the taxonomy, this family includes resampling, augmentation, and WSI-specific feature mixing strategies that make minority or informative examples more visible during training (Saini and Susan, 2023).

3.2.1 Balanced Sampling

Balanced sampling changes minibatch composition by sampling training examples with probabilities related to their class support through a strength $s \in [0, 1]$. For an example i with class y_i , the sampler weight is proportional to

$$q_i(s) \propto n_{y_i}^{-s}. \quad (8)$$

After normalization across the training set, $s = 0$ recovers ordinary sampling and $s = 1$ gives equal expected exposure to every class; intermediate values partially rebalance the data. The patch variant applies this sampler to patch examples and still optimizes CE. The MIL variant applies the same idea at slide-bag level and also optimizes CE. Balanced sampling therefore tests a pure data-level intervention without changing the loss formula.

3.2.2 RankMix-Inspired Feature Mixing

RankMix is a WSI-native data-augmentation method for weakly supervised slide classification. Ordinary image mixup assumes two inputs with compatible spatial shapes, but WSI bags can contain different numbers of feature instances and lack instance-level labels. RankMix addresses this by mixing representative feature subsequences rather than raw slides (Chen and Lu, 2023). The benchmark variant is called *RankMix-inspired* because it preserves the source method’s teacher ranking, representative subsequence selection, feature interpolation, mixed labels, and reinitialized student, but does not reproduce the paper’s complete combination of instance-max and bag-level objectives. Its student instead uses soft-label CE on the mixed bag prediction. Results therefore test this specified adaptation, not a faithful reproduction of the full source method.

The tested implementation follows the defining two-stage teacher–student procedure. First, a teacher attention-MIL model is trained with slide labels for exactly the protocol-defined budget U of optimizer updates, using the same MIL architecture and optimization settings as plain MIL CE. For each bag $B = \{\mathbf{x}_1, \dots, \mathbf{x}_m\}$ and target class, the teacher assigns ranking scores to instances using its softmax probability for that class; the top- k instances are kept as a representative subsequence, where $k = \min(|B_a|, |B_b|)$ for the two bags being mixed, and their original within-bag order is preserved after selection. The student MIL model is then reinitialized and receives its own U updates on bags built from these ranked subsequences.

Mixing itself follows the mixup idea in feature space. For two bags a and b , let H_a and H_b denote the selected instance-feature matrices and $\mathbf{y}_a, \mathbf{y}_b$ the corresponding one-hot slide labels. A scalar mixing coefficient $\lambda \in (0, 1)$ controls how much of each bag is retained:

$$\tilde{H} = \lambda H_a + (1 - \lambda) H_b, \quad \tilde{\mathbf{y}} = \lambda \mathbf{y}_a + (1 - \lambda) \mathbf{y}_b. \quad (9)$$

When λ is close to one, the mixed bag resembles bag a ; when it is close to zero, it resembles bag b . Values near $\lambda = \frac{1}{2}$ interpolate more evenly between the two sources. RankMix does not fix λ to a single value. Instead, each mixed example draws

$$\lambda \sim \text{Beta}(\alpha, \alpha), \quad (10)$$

independently. The Beta distribution is a standard choice on the open interval $(0, 1)$ because it is flexible and symmetric when both shape parameters are equal. With density

$$f(\lambda; \alpha, \alpha) \propto \lambda^{\alpha-1} (1 - \lambda)^{\alpha-1}, \quad \lambda \in (0, 1), \quad (11)$$

the parameter $\alpha > 0$ controls how strongly mixing concentrates around the endpoints versus the center. For $\alpha = 1$, $\text{Beta}(1, 1)$ is uniform on $(0, 1)$. Larger α pushes λ toward $\frac{1}{2}$; smaller α keeps mixtures closer to one source bag. The reference default is $\alpha = 1.0$, and α is selected on validation. The student is trained with soft-label CE on the mixed bags and labels $\tilde{\mathbf{y}}$. This is a data-level feature-space augmentation while retaining the common attention-MIL prediction architecture.

3.3 Algorithm-Level Losses

Algorithm-level methods keep the training examples fixed but alter how errors are penalized. They are cost-sensitive or difficulty-sensitive objectives: minority examples may receive larger explicit weights, or easy examples may contribute less to the gradient (Saini and Susan, 2023; Scholz et al., 2024).

3.3.1 Class-Weighted Cross-Entropy

Class-weighted CE multiplies each example’s CE term by a class-dependent cost controlled by the same strength $s \in [0, 1]$:

$$\mathcal{L}_{\text{WCE}}(\mathbf{z}, y) = -w_y \log p_y, \quad w_c(s) \propto n_c^{-s}. \quad (12)$$

The implementation normalizes these weights so that their mean across classes is one. Here $s = 0$ recovers unweighted CE and $s = 1$ gives inverse-frequency weighting; intermediate values reduce the correction. This method leaves the sample order and model architecture unchanged, but increases the loss contribution of classes with fewer training examples. It is evaluated for both patch classification and attention-MIL.

3.3.2 Focal Loss

Focal loss reduces the contribution of confidently classified examples and concentrates optimization on examples that remain difficult. With focusing parameter γ , the multiclass focal objective is

$$\mathcal{L}_{\text{focal}}(\mathbf{z}, y) = -(1 - p_y)^\gamma \log p_y. \quad (13)$$

The reference default is $\gamma = 2.0$ for both regimes; γ is the imbalance control selected on validation while the rest of the training protocol is held fixed. The method is relevant to imbalance because many minority-class examples can remain hard under a classifier dominated by head-class gradients, but the focal term does not directly encode the class counts. It is therefore a difficulty-sensitive loss rather than a sampler or explicit prior correction.

3.3.3 Logit Adjustment

Logit adjustment explicitly corrects for the empirical training prior (Menon et al., 2021). Let

$$\hat{\pi}_c = \frac{n_c}{\sum_{j=1}^C n_j} \quad (14)$$

denote the class prior estimated only from the current training condition. The control $\tau \geq 0$ determines the strength of the correction; $\tau = 0$ recovers ordinary CE. In the train-time form, adjusted logits are used inside the loss,

$$\mathcal{L}_{\text{LA-train}}(\mathbf{z}, y) = -\log \frac{\exp(z_y + \tau \log \hat{\pi}_y)}{\sum_{c=1}^C \exp(z_c + \tau \log \hat{\pi}_c)}. \quad (15)$$

The positive prior term makes head classes harder to fit during training, inducing a classifier whose unadjusted logits favor a class-balanced target. In the post-hoc form, a model is trained with ordinary CE and corrected only at inference,

$$p_c^{\text{LA}}(\mathbf{x}) = \frac{\exp(z_c(\mathbf{x}) - \tau \log \hat{\pi}_c)}{\sum_{j=1}^C \exp(z_j(\mathbf{x}) - \tau \log \hat{\pi}_j)}. \quad (16)$$

The sign difference follows from where the correction is applied: the train-time loss learns against prior-shifted logits, whereas the post-hoc rule removes the observed training prior from ordinary CE logits. Both patch and WSI regimes use the same definition at their respective prediction unit. Because either form deliberately changes the implied target prior, its probabilities should not be interpreted as calibrated for the natural test prevalence without an explicit target-prior assumption. Discrimination and calibration are therefore reported together, with post-hoc temperature scaling kept conceptually separate from prior correction.

The benchmark retains score variants with different interpretations as separate outputs. For an ordinary CE score z_c^{CE} , post-hoc logit adjustment uses $z_c^{\text{CE}} - \tau \log \hat{\pi}_c$ for class-balanced decisions; this score is not reported as a probability calibrated to the natural target prevalence. Under the prior-shift assumption, probabilities for a target prior π_c^{target} instead normalize the logits

$$z_c^{\text{CE}} - \log \hat{\pi}_c + \log \pi_c^{\text{target}}. \quad (17)$$

For train-time adjustment, CE is applied to $g_c = z_c + \tau \log \hat{\pi}_c$. Because g_c approximates training-posterior logits, the corresponding target-prevalence logits are

$$z_c + (\tau - 1) \log \hat{\pi}_c + \log \pi_c^{\text{target}}. \quad (18)$$

The unadjusted z_c is the train-time method’s validation-selected discrimination score but is fully prior-stripped only when $\tau = 1$. The target prior is estimated separately on each natural-validation split and applied only to the corresponding test split. Temperature scaling is fitted on natural-validation NLL after the applicable target-prior correction and then applied unchanged to test logits. Raw, balanced-decision, target-prior-corrected, and temperature-scaled outputs remain separate; a single temperature corrects overall sharpness rather than class-specific prior mismatch.

Balanced Softmax is closely related prior-correction literature: it modifies the softmax denominator using class frequencies and motivates the same distinction between representation learning under a long-tailed source and decision rules for a balanced target (Ren et al., 2020). It is not an additional benchmark method; it is included to situate logit adjustment among count-aware softmax objectives.

3.3.4 Center-Focused Affinity Loss (CFAL)

Center-focused affinity loss (CFAL) replaces the linear softmax head with learnable class prototypes and an affinity-based training objective (Mahbub et al., 2024). The motivation is that minority histology classes can remain visually similar in embedding space even when a frozen encoder already separates them coarsely; pulling examples toward compact class centers and penalizing confusion with nearby wrong-class prototypes can therefore improve tail-class boundaries without changing the sampler.

The tested patch implementation keeps the shared MLP trunk that maps a frozen Virchow2 embedding $\mathbf{x}$ to a hidden representation $\mathbf{z} = f(\mathbf{x}) \in \mathbb{R}^{512}$, but replaces the final linear map with one learnable prototype $\mathbf{w}_c \in \mathbb{R}^{512}$ per class. Both embeddings and prototypes are L2-normalized before affinity computation. The Gaussian affinity between example i and class c is

$$a_{ic} = \exp\left(-\frac{\|\hat{\mathbf{z}}_i - \hat{\mathbf{w}}_c\|_2^2}{\sigma}\right), \quad \hat{\mathbf{v}} = \frac{\mathbf{v}}{\|\mathbf{v}\|_2}, \quad (19)$$

where σ controls how quickly affinity decays with prototype distance. At inference, class scores are $\log a_{ic}$ followed by softmax normalization. The affinities $a_{ic} \in (0, 1]$ are geometric similarity scores, not class probabilities: they are trained with a margin objective and never optimized to satisfy likelihood or calibration constraints. Applying softmax to $\log a_{ic}$ therefore yields a convenient ranking score for argmax decisions, but it should not be read as a calibrated estimate of $P(y = c \mid \mathbf{x})$ without additional post-hoc mapping.

Training optimizes a margin term on affinities rather than cross-entropy on logits. For batch index i with label y_i , define the per-example margin loss

$$\ell_i = \sum_{c \neq y_i} \max(0, \lambda + a_{ic} - a_{i,y_i}), \quad (20)$$

which penalizes wrong-class affinities that exceed the true-class affinity by less than margin λ . A diversity regularizer $R(\mathbf{W})$ encourages prototypes to spread apart by penalizing deviations of pairwise squared distances from their mean. The total objective combines class reweighting, a center-focused local weight, and prototype diversity:

$$\mathcal{L}_{\text{CFAL}} = \frac{1}{B} \sum_{i=1}^B \frac{1}{E_{y_i}} (1 - a_{i,y_i})^\gamma \ell_i + R(\mathbf{W}), \quad (21)$$

where E_c is the effective number of training examples in class c derived from class count n_c and hyperparameter β , and γ up-weights examples whose true-class affinity remains low. Unlike the CE plus soft-F1 and soft-MCC hybrids, CFAL does not use balanced oversampling: it is categorized as an algorithm-level patch method because it changes the head and loss while keeping the natural training distribution.

The reference defaults are $\lambda = 0.1$, $\beta = 0.999$, and $\gamma = 2.0$ following Mahbub et al.; all three are held fixed and the affinity bandwidth σ is the imbalance control selected on validation. The paper’s $\sigma = 130$ was calibrated for un-normalized AlexNet FC features; on L2-normalized 2,560-dimensional Virchow2 vectors that scale is far too large and collapses all pairwise affinities, so the benchmark evaluates a range matched to the normalized embedding geometry. CFAL is evaluated only in the patch regime because the source method assumes instance-level labels rather than weak slide-level bags.

3.4 Hybrid Sampling–Loss Methods

Hybrid methods combine data-level and algorithm-level changes. The Scholz-style patch objectives below adapt the metric-derived losses of Scholz et al. for imbalanced medical classification (Scholz et al., 2024). Both tested variants use class-balanced oversampling together with metric-derived losses, so their effect cannot be attributed only to a new loss or only to a new sampler.

3.4.1 Scholz-Style CE + Soft F1

The intuition is that CE optimizes the log-probability of the correct class one example at a time, whereas macro F1 evaluates a different object: the balance between precision and recall at class level. Under class imbalance, this distinction matters because a model can reduce CE substantially by fitting frequent classes while still leaving tail-class recall or precision weak.

The obstacle is that ordinary F1 is computed from hard counts after prediction, so it is not directly usable as a gradient-based training loss. The Scholz-style soft-F1 objective replaces those hard counts with probability-weighted counts inside each minibatch. For one class, a confident correct prediction contributes almost one soft true positive, a confident prediction for the wrong class contributes to soft false positives, and low probability on a true class contributes to soft false negatives. Formally, for one-hot labels y_i and predicted probabilities $\hat{y}_i$:

$$\text{TP} = \sum_i y_i \hat{y}_i, \quad \text{FP} = \sum_i (1 - y_i) \hat{y}_i, \quad \text{FN} = \sum_i y_i (1 - \hat{y}_i). \quad (22)$$

These terms keep the familiar meaning of a confusion matrix but make every component differentiable with respect to the model probabilities. They then define soft precision, soft recall, and soft F1:

$$\text{F1}_{\text{soft}} = \frac{2 \text{precision}_{\text{soft}} \text{recall}_{\text{soft}}}{\text{precision}_{\text{soft}} + \text{recall}_{\text{soft}}}. \quad (23)$$

The multiclass implementation applies this construction separately to each class and averages the resulting classwise terms. This macro-style averaging is the imbalance-aware part: each class contributes one term regardless of how many samples it has in the full dataset. The tested objective does not replace CE completely; it adds the metric-derived term to CE so that optimization still rewards calibrated class probabilities while also pushing the minibatch toward higher macro soft F1:

$$\mathcal{L}_{\text{CE+F1}} = \mathcal{L}_{\text{CE}} + \lambda_{\text{aux}} \left(1 - \frac{1}{C} \sum_{c=1}^C \text{F1}_{\text{soft},c} \right). \quad (24)$$

The auxiliary weight $\lambda_{\text{aux}} > 0$ controls the contribution of the soft-F1 term and is selected on validation. The benchmark trains this loss with balanced sampling on the patch manifest.

That design is important for interpretation: the loss tries to optimize a macro-style class metric, while the sampler ensures that tail classes occur often enough in minibatches for their soft-F1 terms to provide a regular training signal.

3.4.2 Scholz-Style CE + Soft MCC

The soft-MCC variant uses the same principle as soft F1—replace hard evaluation counts with differentiable probability masses—but starts from the Matthews correlation coefficient (MCC). Whereas F1 for one class depends mainly on that class’s positive predictions, MCC is built from the full confusion matrix and therefore reacts to false positives, false negatives, and true negatives at the same time. In binary problems it is often preferred in imbalanced settings because it can remain informative when one class dominates the dataset: accuracy can look high while predictions are still systematically biased, but MCC penalizes both kinds of mistakes jointly.

Binary MCC as a correlation coefficient. For one class treated as positive, write TP, TN, FP, and FN for the four confusion-matrix cells. The standard MCC is

$$\text{MCC} = \frac{\text{TP} \cdot \text{TN} - \text{FP} \cdot \text{FN}}{\sqrt{(\text{TP} + \text{FP})(\text{TP} + \text{FN})(\text{TN} + \text{FP})(\text{TN} + \text{FN})}}. \quad (25)$$

The numerator compares co-occurrence of correct positive and correct negative decisions with co-occurrence of the two error types; the denominator scales by how many examples fall into each margin of the confusion matrix. MCC equals +1 for perfect predictions, 0 for chance-level association, and can become negative when predictions are worse than random. This makes it a correlation-style score rather than a prevalence-weighted rate.

Multiclass MCC in a minibatch. For C target classes, the multiclass extension treats labels and predictions as C -dimensional vectors per example. Let $Y \in \{0, 1\}^{N \times C}$ be the one-hot label matrix and $\hat{Y} \in [0, 1]^{N \times C}$ the corresponding softmax probabilities, with rows $\mathbf{y}_i$ and $\hat{\mathbf{y}}_i$. Three aggregate quantities describe how mass is distributed inside the batch:

$$s = \sum_{i=1}^N \sum_{c=1}^C Y_{ic} \hat{Y}_{ic}, \quad t_c = \sum_{i=1}^N Y_{ic}, \quad p_c = \sum_{i=1}^N \hat{Y}_{ic}. \quad (26)$$

Here s is the total probability-weighted agreement between labels and predictions: each example contributes $\hat{y}_{i,y_i}$, the predicted mass on its true class. The terms t_c and p_c are the batch totals of true and predicted mass for class c . They play the role of marginals in the confusion-matrix calculation. If predictions collapse onto a few head classes, the vector $(p_1, \dots, p_C)$ becomes skewed even when argmax accuracy looks acceptable; MCC is sensitive to that mismatch because it compares the joint alignment s with what would be expected from the marginals alone.

The multiclass MCC used in training can be written as a normalized covariance between the label matrix and the prediction matrix:

$$\text{MCC}_{\text{mc}} = \frac{Ns - \sum_{c=1}^C t_c p_c}{\sqrt{N^2 - \sum_{c=1}^C p_c^2} \sqrt{N^2 - \sum_{c=1}^C t_c^2}}. \quad (27)$$

The numerator $Ns - \sum_c t_c p_c$ increases when true and predicted mass line up example by example and decreases when correct predictions are no better than what the marginal totals would suggest by chance. The two square-root terms measure how spread out the batch-level label totals and prediction totals are across classes; they prevent the score from exploding when one minibatch happens to contain only a few classes. Equation (27) reduces to the familiar binary form in (25) when $C = 2$.

Soft MCC loss. Hard MCC replaces $\hat{Y}$ by one-hot argmax predictions, which again blocks gradient-based training. The soft-MCC objective keeps the structure of (27) but plugs in softmax probabilities directly:

$$\text{MCC}_{\text{soft}} = \frac{Ns - \sum_{c=1}^C t_c p_c}{\sqrt{N^2 - \sum_{c=1}^C p_c^2} \sqrt{N^2 - \sum_{c=1}^C t_c^2}}. \quad (28)$$

Every term in (26) and (28) is differentiable with respect to the logits that produce $\hat{Y}$. A confident correct prediction increases s ; probability placed on the wrong classes increases some p_c while leaving the matching t_c unchanged, which lowers the numerator; and overly peaked prediction vectors reduce the prediction-side denominator term, limiting the score even if a few examples are classified correctly. As with soft F1, the training objective turns a score to be maximized into a loss to be minimized and adds it to CE:

$$\mathcal{L}_{\text{CE+MCC}} = \mathcal{L}_{\text{CE}} + \lambda_{\text{aux}} (1 - \text{MCC}_{\text{soft}}). \quad (29)$$

The auxiliary weight $\lambda_{\text{aux}} > 0$ has the same role and validation grid as in the soft-F1 hybrid. This variant is also evaluated only in the patch benchmark and is trained with class-balanced oversampling. The soft-F1 and soft-MCC variants therefore ask a focused question: once tail classes are regularly presented to the optimizer, does adding a differentiable version of a class-balanced evaluation metric improve the controlled patch classifier beyond CE and simple balanced sampling?

3.4.3 Odd-K-Out (OKO) Set Learning

Standard cross-entropy optimizes each example independently, which has two relevant consequences under class imbalance. First, the gradient signal for a tail class arrives only when that class is sampled, so rare examples can be overwhelmed by frequent ones. Second, hard-label cross-entropy encourages logit values to diverge without bound, which is a known driver of overconfidence and poor calibration (Guo et al., 2017). OKO (Muttenthaler et al., 2024) addresses both problems simultaneously by replacing per-example cross-entropy with a set-level objective. Calibration is inherently a property of a model’s output distribution over a collection of examples, and training on sets is a natural way to expose the model to that distributional structure during learning.

Set construction. A training set S of size $k + 2$ is constructed as follows. A pair class y' is sampled uniformly from $[C]$, equalizing class frequency in expectation regardless of the training distribution—analogous to balanced sampling but applied at the set level rather than the sample level. Two examples x'_1, x'_2 are drawn from the class y' , and k distinct odd classes $y'_3, \dots, y'_{k+2}$ are sampled without replacement from $[C] \setminus \{y'\}$. One representative example x'_j is drawn from each odd class y'_j . The resulting set $S = (x'_1, \dots, x'_{k+2})$ therefore always contains exactly one matched pair and k distractors from different classes.

Set-aggregated loss. For a model f_θ parameterized by θ , OKO defines the aggregated logit vector as the sum of individual per-example outputs over the set members:

$$f_\theta(S) = \sum_{i=1}^{k+2} f_\theta(x'_i). \quad (30)$$

Prediction on the aggregated logits uses ordinary softmax. The pair class y' appears twice in the set and its two logit contributions therefore reinforce each other, raising the aggregate score for y' relative to any single odd class. This pooling effectively averages the raw logit values across

set members, which limits how extreme the aggregate can be—an implicit logit regularization that the paper links to improved calibration even when training with hard labels.

The main training loss predicts the pair class from the aggregated logits:

$$\ell_{\text{OKO}} = -\log \text{softmax}(f_{\theta}(S))_{y'}. \quad (31)$$

Following the main-text configuration of the original paper, the implementation also trains an auxiliary classification head g_{θ} that shares the trunk with f_{θ} and predicts the first odd class y'_3 :

$$\ell_{\text{aux}} = -\log \text{softmax}(g_{\theta}(S))_{y'_3}. \quad (32)$$

The total per-set loss is $\ell_{\text{OKO}} + \ell_{\text{aux}}$. The auxiliary head is discarded at inference, and single-example evaluation proceeds exactly as for any other classifier: the model accepts one patch feature vector and returns the logits from the main head. There is no inference overhead or architecture change at test time.

OKO belongs in the hybrid sampling–loss category because the set construction couples a balanced class-sampling policy with a modified training objective; neither component is meaningful on its own. Balanced sampling via uniform pair-class selection ensures that all C classes contribute equally to the gradient signal in expectation, which directly addresses the data-level imbalance problem. The aggregated set-level loss then introduces an implicit regularization on logit magnitude. Together these are not separable in the same way that standard cross-entropy and a `WeightedRandomSampler` are separable. In this benchmark OKO is evaluated in the patch feature regime only; the set-construction mechanism does not extend naturally to the attention-MIL bag encoder used in the WSI-bag benchmark.

The number of odd classes k controls set size and therefore the degree of logit averaging, and it is the imbalance control selected on validation. The paper’s ablation experiments show that accuracy and calibration are insensitive to the specific value of k , and the default of $k = 1$ is the computationally cheapest option; a moderate set size can nonetheless work best in practice without requiring the largest sets.

3.5 Representation and Architecture-Level Methods

Representation-level methods try to make rare classes more separable in feature space rather than only changing sampling or per-example loss weights. This family is especially relevant for computational pathology, where WSI labels supervise bags of many unlabeled instances and class imbalance can occur both across slides and within a positive slide (Juyal et al., 2024).

3.5.1 Classifier Re-Training (cRT)

Classifier re-training (cRT) separates representation learning from classifier fitting (Kang et al., 2020). Stage one trains the ordinary CE model on the observed imbalanced training distribution. Stage two freezes the learned representation, discards and reinitializes the final linear classifier, and fits only that classifier using class-balanced sampling. If $h_{\hat{\theta}}(x)$ is the frozen representation learned in stage one, cRT estimates

$$(\widehat{W}, \widehat{\mathbf{b}}) = \arg \min_{W, \mathbf{b}} \mathbb{E}_{(x, y) \sim q_{\text{bal}}} \left[-\log \text{softmax}(Wh_{\hat{\theta}}(x) + \mathbf{b})_y \right], \quad (33)$$

where q_{bal} gives classes equal expected exposure. This isolates whether imbalance primarily distorts the decision boundary after a useful representation has already been learned.

In the patch regime, stage one learns the common MLP head on frozen Virchow2 embeddings; cRT freezes its learned hidden representation and retraining a reinitialized linear output layer with balanced patch sampling. In the WSI regime, stage one learns the instance projection and attention aggregator; cRT freezes both components and retraining only a reinitialized

bag classifier with balanced slide sampling. Validation selects the stage-two checkpoint, and its compute is reported in addition to stage-one training. The original cRT study considers several classifier normalization variants; the benchmark uses only the reinitialized linear-classifier variant specified here.

3.5.2 SC-MIL

SC-MIL extends supervised contrastive learning to MIL by applying the contrastive objective to bag representations instead of assigning noisy slide labels to individual patches (Juyal et al., 2024). The motivation is that a slide label usually does not describe every patch in a bag. A cancer-type label can be correct for the slide while many instances contain background, normal tissue, technical noise, or weakly informative morphology. Applying contrastive learning directly to instances would therefore treat many patches as positives or negatives using labels they do not truly carry. SC-MIL avoids that mismatch by contrasting the aggregated slide-level representation.

The attention-MIL backbone first maps bag B_i to an embedding $\mathbf{b}_i = \mathbf{b}(B_i)$. A projection head g then produces normalized contrastive features $\mathbf{r}_i = g(\mathbf{b}_i)$. In the contrastive view, each bag in a minibatch is an anchor. Bags with the same cancer-type label are positives because their slide-level representations should become closer, while bags from other classes act as negatives because their representations should remain separated. For anchor i , bags of the same class form the positive set $P(i)$, and the supervised contrastive term is

$$\mathcal{L}_{\text{SCL}} = -\frac{1}{\sum_i |P(i)|} \sum_i \sum_{p \in P(i)} \log \frac{\exp(\mathbf{r}_i^\top \mathbf{r}_p / \tau)}{\sum_{a \neq i} \exp(\mathbf{r}_i^\top \mathbf{r}_a / \tau)}. \quad (34)$$

The numerator rewards similarity to same-class bags. The denominator compares that similarity against all other bags in the minibatch, so the loss favors representations where class clusters are compact and mutually separated. The temperature τ controls how sharply these similarities are weighted. The source reference is $\tau = 1.0$; the benchmark retains it in the validation grid together with lower temperatures.

SC-MIL does not rely on contrastive learning alone. The contrastive term shapes the representation space, while CE trains the final class predictor. The tested variant combines them through a linear curriculum:

$$\mathcal{L}_t = \beta_t \mathcal{L}_{\text{SCL}} + (1 - \beta_t) \mathcal{L}_{\text{CE}}, \quad \beta_t = 1 - \text{progress}_t. \quad (35)$$

Early training therefore emphasizes class-structured bag embeddings, when the classifier head is still unstable. As training progresses, β_t decreases and more weight moves to CE, so the learned representation is tied back to the actual slide-level classification objective. Class-aware batching draws at least two slides for each represented class whenever class support permits; otherwise an anchor would have $|P(i)| = 0$ and contribute no contrastive term. Training logs the number of valid anchors, ordered positive pairs $\sum_i |P(i)|$, and represented classes per batch. The normalization in Equation (34) uses the actual number of ordered positive pairs, so unequal class multiplicities do not silently change the scale of the contrastive objective.

3.5.3 MDE-Inspired Dual-Expert MIL

The MDE-inspired variant uses distribution-specific experts and a cross-expert consistency term for long-tailed WSI classification (Ling et al., 2025). The full source method combines a dual-expert ensemble with multimodal distillation from a pathology foundation model. The benchmark implements only the ensemble component: a shared attention aggregator, two expert classification heads, and optional logit consistency under the same frozen Virchow2 bags as the

other MIL methods. It omits CONCH-based multimodal distillation and is therefore not called a faithful MDE-MIL reproduction.

The shared trunk matches plain attention MIL: each bag $B = \{\mathbf{x}_1, \dots, \mathbf{x}_m\}$ is encoded instance-wise, attention weights are computed with a linear scorer and softmax over instances, and the weighted sum yields a bag embedding $S(B) \in \mathbb{R}^d$. Two separate feed-forward experts then map S to logits:

$$E_U(S) = W_U \phi_U(S) + b_U, \quad E_B(S) = W_B \phi_B(S) + b_B, \quad (36)$$

where ϕ_U and ϕ_B are two-layer MLPs with ReLU and dropout. Expert U is trained on the natural slide distribution and expert B on a class-balanced slide distribution.

Each training step draws one minibatch from each distribution. The unbalanced loader shuffles slide bags as in MIL CE; the balanced loader uses the same inverse-frequency weights as balanced-sampling MIL. For batches (B_U, y_U) and (B_B, y_B) , the classification loss is

$$\mathcal{L}_{\text{cls}} = \text{CE}(E_U(S(B_U)), y_U) + \text{CE}(E_B(S(B_B)), y_B), \quad (37)$$

and the cross-expert consistency term penalizes disagreement on the *same* bag embedding:

$$\mathcal{L}_{\text{con}} = \text{MSE}(E_U(S(B_U)), E_B(S(B_U))) + \text{MSE}(E_B(S(B_B)), E_U(S(B_B))). \quad (38)$$

The total objective is $\mathcal{L} = \mathcal{L}_{\text{cls}} + \lambda_{\text{con}} \mathcal{L}_{\text{con}}$. The reference default is $\lambda_{\text{con}} = 0.25$, matching the Camelyon+-LT default reported by Ling et al.; λ_{con} is selected on validation. Setting $\lambda_{\text{con}} = 0$ defines the prespecified *dual experts without consistency* component ablation: both natural and balanced experts remain, but only their classification losses are optimized. Unlike RankMix-inspired mixing, this method has no teacher or student reinitialization; both experts share the aggregator throughout training.

At validation and test time, each slide bag is evaluated once in natural order with mean-logit ensemble inference:

$$\hat{\mathbf{z}}(B) = \frac{1}{2}(E_U(S(B)) + E_B(S(B))). \quad (39)$$

MDE-inspired dual-expert MIL is categorized as a hybrid WSI method because it couples two sampling distributions with an optional consistency regularizer rather than changing only the sampler or only the per-example loss.

4 Summary

This report defines the benchmark’s no-mitigation references (CE and MIL CE) and its retained interventions: balanced sampling, class-weighted CE, focal loss, train-time and post-hoc logit adjustment, soft-F1, soft-MCC, CFAL, OKO, RankMix-inspired feature mixing, cRT, SC-MIL, and MDE-inspired dual-expert MIL. Balanced Softmax is recorded as related prior-correction literature rather than an additional tested method. Read along the signal axis, this roster is concentrated on prevalence: difficulty is represented only by focal loss and by the teacher ranking inside RankMix-inspired mixing, absolute evidence only by the effective-number weighting in CFAL, and coverage is measured by no tested method at all. The definitions make the tested adaptations, output semantics, and ablations explicit; the companion experimental protocol defines how their discrimination, probability quality, and mitigation recovery are evaluated.

References

- Yuan-Chih Chen and Chun-Shien Lu. Rankmix: Data augmentation for weakly supervised learning of classifying whole slide images with diverse sizes and imbalanced categories. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pages 23936–23945, 2023. doi: 10.1109/CVPR52729.2023.02397.
- Chuan Guo, Geoff Pleiss, Yu Sun, and Kilian Q. Weinberger. On calibration of modern neural networks. In *Proceedings of the 34th International Conference on Machine Learning*, pages 1321–1330. PMLR, 2017.
- Dinkar Juyal, Siddhant Shingi, Syed Ashar Javed, Harshith Padigela, Chintan Shah, Anand Sampat, Archit Khosla, John Abel, and Amaro Taylor-Weiner. SC-MIL: Supervised contrastive multiple instance learning for imbalanced classification in pathology. In *Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision*, pages 7016–7025, 2024. doi: 10.1109/WACV57761.2024.00702.
- Bingyi Kang, Saining Xie, Marcus Rohrbach, Zhicheng Yan, Albert Gordo, Jiashi Feng, and Yannis Kalantidis. Decoupling representation and classifier for long-tailed recognition. In *International Conference on Learning Representations*, 2020. URL <https://openreview.net/forum?id=r1gRTCvFvB>.
- Tuomas Kynkäänniemi, Tero Karras, Samuli Laine, Jaakko Lehtinen, and Timo Aila. Improved precision and recall metric for assessing generative models. In *Advances in Neural Information Processing Systems*, volume 32, pages 3927–3936, 2019. URL <https://proceedings.neurips.cc/paper/2019/hash/0234c510bc6d908b28c70ff313743079-Abstract.html>.
- Xitong Ling, Yifeng Ping, Jiawen Li, Jing Peng, Yuxuan Chen, Minxi Ouyang, Yizhi Wang, Yonghong He, Tian Guan, Xiaoping Liu, and Lianghui Zhu. Multimodal distillation-driven ensemble learning for long-tailed histopathology whole slide images analysis. *arXiv preprint arXiv:2503.00915*, 2025. doi: 10.48550/arXiv.2503.00915.
- Taslim Mahbub, Ahmad Obeid, Sajid Javed, and Jorge Dias. Center-focused affinity loss for class imbalance histology image classification. *IEEE Journal of Biomedical and Health Informatics*, 28(2):952–963, 2024. doi: 10.1109/JBHI.2023.3336372.
- Aditya Krishna Menon, Sadeep Jayasumana, Ankit Singh Rawat, Himanshu Jain, Andreas Veit, and Sanjiv Kumar. Long-tail learning via logit adjustment. In *International Conference on Learning Representations*, 2021. URL <https://openreview.net/forum?id=37nvvqkCo5>.
- Candelaria Mosquera, Luciana Ferrer, Diego H. Milone, Daniel Luna, and Enzo Ferrante. Class imbalance on medical image classification: towards better evaluation practices for discrimination and calibration performance. *European Radiology*, 34(12):7895–7903, 2024. doi: 10.1007/s00330-024-10834-0.
- Lukas Muttenthaler, Robert A. Vandermeulen, Qiuyi Zhang, Thomas Unterthiner, and Klaus-Robert Müller. Set learning for accurate and calibrated models. In *Proceedings of the Twelfth International Conference on Learning Representations*, 2024. URL <https://arxiv.org/abs/2307.02245>.
- Muhammad Ferjad Naeem, Seong Joon Oh, Youngjung Uh, Yunjey Choi, and Jaejun Yoo. Reliable fidelity and diversity metrics for generative models. In *Proceedings of the 37th International Conference on Machine Learning*, pages 7176–7185. PMLR, 2020.
- Yannik Queisler. Computational pathology and benchmark datasets: An introduction to the domain and data. Technical report, TU Berlin, 2026.

- Jiawei Ren, Cunjun Yu, Shunan Sheng, Xiao Ma, Haiyu Zhao, Shuai Yi, and Hongsheng Li. Balanced meta-softmax for long-tailed visual recognition. In *Advances in Neural Information Processing Systems*, volume 33, pages 4175–4184, 2020. URL <https://proceedings.neurips.cc/paper/2020/hash/2ba61cc3a8f44143e1f2f13b2b729ab3-Abstract.html>.
- Olivier Roy and Martin Vetterli. The effective rank: A measure of effective dimensionality. In *Proceedings of the 15th European Signal Processing Conference (EUSIPCO)*, pages 606–610, 2007.
- Manisha Saini and Seba Susan. Tackling class imbalance in computer vision: a contemporary review. *Artificial Intelligence Review*, 56(S1):1279–1335, 2023. doi: 10.1007/s10462-023-10557-6.
- Daniel Scholz, Ayhan Can Erdur, Josef Buchner, Jan C. Peeken, Daniel Rueckert, and Benedikt Wiestler. Imbalance-aware loss functions improve medical image classification. In *Proceedings of the 7th International Conference on Medical Imaging with Deep Learning*, volume 250 of *Proceedings of Machine Learning Research*, pages 1341–1356. PMLR, 2024. URL <https://proceedings.mlr.press/v250/scholz24a.html>.
- Eugene Vorontsov, Alican Bozkurt, Adam Casson, George Shaikovski, Michal Zelechowski, Kristen Severson, Eric Zimmermann, et al. A foundation model for clinical-grade computational pathology and rare cancers detection. *Nature Medicine*, 30(10):2924–2935, 2024. doi: 10.1038/s41591-024-03141-0.
- Yifan Zhang, Bingyi Kang, Bryan Hooi, and Shuicheng Yan. Deep long-tailed learning: A survey. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 45(9):10795–10816, 2023. doi: 10.1109/TPAMI.2023.3268118.
- Eric Zimmermann, Eugene Vorontsov, Julian Viret, Adam Casson, Michal Zelechowski, George Shaikovski, Neil Tenenholtz, James Hall, Thomas Fuchs, Nicolo Fusi, Siqi Liu, and Kristen Severson. Virchow2: Scaling self-supervised mixed magnification models in pathology. *arXiv preprint arXiv:2408.00738*, 2024. doi: 10.48550/arXiv.2408.00738.