INNOVATE. CREATE. SOLVE

Bengaluru, Karnataka, India



AN
INTERNSHIP REPORT
ON

"Each One Teach One"

Bachelor of Engineering in Computer Science

Submitted by: B Deva Deekshith (1KS18CS009)



KS INSTITUTE OF TECHNOLOGY

DEPARTMENT OF COMPUTER SCIENCE **2021**

ABOUT THE COMPANY

IC Solution (ICS) is a digital service provider that aims to provide software, designing and marketing solutions to individuals and businesses. At ICS, we believe that service and quality is the key to success

We provide all kinds of technological and designing solutions from Billing Software to Web Designs or any custom demand that you may have. Experience the service like none other!

Some of our services include:

<u>Development</u> - We develop responsive, functional and super-fast websites.

We keep User Experience in mind while creating websites. A website should load quickly and should be accessible even on a small view-port and slow internet connection.

<u>Mobile Application</u> - We offer a wide range of professional Android, iOS & Hybrid app development services for our global clients, from a startup to a large enterprise.

<u>Design</u> - We offer professional Graphic design, Brochure design & Logo design. We are experts in crafting visual content to convey the right message to the customers.

<u>Consultancy</u> - We are here to provide you with expert advice on your design and development requirement.

<u>Videos</u> - We create a polished professional video that impresses your audience.

TABLE OF CONTENTS

Tableofcontents	i
Overview of the Project	
Tools Used	
Implementation	
Snapshots	
Bibliography	

OVERVIEW OF THE PROJECT

Project Name: EACH ONE TEACH ONE

Team members: B DEVA DEEKSHITH KILARI JASWANTH

PROJECT IS TO MAKE A WEB PAGE ABOUT EOTO(Each one Teach one). THIS
PROJECT IS MADE USING HTML,CSS. CSS IS MADE WITH AN EXTERNAL LINK.
THIS WEB PAGE CONSISTS OF HIS TWO FORMS. ONE IS "if you are student and
Willing to learn" AND "if you are a student willing to teach". THIS WEB PAGE IS MADE UP
OF WITH BASIC HTML AND CSS. MOST OF THE PART IS MADE UP OF HTML
AND GAVE A BETTER LOOK AND DESGIN BY CSS.

THIS PROJECT WAS DEVELOPED BY MY TEAM (MYSELF AND JASWANTH), WE ARE EQUALLY RESPONSIBLE FOR THESE PROJECT. WE HAVE BEEN USING ALL THE TAGS, BACKGROUND TAG, AND CONCEPT THOUGHT IN THE INTERNSHIP.

ABOUT EOTO

Each One Teach One is a simple technique for imparting small pieces of understanding to a group—one student at a time. Each student confronts new information, learns it, and then is empowered to teach it to each other student. It allows the student to understand better and provides the learner with rare one-on-one attention and lets students select "lessons/Modules" appropriate to particular student learning styles, energy levels, and personalities. As a teaching method, it can be used with almost any subject. This helps the individual to enhance the understanding of self and the subject, as unofficially proven, it is always that best friend who becomes the best teacher by teaching topics in a way that one can remember in the last minute, EOTO would be taking this concept much farther by building the system for it, with a community that would work for the betterment of the concept and the idea, includes analysis, maintenance, support, improvement, etc.

ADVANTAGES and CHALLENGES

ADVANTAGES:

- 1. Had an great experience afoot in web design.
- 2. Gave an idea how to build an interactive web pages.
- 3. Rectifying code errors.

DISADVANTAGES:

- 1. Did not initially know where to use the correct tag.
- 2. Lot of code errors.
- 3. Difficult to find the wrong code.

TOOLS USED

Software Requirements

- Visual Studio Code2019.
- Google Chrome or Microsoft Edge of latestversion.
- Front End : HTML,CSS,JS(optional)
- Linux 7.1 or Windows XP/7/8/10OS or Mac OS

Hardware Requirements

- Pentium 200-MHz computer with a minimum of 64 MB of RAM (128 MB of RAM recommended).
- Monitor with a refresh rate of atleast 40Hz for a smooth GUI experience(optional).

IMPLEMENTATION

Source Code(homepage.HTML)

```
<!DOCTYPE html>
<html>
<head>
<title>EOTO</title>
k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/c
awesome.min.css">
<link rel="stylesheet" href="p3.css">
</head>
<body>
<div class="topnav">
<a class="active" href="#home"><strong>EOTO</strong></a>
    <a href="#home">Home</a>
    <a href="#about">About</a>
    <a href="#contact">Contact</a>
    <div class="search-container">
        <form action="/action_page.php">
            <input type="text" placeholder="Search.." name="search">
<button type="submit"><i class="fa fa-search"></i></button>
        </form>
    </div>
</div>
<div class="dd">
<br>
<br>
<h1>IF YOU ARE A STUDENT AND WILLING TO LEARN</H1>
<br>
<br/>br>
<br
<br>
<h2>->Watch Daily Live Classes.</h2>
<h2>->Take Mock Test.</h2>
<h2>->Ask Doubt At Any Time.</h2>
<br>
<br>
<br>
```

```
<form action="form 1.html">
             <button class = "gfg" type="submit">
                   Click Here ->
             </button>
      </form>
<br>
<br>
<br>
<br>
<br>
<br>
</div>
<div class="gg">
<h1>EOTO</h1>
</div>
<div class="de">
<br>
<br>
<h1>IF YOU ARE A STUDENT AND WILLING TO TEACH</H1>
<br/>br>
<br>
<br.
<br>
<h2>->Teach On Only Live Classes.</h2>
<h2>->One On One Interaction With Student.</h2>
<h2>->Clarification Of Doubt At Any Point Of Time.</h2>
<br>
<br>
<br>
      <form action="form 2.html">
             <button class = "gfg" type="submit">
                   Click Here ->
             </button>
      </form>
<br>
<br>
<br>
```

EOTO

```
<br>
<br>
<br>
</div>
<div class="ff">
<h1>CONTACT US</h1>
</div>
<br>
<div class="dev">
<div class="container">
<h2>HAVE SOME QUESTIONS?</h2>
<form action="response recorded.html">
       <input type="text" placeholder="First Name"><br><br><
       <input type="text" placeholder="Last Name"><br><br></ri>
       <input type="text" placeholder="Email"><br><br>
      <input type="text" placeholder="Your Message"><br><br>
      <input type="text" placeholder="Phone Number"><br><br>
<button>Submit
</form>
</div>
</div>
</br>
</body>
</html>
      code(form1.HTML)
      <html>
      <head>
      <title>Learn</title>
      k rel="stylesheet" href="p333.css">
      </head>
      <body>
      <div class="container">
      <h2>WILLING TO LEARN</h2>
```

```
<form action="response recorded.html">
```

code(form2.HTML)

```
<html>
<head>
<title>Teach</title>
link rel="stylesheet" href="p33.css">
</head>
<body>
<div class="container">
<h2>WILLING TO TEACH</h2>
<form action="response recorded.html">
<input type="text" placeholder="First Name"><br>
<input type="text" placeholder="Last Name"><br>
<input type="text" placeholder="College"><br>
<input type="text" placeholder="College"><br/>
<input type="text" placeholder="text" placeholder
```

</html>

```
<input type="text" placeholder="DOB"><br>
         <input type="text" placeholder="City"><br><br>
         <input type="text" placeholder="USN"><br><br>
   <br><br>>
   <button>Submit</button>
  </form>
  </div>
  </body>
  </html>
  code(response recorded.HTML)
  <html>
  <head>
  <title> response recorded</title>
  k rel="stylesheet" href="p3333.css">
  </head>
  <body>
  <h1> Thank you, your response has been recorded, our team will get back
  to you regarding the same very soon</h1>
  <img
src="https://t3.ftcdn.net/jpg/03/43/48/92/360_F_343489255_SeHCt0vEnzXjzzx5somocu
CGRCcX13sJ.jpg" alt="thumbs up" width="500" height="500" >
  <h1>STAY HOME STAY SAFE</H1>
  </body>
```

IMPLEMENTATION

Source Code(p3.CSS)

```
* {box-sizing: border-box;}
body {
 margin: 0;
 font-family: Arial, Helvetica, sans-serif;
}
.topnav {
 overflow: hidden;
 background-image:
url("https://img.wallpapersafari.com/tablet/2560/1700/78/76/OXavm4.jpg");
border: 3px outset red;
padding: 5px;
}
.topnav a {
 float: left;
 display: block;
 color: black;
 text-align: center;
 padding: 14px 16px;
 text-decoration: none;
 font-size: 25px;
.topnav a:hover {
 background-color: #ddd;
 color: black;
```

```
}
.topnav a.active {
 background-color: #2196F3;
 color: white;
}
.topnav .search-container {
 float: right;
}
.topnav input[type=text] {
 padding: 6px;
 margin-top: 8px;
 font-size: 17px;
 border: none;
}
.topnav .search-container button {
 float: right;
 padding: 6px 10px;
 margin-top: 8px;
 margin-right: 16px;
 background: #ddd;
 font-size: 17px;
 border: none;
 cursor: pointer;
.topnav .search-container button:hover {
 background: #ccc;
@media screen and (max-width: 600px) {
```

```
.topnav .search-container {
  float: none;
 }
 .topnav a, .topnav input[type=text], .topnav .search-container button {
  float: none;
  display: block;
  text-align: left;
  width: 100%;
  margin: 0;
  padding: 14px;
 }
 .topnav input[type=text] {
  border: 1px solid #ccc;
 }
}
.iop {
 background-image:
url("https://img.wallpapersafari.com/tablet/2560/1700/78/76/OXavm4.jpg");
 padding: 2px;
border: 3px outset red;
}
.deva {
 background-image: url("https://img.freepik.com/free-vector/pink-oil-painted-
canvas-background_53876-93727.jpg?size=626&ext=jpg");
   padding: 10px;
}
.gg {
background-image:
url("https://img.wallpapersafari.com/tablet/2560/1700/78/76/OXavm4.jpg");
padding: 5px;
border: 3px outset red;
}
.dd{
background-image:
```

```
url("https://previews.123rf.com/images/teravector/teravector1902/teravector1902002
04/117776403-student-character-sitting-at-table-with-laptop-and-studying-at-home-
domestic-interior-background-uni.jpg");
border: 3px outset black;
}
.de {
background-image: url("https://thumbs.dreamstime.com/z/lady-working-laptop-flat-
vector-illustration-secretary-student-studying-freelancer-cartoon-character-remote-
job-freelance-161820757.jpg");
background-size:cover;
border: 3px outset black;
.gfg {
          background-color: green;
          border: 2px solid black;
          color: black;
          padding: 5px 10px;
          text-align: center;
          display: inline-block;
          font-size: 24px;
          margin: 10px 30px;
          cursor: pointer;
          }
.ff {
 background-image:
url("https://img.wallpapersafari.com/tablet/2560/1700/78/76/OXavm4.jpg");
 padding: 2px;
border: 3px outset red;
}
.container {
position: absolute;
background:rgba(0,0,1,0.8);
transform:translate(20%,-50%);
```

```
width:500px;
           padding:2rem;
           box-szing:border-box;
           box-shadow:0 16px;
           border-radius:12px;
           text_align:center;
           .container h2 {
           color:#fff;
           font-family:cursive;
           font-size:2rem;
           font_weight:100;
           }
           input {
           width:70%;
           padding:0.8rem;
           border-radius:20px;
           border:none;
           button {
           width:20%;
           padding:0.6rem;
           background-color:blue;
           border:none;
           color:#fff;
           border-radius:5px;
           .dev {
            background-image:
           url("https://static1.bigstockphoto.com/5/4/2/large1500/245078380.jpg");
           padding: 300px;
background-size:cover;
```

}

Source Code(p33.CSS)

```
body {
margin:0;
padding:0;
font-family:sans-serif;
background:url("https://www.innovwebsolutions.com/wp-
content/themes/twentyseventeen/assets/images/mid3.jpg");
no-reapeat center center fixed;
background-size:cover;
}
.container {
position: absolute;
top:50%;
left:50%;
transform:translate(-50%,-50%);
width:500px;
padding:2rem;
background:rgba(0,0,1,0.8);
box-szing:border-box;
box-shadow:0 16px;
border-radius:12px;
text_align:center;
.container h2 {
color:#fff;
font-family:cursive;
font-size:2rem;
font_weight:100;
```

ЕОТО

```
input {
  width:70%;
  padding:0.8rem;
  border-radius:20px;
  border:none;
  }
  button {
  width:20%;
  padding:0.6rem;
  background-color:green;
  border:none;
  color:#fff;
  border-radius:5px;
```

Source Code(p333.CSS)

```
body {
margin:0;
padding:0;
font-family:sans-serif;
background:url("https://www.innovwebsolutions.com/wp-content/themes/twentyseventeen/assets/images/mid3.jpg");
no-reapeat center center fixed;
background-size:cover;
}
.container {
position: absolute;
top:50%;
left:50%;
transform:translate(-50%,-50%);
```


```
width:500px;
padding:2rem;
background:rgba(0,0,1,0.8);
box-szing:border-box;
box-shadow:0 16px;
border-radius:12px;
text_align:center;
.container h2 {
color:#fff;
font-family:cursive;
font-size:2rem;
font_weight:100;
input {
width:70%;
padding:0.8rem;
border-radius:20px;
border:none;
button {
width:20%;
padding:0.6rem;
background-color:blue;
border:none;
color:#fff;
border-radius:5px;
```


Source Code(p3333.CSS)


```
body {
   background:url("https://img.rawpixel.com/s3fs-
   private/rawpixel_images/website_content/rm309-adj-
   05.jpg?w=800&dpr=1&fit=default&crop=default&q=65&vib=3&con=3&usm=15&b
   g=F4F4F3&ixlib=js-2.2.1&s=7a3a0b293691f2d3fb739cb7821b3948");
   background-size:cover;
}
img {
   opacity: 0.9;
```


IMPLEMENTATION


Snapshots














BIBLIOGRAPHY

- https://www.w3schools.com
- https://www.geeksforgeeks.org
- https://freefrontend.com