C Programming Language

Project Presentation

C Programming Language

Project Presentation

C Programming Language

Project Presentation

C Programming Language

Project Presentation

C Programming Language

Project Presentation

C Programming Language

Project Presentation

C Programming Language

Project Presentation

C Programming Language

Project Presentation

C Programming Language

Project Presentation

C Programming Language

Project Presentation

```
#include «stdio.h»
#include <string.h>
#öcí n   MAX_ITU OENTS   OO
#define MAX_SUBJECTS IO
Şpedef struct {
  int id;
  char name[50],
  int marks[MŒ_SUBJECTS],
```

```
foatave+uce;
 clsnr¿iaue,
Student;
char calc_grade(float avg) {
  if (avg    9O) return 'A';
  else if (avg >= 75) return 'B';
  else if (avg »= 60) return 'C';
  else if (avg >= 50) return 'D';
  return 'F',)
int main() {
  int n, m, i,j;
  Student students[MAX_STUDENTS];
  printf("Enter number of students: ");
  scanf("%d", &n);
  printf("Enter number of subjects: ");
  scanf("%d", &m);
```

```
for (i = 0; i   n; ++i)
  students[i].total   0;
  printf("\nStudent %d ID: ", i+1);
  scanf(  %u", &st uclents[i].iu);
  pi inlf(' Name   "),
  scanf(" 649["\n]", students[i].name);
  for (j   O; j   m; ++i)
    printf("Mark for subject 96d:   j+1);
    scanf("%d", &students[i].marks[j]);
    students[i].total    students[i].marksğ];)
```

```
ca    rade(students[i].average);)
  printf("\n\nID\t\Name\t\Total\t\Average\t\Grade\n");
  for (i   O; i   n; ++i) (
    printf("Bd\t96s\t96d\t%.2f\t96c\n",
      students[i].id, students[i].name,
students[i].total,
      students[i].average, students[i].grade);)
  int top   0;
  (or \i – 1; i < n; ++i)
    if (students[i].total » students[top].total) top = i;
  printf("\nTop Performer: %s (ID: %d) Total: %d
Average: %.2f\n",
    students[top].name, students[top].id,
```

```
students[topj.total, students[topj.average);
  return O;)
```

C Programming Language Project Presentation

OUTPUT

Summary of Outputs (Simple Words)

**The program takes the marks of all students and stores them in memory.
It then calculates each student's total marks and average marks.
Based on the average, it also gives a grade to each student.**

**After calculating for every student, it shows the results in a table.
Finally, it compares all students' totals and finds who scored the highest.**

In the output:

RIYA scored a total of 108

DILIP scored a total of 118

ROSY scored a total of 124

So, ROSY has the highest marks, therefore ROSY is the Top Performer.

```
D:\notes & qp banks\c langua

Enter number of students: 3
Enter number of subjects: 3

Student 1 ID: 001
Name: RIYA
Mark for subject 1: 30
Mark for subject 2: 38
Mark for subject 3: 40

Student 2 ID: 002
Name: DILIP
Mark for subject 1: 35
Mark for subject 2: 40
Mark for subject 3: 43

Student 3 ID: 003
Name: ROSY
Mark for subject 1: 39
Mark for subject 2: 40
Mark for subject 3: 45


ID      Name    Total   Average Grade
1       RIYA    108     36.00   F
2       DILIP   118     39.33   F
3       ROSY    124     41.33   F

Top Performer: ROSY (ID: 3) Total: 124 Average: 41.33

--------------------------------
Process exited after 107.7 seconds with return value 0
Press any key to continue . . .
```

C Programming Language
Project Presentation

C Programming Language

Project Presentation

C Programming Language

Project Presentation