



6 DEVA DHARSHINI P 2024-CSE

D2

**Started on** Wednesday, 6 August 2025, 10:16 AM

**State** Finished

**Completed on** Saturday, 30 August 2025, 6:29 PM

**Time taken** 24 days 8 hours

**Marks** 1.00/1.00

**Grade** 10.00 out of 10.00 (100%)

**Question 1** | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void function (int n)
```

```
{
```

```
    int i= 1;
```

```
    int s =1;
```

```
    while(s <= n)
```

```
{
```

```
    i++;
```

```
    s += i;
```

```
}
```

```
}
```

**Note:** No need of counter increment for declarations and `scanf()` and `count` variable `printf()` statements.

**Input:**

A positive Integer n

**Output:**

Print the value of the counter variable

**For example:**

Input	Result
9	12

**Answer:** (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int n,i;
4     scanf("%d",&n);
5     int counter=0;
6     i=1;
7     int s=1;
8     counter++;
9     while(1){
10         counter++;
11         if(!(s<=n))break;
12         i++;
13         counter++;
14         s+=i;
15         counter++;
16     }
17     counter++;
18     printf("%d\n",counter);
19     return 0;
20 }
21 }
```

	Input	Expected	Got	
<input type="checkbox"/>	9	12	12	<input type="checkbox"/>
<input type="checkbox"/>	4	9	9	<input type="checkbox"/>

Passed all tests!

**Correct**

Marks for this submission: 1.00/1.00.

[Back to Course](#)



6 DEVA DHARSHINI P 2024-CSE

D2

**Started on** Saturday, 30 August 2025, 6:30 PM

**State** Finished

**Completed on** Saturday, 30 August 2025, 6:32 PM

**Time taken** 2 mins 49 secs

**Marks** 1.00/1.00

**Grade** 10.00 out of 10.00 (100%)

**Question 1** | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void func(int n)
{
    if(n==1)
    {
        printf("*");
    }
    else
    {
        for(int i=1; i<=n; i++)
        {
            for(int j=1; j<=n; j++)
            {
                printf("*");
                printf("*");
                break;
            }
        }
    }
}
```

**Note:** No need of counter increment for declarations and scanf() and count variable printf() statements.

**Input:**

A positive Integer n

**Output:**

Print the value of the counter variable

**Answer:** (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int n;
4     scanf("%d",&n);
5     int counter=0;
6     if(n==1){
7         counter++;
8         counter++;
9     }
10    else{
11        counter++;
12        for(int i=1;i<=n;i++){
13            counter++;
14            for(int j=1;j<=n;j++){
15                counter++;
16                counter++;
17                counter++;
18                break;
19            }
20            counter++;
21        }
22        counter++;
23    }
24    printf("%d",counter);
25    return 0;
26 }
```

	Input	Expected	Got	
<input type="checkbox"/>	2	12	12	<input type="checkbox"/>

	Input	Expected	Got	
<input type="text"/>	1000	5002	5002	<input type="text"/>
<input type="text"/>	143	717	717	<input type="text"/>

Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)



6 DEVA DHARSHINI P 2024-CSE □

D2

**Started on** Saturday, 30 August 2025, 6:33 PM

**State** Finished

**Completed on** Saturday, 30 August 2025, 7:40 PM

**Time taken** 1 hour 6 mins

**Marks** 1.00/1.00

**Grade** 10.00 out of 10.00 (100%)

**Question 1** | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
Factor(num) {
{
    for (i = 1; i <= num; ++i)
    {
        if (num % i == 0)
        {
            printf("%d ", i);
        }
    }
}
```

**Note:** No need of counter increment for declarations and scanf() and counter variable printf() statement.

**Input:**

A positive Integer n

**Output:**

Print the value of the counter variable

**Answer:**

```
1 #include <stdio.h>
2 int main() {
3     int num;
4     int i;
5     int counter = 0;
6     scanf("%d", &num);
7     for (i = 1; i <= num; ++i) {
8         counter++;
9
10        counter++;
11        if (num % i == 0) {
12            counter++;
13        }
14    }
15    counter++;
16    printf("%d", counter); // Not counted
17    return 0;
18 }
```

	Input	Expected	Got	
12	31	31	31	✓
25	54	54	54	✓
4	12	12	12	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)



6 DEVA DHARSHINI P 2024-CSE □

D2

**Started on** Saturday, 30 August 2025, 7:40 PM

**State** Finished

**Completed on** Saturday, 30 August 2025, 7:41 PM

**Time taken** 1 min 23 secs

**Marks** 1.00/1.00

**Grade** 10.00 out of 10.00 (100%)

**Question 1** | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
void function(int n)
{
    int c = 0;
    for(int i=n/2; i<n; i++)
        for(int j=1; j<n; j = 2 * j)
            for(int k=1; k<n; k = k * 2)
                c++;
}
```

**Note:** No need of counter increment for declarations and `scanf()` and `count` variable `printf()` statements.

**Input:**

A positive Integer n

**Output:**

Print the value of the counter variable

**Answer:**

```
1 #include <stdio.h>
2 int main() {
3     int n;
4     if (scanf("%d", &n) != 1) return 0;
5     long long c = 0;
6     int i = n / 2;
7     c++;
8     while (1) {
9         c++;
10        if (!(i < n)) break;
11        int j = 1;
12        while (1) {
13            c++;
14            if (!(j < n)) break;
15            int k = 1;
16            while (1) {
17                c++;
18                if (!(k < n)) break;
19                c++;
20                k = k * 2;
21            }
22            j = j * 2;
23        }
24        i++;
25    }
26    printf("%lld\n", c);
27    return 0;
28 }
```

	Input	Expected	Got	
<input type="checkbox"/>	4	30	30	<input type="checkbox"/>
<input type="checkbox"/>	10	212	212	<input type="checkbox"/>

Passed all tests!

**Correct**

Marks for this submission: 1.00/1.00.

[Back to Course](#)



6 DEVA DHARSHINI P 2024-CSE

D2

**Started on** Saturday, 30 August 2025, 7:14 PM

**State** Finished

**Completed on** Sunday, 31 August 2025, 11:48 AM

**Time taken** 16 hours 34 mins

**Marks** 0.00/1.00

**Grade** 0.00 out of 10.00 (0%)

**Question 1** | Incorrect Mark 0.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
void reverse(int n)
{
    int rev = 0, remainder;
    while (n != 0)
    {
        remainder = n % 10;
        rev = rev * 10 + remainder;
        n /= 10;

    }
    print(rev);
}
```

**Note:** No need of counter increment for declarations and scanf() and count variable printf() statements.

**Input:**

A positive Integer n

**Output:**

Print the value of the counter variable

**Answer:**

```
1 #include <stdio.h>
2
3 int main() {
4     int n;
5     if (scanf("%d", &n) != 1) return 0;
6
7     long long c = 0;           // use long long to be safe for larger n
8
9     int i = n / 2;
10    i++;                     // count initialization of i
11
12    while (1) {
13        i++;                 // count evaluation of (i < n)
14        if (!(i < n)) break;
15
16        int j = 1;
17        while (1) {
18            j++;               // count evaluation of (j < n)
19            if (!(j < n)) break;
20
21            int k = 1;
22            while (1) {
23                k++;             // count evaluation of (k < n)
24                if (!(k < n)) break;
25
26                c++;             // count the innermost statement execution
27                k = k * 2;
28            }
29
30            j = j * 2;
31        }
32
33        i++;
34    }
35
36    printf("%lld\n", c);
37    return 0;
38 }
```

	Input	Expected	Got	
□	12	11	254	□
□	1234	19	164124	□

Your code must pass all tests to earn any marks. Try again.

Show differences

Incorrect

Marks for this submission: 0.00/1.00.

[Back to Course](#)